

F-MAMMA1001435//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-20110
4, WORKING DRAFT SEQUENCE, 4 unordered pieces.//5.1e-42:558:69//AC004529

F-MAMMA1001442//Plasmodium falciparum chromosome 2, section 37 of 73 of
the complete sequence.//0.0019:516:56//AE001400

F-MAMMA1001446//Homo sapiens Xp22 BAC GSHE-519E5 (Genome Systems Human B
AC library) complete sequence.//3.6e-42:486:70//AC003684

F-MAMMA1001452//RPCI11-48022.TJ RPCI11 Homo sapiens genomic clone R-4802
2, genomic survey sequence.//5.3e-87:423:98//AQ199294

F-MAMMA1001465//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 414D7, WORKING DRAFT SEQUENCE.//0.00038:114:75//AL033543

F-MAMMA1001476//Mus musculus uridine kinase mRNA, partial cds.//4.1e-99:
604:87//L31783

F-MAMMA1001487//Homo sapiens clone DJ1070G24, WORKING DRAFT SEQUENCE, 12
unordered pieces.//1.0e-13:158:77//AC005486

F-MAMMA1001501//Human mRNA for calcium activated neutral protease large
subunit (muCANP, calpain, EC 3.4.22.17).//9.6e-52:438:81//X04366

F-MAMMA1001502//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 356B7, WORKING DRAFT SEQUENCE.//3.7e-152:720:99//AL031714

F-MAMMA1001510//Human PAC clone DJ43804 from 22q12.1-qter, complete sequ
ence.//1.1e-05:371:61//AC002378

F-MAMMA1001522

F-MAMMA1001547

F-MAMMA1001551//Homo sapiens mRNA for KIAA0462 protein, partial cds.//2.
3e-128:614:98//AB007931

F-MAMMA1001575//Human Chromosome 16 BAC clone CIT987SK-A-815A9, complete
sequence.//0.97:154:68//AF001548

F-MAMMA1001576//Human gamma-tubulin mRNA, complete cds.//1.8e-95:529:91/
/M61764

F-MAMMA1001590//Human DNA sequence from clone 125H2 on chromosome 22q11-

12 Contains part of myosin heavy chain gene, EST, CA repeat, STS, GSS, complete sequence.//1.8e-07:104:84//Z98949

F-MAMMA1001600//HS_3022_A2_H01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3022 Col=2 Row=0, genomic survey sequence.//1.6e-66:405:90//AQ163791

F-MAMMA1001604//Human DNA sequence from clone 1114G22 on chromosome 1q24-25 Contains EST, CA repeat, Ninenin like sequence, complete sequence.//0.00043:715:58//AL008626

F-MAMMA1001606//jd114 Trypanosome Shotgun M13 genomic Trypanosoma brucei brucei genomic clone 2G6, genomic survey sequence.//0.19:266:62//B13685

F-MAMMA1001620//Homo sapiens monocyte/neutrophil elastase inhibitor gene, complete cds.//9.7e-54:442:69//AF053630

F-MAMMA1001627//X.borealis ribosomal spacer DNA, with a DNaseI-hypersensitive site.//0.14:221:62//M29833

F-MAMMA1001630//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//2.0e-47:611:71//AC005412

F-MAMMA1001633//Human zinc finger protein (LD5-1) mRNA, complete cds.//1.1e-42:611:67//U57796

F-MAMMA1001635//Human BAC clone RG072E11 from 7q21-7q22, complete sequence.//4.0e-35:407:70//AC000118

F-MAMMA1001649//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.44:245:63//AL022577

F-MAMMA1001654//Mouse transcriptional control element.//0.0025:189:63//M17284

F-MAMMA1001663//CIT-HSP-2165E16.TR CIT-HSP Homo sapiens genomic clone 2165E16, genomic survey sequence.//9.7e-05:146:66//B95491

F-MAMMA1001670//HS_3136_A1_G06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3136 Col=11 Row=M, genomic survey sequence.//3.1e-28:237:85//AQ148779

F-MAMMA1001671//Homo sapiens chromosome 19, cosmid F23269, complete sequence.//3.3e-181:863:98//AC005614

F-MAMMA1001679//HS_3054_A1_H11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3054 Col=21 Row=0, genomic survey sequence.//1.0:89:70//AQ106118

F-MAMMA1001683//Spermatozopsis similis mRNA for 90 kD basal apparatus-protein.//8.3e-07:480:62//AJ224970

F-MAMMA1001686//HS_3219_B1_A03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3219 Col=5 Row=B, genomic survey sequence.//0.00072:180:65//AQ180345

F-MAMMA1001692//HS_3047_B1_B10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3047 Col=19 Row=D, genomic survey sequence.//2.5e-94:459:98//AQ134228

F-MAMMA1001711//Homo sapiens clone DJ0635005, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.2e-42:316:82//AC004845

F-MAMMA1001715//CIT-HSP-2347A14.TF CIT-HSP Homo sapiens genomic clone 2347A14, genomic survey sequence.//1.1e-60:413:87//AQ059125

F-MAMMA1001730//Homo sapiens brain and nasopharyngeal carcinoma susceptibility protein NSG-x mRNA, partial cds.//1.8e-133:646:97//AF095687

F-MAMMA1001735//chicken brain tubulin beta chain mrna.//3.5e-110:740:84//J00913

F-MAMMA1001740//Human DNA sequence from PAC 136017 on chromosome X contains ESTs and STS.//0.98:416:57//Z72001

F-MAMMA1001743//Homo sapiens clone DJ0981007, complete sequence.//3.2e-16:194:75//AC006017

F-MAMMA1001744//Homo sapiens DNA sequence from clone 46618 on chromosome

Xq11.1-13.2. Contains an unknown gene similar to Coagulation Factor V (Activated Protein C Cofactor), Coagulation Factor VIII (Procoagulant Component) and Ceruloplasmin (EC 1.16.3.1, Ferroxidase). Contains ESTs and an STS, complete sequence.//0.0036:181:66//AL030998

F-MAMMA1001745//Homo sapiens BAC clone 529F11 from 8q21, complete sequence.//1.2e-60:822:68//AF070718

F-MAMMA1001751//Human potassium channel KCNO1 mRNA, complete cds.//1.2e-35:583:65//U90065

F-MAMMA1001754//Bos taurus vacuolar proton pump subunit SFD alpha isoform (SFD) mRNA, complete cds.//8.4e-102:627:87//AF041338

F-MAMMA1001757//HS_2058_B2_C04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=8 Row=F, genomic survey sequence.//1.7e-24:173:88//AQ243865

F-MAMMA1001760//Human DNA sequence from clone 354N19 on chromosome 6q22. Contains the 3' part of the gene for Mannosyl-Oligosaccharide Alpha-1,2-Mannosidase (Man(9)-alpha-mannosidase, EC 3.2.1.113), a Cytochrome C Oxidase Polypeptide I (EC 1.9.3.1) pseudogene and a pseudogene similar to 60S Ribosomal Protein L13A. Contains genomic markers D6S287 and D6S1696, ESTs, STSS, GSSs and two CA repeat polymorphisms, complete sequence.//6.6e-76:349:87//AL022722

F-MAMMA1001764//Saccharomyces douglasii mitochondrial cytochrome c oxidase subunit I (COXI) gene, complete cds.//0.23:633:57//M97514

F-MAMMA1001768//Bovine herpesvirus 1 complete genome.//2.3e-11:547:60//AJ004801

F-MAMMA1001769//Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.1e-76:509:78//AC004801

F-MAMMA1001771//M.musculus mRNA for semaphorin B.//2.7e-106:744:82//X859

F-MAMMA1001783//Human PAC clone 127H14 from 12q, complete sequence.//6.0e-20:228:75//AC002563

F-MAMMA1001785

F-MAMMA1001788//Human DNA sequence from clone 425C14 on chromosome 6q22 Contains the HSF2 gene for Heat Shock Factor 2 (Heat Shock Transcription Factor 2, HSTF 2) and an unknown gene similar to the placental protein DIFF33 gene. Contains ESTs, STSs and GSSs, complete sequence.//5.0e-05:152:74//Z99129

F-MAMMA1001790//Homo sapiens chromosome 12p13.3 clone RPCI3-454B23, WORKING DRAFT SEQUENCE, 48 unordered pieces.//4.5e-53:318:80//AC005845

F-MAMMA1001806//Homo sapiens chromosome 19, cosmid R29368, complete sequence.//1.0:131:67//AC004262

F-MAMMA1001812//Human Chromosome X clone BWXD187, complete sequence.//3.0e-34:257:83//AC004383

F-MAMMA1001815//Homo sapiens PAC clone DJ0850G01 from 7q21.2-q22, complete sequence.//5.2e-61:516:79//AC004128

F-MAMMA1001817//Homo sapiens 12q24 PAC RPCI1-261P5 (Roswell Park Cancer Institute Human PAC library) complete sequence.//3.1e-32:295:78//AC004031

F-MAMMA1001818//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L15, BAC clone 7B7, complete sequence bases 1..333303.//0.71:179:67//AJ011930

F-MAMMA1001820//Rattus norvegicus mRNA for PAG608 gene.//3.0e-91:726:79//Y13148

F-MAMMA1001824//HS_3108_A1_G12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3108 Col=23 Row=M, genomic survey sequence.//3.4e-05:119:74//AQ107508

F-MAMMA1001836//Homo sapiens chromosome 18, clone hRPK.537_E_1, complete sequence.//3.4e-45:312:85//AC006211

F-MAMMA1001837//Rattus norvegicus zinc finger protein Y1 (RLZF-Y) mRNA,
complete cds.//4.5e-51:480:75//AF052042

F-MAMMA1001848//CITBI-E1-2516P17.TF CITBI-E1 Homo sapiens genomic clone
2516P17, genomic survey sequence.//1.0e-100:486:98//AQ279620

F-MAMMA1001851//Human DNA from overlapping chromosome 19-specific cosmid
s R30072 and R28588, genomic sequence, complete sequence.//5.1e-07:197:6
7//AC002390

F-MAMMA1001854

F-MAMMA1001858//RPCI11-11L22.TP RPCI-11 Homo sapiens genomic clone RPCI-
11-11L22, genomic survey sequence.//0.091:161:65//B75631

F-MAMMA1001864//Human PAC clone DJ0205E24 from Xq23, complete sequence./
/2.6e-09:397:61//AC003013

F-MAMMA1001868//HS_2196_B2_A12_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2196 Col=24 Row=B, genomic survey
sequence.//5.8e-13:86:100//AQ032455

F-MAMMA1001874//H.sapiens CpG island DNA genomic MseI fragment, clone 63
h5, reverse read cpg63h5.rtl1a.//1.0:127:63//Z62129

F-MAMMA1001878//Human DNA sequence from BAC 999D10 on chromosome 22q13.3
. Contains two BAC end-sequences (GSSs).//1.7e-19:372:67//Z94802

F-MAMMA1001880//RPCI11-90K3.TJ RPCI11 Homo sapiens genomic clone R-90K3,
genomic survey sequence.//6.6e-11:362:62//AQ283465

F-MAMMA1001890//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 508I15, WORKING DRAFT SEQUENCE.//1.8e-45:317:86//AL021707

F-MAMMA1001907//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 424J12, WORKING DRAFT SEQUENCE.//2.7e-23:255:77//Z82207

F-MAMMA1001908//HS_2225_A1_A03_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2225 Col=5 Row=A, genomic survey s
equence.//5.4e-08:264:62//AQ301597

F-MAMMA1001931//HS_3049_B2_D09_MR CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=3049 Col=18 Row=H, genomic survey
sequence.//1.7e-47:295:90//AQ100157

F-MAMMA1001956//H.sapiens DNA sequence.//0.056:233:66//Z22493

F-MAMMA1001963//Homo sapiens adenylosuccinate lyase gene, complete cds./
/0.99:173:68//AF106656

F-MAMMA1001969//Human DNA sequence from cosmid 232L22, between markers D
XS366 and DXS87 on chromosome X contains ESTs glycerol kinase pseudogene
./5.3e-63:479:78//Z73986

F-MAMMA1001970//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, compl
ete sequence.//1.4e-126:699:93//AC003071

F-MAMMA1001992//HS_3078_A1_A09_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3078 Col=17 Row=A, genomic survey
sequence.//3.3e-08:257:65//AQ143646

F-MAMMA1002009//Homo sapiens chromosome 17, clone hRPK.214_O_1, complete
sequence.//1.5e-07:244:62//AC005224

F-MAMMA1002011//HS_3252_B1_B05_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3252 Col=9 Row=D, genomic survey s
equence.//1.3e-07:170:69//AQ304711

F-MAMMA1002032//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE,
37 unordered pieces.//2.1e-34:315:79//AC004803

F-MAMMA1002033//HS_3023_A2_G04_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3023 Col=8 Row=M, genomic survey s
equence.//4.3e-69:366:94//AQ105493

F-MAMMA1002041//Genomic sequence from Human 9q34, complete sequence.//5.
3e-85:439:82//AC001227

F-MAMMA1002042//Homo sapiens chromosome 3, clone hRPK.165_I_16, complete
sequence.//1.4e-20:314:70//AC005669

F-MAMMA1002047//Homo sapiens 12p13.3 BAC RPCI11-429A20 (Roswell Park Can
cer Institute Human BAC Library) complete sequence.//6.8e-14:526:62//AC0

05906

F-MAMMA1002056//Human DNA sequence from clone 1189B24 on chromosome Xq25-26.3. Contains NADH-Ubiquinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, CI-MLRQ), Tubulin Beta and Proto-oncogene Tyrosine-protein Kinase FER (EC 2.7.1.112, P94-FER, C-FER, TYK3) pseudogenes, and part of a novel gene similar to hypothetical proteins S. pombe C22F3.14C and C. elegans C16A3.8. Contains ESTs, an STS and GSSs, complete sequence.//1.1e-47:648:71//AL030996

F-MAMMA1002058//Homo sapiens PAC clone DJ0732C22 from 7p11.2-p13, complete sequence.//2.4e-19:256:74//AC004869

F-MAMMA1002068//Homo sapiens, clone hRPK.2_A_1, complete sequence.//5.4e-41:407:78//AC006197

F-MAMMA1002078//Human DNA sequence from PAC 106I20 on chromosome 22q12 C contains ESTs and STS, complete sequence.//0.021:333:64//Z81313

F-MAMMA1002082

F-MAMMA1002084//Caenorhabditis elegans cosmid F28C12, complete sequence.//0.032:469:58//Z93380

F-MAMMA1002093//HS_3050_B1_F06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3050 Col=11 Row=L, genomic survey sequence.//1.0:77:71//AQ105997

F-MAMMA1002108//Homo sapiens anion exchanger 3 gene, exons 1 and 2 and complete 5' UTR.//8.3e-10:464:60//AF017308

F-MAMMA1002118

F-MAMMA1002125//Homo sapiens chromosome 17, clone HCIT217L10, complete sequence.//1.0e-35:619:68//AC003962

F-MAMMA1002132//RPCI11-78F11.TJ RPCI11 Homo sapiens genomic clone R-78F11, genomic survey sequence.//1.0e-90:357:97//AQ286460

F-MAMMA1002140//Homo sapiens 12q24 PAC RPCI1-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.6e-45:583:64//AC004216

F-MAMMA1002143//Human serum constituent protein (MSE55) mRNA, complete cds.//6.0e-11:192:70//M88338

F-MAMMA1002145//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 102D24, WORKING DRAFT SEQUENCE.//0.0028:570:59//AL021391

F-MAMMA1002153//HS_3005_A1_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3005 Col=7 Row=G, genomic survey sequence.//4.9e-41:213:99//AQ132213

F-MAMMA1002155//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 462023, WORKING DRAFT SEQUENCE.//1.2e-45:303:78//AL031431

F-MAMMA1002156

F-MAMMA1002158//CITBI-E1-2508P18.TR CITBI-E1 Homo sapiens genomic clone 2508P18, genomic survey sequence.//7.1e-42:255:92//AQ266165

F-MAMMA1002170//Homo sapiens chromosome 17, clone HCIT187M2, complete sequence.//2.0e-81:604:81//AC004448

F-MAMMA1002174//Homo sapiens clone UWGC:y67c126 from 6p21, complete sequence.//3.2e-43:333:83//AC004212

F-MAMMA1002198//H.sapiens thiol-specific antioxidant protein mRNA.//1.0e-34:121:98//Z22548

F-MAMMA1002209//HS_2197_B1_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2197 Col=13 Row=J, genomic survey sequence.//9.6e-18:163:84//AQ210058

F-MAMMA1002215//Homo sapiens anion exchanger 3 gene, exons 1 and 2 and complete 5' UTR.//6.3e-08:435:60//AF017308

F-MAMMA1002219//Rattus norvegicus rexo70 mRNA, complete cds.//1.8e-124:752:87//AF032667

F-MAMMA1002230//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.67:356:59//AC004710

F-MAMMA1002236//Rattus norvegicus initiation factor eIF-2B gamma subunit

(eIF-2B gamma) mRNA, complete cds.//9.3e-140:836:87//U38253
 F-MAMMA1002243//Homo sapiens chromosome 17, clone hRPK.112_H_10, complete sequence.//1.4e-145:691:98//AC005666
 F-MAMMA1002250//Homo sapiens chromosome 16, P1 clone 109-9G (LANL), complete sequence.//6.0e-138:660:98//AC005600
 F-MAMMA1002267//Homo sapiens chromosome 2, P1 clone 777H5 (LBNL H27), complete sequence.//0.066:333:60//AC003676
 F-MAMMA1002268//Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds.//1.1e-39:404:74//AF068748
 F-MAMMA1002269//HS_3163_B1_D03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3163 Col=5 Row=H, genomic survey sequence.//1.0:150:63//AQ171576
 F-MAMMA1002282//Human Chromosome 16 BAC clone CIT987SK-327024, complete sequence.//1.5e-22:315:67//AC003108
 F-MAMMA1002292//B.garinii (strain TIs1) p83/100 gene (partial).//0.73:200:64//X81533
 F-MAMMA1002293//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25 unordered pieces.//1.6e-56:408:75//AC006023
 F-MAMMA1002294//Sequence 2 from Patent WO9516779.//1.8e-06:401:62//A45258
 F-MAMMA1002297
 F-MAMMA1002298//Homo sapiens DNA from chromosome 19, cosmid R29144, complete sequence.//0.0056:525:61//AC004221
 F-MAMMA1002299//CIT-HSP-2345B2.TR CIT-HSP Homo sapiens genomic clone 2345B2, genomic survey sequence.//1.2e-90:446:98//AQ053994
 F-MAMMA1002308//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 850H21, WORKING DRAFT SEQUENCE.//1.3e-35:329:78//AL031680
 F-MAMMA1002310//Human gastric (H+ + K+)-ATPase gene, complete cds.//0.0060:301:60//J05451

F-MAMMA1002311//Human Chromosome 15q11-q13 clone pDJ276c12 from the Prader-Willi/Angelman syndrome region, WORKING DRAFT SEQUENCE, 3 unordered pieces.//8.6e-50:327:69//AC004737

F-MAMMA1002312//Homo sapiens DNA sequence from PAC 435D1 on chromosome X q25. Contains ESTs and STS.//1.3e-09:741:58//Z86064

F-MAMMA1002317

F-MAMMA1002319//Homo sapiens chromosome 19, fosmid 39347, complete sequence.//1.9e-158:746:99//AC005756

F-MAMMA1002322//Homo sapiens Chromosome 11p14.3 PAC clone pDJ1034g4, complete sequence.//5.3e-52:617:70//AC004796

F-MAMMA1002329//Homo sapiens RaP2 interacting protein 8 (RPIP8) mRNA, complete cds.//0.22:143:67//U93871

F-MAMMA1002332//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30G7, WORKING DRAFT SEQUENCE.//1.6e-31:287:74//AL034402

F-MAMMA1002333//Mycobacterium tuberculosis H37Rv complete genome; segment 148/162.//2.5e-09:674:59//AL022022

F-MAMMA1002339//Homo sapiens chromosome 21q22.3, cosmid clone Q4H9 complete sequence bases 1..41604.//2.1e-57:522:77//AJ011932

F-MAMMA1002347//Homo sapiens BAC clone RG136N17 from 7p15-p21, complete sequence.//2.0e-14:258:69//AC004129

F-MAMMA1002351//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1059H15, WORKING DRAFT SEQUENCE.//7.8e-132:723:91//AL022100

F-MAMMA1002352//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 12803, WORKING DRAFT SEQUENCE.//5.8e-17:326:70//Z98742

F-MAMMA1002353//Homo sapiens clone DJ0292L20, WORKING DRAFT SEQUENCE, 2 unordered pieces.//1.1e-14:399:63//AC004825

F-MAMMA1002355//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 109G6, WORKING DRAFT SEQUENCE.//3.7e-43:420:75//AL023879

F-MAMMA1002356//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic

sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.0022:534:59//A
C004153

F-MAMMA1002359//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//5.3e-18:156:75//AC0
05831

F-MAMMA1002360//Human DNA sequence from cosmid L21F12B, Huntington's Disease Region, chromosome 4p16.3, contains EST.//4.9e-43:353:69//Z68885

F-MAMMA1002361//Human DNA sequence from clone 342B11 on chromosome 22q12.1-12.3. Contains ESTs and a GSS, complete sequence.//1.8e-22:282:74//AL
008719

F-MAMMA1002362//Platemys spixii CR1-like LINE, partial sequence.//0.0005
8:83:79//D82938

F-MAMMA1002380//CIT-HSP-2383K24.TF CIT-HSP Homo sapiens genomic clone 23
83K24, genomic survey sequence.//4.4e-10:85:92//AQ196889

F-MAMMA1002384//RPCI11-80J20.TV RPCI11 Homo sapiens genomic clone R-80J2
0, genomic survey sequence.//2.7e-56:286:98//AQ284134

F-MAMMA1002385//CIT-HSP-2328G13.TF CIT-HSP Homo sapiens genomic clone 23
28G13, genomic survey sequence.//5.5e-46:335:84//AQ043985

F-MAMMA1002392//Homo sapiens PAC clone DJ0797C05 from 7q31, complete sequence.//8.5e-29:273:78//AC004888

F-MAMMA1002411//Human DNA sequence from clone 1044017 on chromosome Xp11.3-11.4 Contains GSS and STS, complete sequence.//8.2e-09:287:63//AL0238
75

F-MAMMA1002413//Plasmodium falciparum (strain Dd2) variant-specific surface protein (var-1) gene, complete cds.//9.6e-08:730:57//L40608

F-MAMMA1002417//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 30G7, WORKING DRAFT SEQUENCE.//4.1e-06:181:72//AL034402

F-MAMMA1002427//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0366H07; HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered

pieces.//1.3e-51:593:72//AC004604

F-MAMMA1002428

F-MAMMA1002434//Homo sapiens DNA sequence from PAC 958B3 on chromosome X p22.11-Xp22.22. Contains ESTs STS and CpG island.//7.3e-56:388:81//Z9302
3

F-MAMMA1002446//CIT-HSP-2324022.TR CIT-HSP Homo sapiens genomic clone 23 24022, genomic survey sequence.//2.3e-56:302:95//AQ027479

F-MAMMA1002454//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete sequence.//1.1e-54:190:94//AC005229

F-MAMMA1002461//Rattus norvegicus calcium channel alpha-1 subunit gene, partial cds.//0.00045:457:60//U14005

F-MAMMA1002470//Saccharomyces cerevisiae chromosome VIII cosmid 9205.//9 .7e-33:709:60//U10556

F-MAMMA1002475//Homo sapiens 12p13.3 PAC RPCI3-340I3 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.092:506:58//AC00467
1

F-MAMMA1002480//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.025:100:76//AC005077

F-MAMMA1002485//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds. //2.9e-118:560:98//AF055460

F-MAMMA1002494//Homo sapiens Xp22-175-176 BAC GSHB-484017 (Genome Systems Human BAC Library) complete sequence.//1.5e-22:297:73//AC005913

F-MAMMA1002498//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//7.2e-10:330:64//AC002477

F-MAMMA1002524//Homo sapiens huntingtin gene, partial exon.//0.0080:124:72//L49359

F-MAMMA1002530//Homo sapiens cytosolic phospholipase A2 gamma (cPLA2 gamma) mRNA, complete cds.//1.4e-160:775:97//AF065214

F-MAMMA1002545//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete

e sequence.//1.9e-41:345:80//AC005696

F-MAMMA1002554

F-MAMMA1002556

F-MAMMA1002566

F-MAMMA1002571//CIT-HSP-2296N17.TR CIT-HSP Homo sapiens genomic clone 22
96N17, genomic survey sequence.//1.7e-07:76:90//AQ006579

F-MAMMA1002573//Homo sapiens DNA, trinucleotide repeats region, clone GA
A C27.//2.7e-08:195:70//AB018507

F-MAMMA1002585

F-MAMMA1002590//Homo sapiens BAC clone GS250A16 from 7p21-p22, complete
sequence.//2.1e-26:361:69//AC005019

F-MAMMA1002597//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1103G7, WORKING DRAFT SEQUENCE.//1.3e-34:550:69//AL034548

F-MAMMA1002598//H.sapiens mRNA for ribosomal protein L7.//1.1e-21:123:10
0//X57958

F-MAMMA1002603//Homo sapiens chromosome 20, BAC clone 99 (LBNL H80), com
plete sequence.//0.0018:358:61//AC005220

F-MAMMA1002612//Homo sapiens PAC clone DJ0696N01 from 7p21-p22, complete
sequence.//2.1e-13:336:63//AC004861

F-MAMMA1002617//Homo sapiens clone DJ1070G24, WORKING DRAFT SEQUENCE, 12
unordered pieces.//0.14:229:64//AC005486

F-MAMMA1002618

F-MAMMA1002619//Homo sapiens chromosome 21 PAC RPCIP704E14135Q2.//9.5e-7
1:319:85//AJ010598

F-MAMMA1002622//Homo sapiens advillin mRNA, complete cds.//1.5e-20:157:9
0//AF041449

F-MAMMA1002623//Homo sapiens T-cell receptor alpha delta locus from base
s 501613 to 752736 (section 3 of 5) of the Complete Nucleotide Sequence.
//8.3e-06:137:72//AE000660

F-MAMMA1002625//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 1056L3, WORKING DRAFT SEQUENCE.//1.9e-171:819:98//AL031727

F-MAMMA1002629//Human BAC clone RG385F02 from 7p15, complete sequence.//
 4.8e-85:478:78//AC003093

F-MAMMA1002636//Human POU daomain factor (Brn-3a) gene, exon 2, complete
 cds.//5.6e-09:499:62//U10063

F-MAMMA1002637//Mus musculus kinesin light chain 2 (Klc2) mRNA, complete
 cds.//3.6e-115:785:82//AF055666

F-MAMMA1002646//Homo sapiens chromosome 2 clone 101B6 map 2p11, complete
 sequence.//1.5e-45:291:90//AC002038

F-MAMMA1002650//Homo sapiens candidate tumor suppressor HIC-1 (HIC-1) ge
 ne, complete cds.//6.6e-06:661:59//L41919

F-MAMMA1002655//HS_2003_A2_A11_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=2003 Col=22 Row=A, genomic survey
 sequence.//9.0e-15:198:74//AQ224233

F-MAMMA1002662

F-MAMMA1002665//Homo sapiens BAC clone GS588G18 from 7p12-p14, complete
 sequence.//1.4e-37:235:84//AC005029

F-MAMMA1002671//Human Cdk-inhibitor p57KIP2 (KIP2) mRNA, complete cds.//
 0.00027:272:64//U22398

F-MAMMA1002673

F-MAMMA1002684//Homo sapiens mRNA for KIAA0214 protein, complete cds.//3
 .7e-161:752:99//D86987

F-MAMMA1002685//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 394I7, WORKING DRAFT SEQUENCE.//6.2e-45:510:70//AL023585

F-MAMMA1002698//HS_3024_B1_C06_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3024 Col=11 Row=F, genomic survey
 sequence.//1.7e-10:155:75//AQ072214

F-MAMMA1002699//Rattus norvegicus EH domain binding protein Epsin mRNA,

complete cds.//5.9e-75:509:83//AF018261

F-MAMMA1002701//Homo sapiens gene for AF-6, complete cds.//1.2e-159:749:99//AB011399

F-MAMMA1002708//Human DNA sequence from clone 267M20 on chromosome Xq22.2-22.3. Contains part of the DIAPH2 gene and a pseudogene, ESTs, STSS and GSSs, complete sequence.//3.0e-57:347:79//AL031053

F-MAMMA1002711//Homo sapiens BAC clone GS589P19 from 7p13-p14, complete sequence.//3.4e-31:484:69//AC005030

F-MAMMA1002721//CIT-HSP-2350M5.TR CIT-HSP Homo sapiens genomic clone 2350M5, genomic survey sequence.//1.4e-06:265:63//AQ061245

F-MAMMA1002727//Human DNA sequence from clone 67K17 on chromosome 6q24.1-24.3. Contains the HIVEP2 (Schnurri-2) gene for HIV type 1 Enhancer-binding Protein 2, and a possible pseudogene in an intron of this gene. Contains STSS and GSSs and an AAAT repeat polymorphism, complete sequence.//0.18:386:58//AL023584

F-MAMMA1002728//Human DNA sequence from PAC 296K21 on chromosome X contains cytochrome c, delta-aminolevulinic acid synthase (erythroid); 5-aminolevulinic acid synthase.(EC 2.3.1.37). 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (EC 2.7.1.105, EC 3.1.3.46), ESTs and STS.//3.2e-05:362:63//Z83821

F-MAMMA1002744//Plasmodium falciparum chromosome 2, section 5 of 73 of the complete sequence.//0.00010:535:58//AE001368

F-MAMMA1002746//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//1.2e-182:880:97//AC005856

F-MAMMA1002748//Homo sapiens 3p22 Contig 7 PAC RPC14-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.7e-175:829:98//AC006055

F-MAMMA1002754//Homo Sapiens Chromosome X clone bWDX171, WORKING DRAFT SEQUENCE, 1 ordered pieces.//3.1e-31:372:75//AC004676

F-MAMMA1002758//Homo sapiens KIAA0442 mRNA, partial cds.//3.3e-26:151:98
//AB007902

F-MAMMA1002764//Human Chromosome 11 Cosmid cSRL166a1, complete sequence.
//5.2e-49:355:81//U73636

F-MAMMA1002765//RPCI11-20A22.TPB RPCI-11 Homo sapiens genomic clone RPCI
-11-20A22, genomic survey sequence.//6.7e-13:155:76//B92153

F-MAMMA1002769//CIT-HSP-2323G1.TF CIT-HSP Homo sapiens genomic clone 232
3G1, genomic survey sequence.//9.7e-21:151:90//AQ028244

F-MAMMA1002775//Human ABL gene, exon 1b and intron 1b, and putative M860
4 Met protein (M8604 Met) gene, complete cds.//5.6e-105:179:99//U07561

F-MAMMA1002780//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 3-08, complete sequence.//0.071:277:58//Z98546

F-MAMMA1002782//HS_3213_B2_B08_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3213 Col=16 Row=D, genomic survey
sequence.//0.00018:219:63//AQ175845

F-MAMMA1002796

F-MAMMA1002807//Human Chromosome X PAC RPCI1-290C9 from the Pieter de Jo
ng Human PAC library; complete sequence.//6.9e-22:332:69//AC002404

F-MAMMA1002820//Homo sapiens Xp22 bins 87-93 PAC RPCI1-122K4 (Roswell Pa
rk Cancer Institute Human PAC Library) complete sequence.//5.9e-11:483:6
2//AC003035

F-MAMMA1002830//Homo sapiens chromosome 17, clone hCIT529I10, complete s
equence.//1.0e-64:320:83//AC002553

F-MAMMA1002833//Homo sapiens PAC clone DJ0745K06 from 7q31, complete seq
uence.//2.8e-47:413:80//AC004875

F-MAMMA1002835

F-MAMMA1002838//A-916H10.TP CIT978SK Homo sapiens genomic clone A-916H10
, genomic survey sequence.//1.1e-39:164:83//B14462

F-MAMMA1002842//Mus musculus c-Cbl associated protein CAP mRNA, complete

cds.//1.9e-62:373:81//U58883
 F-MAMMA1002843//Homo sapiens mRNA for KIAA0810 protein, partial cds.//1.
 7e-135:635:99//AB018353
 F-MAMMA1002844//F1707-T7 IGF Arabidopsis thaliana genomic clone F1707, g
 enomic survey sequence.//6.7e-17:383:66//B11616
 F-MAMMA1002858
 F-MAMMA1002868//RPCI11-54F9.TJ RPCI11 Homo sapiens genomic clone R-54F9,
 genomic survey sequence.//8.3e-81:392:99//AQ081566
 F-MAMMA1002869//Sequence 1 from patent US 5552529.//2.2e-86:696:78//I258
 63
 F-MAMMA1002871//Lupinus angustifolius nodulin-45 gene, complete cds.//0.
 029:370:59//L12388
 F-MAMMA1002880//RPCI11-23M23.TV RPCI-11 Homo sapiens genomic clone RPCI-
 11-23M23, genomic survey sequence.//1.8e-20:271:74//B86518
 F-MAMMA1002881//Homo sapiens mRNA for 25 kDa trypsin inhibitor, complete
 cds.//1.2e-28:680:61//D45027
 F-MAMMA1002886//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 380A1, WORKING DRAFT SEQUENCE.//0.00040:505:57//Z97653
 F-MAMMA1002887//HS_3238_B2_G08_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3238 Col=16 Row=N, genomic survey
 sequence.//5.5e-79:401:97//AQ219814
 F-MAMMA1002890//Mus musculus MHC class III region RD gene, partial cds;
 Bf, C2, G9A, NG22, G9, HSP70, HSP70, HSC70t, and smRNP genes, complete c
 ds; G7A gene, partial cds; and unknown genes.//4.6e-35:136:73//AF109906
 F-MAMMA1002892//Mouse Cosmid ma66a100 from 14D1-D2, complete sequence.//
 5.7e-14:450:60//AC004096
 F-MAMMA1002895//H.sapiens CpG island DNA genomic MseI fragment, clone 46
 b6, forward read cpg46b6.ft1a.//3.7e-36:190:100//Z58616
 F-MAMMA1002908//Penaeus monodon microsatellite locus Pmo27.//1.1e-05:195

:62//AF068828

F-MAMMA1002909//Human Chromosome 11 pac pDJ205d23, complete sequence.//1
.0e-13:457:61//AC002402

F-MAMMA1002930//Homo sapiens Xp22 BAC GSHB-512P14 (Genome Systems Human
BAC library) complete sequence.//0.25:260:62//AC004467

F-MAMMA1002937//H.sapiens ZNF74-1 mRNA.//6.3e-13:577:59//X71623

F-MAMMA1002938//Homo sapiens mRNA for KIAA0698 protein, complete cds.//5
.1e-193:910:98//AB014598

F-MAMMA1002941//Homo sapiens Chromosome 22q11.2 BAC Clone b437g10 In BCR
L2-GGT Region, complete sequence.//2.7e-23:174:77//AC004032

F-MAMMA1002947//Rhodobacter capsulatus strain SB1003, partial genome.//1
.3e-09:475:61//AF010496

F-MAMMA1002964//Human thiopurine methyltransferase (TPMT) gene, exon 5./
/0.0029:314:60//AF019366

F-MAMMA1002970//Human DNA sequence from PAC 436M11 on chromosome Xp22.11
-22.2. Contains the serine threonine protein phosphatase gene PPEF1, and
the first coding exon of the RS1 gene for retinoschisis (X-linked, juve
nile) 1 (XLR1). Contains ESTs, an STS and GSSs, complete sequence.//4.0
e-10:194:71//Z94056

F-MAMMA1002972//H.sapiens CpG island DNA genomic MseI fragment, clone 2g
10, forward read cpg2g10.ft1aa.//0.38:156:66//Z55272

F-MAMMA1002973//Homo sapiens chromosome 17, clone hRPK.142_H_19, complet
e sequence.//2.9e-41:234:79//AC005919

F-MAMMA1002982//Homo sapiens DNA sequence from PAC 510L9 on chromosome 6
p24.1-p25.3.//1.7e-05:322:63//AL022098

F-MAMMA1002987//CITBI-E1-2514J12.TR CITBI-E1 Homo sapiens genomic clone
2514J12, genomic survey sequence.//0.0064:135:66//AQ275871

F-MAMMA1003003//cSRL-145D12-u cSRL flow sorted Chromosome 11 specific co
smid Homo sapiens genomic clone cSRL-145D12, genomic survey sequence.//2

.8e-31:201:89//B01998

F-MAMMA1003004//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y237C10, WORKING DRAFT SEQUENCE.//1.6e-10:180:73//AL031601

F-MAMMA1003007//Homo sapiens (clone cosmid c11q-8D1) tetranucleotide repeat polymorphism at the D11S488 locus.//3.5e-12:435:61//L04732

F-MAMMA1003011//Rattus norvegicus histone macroH2A1.2 mRNA, complete cds.//2.3e-50:734:67//U79139

F-MAMMA1003013//Mus musculus chromosome 19, clone CIT282B21, complete sequence.//1.2e-86:341:79//AC003694

F-MAMMA1003015//Homo sapiens Chromosome 16 BAC clone CIT987SK-591M7, complete sequence.//2.6e-13:443:61//AC003661

F-MAMMA1003019//HS_3221_A1_A01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3221 Col=1 Row=A, genomic survey sequence.//2.8e-51:299:92//AQ184271

F-MAMMA1003026

F-MAMMA1003031//Homo sapiens chromosome 5, BAC clone 319C17 (LBNL H159), complete sequence.//0.0037:134:73//AC005214

F-MAMMA1003035//RPCI11-11P4.TP RPCI-11 Homo sapiens genomic clone RPCI-11-11P4, genomic survey sequence.//1.1e-07:66:100//B74936

F-MAMMA1003039//Homo sapiens 12p13.3 PAC RPCI3-340I3 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.1e-19:220:76//AC004671

F-MAMMA1003040//Human DNA sequence from PAC 340N1 on chromosome 1p35-36. 2. Contains ESTs, polymorphic CA repeat, trna and endogenous retrovirus.//9.5e-91:469:78//Z98257

F-MAMMA1003044//Human DNA sequence from clone 496N17 on chromosome 6p11.2-12.3 Contains EST, GSS, complete sequence.//0.21:289:61//AL031321

F-MAMMA1003047//Homo sapiens protein inhibitor of activated STAT protein PIASy mRNA, complete cds.//1.7e-139:663:98//AF077952

F-MAMMA1003049

F-MAMMA1003055//HS_3014_B2_F10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3014 Col=20 Row=L, genomic survey sequence.//4.2e-05:215:64//AQ164940

F-MAMMA1003056//HS_3221_B2_D12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3221 Col=24 Row=H, genomic survey sequence.//1.4e-16:206:74//AQ302772

F-MAMMA1003057//M.domesticus MD6 mRNA.//8.5e-128:654:94//X54352

F-MAMMA1003066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 273F20, WORKING DRAFT SEQUENCE.//1.0:142:71//AL034371

F-MAMMA1003089//Homo sapiens Chromosome 11p14.3 PAC clone pDJ1034g4, complete sequence.//1.7e-42:373:78//AC004796

F-MAMMA1003099//Homo sapiens beta-filamin mRNA, complete cds.//2.6e-42:288:88//AF042166

F-MAMMA1003104//Mus musculus rostral cerebellar malformation protein (rcm) mRNA, complete cds.//1.6e-12:477:64//U72634

F-MAMMA1003113//Mus musculus COP9 complex subunit 7a (COPS7a) mRNA, complete cds.//3.4e-121:789:85//AF071316

F-MAMMA1003127//R.norvegicus MYR1 mRNA for myosin I heavy chain.//9.4e-58:423:83//X68199

F-MAMMA1003135//Mus musculus dentin sialophosphoprotein precursor (DSPP) mRNA, complete cds.//0.62:676:58//U67916

F-MAMMA1003140

F-MAMMA1003146//Homo sapiens mRNA for GalT3 protein.//2.2e-80:397:97//Y15062

F-MAMMA1003150//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 598F2, WORKING DRAFT SEQUENCE.//7.3e-123:266:88//AL021579

F-MAMMA1003166//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 250D10, WORKING DRAFT SEQUENCE.//1.6e-33:143:82//Z99716

F-NT2RM1000001//Human DNA sequence from clone 393P23 on chromosome Xq21.
1-21.33. Contains GSSs, complete sequence.//0.50:216:61//Z95400

F-NT2RM1000018//Human mRNA for KIAA0066 gene, partial cds.//4.8e-65:385:
92//D31886

F-NT2RM1000032

F-NT2RM1000035//Cricetulus griseus SREBP cleavage activating protein (SC
AP) mRNA, complete cds.//6.3e-135:565:84//U67060

F-NT2RM1000037//Homo sapiens mRNA for KIAA0690 protein, partial cds.//1.
1e-106:542:95//AB014590

F-NT2RM1000039//Mouse genetic suppressor element mRNA.//0.080:239:60//L2
7155

F-NT2RM1000055//Rattus norvegicus mRNA for TIP120, complete cds.//8.4e-9
6:535:91//D87671

F-NT2RM1000059//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 390E6, WORKING DRAFT SEQUENCE.//1.0:257:59//AL031600

F-NT2RM1000062//Nephila clavipes dragline silk protein spidroin 1 gene,
partial cds.//0.54:306:63//U37520

F-NT2RM1000080//Sequence 2 from patent US 5763589.//1.5e-115:566:97//ARO
12692

F-NT2RM1000086//Homo sapiens mRNA for KIAA0661 protein, complete cds.//1
.8e-114:550:97//AB014561

F-NT2RM1000092//Homo sapiens chromosome 19, cosmid R26894, complete sequ
ence.//0.63:180:65//AC005594

F-NT2RM1000118//Homo sapiens clone 23763 unknown mRNA, partial cds.//0.0
27:126:70//AF007155

F-NT2RM1000119//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 466N1, WORKING DRAFT SEQUENCE.//0.022:644:58//Z97630

F-NT2RM1000127//RPCI11-44E5.TJ RPCI11 Homo sapiens genomic clone R-44E5,
genomic survey sequence.//1.6e-45:254:94//AQ195884

F-NT2RM1000131//Homo sapiens mRNA for KIAA0792 protein, complete cds.//5
.5e-153:778:95//AB018335

F-NT2RM1000132//Homo sapiens NADH:ubiquinone oxidoreductase NDUF56 subunit mRNA, nuclear gene encoding mitochondrial protein, complete cds.//1.1
e-90:448:97//AF044959

F-NT2RM1000153//Human NotI linking clone 924A081D, genomic survey sequence.//5.9e-07:66:96//U49890

F-NT2RM1000186//Homo sapiens clone 23763 unknown mRNA, partial cds.//0.0
25:126:70//AF007155

F-NT2RM1000187//CITBI-E1-2510J4.TR CITBI-E1 Homo sapiens genomic clone 2
510J4, genomic survey sequence.//1.1e-05:56:98//AQ261184

F-NT2RM1000199//Mouse mRNA for seizure-related gene product 6 type 2 precursor, complete cds.//1.6e-38:711:65//D64009

F-NT2RM1000242

F-NT2RM1000244//HS_2229_A1_C04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2229 Col=7 Row=E, genomic survey sequence.//2.0e-13:95:95//AQ298474

F-NT2RM1000252//Homo sapiens chromosome 17, clone hRPK.206_C_20, complete sequence.//0.023:225:61//AC006070

F-NT2RM1000256//Caenorhabditis elegans cosmid F22B3, complete sequence.//
/8.5e-24:473:64//Z68336

F-NT2RM1000257//Homo sapiens MAGOH mRNA, complete cds.//6.4e-69:455:85//
AF035940

F-NT2RM1000260//Human mRNA for KIAA0130 gene, complete cds.//6.5e-57:460
:80//D50920

F-NT2RM1000271

F-NT2RM1000272

F-NT2RM1000280//Bos gaurus vacuolar H-ATPase subunit D (VATD) mRNA, complete cds.//6.7e-97:430:92//U11927

F-NT2RM1000300//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 92N15, WORKING DRAFT SEQUENCE.//2.1e-96:170:100//Z93097

F-NT2RM1000314//Human mRNA for KIAA0159 gene, complete cds.//8.1e-127:708:92//D63880

F-NT2RM1000318//Homo sapiens mRNA for ribosomal protein L39, complete cds.//5.7e-34:182:99//D79205

F-NT2RM1000341//Homo sapiens full length insert cDNA clone YP11F06.//1.3e-100:504:97//AF085879

F-NT2RM1000354//HS_2001_B1_E06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2001 Col=11 Row=J, genomic survey sequence.//1.6e-11:201:73//AQ218494

F-NT2RM1000355//Mus musculus E25B protein mRNA, complete cds.//1.8e-77:578:82//U76253

F-NT2RM1000365//Homo sapiens clone DJ0098022, WORKING DRAFT SEQUENCE, 5 unordered pieces.//9.4e-113:367:97//AC004821

F-NT2RM1000377//H.sapiens mRNA for MAP kinase phosphatase 4.//6.1e-14:362:62//Y08302

F-NT2RM1000388//Azospirillum brasilense lateral flagellin (laf1) gene, complete cds.//1.0:482:58//U26679

F-NT2RM1000394//M.musculus mRNA for histone H3.3A.//1.7e-94:549:89//Z85979

F-NT2RM1000399

F-NT2RM1000421//HS_2213_B1_E01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2213 Col=1 Row=J, genomic survey sequence.//3.6e-08:195:72//AQ032737

F-NT2RM1000430//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//3.7e-84:418:97//AF084928

F-NT2RM1000499//Human mRNA for KIAA0167 gene, complete cds.//1.3e-35:525:69//D79989

F-NT2RM1000539//Homo sapiens PAC clone DJ1194E14 from 7p21, complete sequence.//4.6e-73:533:83//AC004993

F-NT2RM1000553

F-NT2RM1000555//Homo sapiens clone 24514 unknown mRNA.//2.3e-110:555:97//AF070542

F-NT2RM1000563//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.3e-123:477:100//AC004873

F-NT2RM1000623//HS_2213_B1_E01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2213 Col=1 Row=J, genomic survey sequence.//8.2e-06:75:89//AQ032737

F-NT2RM1000648//Halobium cutirubrum L11, L1, L10 and L12 equivalent ribosomal protein gene cluster.//1.3e-06:414:61//X15078

F-NT2RM1000661//Homo sapiens cap-binding protein 4EHP mRNA, complete cds.//9.3e-54:275:97//AF047695

F-NT2RM1000666//HS_2016_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2016 Col=16 Row=P, genomic survey sequence.//5.7e-13:199:73//AQ227865

F-NT2RM1000669//Human DNA sequence from clone 281H8 on chromosome 6q25.1-25.3. Contains up to four novel genes, one with similarity to KIAA0323 and worm C30F12.1 and another with Ubiquitin-Like protein gene SMT3 (the latter in an intron of a novel gene). Contains ESTs, STSs, GSSs, a putative CpG island and genomic marker D6S1553, complete sequence.//2.7e-94:499:94//AL031133

F-NT2RM1000672

F-NT2RM1000691//Homo sapiens HRIHFB2060 mRNA, partial cds.//2.2e-119:582:98//AB015348

F-NT2RM1000699//Caenorhabditis elegans cosmid Y41C4A, complete sequence.//0.95:284:61//AL032627

F-NT2RM1000702//HS_3005_A1_A02_MR CIT Approved Human Genomic Sperm Library

ry D Homo sapiens genomic clone Plate=3005 Col=3 Row=A, genomic survey s
 equence.//0.073:290:58//AQ089514
 F-NT2RM1000725//Homo sapiens mRNA for neuropathy target esterase.//4.8e-
 65:435:85//AJ004832
 F-NT2RM1000741//Homo sapiens mRNA for KIAA0567 protein, partial cds.//8.
 0e-126:690:92//AB011139
 F-NT2RM1000742//Homo sapiens AC133 antigen mRNA, complete cds.//2.5e-66:
 524:83//AF027208
 F-NT2RM1000746//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L1
 5, BAC clone 7B7, complete sequence bases 1..333303.//0.92:395:58//AJ011
 930
 F-NT2RM1000770//Homo sapiens inosine monophosphate dehydrogenase type II
 gene, complete cds.//2.1e-70:407:92//L39210
 F-NT2RM1000772//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE,
 2 unordered pieces.//6.6e-36:98:93//AC000380
 F-NT2RM1000780//Human DNA for 5' terminal region of LINE-1 transposable
 element clone CGL1-4.//9.3e-22:126:99//X52233
 F-NT2RM1000781//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic
 sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//7.1e-09:540:59//
 AC004153
 F-NT2RM1000800//Mus musculus mRNA for B-IND1 protein.//4.0e-81:497:88//Z
 97207
 F-NT2RM1000802
 F-NT2RM1000811//Homo sapiens AC133 antigen mRNA, complete cds.//3.7e-63:
 490:84//AF027208
 F-NT2RM1000826//Homo sapiens clone 24514 unknown mRNA.//7.2e-153:749:96/
 /AF070542
 F-NT2RM1000829//HS_3047_A1_A05_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3047 Col=9 Row=A, genomic survey s

equence.//0.74:215:67//AQ099134
 F-NT2RM1000833//Canis familiaris sec61 homologue mRNA, complete cds.//5.
 1e-114:683:88//M96629
 F-NT2RM1000850//F.rubripes GSS sequence, clone 163A22aF11, genomic surve
 y sequence.//1.1e-26:279:74//AL018762
 F-NT2RM1000852//Homo sapiens mRNA for ATP-dependent RNA helicase, partia
 l.//9.3e-148:726:97//AJ010840
 F-NT2RM1000857//Rattus norvegicus gene for cytochrome P450/6 beta B, exo
 n 2.//0.97:124:65//AB008378
 F-NT2RM1000867//H.sapiens DNA sequence surrounding NotI site, clone NRLA
 143D.//1.2e-31:172:98//X95834
 F-NT2RM1000874//Homo sapiens KE05 protein mRNA, complete cds.//2.8e-131:
 632:97//AF064605
 F-NT2RM1000882//Homo sapiens Chromosome 11q12.2 PAC clone pDJ519o13 cont
 aining human gene for ferritin heavy chain (FTH), complete sequence.//1.
 2e-98:214:99//AC004228
 F-NT2RM1000883//Homo sapiens I-1 receptor candidate protein mRNA, comple
 te cds.//2.7e-156:762:97//AF082516
 F-NT2RM1000885//Homo sapiens mRNA for KIAA0661 protein, complete cds.//2
 .0e-17:310:67//AB014561
 F-NT2RM1000894//Mus musculus second largest subunit of RNA polymerase I
 (RPA2) mRNA, complete cds.//3.2e-95:469:83//U58280
 F-NT2RM1000898
 F-NT2RM1000905//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 466N1, WORKING DRAFT SEQUENCE.//1.8e-74:188:98//Z97630
 F-NT2RM1000924//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6
 unordered pieces.//5.7e-148:601:98//AC004873
 F-NT2RM1000927//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21
 unordered pieces.//0.071:392:60//AC004846

F-NT2RM1000962//H.sapiens CpG island DNA genomic MseI fragment, clone 14
 Od1, forward read cpgl40d1.ft1a.//4.1e-35:187:99//Z56803

F-NT2RM1000978//Homo sapiens Chromosome 15q22.3-23 PAC 88m3, WORKING DRA
 FT SEQUENCE, 2 ordered pieces.//1.1e-23:266:77//AC005959

F-NT2RM1001003//Homo sapiens alpha-catenin-like protein mRNA, complete c
 ds.//4.0e-160:760:98//U97067

F-NT2RM1001008//Kaposi's sarcoma-associated herpes-like virus ORF73 homo
 log gene, complete cds.//1.7e-11:602:61//U52064

F-NT2RM1001043//Human DNA sequence from PAC 27K14 on chromosome Xp11.3-X
 p11.4. Contains monoamine oxidase B (MAOB), ESTs and polymorphic CA repe
 ats.//3.9e-93:645:86//Z95125

F-NT2RM1001044//S.pombe chromosome III cosmid c320.//0.90:128:66//AL0222
 45

F-NT2RM1001059//Homo sapiens chromosome 5, Bac clone 58g14 (LBNL H76), c
 omplete sequence.//3.8e-53:261:80//AC005915

F-NT2RM1001066//CIT-HSP-2172N17.TF CIT-HSP Homo sapiens genomic clone 21
 72N17, genomic survey sequence.//0.64:285:59//B94391

F-NT2RM1001072//HS_3115_B1_D07_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3115 Col=13 Row=H, genomic survey
 sequence.//7.3e-23:140:95//AQ147905

F-NT2RM1001074//Homo sapiens chromosome 19, cosmid F20489, complete sequ
 ence.//5.0e-50:186:98//AC005263

F-NT2RM1001082//Sequence 1 from Patent W09718303.//2.1e-144:736:95//A627
 31

F-NT2RM1001085//CIT-HSP-2310F21.TR CIT-HSP Homo sapiens genomic clone 23
 10F21, genomic survey sequence.//8.8e-45:235:97//AQ020757

F-NT2RM1001092//HS_3055_B1_G05_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3055 Col=9 Row=N, genomic survey s
 equence.//1.1e-89:471:95//AQ155489

F-NT2RM1001102//Human HEM45 mRNA, complete cds.//1.2e-28:482:63//U88964

F-NT2RM1001105//Homo sapiens hRED1 gene, exon 1 (5' UTR).//0.0014:349:61/
/Z95973

F-NT2RM1001112//Homo sapiens chromosome 19, cosmid R34094, complete sequence.//0.060:429:58//AC004678

F-NT2RM1001115//Plasmodium falciparum merozoite surface protein 3 (MSP-3) gene, partial cds.//0.93:156:62//AF024624

F-NT2RM1001139//Homo sapiens chromosome 19, fosmid 37502, complete sequence.//1.2e-10:466:59//AC004755

F-NT2RM2000006//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 796F18, WORKING DRAFT SEQUENCE.//5.3e-150:724:98//AL031291

F-NT2RM2000013//D.melanogaster DmRP128 gene for RNA polymerase III second-largest subunit.//1.5e-58:749:69//X58826

F-NT2RM2000030//Homo sapiens clone DJ0708P22, WORKING DRAFT SEQUENCE, 11 unordered pieces.//2.1e-97:270:77//AC004863

F-NT2RM2000032//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//1.9e-25:172:76//AL034379

F-NT2RM2000042//Human DNA sequence from cosmid U55E4, between markers DXS6791 and DXS8038 on chromosome X contains ESTs.//5.0e-05:325:65//Z73418

F-NT2RM2000092//Homo sapiens (D8S321 locus) DNA sequence, tetranucleotide repeat polymorphism.//0.63:117:68//L12269

F-NT2RM2000093//Mus musculus major histocompatibility locus class III regions Hsc70t gene, partial cds; smRNP, G7A, NG23, MutS homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes.//0.38:312:62//AF109905

F-NT2RM2000101

F-NT2RM2000124//Mouse cAMP-dependent protein kinase catalytic subunit mRNA, complete cds.//3.8e-58:297:97//M12303

F-NT2RM2000191//Homo sapiens cGMP phosphodiesterase A2 (PDE9A) mRNA, com

plete cds.//3.8e-138:653:98//AF067224

F-NT2RM2000192//CIT-HSP-2172B3.TF CIT-HSP Homo sapiens genomic clone 217
2B3, genomic survey sequence.//2.2e-33:191:95//B93289

F-NT2RM2000239//F.rubripes GSS sequence, clone 156P04aG12, genomic survey
sequence.//8.9e-44:445:69//AL018549

F-NT2RM2000240//Homo sapiens fibroblast growth factor 18 (FGF18) mRNA, c
omplete cds.//0.00020:380:61//AF075292

F-NT2RM2000250//Homo sapiens mRNA for KIAA0590 protein, complete cds.//3
.1e-128:615:98//AB011162

F-NT2RM2000259//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 310013, WORKING DRAFT SEQUENCE.//0.0013:305:63//AL031658

F-NT2RM2000260//Mus musculus WW domain binding protein 15 mRNA, partial
sequence.//3.0e-14:645:61//AF073934

F-NT2RM2000287//*** SEQUENCING IN PROGRESS *** EPM1/APECED region of chr
omosomè 21, clones A68E8, B127P21, B173L3, B23N8, C1242C9, C579E2, A70B6
, B159G9, B175D10, B52C10, C124G1 Note: Sequencing in this region has be
en discontinued by the Stanford Human Genome Center, WORKING DRAFT SEQUE
NCE, 50 unordered pieces.//1.3e-11:96:86//AC003656

F-NT2RM2000322//Human DNA sequence from clone 612B18 on chromosome 1q24-
25.3 Contains exon from gene similar to 40S ribosomal protein, first cod
ing exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequ
ence.//8.5e-115:233:97//AL031864

F-NT2RM2000359//Homo sapiens mRNA for KIAA0560 protein, complete cds.//8
.8e-175:805:99//AB011132

F-NT2RM2000363//RPCI11-90B10.TJ RPCI11 Homo sapiens genomic clone R-90B1
0, genomic survey sequence.//6.7e-15:96:98//AQ285300

F-NT2RM2000368//Homo sapiens protein kinase C-binding protein RACK7 mRNA
, partial cds.//1.2e-94:599:86//U48251

F-NT2RM2000371//RPCI11-57I4.TJ RPCI11 Homo sapiens genomic clone R-57I4,

genomic survey sequence.//1.1e-52:312:91//AQ083343
 F-NT2RM2000374//M. musculus nodal gene, a TGF-beta-like gene.//6.7e-31:1
 96:91//X70514
 F-NT2RM2000395//Leishmania major chromosome 1, complete sequence.//0.99:
 345:58//AE001274
 F-NT2RM2000402//Arabidopsis thaliana BAC T19D16 genomic sequence.//2.1e-
 23:414:63//U95973
 F-NT2RM2000407//Mus musculus semaphorin VIa mRNA, complete cds.//1.4e-13
 1:439:88//AF030430
 F-NT2RM2000420//HS_3063_B2_F11_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3063 Col=22 Row=L, genomic survey
 sequence.//3.2e-25:154:95//AQ103204
 F-NT2RM2000422//Rat orphan transporter v7-3 (NTT73) mRNA, complete cds./
 /1.7e-128:782:86//L22022
 F-NT2RM2000452//HS_3009_B2_D05_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3009 Col=10 Row=H, genomic survey
 sequence.//1.2e-16:122:90//AQ130794
 F-NT2RM2000469//HS_2019_A1_G02_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=2019 Col=3 Row=M, genomic survey s
 equence.//9.6e-22:176:85//AQ229041
 F-NT2RM2000490//Homo sapiens mRNA for KIAA0747 protein, partial cds.//7.
 5e-15:386:63//AB018290
 F-NT2RM2000502
 F-NT2RM2000504//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.
 //5.1e-171:824:97//AF061243
 F-NT2RM2000522
 F-NT2RM2000540
 F-NT2RM2000556//Homo sapiens 12q13.1 PAC RPCI5-1057I20 (Roswell Park Can
 cer Institute Human PAC library) complete sequence.//2.9e-42:344:82//AC0

04466

F-NT2RM2000566//Homo sapiens integrin alpha-7 mRNA, complete cds.//2.8e-154:751:97//AF072132

F-NT2RM2000567//Pseudomonas aeruginosa enoyl-CoA hydratase gene, partial cds; pilin biosynthetic protein (fimL) gene, complete cds; and unknown gene.//3.0e-06:664:58//AF083252

F-NT2RM2000569//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//1.3e-15:348:67//AL031681

F-NT2RM2000577//RPCI11-43G22.TJ RPCI11 Homo sapiens genomic clone R-43G22, genomic survey sequence.//1.6e-14:155:80//AQ199391

F-NT2RM2000581//Homo sapiens mRNA for KIAA0214 protein, complete cds.//5.4e-174:820:98//D86987

F-NT2RM2000588//Homo sapiens 12q13.1 PAC RPCI5-1057120 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.1e-60:344:82//AC004466

F-NT2RM2000594//Mus musculus DNA cytosine-5 methyltransferase 3B1 (Dnmt3b) mRNA, alternatively spliced, complete cds.//4.9e-118:761:85//AF068626

F-NT2RM2000599//O.sativa osr40g3 gene.//0.30:585:56//Y08988

F-NT2RM2000609

F-NT2RM2000612//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//7.8e-102:709:83//U35776

F-NT2RM2000623//Homo sapiens chromosome 19, cosmid F19847, complete sequence.//3.4e-17:450:65//AC005952

F-NT2RM2000624

2.9e-06:231:64//Z82061

F-NT2RM2000635//Homo sapiens mRNA for KIAA0729 protein, partial cds.//6.3e-142:664:98//AB018272

F-NT2RM2000636//Homo sapiens mRNA for KIAA0658 protein, partial cds.//7.4e-138:664:98//AB014558

F-NT2RM2000639//RPCI11-69E5.TJ RPCI11 Homo sapiens genomic clone R-69E5,
genomic survey sequence.//3.7e-14:97:97//AQ267491

F-NT2RM2000649//Homo sapiens mRNA for KIAA0676 protein, partial cds.//1.
1e-167:518:99//AB014576

F-NT2RM2000669

F-NT2RM2000691//Homo sapiens chromosome 2 clone 101B6 map 2p11, complete
sequence.//1.1e-106:748:82//AC002038

F-NT2RM2000714//Human mRNA for KIAA0231 gene, partial cds.//6.8e-49:748:
64//D86984

F-NT2RM2000718//Homo sapiens HRIHFB2436 mRNA, partial cds.//2.4e-124:594
:98//AB015342

F-NT2RM2000735//Human ZNF43 mRNA.//8.4e-111:756:82//X59244

F-NT2RM2000740//Mus musculus lymphocyte specific helicase mRNA, complete
cds.//1.3e-141:815:89//U25691

F-NT2RM2000795//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 439F8, WORKING DRAFT SEQUENCE.//1.0e-78:723:76//AL021392

F-NT2RM2000821//Rat mRNA for beta COP.//2.0e-150:879:88//X57228

F-NT2RM2000837//Homo sapiens BAC clone GS214N13 from 7p14-p15, complete
sequence.//1.1e-05:361:62//AC005017

F-NT2RM2000951//Homo sapiens XYLB mRNA for xylulokinase, complete cds.//
8.7e-184:847:99//AB015046

F-NT2RM2000952

F-NT2RM2000984//Mus musculus major histocompatibility locus class III re
gions Hsc70t gene, partial cds; smRNP, G7A, NG23, MutS homolog, CLCP, NG
24, NG25, and NG26 genes, complete cds; and unknown genes.//7.6e-41:239:
76//AF109905

F-NT2RM2001004//CIT-HSP-2333N18.TR CIT-HSP Homo sapiens genomic clone 23
33N18, genomic survey sequence.//1.1e-11:298:66//AQ035862

F-NT2RM2001035//Mus musculus mCAF1 protein mRNA, complete cds.//1.4e-120

:627:91//U21855

F-NT2RM2001065//Mus musculus COP9 complex subunit 4 (COPS4) mRNA, complete cds.//6.8e-118:690:88//AF071314

F-NT2RM2001100//Homo sapiens clone DJ0742P04, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.3e-145:614:99//AC004873

F-NT2RM2001105//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING DRAFT SEQUENCE.//2.7e-95:461:99//AL034380

F-NT2RM2001131//Kaposi's sarcoma-associated herpes-like virus ORF73 homolog gene, complete cds.//7.2e-24:726:62//U52064

F-NT2RM2001141

F-NT2RM2001152//Homo sapiens DNA sequence from PAC 93L7 on chromosome Xq 21. Contains part of the CHM (TCD, REP1) gene coding for RAB Escort protein 1 (REP-1, RAB proteins geranylgeranyltransferase component A 1, Chorioeroidaemia protein, Tapetochochoidal Dystrophy (TCD) protein). Contains ESTs and an STS, complete sequence.//0.98:300:62//AL022401

F-NT2RM2001177//Homo sapiens clone NH0313P13, WORKING DRAFT SEQUENCE, 15 unordered pieces.//1.2e-147:741:96//AC005488

F-NT2RM2001194//Suid herpesvirus 1 UL5 gene, partial cds, UL6 and UL7 genes, complete cds, UL8 gene, partial cds.//0.026:408:59//U66829

F-NT2RM2001196//Homo sapiens clone DJ1173I20, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.2e-135:627:98//AC004987

F-NT2RM2001201//Mus musculus clone OST431, genomic survey sequence.//6.1e-80:503:86//AF046700

F-NT2RM2001221//Chimpanzee (P.paniscus) involucrin, complete cds.//0.53:670:55//M26514

F-NT2RM2001238//Rat glutaminase mRNA, complete cds.//3.4e-128:719:90//M65150

F-NT2RM2001243

F-NT2RM2001247//CITBI-E1-2521M18.TR CITBI-E1 Homo sapiens genomic clone

2521M18, genomic survey sequence.//0.0011:274:59//AQ276184
 F-NT2RM2001256//M.musculus mRNA for 200 kD protein.//2.3e-129:742:90//X8
 0169
 F-NT2RM2001291//CIT-HSP-2010I15.TR CIT-HSP Homo sapiens genomic clone 20
 10I15, genomic survey sequence.//4.6e-09:156:72//B57734
 F-NT2RM2001306//RPCI11-28I5.TP RPCI-11 Homo sapiens genomic clone RPCI-1
 1-28I5, genomic survey sequence.//0.069:234:64//B84850
 F-NT2RM2001312//Homo sapiens chromosome 17, clone hRPK.142_H_19, complet
 e sequence.//1.1e-22:111:81//AC005919
 F-NT2RM2001319//Borrelia burgdorferi (section 4 of 70) of the complete g
 enome.//0.99:340:58//AE001118
 F-NT2RM2001324//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 209H1, WORKING DRAFT SEQUENCE.//3.7e-44:340:85//Z84465
 F-NT2RM2001345//HS_3005_A1_A02_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3005 Col=3 Row=A, genomic survey s
 equence.//0.042:290:58//AQ089514
 F-NT2RM2001360//Human HeLa mRNA isolated as a false positive in a two-hy
 brid-screen.//5.0e-60:365:87//U56429
 F-NT2RM2001370//Homo sapiens PAC clone DJ0815D20 from 7p11-p13, complete
 sequence.//0.98:415:58//AC004899
 F-NT2RM2001393//Homo sapiens Chromosome 22q11.2 PAC Clone p_m11 In BCRL2
 -GGT Region, complete sequence.//4.0e-54:394:75//AC004033
 F-NT2RM2001420//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 349A12, WORKING DRAFT SEQUENCE.//2.8e-169:789:99//AL033520
 F-NT2RM2001424//Homo sapiens mRNA for E1B-55kDa-associated protein.//7.1
 e-96:453:99//AJ007509
 F-NT2RM2001499//Rattus norvegicus mRNA for cationic amino acid transport
 er 3, complete cds.//7.1e-91:601:83//AB000113
 F-NT2RM2001504//Homo sapiens chromosome 19, cosmid R30017, complete sequ

ence.//0.81:200:69//AC005624

F-NT2RM2001524//*Arabidopsis thaliana* DNA chromosome 4, ESSA I AP2 contig
fragment No. 2.//3.8e-16:316:65//Z99708

F-NT2RM2001544

F-NT2RM2001547//*Caenorhabditis elegans* cosmid Y47H9C, complete sequence.
//3.3e-24:318:67//AL032657

F-NT2RM2001575//Human 52-kD ribonucleoprotein Ro/SSA mRNA, complete cds.
//2.1e-26:582:64//M34551

F-NT2RM2001582//*M. musculus* red-1 gene.//1.4e-102:581:90//X92750

F-NT2RM2001588//Homo sapiens KIAA0442 mRNA, partial cds.//7.0e-10:282:65
//AB007902

F-NT2RM2001592//*Rattus norvegicus* rexo70 mRNA, complete cds.//9.6e-131:7
36:90//AF032667

F-NT2RM2001605//RBP2=retinoblastoma binding protein 2 [human, Nalm-6 pre
-B cell leukemia, mRNA, 6455 nt].//2.3e-85:749:75//S66431

F-NT2RM2001613//*Rattus rattus* sec61 homologue mRNA, complete cds.//8.6e-
118:779:85//M96630

F-NT2RM2001632//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete
sequence.//1.5e-50:561:71//AC004691

F-NT2RM2001635//Homo sapiens mRNA for KIAA0618 protein, complete cds.//9
.2e-153:740:98//AB014518

F-NT2RM2001637//*F. rubripes* GSS sequence, clone 155D22bD8, genomic survey
sequence.//2.5e-13:224:64//Z91020

F-NT2RM2001641//CIT-HSP-2347F23.TF CIT-HSP Homo sapiens genomic clone 23
47F23, genomic survey sequence.//1.3e-67:340:98//AQ060913

F-NT2RM2001648//*Canis familiaris* sec61 homologue mRNA, complete cds.//1.
4e-110:459:89//M96629

F-NT2RM2001652//*Bos taurus* guanine nucleotide-exchange protein (ARF-GEP1
) mRNA, complete cds.//1.2e-153:807:93//AF023451

F-NT2RM2001659//nbxb0002cE07f CUGI Rice BAC Library *Oryza sativa* genomic clone nbxb0002J13f, genomic survey sequence.//1.0:485:56//AQ051653

F-NT2RM2001664//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//3.7e-172:802:99//AF044195

F-NT2RM2001668

F-NT2RM2001670//Homo sapiens complete genomic sequence between D16S3070 and D16S3275, containing Familial Mediterranean Fever gene disease.//3.2e-18:279:70//AJ003147

F-NT2RM2001671//*Oryctolagus cuniculus* sarcolemmal associated protein-3 mRNA, complete cds.//1.6e-137:683:94//U21157

F-NT2RM2001675//RPCI11-51J16.TJ RPCI11 Homo sapiens genomic clone R-51J16, genomic survey sequence.//1.0:394:58//AQ053677

F-NT2RM2001681//*Arabidopsis thaliana* DNA chromosome 4, BAC clone T805 (ESSAII project).//0.87:220:61//AL021890

F-NT2RM2001688//*B. paraptentis* bvg locus (transcription regulators of virulence factors) with bvgA and bvgS genes.//1.0:286:62//X52948

F-NT2RM2001695//CIT-HSP-345H13.TVB CIT-HSP Homo sapiens genomic clone 345H13, genomic survey sequence.//3.2e-53:241:82//B59854

F-NT2RM2001696//Mouse DNA with homology to EBV IR3 repeat, segment 2, clone Mu2.//1.2e-05:306:58//M10668

F-NT2RM2001698//Homo sapiens DNA sequence from PAC 163M9 on chromosome 1 p35.1-p36.21. Contains protein synthesis factor (eIF-4C), D1F15S1A pseudogene, ESTs, STS, GSS, complete sequence.//6.0e-06:548:59//AL021920

F-NT2RM2001699//HS_3195_B2_D01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3195 Col=2 Row=H, genomic survey sequence.//2.7e-07:322:61//AQ189056

F-NT2RM2001700//*Mycobacterium tuberculosis* H37Rv complete genome; segment 109/162.//7.8e-05:354:58//Z95556

F-NT2RM2001706//Homo sapiens chromosome Xp22-67-68, WORKING DRAFT SEQUEN

CE, 99 unordered pieces.//7.5e-42:335:81//AC004469
 F-NT2RM2001716
 F-NT2RM2001718//Drosophila melanogaster DNA sequence (P1 DS04106 (D172))
 , complete sequence.//4.2e-08:536:58//AC004290
 F-NT2RM2001723//Homo sapiens clone 23770 mRNA sequence.//1.4e-26:163:95/
 /AF052123
 F-NT2RM2001727//Homo sapiens mRNA for KIAA0462 protein, partial cds.//6.
 2e-111:530:98//AB007931
 F-NT2RM2001730//Homo sapiens chromosome 21 PAC RPCIP704E14135Q2.//3.1e-1
 02:248:95//AJ010598
 F-NT2RM2001743
 F-NT2RM2001753//Caenorhabditis elegans cosmid F45E6, complete sequence./
 /0.11:138:66//Z68117
 F-NT2RM2001760//Canis familiaris sec61 homologue mRNA, complete cds.//9.
 4e-100:418:88//M96629
 F-NT2RM2001768//HS_3064_B2_A04_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3064 Col=8 Row=B, genomic survey s
 equence.//3.1e-28:153:100//AQ136993
 F-NT2RM2001771//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323),
 complete sequence.//1.3e-66:680:72//AC006116
 F-NT2RM2001782
 F-NT2RM2001784//Bovine herpesvirus type 1 (Cooper) DNA (30 kb).//0.027:3
 84:60//Z48053
 F-NT2RM2001785//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730)
 containing the hFEN1 gene, complete sequence.//1.6e-18:229:65//AC004770
 F-NT2RM2001797//HS_3045_A1_D01_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3045 Col=1 Row=G, genomic survey s
 equence.//1.4e-74:381:97//AQ129456
 F-NT2RM2001800

F-NT2RM2001803//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//8.3e-178:827:99//AF044195

F-NT2RM2001805//Malus domestica leucine-rich receptor-like protein kinase (LRPKm1) gene, 5' flanking region and 5' UTR.//1.0:290:58//AF053126

F-NT2RM2001813//CIT-HSP-2169F21.TR CIT-HSP Homo sapiens genomic clone 21 69F21, genomic survey sequence.//3.3e-16:109:95//B89870

F-NT2RM2001823//Drosophila melanogaster DNA sequence (P1 DS07049 (D133)), complete sequence.//5.8e-62:819:68//AC004274

F-NT2RM2001839//Homo sapiens calumein (Calu) mRNA, complete cds.//3.6e-131:738:90//AF013759

F-NT2RM2001840//Homo sapiens chromosome 17, clone 297N7, complete sequence.//1.1e-57:422:79//AC002347

F-NT2RM2001855//HS_3224_A1_H07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3224 Col=13 Row=0, genomic survey sequence.//0.00012:68:91//AQ205285

F-NT2RM2001867//Human DNA sequence from clone 889N15 on chromosome Xq22.1-22.3. Contains part of the gene for a novel protein similar to X. laevis Cortical Thymocyte Marker CTX, the possibly alternatively spliced gene for 26S.Proteasome subunit p28 (Ankyrin repeat protein), a novel gene and exons 36 through 45 of the COL4A6 for Collagen Alpha 6(IV). Contains ESTs, STSSs, GSSs and a putative CpG island, complete sequence.//0.068:102:70//AL031177

F-NT2RM2001879//Human DNA sequence from cosmid cu72E5, between markers DXS366 and DXS87 on chromosome X.//0.0029:500:59//Z68328

F-NT2RM2001886//Homo sapiens mRNA for KIAA0710 protein, complete cds.//1.9e-187:866:97//AB014610

F-NT2RM2001896//S.cerevisiae chromosome III complete DNA sequence.//8.6e-30:613:63//X59720

F-NT2RM2001903//Homo sapiens mRNA for KIAA0462 protein, partial cds.//2.

9e-176:859:97//AB007931

F-NT2RM2001930//M.musculus mRNA for semaphorin G.//4.7e-117:730:85//X978
18

F-NT2RM2001935//Sequence 11 from Patent W09610637.//1.0:356:60//A50028

F-NT2RM2001936//Homo sapiens clone 614 unknown mRNA, complete sequence./
/6.9e-138:653:98//AF091080

F-NT2RM2001950//RPCI11-24L12.TP RPCI-11 Homo sapiens genomic clone RPCI-
11-24L12, genomic survey sequence.//2.7e-19:188:81//B86700

F-NT2RM2001982//Arabidopsis thaliana chromosome II BAC T24I21 genomic se
quence, complete sequence.//0.42:179:65//AC005825

F-NT2RM2001983//Homo sapiens RGS-GAIP interacting protein GIPC mRNA, com
plete cds.//3.8e-20:123:98//AF089816

F-NT2RM2001989//Sequence 3 from patent US 5747317.//1.9e-167:786:98//ARO
04981

F-NT2RM2001997//Human HepG2 partial cDNA, clone hmd1b08m5.//9.6e-25:160:
95//D16955

F-NT2RM2001998//Homo sapiens DNA, chromosome 21q22.2, PAC clone 25P16 co
mplete sequence, encoding carbonyl reductase and carbonyl reductase 3 (c
omplete cds).//0.88:380:60//AB003151

F-NT2RM2002004//Human Chromosome X, complete sequence.//5.0e-88:831:77//
AC002407

F-NT2RM2002014

F-NT2RM2002030//Mus musculus glutamine:fructose-6-phosphate amidotransfe
rase mRNA, complete cds.//1.5e-89:822:74//U00932

F-NT2RM2002049//Bovine elastin mRNA, partial cds.//8.8e-11:125:81//M2613
2

F-NT2RM2002055

F-NT2RM2002088//Mus musculus WW domain binding protein 17 mRNA, partial
sequence.//1.4e-15:421:63//AF073936

F-NT2RM2002091//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING DRAFT SEQUENCE.//4.6e-160:771:98//AL034380

F-NT2RM2002100//Homo sapiens mRNA for ATP-dependent RNA helicase, partial.//7.7e-164:776:98//AJ010840

F-NT2RM2002109//Homo sapiens glioma amplified on chromosome 1 protein (GAC1) mRNA, complete cds.//2.4e-143:684:98//AF030435

F-NT2RM2002128//Mesocricetus auratus guanine nucleotide-binding protein beta 5 (Gnb5) mRNA, complete cds.//7.0e-27:330:73//U13152

F-NT2RM2002142//Danio rerio gastrulation specific (G12) mRNA, complete cds.//6.3e-10:135:80//U27121

F-NT2RM2002145//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//4.2e-143:800:92//AF084928

F-NT2RM2002178//Homo sapiens mRNA for KIAA0467 protein, partial cds.//5.2e-164:787:97//AB007936

F-NT2RM2002580//Drosophila melanogaster DNA sequence (P1 DS02110 (D147)), complete sequence.//7.4e-13:337:62//AC004423

F-NT2RM4000024//D.melanogaster DmRP128 gene for RNA polymerase III second-largest subunit.//1.2e-62:801:70//X58826

F-NT2RM4000027//Caenorhabditis elegans cosmid F09E5.//0.36:336:60//U37429

F-NT2RM4000030//H.sapiens CpG island DNA genomic MseI fragment, clone 56h10, forward read cpG56h10.ft1a.//9.3e-22:127:100//Z55685

F-NT2RM4000046//Curcurbita maxima 25S - 18S rDNA intergenic spacer.//4.1e-05:386:60//X13059

F-NT2RM4000061

F-NT2RM4000085//B.taurus mRNA for nuclear DNA helicase II.//1.9e-10:485:59//X82829

F-NT2RM4000086

F-NT2RM4000104//Homo sapiens chromosome 16 zinc finger protein ZNF210 (Z

NF210) mRNA, complete cds.//4.2e-23:345:69//AF060865
 F-NT2RM4000139//R.norvegicus trg mRNA.//1.4e-56:708:69//X68101
 F-NT2RM4000155//CIT-HSP-2282N15.TR CIT-HSP Homo sapiens genomic clone 22
 82N15, genomic survey sequence.//3.0e-09:88:90//AQ000070
 F-NT2RM4000156//H.sapiens HPBR11-7 gene.//2.0e-21:586:60//X67336
 F-NT2RM4000167//Mouse kif4 mRNA for microtubule-based motor protein KIF4
 , complete cds.//2.7e-143:810:90//D12646
 F-NT2RM4000169//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic
 sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.0054:746:57//A
 C004157
 F-NT2RM4000191//Mus musculus cathepsin S (CatS) gene, promoter region an
 d exons 1 and 2.//0.00018:468:60//AF051726
 F-NT2RM4000197
 F-NT2RM4000199//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 620E11, WORKING DRAFT SEQUENCE.//0.67:461:60//AL031667
 F-NT2RM4000200
 F-NT2RM4000202//H.sapiens CpG island DNA genomic MseI fragment, clone 34
 c2, forward read cpg34c2.ft1a.//1.7e-27:190:90//Z65361
 F-NT2RM4000210//Homo sapiens mRNA for KIAA0712 protein, complete cds.//1
 .4e-182:856:98//AB018255
 F-NT2RM4000215//S.cerevisiae MAK16 protein gene, complete cds, and LTE1
 protein gene, 3' end.//3.1e-31:731:62//J03852
 F-NT2RM4000229//Homo sapiens chromosome 10 clone CIT987SK-1144G6 map 10q
 25.1, complete sequence.//4.6e-102:233:94//AC005383
 F-NT2RM4000233//Mus musculus semaphorin VIa mRNA, complete cds.//1.6e-13
 5:835:86//AF030430
 F-NT2RM4000244//RPC111-24P15.TV RPC1-11 Homo sapiens genomic clone RPC1-
 11-24P15, genomic survey sequence.//5.5e-08:422:62//B86757
 F-NT2RM4000251//Mus musculus clone UWGC:mbac92 from 14D1-D2 (T-Cell Rece

ptor Alpha Locus), complete sequence.//0.98:207:60//AC005855
F-NT2RM4000265//Homo sapiens Chromosome 11q12.2 PAC clone pDJ1081b4 containing human mRNA for T-cell glycoprotein CD6, complete sequence.//5.2e-41:707:65//AC003689
F-NT2RM4000290//Human transducin-like enhancer protein (TLE3) mRNA, complete cds.//7.9e-153:609:93//M99438
F-NT2RM4000324
F-NT2RM4000327//Rattus norvegicus guanine nucleotide binding protein beta 4 subunit mRNA, partial cds.//3.9e-44:727:68//AF022085
F-NT2RM4000344//Mus musculus ATP-dependent metalloprotease FtsH1 mRNA, complete cds.//1.0e-143:801:90//AF090430
F-NT2RM4000349//Mus musculus clone OST431, genomic survey sequence.//6.1e-80:503:86//AF046700
F-NT2RM4000354//HS_2221_A2_C07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2221 Col=14 Row=E, genomic survey sequence.//1.0e-20:180:83//AQ253449
F-NT2RM4000356
F-NT2RM4000366//Homo sapiens mRNA for KIAA0642 protein, partial cds.//1.6e-133:628:99//AB014542
F-NT2RM4000368//RPCI11-91B5.TJ RPCI11 Homo sapiens genomic clone R-91B5, genomic survey sequence.//5.0e-12:431:61//AQ283217
F-NT2RM4000386//Mus musculus DOC4 (Doc4) mRNA, complete cds.//7.4e-86:845:72//AF059485
F-NT2RM4000395//Saccharomyces cerevisiae chromosome VI cosmid 9965.//2.5e-34:767:61//D44597
F-NT2RM4000414//Homo sapiens XYLB mRNA for xylulokinase, complete cds.//1.5e-15:114:94//AB015046
F-NT2RM4000421
F-NT2RM4000425//Homo sapiens chromosome 17, clone hRPK.294_J_22, complet

e sequence.//1.5e-37:295:82//AC005921
F-NT2RM4000433//Mus musculus retinoic acid-responsive protein (Stra6) mRNA, complete cds.//3.9e-94:740:78//AF062476
F-NT2RM4000457//CIT-HSP-2346B17.TR CIT-HSP Homo sapiens genomic clone 2346B17, genomic survey sequence.//1.5e-22:149:92//AQ062111
F-NT2RM4000471//Homo sapiens mRNA for putative tRNA splicing protein, partial.//1.3e-76:386:97//AJ010952
F-NT2RM4000486//Homo sapiens mRNA, complete cds, clone:RES4-22A, .//1.1e-22:356:67//AB000459
F-NT2RM4000496//Homo sapiens 12p13.3 BAC RPCI11-476M19 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.53:198:70//AC005908
F-NT2RM4000511
F-NT2RM4000514
F-NT2RM4000515//CIT-HSP-2285L3.TR CIT-HSP Homo sapiens genomic clone 2285L3, genomic survey sequence.//0.0012:200:66//AQ000113
F-NT2RM4000520
F-NT2RM4000531//Human zinc finger protein 42 (MZF-1) mRNA, complete cds.//2.9e-31:732:64//M58297
F-NT2RM4000532//HS_3231_B1_C05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3231 Col=9 Row=F, genomic survey sequence.//1.3e-59:362:90//AQ192093
F-NT2RM4000534
F-NT2RM4000585//CITBI-E1-2508I18.TR CITBI-E1 Homo sapiens genomic clone 2508I18, genomic survey sequence.//1.1e-34:208:93//AQ260706
F-NT2RM4000590//CIT-HSP-2291M14.TF CIT-HSP Homo sapiens genomic clone 2291M14, genomic survey sequence.//8.3e-34:180:99//AQ004125
F-NT2RM4000595//Homo sapiens chromosome 17, clone hCIT.131_K_11, complete sequence.//1.2e-09:203:66//AC005288

F-NT2RM4000603//Human mRNA for KIAA0392 gene, partial cds.//5.3e-14:305:68//AB002390

F-NT2RM4000611//CIT-HSP-2169F21.TR CIT-HSP Homo sapiens genomic clone 21 69F21, genomic survey sequence.//8.4e-16:109:94//B89870

F-NT2RM4000616//D.melanogaster mRNA for acetyl-CoA synthetase.//2.3e-59:721:68//Z46786

F-NT2RM4000674

F-NT2RM4000689//CIT-HSP-2381013.TF CIT-HSP Homo sapiens genomic clone 23 81013, genomic survey sequence.//2.6e-31:174:97//AQ110303

F-NT2RM4000698

F-NT2RM4000700

F-NT2RM4000712//Homo sapiens ubiquitin hydrolyzing enzyme I (UBH1) mRNA, partial cds.//1.1e-89:744:77//AF022789

F-NT2RM4000717

F-NT2RM4000733//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//2.1e-140:299:99//AL034379

F-NT2RM4000734//Homo sapiens mRNA for KIAA0760 protein, partial cds.//3.8e-158:743:98//AB018303

F-NT2RM4000741

F-NT2RM4000751//Human zinc finger protein 20 (ZNF20) pentanucleotide repeat polymorphism.//7.1e-95:754:77//M99593

F-NT2RM4000764

F-NT2RM4000778//Caenorhabditis elegans cosmid F36H12.//0.30:523:60//AF078790

F-NT2RM4000779//Homo sapiens mRNA for KIAA0451 protein, complete cds.//5.5e-172:810:98//AB007920

F-NT2RM4000787//Human DNA sequence from PAC 370M22 on chromosome 22q12-qter. contains GRB2 ADAPTOR LIKE PROTEIN, UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT PRECURSOR (UQCRFS1) exon, ESTs, STS, CA repeat an

d CpG island.//0.0057:163:69//Z82206

F-NT2RM4000790//Homo sapiens chromosome 19, cosmid R27216, complete sequence.//6.9e-39:237:94//AC005306

F-NT2RM4000795//Rattus norvegicus neuroligin 3 mRNA, complete cds.//5.9e-97:857:74//U41663

F-NT2RM4000796//HS_3214_B1_F11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3214 Col=21 Row=L, genomic survey sequence.//1.1e-14:254:68//AQ175988

F-NT2RM4000798//Bos taurus guanine nucleotide-exchange protein (ARF-GEF1) mRNA, complete cds.//6.2e-78:816:72//AF023451

F-NT2RM4000813//Leishmania major glycoprotein 96-92 (GP 96-92) gene, partial cds.//0.33:276:63//M63109

F-NT2RM4000820//, complete sequence.//2.6e-142:450:97//AC005406

F-NT2RM4000833//Drosophila melanogaster DNA sequence (P1 DS05273 (D80)), complete sequence.//1.9e-52:501:71//AC004373

F-NT2RM4000848//Homo sapiens chromosome 17, clone hRPK.167_N_20, complete sequence.//1.0:477:56//AC005940

F-NT2RM4000852

F-NT2RM4000855//Homo sapiens chromosome 17, clone hCIT.457_L_16, complete sequence.//3.4e-29:229:83//AC003957

F-NT2RM4000887

F-NT2RM4000895//Homo sapiens HuUAP1 mRNA for UDP-N-acetylglucosamine pyrophosphorylase, complete cds.//2.1e-20:407:64//AB011004

F-NT2RM4000950//Homo sapiens clone DJ0917G04, WORKING DRAFT SEQUENCE, 35 unordered pieces.//0.41:311:64//AC004929

F-NT2RM4000971//RPCI11-53H3.TJ RPCI11 Homo sapiens genomic clone R-53H3, genomic survey sequence.//1.0:208:64//AQ053735

F-NT2RM4000979//Homo sapiens chromosome 17, clone hRPK.642_C_21, complete sequence.//1.3e-19:207:78//AC005245

F-NT2RM4000996//CITBI-E1-2506B10.TF CITBI-E1 Homo sapiens genomic clone 2506B10, genomic survey sequence.//1.4e-73:361:98//AQ263651

F-NT2RM4001002//Homo sapiens mRNA for KIAA0729 protein, partial cds.//5.1e-170:803:98//AB018272

F-NT2RM4001016//Homo sapiens mRNA for KIAA0639 protein, partial cds.//3.3e-125:584:99//AB014539

F-NT2RM4001032//Gallus gallus chicken brain factor-2 (CBF-2) mRNA, complete cds.//0.00034:777:58//U47276

F-NT2RM4001047//MO25 gene [mice, embryos, mRNA, 2322 nt].//2.5e-92:776:74//S51858

F-NT2RM4001054//Canis familiaris sec61 homologue mRNA, complete cds.//3.1e-102:859:76//M96629

F-NT2RM4001084//CIT-HSP-2330F9.TR CIT-HSP Homo sapiens genomic clone 2330F9, genomic survey sequence.//4.6e-78:379:99//AQ044479

F-NT2RM4001092//cSRL-71b1-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-71b1, genomic survey sequence.//1.1e-12:152:75//B05776

F-NT2RM4001116

F-NT2RM4001140//Homo sapiens PAC clone DJ0964C11 from 7p14-p15, complete sequence.//1.9e-136:717:93//AC004593

F-NT2RM4001151//Streptomyces antibioticus ATP-binding protein and membrane protein (oleC-ORF1, oleC-ORF2, oleC-ORF3, oleC-ORF4, and oleC-ORF5) genes, complete cds; 3427 base-pairs.//0.0083:368:60//L06249

F-NT2RM4001155//Bos taurus 50 kDa protein (adp50) mRNA, complete cds.//3.9e-120:764:85//U04706

F-NT2RM4001160

F-NT2RM4001187

F-NT2RM4001191//CIT-HSP-2010E7.TF CIT-HSP Homo sapiens genomic clone 2010E7, genomic survey sequence.//6.2e-12:181:72//B53378

F-NT2RM4001200//H.sapiens HZF10 mRNA for zinc finger protein.//1.3e-66:799:69//X78933

F-NT2RM4001203//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//4.2e-152:707:99//AF004828

F-NT2RM4001204

F-NT2RM4001217//Homo sapiens ectoderm-neural cortex-1 protein (ENC-1) mRNA, complete cds.//1.6e-62:715:70//AF005381

F-NT2RM4001256//Human NotI linking clone 924A058R, genomic survey sequence.//7.6e-14:109:90//U49884

F-NT2RM4001258//HS_3171_B2_G09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3171 Col=18 Row=N, genomic survey sequence.//2.5e-18:215:77//AQ149676

F-NT2RM4001309//Human DNA sequence from clone 551E13 on chromosome Xp11.2-11.3 Contains farnesyl pyrophosphate synthetase pseudogene, VT4 protein pseudogene, EST, GSS, complete sequence.//4.9e-28:526:66//AL022163

F-NT2RM4001313//H.sapiens mRNA for phosphatidylinositol 3-kinase.//2.5e-77:474:89//Z46973

F-NT2RM4001316//Caenorhabditis elegans cosmid K09H11.//1.2e-16:230:73//U97002

F-NT2RM4001320//Homo sapiens mRNA for Neuroblastoma, complete cds.//1.1e-41:642:66//D89016

F-NT2RM4001340//EP(3)0614 Drosophila melanogaster EP line Drosophila melanogaster genomic Sequence recovered from 5' end of P element, genomic survey sequence.//0.0040:141:68//AQ025127

F-NT2RM4001344//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y1E3, WORKING DRAFT SEQUENCE.//5.5e-06:469:60//AL021388

F-NT2RM4001347

F-NT2RM4001371//Arabidopsis thaliana chromosome II BAC T20K9 genomic sequence, complete sequence.//0.10:400:61//AC004786

F-NT2RM4001382//Homo sapiens RanBP7/importin 7 mRNA, complete cds.//2.2e-167:790:98//AF098799

F-NT2RM4001384//Homo sapiens DNA sequence from BAC 747E2 on chromosome 2 2q12.1. Contains ESTs, STSS and GSSs and genomic marker D22S56, complete sequence.//0.99:255:59//AL021393

F-NT2RM4001410//Homo sapiens genomic DNA, chromosome 21q11.1, segment 1/5, WORKING DRAFT SEQUENCE.//0.027:336:58//AP000023

F-NT2RM4001411//Mus musculus Pro-rich, PH, SH2 domain-containing signaling mediator (PSM) mRNA, complete cds.//5.9e-124:783:85//AF020526

F-NT2RM4001412//Rattus norvegicus GTPase activating protein SynGAP-c mRNA, complete cds.//2.2e-34:418:71//AF050183

F-NT2RM4001414//Homo sapiens full length insert cDNA clone ZE16C11.//9.1e-76:363:100//AF086563

F-NT2RM4001437//Homo sapiens chromosome 5, BAC clone 313n8 (LBNL H146), complete sequence.//2.0e-47:623:69//AC004226

F-NT2RM4001444//Streptococcus pneumoniae penicillin-binding protein 2b (pbp2b), RecM (recM), D-Ala-D-Ala ligase (ddl), D-Ala-D-Ala adding enzyme (murF), MutT (mutT), cell division protein FtsA (ftsA), cell division protein FtsZ (ftsZ), YlmE (ylmE), YlmF (ylmF), YlmG (ylmG), YlmH (ylmH), cell division protein DivIVA (divIVA), and isoleucine-tRNA synthetase (ileS) genes, complete cds; and unknown gene.//3.6e-09:566:58//AF068901

F-NT2RM4001454

F-NT2RM4001455

F-NT2RM4001483//Human zinc finger protein ZNF136.//3.2e-36:329:78//U09367

F-NT2RM4001489//Homo sapiens mRNA for KIAA0685 protein, complete cds.//1.2e-155:724:99//AB014585

F-NT2RM4001519//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.00019:418:59//A

C004688

F-NT2RM4001522//Human HepG2 3' region MboI cDNA, clone hmd6a08m3.//1.4e-16:130:88//D17274

F-NT2RM4001557

F-NT2RM4001565

F-NT2RM4001566

F-NT2RM4001569//HS_2050_B1_C08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2050 Col=15 Row=F, genomic survey sequence.//2.7e-09:109:84//AQ234720

F-NT2RM4001582//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//1.2e-127:740:89//AF071317

F-NT2RM4001592//M.musculus mRNA of enhancer-trap-locus 1.//7.3e-117:710:88//X69942

F-NT2RM4001594//Homo sapiens chromosome 9q34, clone 107G20, WORKING DRAFT SEQUENCE, 2 ordered pieces.//0.34:388:59//AC002355

F-NT2RM4001597//M.musculus red-1 gene.//6.2e-139:788:90//X92750

F-NT2RM4001605//Homo sapiens mRNA for KIAA0791 protein, complete cds.//3.3e-162:750:99//AB018334

F-NT2RM4001611//Synechocystis sp. PCC6803 complete genome, 12/27, 1430419-1576592.//2.5e-05:490:58//D90910

F-NT2RM4001629//Mus musculus palmytoylated protein p55 mRNA, complete cds.//0.65:186:64//U38196

F-NT2RM4001650//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0435P12; HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//0.99:422:59//AC004689

F-NT2RM4001662//Human mRNA for KIAA0322 gene, partial cds.//2.6e-81:449:93//AB002320

F-NT2RM4001666

F-NT2RM4001682//Mus musculus clone OST9187, genomic survey sequence.//3.

2e-35:240:87//AF046699

F-NT2RM4001710//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//1.9e-151:564:97//AL031447

F-NT2RM4001714//Human mRNA for KIAA0202 gene, partial cds.//7.0e-85:748:74//D86957

F-NT2RM4001715//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs, complete sequence.//1.2e-91:488:94//AL034430

F-NT2RM4001731//Orang-utan involucrin gene, complete cds.//0.40:530:59//M25312

F-NT2RM4001741//Mouse mRNA for talin.//1.1e-129:737:90//X56123

F-NT2RM4001746//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316G12, WORKING DRAFT SEQUENCE.//2.3e-49:320:89//AL031709

F-NT2RM4001754//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//6.3e-64:379:76//AC005831

F-NT2RM4001758//R.norvegicus mRNA for serine/threonine kinase MARK1.//3.7e-146:871:87//Z83868

F-NT2RM4001776//Homo sapiens mRNA for KIAA0727 protein, partial cds.//2.3e-173:803:99//AB018270

F-NT2RM4001783//Homo sapiens clone DJ0981007, complete sequence.//2.0e-165:593:99//AC006017

F-NT2RM4001810

F-NT2RM4001813//Homo sapiens BAC clone NH0364H22 from 2, complete sequence.//7.1e-31:176:84//AC005036

F-NT2RM4001819//Human p58/GTA (galactosyltransferase associated protein kinase) mRNA, complete cds.//4.4e-34:195:95//M37712

F-NT2RM4001823//Mus musculus zinc finger protein (Zfp64) mRNA, complete cds.//3.3e-51:490:75//U49046

F-NT2RM4001828//Human zinc finger containing protein ZNF157 (ZNF157) mRNA

A, complete cds.//5.6e-74:688:72//U28687

F-NT2RM4001836//Homo sapiens Chromosome 22q11.2 Cosmid Clone 2h In DGCR Region, complete sequence.//1.0:406:60//AC000076

F-NT2RM4001841//Mus musculus A kinase anchor protein (AKAP-KL) mRNA, alternatively spliced isoform 2, complete cds.//1.6e-131:831:86//AF033275

F-NT2RM4001842//HS_3163_A2_G10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3163 Col=20 Row=M, genomic survey sequence.//1.5e-05:355:60//AQ168513

F-NT2RM4001856//Caenorhabditis elegans cosmid K08F11.//4.0e-23:823:60//U70855

F-NT2RM4001858//Notophthalmus viridescens NvTbox1 mRNA, partial cds.//6.4e-11:266:66//U64433

F-NT2RM4001865//Homo sapiens mRNA for atopy related autoantigen CALC.//6.9e-149:704:98//Y17711

F-NT2RM4001876//F.rubripes GSS sequence, clone 060E22bA4, genomic survey sequence.//5.7e-48:600:68//Z88651

F-NT2RM4001880//CIT-HSP-2348J1.TF CIT-HSP Homo sapiens genomic clone 2348J1, genomic survey sequence.//0.0025:61:88//AQ060809

F-NT2RM4001905//R.norvegicus CYP3A1 gene, 5' flanking region.//2.5e-29:535:67//X98335

F-NT2RM4001922//HS_2237_A1_C10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2237 Col=19 Row=E, genomic survey sequence.//2.2e-73:364:98//AQ033732

F-NT2RM4001930//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MXI10, complete sequence.//4.9e-10:269:63//AB005248

F-NT2RM4001938//Homo sapiens chromosome 17, clone hRPC.1081_P_3, complete sequence.//7.6e-152:311:100//AC005207

F-NT2RM4001940//Homo sapiens timeless homolog mRNA, complete cds.//1.1e-170:808:98//AF098162

F-NT2RM4001953//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4
 , BAC clone B13E4; HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pi
 eces.//2.7e-45:310:86//AC004046

F-NT2RM4001965//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of
 hepatocellular colorectal and non-small cell lung cancer , segment 11/11
 .//1.6e-107:622:90//AB020868

F-NT2RM4001969//R.norvegicus mRNA for IP63 protein.//3.9e-24:221:76//X99
 330

F-NT2RM4001979//Homo sapiens mRNA for KIAA0798 protein, complete cds.//1
 .0e-61:527:76//AB018341

F-NT2RM4001984//Human DNA sequence from cosmid U151E3, between markers o
 n chromosome X.//5.8e-07:502:60//Z82253

F-NT2RM4001987//RPCI11-49L11.TJ RPCI11 Homo sapiens genomic clone R-49L1
 1, genomic survey sequence.//2.6e-33:177:99//AQ051701

F-NT2RM4002013//Homo sapiens chromosome 17, clone hRPK.294_J_22, complet
 e sequence.//0.019:65:90//AC005921

F-NT2RM4002018//Human high molecular weight B cell growth factor mRNA se
 quence.//1.0:527:57//L15344

F-NT2RM4002034//Human DNA sequence from PAC 84F12 on chromosome Xq25-Xq2
 6.3. Contains glypican-3 precursor (intestinal protein OCI-5) (GTR2-2),
 ESTs and CA repeat.//0.11:322:60//AL008712

F-NT2RM4002044//Homo sapiens SS-A/Ro autoantigen 52 kda component gene,
 complete cds.//0.015:513:61//U01882

F-NT2RM4002054//Homo sapiens clone DJ1039L24, WORKING DRAFT SEQUENCE, 3
 unordered pieces.//2.0e-44:473:76//AC005283

F-NT2RM4002055//Homo sapiens mRNA for KIAA0640 protein, partial cds.//1.
 0e-171:803:98//AB014540

F-NT2RM4002062//Drosophila melanogaster; Chromosome 2L; Region 36B1-36B3
 ; P1 clone DS02528, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.0031:

298:59//AC005122

F-NT2RM4002063//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//1.1e-147:705:98//U82267

F-NT2RM4002066//Human mRNA for KIAA0192 gene, partial cds.//3.4e-73:889:69//D83783

F-NT2RM4002067//Homo sapiens chromosome 5, BAC clone 282B7 (LBNL H192), complete sequence.//1.1e-53:295:76//AC005216

F-NT2RM4002073//Mus musculus fatty acid transport protein 3 mRNA, partial cds.//7.8e-25:277:75//AF072758

F-NT2RM4002075//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//9.0e-23:588:61//AF059569

F-NT2RM4002093//Rat PYBP1 mRNA for pyrimidine binding protein 1.//3.1e-68:544:69//X60789

F-NT2RM4002109//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//2.0e-121:762:86//D12646

F-NT2RM4002128//HS_3084_A1_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3084 Col=7 Row=G, genomic survey sequence.//7.7e-18:117:95//AQ186312

F-NT2RM4002140

F-NT2RM4002145//Homo sapiens chromosome 19, fosmid 37308, complete sequence.//1.8e-49:736:65//AC004152

F-NT2RM4002146//Homo sapiens MAGOH mRNA, complete cds.//6.5e-70:454:85//AF035940

F-NT2RM4002161//Homo sapiens mRNA for LAFPTase, isoform 1, partial.//4.2e-151:763:96//AJ130763

F-NT2RM4002174//Helicobacter pylori 26695 section 18 of 134 of the complete genome.//2.1e-16:580:60//AE000540

F-NT2RM4002189//Homo sapiens DNA sequence from BAC 722E9 on chromosome 2 2q13.2-13.33. Contains ESTs.//1.0e-07:792:61//AL008636

F-NT2RM4002194//Mus musculus semaphorin VIa mRNA, complete cds.//3.2e-13
2:782:87//AF030430

F-NT2RM4002205//Rattus norvegicus nuclear-encoded mitochondrial elongati
on factor G mRNA, complete cds.//1.5e-40:292:84//L14684

F-NT2RM4002213

F-NT2RM4002226//Mus musculus p190-B gene, complete cds.//0.099:350:59//U
67160

F-NT2RM4002251//Homo sapiens chromosome 17, clone HCIT187M2, complete se
quence.//1.0:428:58//AC004448

F-NT2RM4002256//Mouse genomic DNA, chromosome 17, clone cosmid 49.1, gen
omic survey sequence.//9.4e-60:294:81//AB005959

F-NT2RM4002266//Fugu rubripes GSS sequence, clone 006I18aG12, genomic su
rvey sequence.//3.3e-12:217:67//AL024779

F-NT2RM4002278//HS_3089_A1_E05_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3089 Col=9 Row=I, genomic survey s
equence.//1.9e-64:381:92//AQ121653

F-NT2RM4002281

F-NT2RM4002287//CIT-HSP-2327E14.TF CIT-HSP Homo sapiens genomic clone 23
27E14, genomic survey sequence.//9.0e-49:336:86//AQ042515

F-NT2RM4002294//Human mRNA for KIAA0281 gene, complete cds.//2.1e-48:511
:72//D87457

F-NT2RM4002301//Human NotI linking clone 924A053D, genomic survey sequen
ce.//8.9e-05:62:91//U49881

F-NT2RM4002323//Human DNA sequence from clone 59B16 on chromosome 6p22.1
-22.3. Contains a pseudogene similar to GPISG20 and other exonucleases).
Contains ESTs, STSS, GSSs, genomic markers D6S1691 and D6S299 and a ca
repeat polymorphism, complete sequence.//4.9e-115:729:87//AL032822

F-NT2RM4002339//Homo sapiens PAC clone DJ0728D04, complete sequence.//1.
1e-97:457:93//AC004865

F-NT2RM4002344//Caenorhabditis elegans cosmid K04A8.//2.2e-06:190:69//U64849

F-NT2RM4002373//Homo sapiens mRNA for KIAA0649 protein, complete cds.//2.8e-149:708:98//AB014549

F-NT2RM4002374//Homo sapiens 12q24 PAC P336P3 (Research Park Cancer Institute Human Genome PAC library) complete sequence.//0.00040:312:63//AC002978

F-NT2RM4002383//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 469D22, WORKING DRAFT SEQUENCE.//6.8e-29:378:66//AL031284

F-NT2RM4002390

F-NT2RM4002398//CIT-HSP-2288N22.TR CIT-HSP Homo sapiens genomic clone 2288N22, genomic survey sequence.//3.4e-35:184:100//AQ001110

F-NT2RM4002409//Archaeoglobus fulgidus section 15 of 172 of the complete genome.//2.0e-16:468:59//AE001092

F-NT2RM4002438//Human HLA class III region containing NOTCH4 gene, partial sequence, homeobox PBX2 (HPBX) gene, receptor for advanced glycosylation end products (RAGE) gene, complete cds, and 6 unidentified cds, complete sequence.//1.6e-16:123:91//U89336

F-NT2RM4002446//Human DNA sequence from cosmid 443D9 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3 Contains ESTs, STS and CpG islands.//9.6e-64:467:84//Z92845

F-NT2RM4002452

F-NT2RM4002457//Human DNA sequence from PAC 151B14 on chromosome 22, complete sequence.//2.2e-24:201:86//Z85988

F-NT2RM4002460//Homo sapiens PAC clone DJ0630C24 from 7q31-q32, complete sequence.//1.3e-45:487:70//AC004690

F-NT2RM4002479//Homo sapiens RNA helicase-related protein mRNA, complete cds.//2.7e-163:777:98//AF083255

F-NT2RM4002482//Homo sapiens mRNA for KIAA0691 protein, complete cds.//2

.3e-93:464:97//AB014591

F-NT2RM4002493

F-NT2RM4002499//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.5e-41:442:75//AC005484

F-NT2RM4002504//Human DNA sequence from clone 391022 on chromosome 6p21. 2-21.31 Contains pseudogenes similar to ribosomal protein, ESTs, GSSs, c complete sequence.//3.8e-31:233:87//AL031577

F-NT2RM4002527//Fugu rubripes GSS sequence, clone 096G17aC8, genomic survey sequence.//7.7e-08:274:62//AL027162

F-NT2RM4002532

F-NT2RM4002534

F-NT2RM4002558//Mus musculus fatty acid transport protein 4 mRNA, partial cds.//3.8e-53:394:81//AF072759

F-NT2RM4002565//Mus musculus Sec8 mRNA, complete cds.//6.4e-160:902:89//AF022962

F-NT2RM4002567//CITBI-E1-2503J7.TR CITBI-E1 Homo sapiens genomic clone 2 503J7, genomic survey sequence.//8.5e-31:220:88//AQ263402

F-NT2RM4002571//Rattus norvegicus UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase T5 mRNA, complete cds.//5.2e-05:199:65//AF049344

F-NT2RM4002593//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//0.89:275:61//AC004875

F-NT2RM4002594//Drosophila melanogaster, chromosome 2R, region 31C1-31D6, P1 clone DS08879, complete sequence.//3.7e-44:768:64//AC005454

F-NT2RM4002623//Drosophila melanogaster; Chromosome 2L; Region 36B1-36B3; P1 clone DS02528, WORKING DRAFT SEQUENCE, 8 unordered pieces.//7.8e-34:574:65//AC005122

F-NT2RP1000018//Homo sapiens mRNA for NIK, partial cds.//3.9e-111:582:95//AB013385

F-NT2RP1000035//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//1.1

e-153:747:96//AJ012449

F-NT2RP1000040//Homo sapiens genomic DNA, chromosome 21q11.1, segment 18 /28, WORKING DRAFT SEQUENCE.//1.6e-125:243:88//AP000047

F-NT2RP1000063//Caenorhabditis elegans cosmid F31C3, complete sequence./ /9.6e-09:414:59//Z92784

F-NT2RP1000086//H.sapiens mRNA for zinc finger protein, Hsa12.//2.8e-183 :548:91//X98834

F-NT2RP1000101//H.sapiens CpG island DNA genomic MseI fragment, clone 28 b4, forward read cpg28b4.ft1a.//6.0e-27:163:95//Z60555

F-NT2RP1000111//CIT-HSP-2307014.TR CIT-HSP Homo sapiens genomic clone 23 07014, genomic survey sequence.//1.2e-11:128:81//AQ016069

F-NT2RP1000112//Human kinase (TTK) mRNA, complete cds.//1.0e-38:324:81// M86699

F-NT2RP1000124//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.59:476:59//AL034557

F-NT2RP1000130//DNA encoding human Hepatoma-derived Growth Factor.//2.7e -35:535:68//E08546

F-NT2RP1000163//Homo sapiens cell cycle progression 2 protein (CPR2) mRN A, complete cds.//6.7e-05:77:90//AF011792

F-NT2RP1000170//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//1.9e-20:431:64//AC006030

F-NT2RP1000174//Homo sapiens clone 24432 mRNA sequence.//2.5e-138:679:97 //AF070535

F-NT2RP1000191

F-NT2RP1000202//Porcine mRNA for M130 of smooth muscle myosin phosphatas e, partial cds.//5.3e-05:220:61//D89496

F-NT2RP1000243//Drosophila melanogaster DNA sequence (P1 DS05273 (D80)), complete sequence.//4.7e-51:508:69//AC004373

F-NT2RP1000259

F-NT2RP1000272//Mus musculus TLS-associated protein with SR repeats mRNA
, complete cds.//7.8e-142:866:88//AF042383

F-NT2RP1000324//RPCI11-81021.TJ RPCI11 Homo sapiens genomic clone R-8102
1, genomic survey sequence.//2.8e-29:182:92//AQ285136

F-NT2RP1000326//Homo sapiens metaxin 2 (MTX2) mRNA, nuclear gene encodin
g mitochondrial protein, complete cds.//4.2e-147:693:98//AF053551

F-NT2RP1000333//Caenorhabditis elegans cosmid C03D6, complete sequence./
/1.4e-08:281:61//Z75525

F-NT2RP1000348//H.sapiens CpG island DNA genomic MseI fragment, clone 12
f1, reverse read cpgl2f1.rtlc.//1.7e-09:71:100//Z56610

F-NT2RP1000357

F-NT2RP1000358

5.7e-16:403:61//AC005456

F-NT2RP1000363//Homo sapiens mRNA for KIAA0638 protein, partial cds.//9.
8e-125:497:86//AB014538

F-NT2RP1000376//Homo sapiens calcium-independent phospholipase A2 mRNA,
complete cds.//1.8e-176:877:96//AF064594

F-NT2RP1000409//Homo sapiens repetitive sequences, alphoid DNA, 2482bp./
/4.6e-106:700:84//AJ001558

F-NT2RP1000413//Homo sapiens mRNA for KIAA0587 protein, complete cds.//9
.4e-178:710:98//AB011159

F-NT2RP1000416

F-NT2RP1000418//Oryctolagus cuniculus troponin T cardiac isoform mRNA, 3
' end of cds.//1.0:198:60//L40178

F-NT2RP1000439//HS_2182_A1_D06_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2182 Col=11 Row=G, genomic survey
sequence.//2.1e-68:441:87//AQ024305

F-NT2RP1000443//Homo sapiens genomic DNA, chromosome 21q11.1, segment 18
/28, WORKING DRAFT SEQUENCE.//3.8e-57:185:88//AP000047

F-NT2RP1000460//Homo sapiens PAC clone DJ0844F09 from 7p12-p13, complete sequence.//2.7e-132:204:99//AC004453

F-NT2RP1000470//Human DNA from chromosome 19-specific cosmid R27090, genomic sequence, complete sequence.//4.9e-80:196:95//AC002985

F-NT2RP1000478//Human beta-tubulin class III isotype (beta-3) mRNA, complete cds.//1.9e-55:440:80//U47634

F-NT2RP1000481//Homo sapiens DNA sequence from PAC 262D12 on chromosome 1q23.3-24.3. Contains a Tenascin (Hexabrachion, Cytotactin, Neuroneurin, Myotendinous antigen)-LIKE gene and a mitochondrial/chloroplast 30S ribosomal protein S14-LIKE gene preceded by a CpG island. Contains ESTs, genomic marker D1S2691 and STSs.//2.6e-92:562:88//Z99297

F-NT2RP1000493//Homo sapiens mRNA for KIAA0017 protein, complete cds.//2.0e-130:622:98//D87686

F-NT2RP1000513//Xanthomonas campestris campestris xpsD, xpsM, and xpsN genes, complete cds's.//0.11:360:58//M81648

F-NT2RP1000522//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8 unordered pieces.//4.9e-34:209:93//AC004895

F-NT2RP1000547//Cricetulus griseus COP-coated vesicle membrane protein C HOP24 mRNA, partial cds.//1.2e-08:331:63//U26264

F-NT2RP1000574//Homo sapiens homeobox protein MEIS2 (MEIS2) mRNA, partial cds.//4.4e-81:295:92//AF017418

F-NT2RP1000577//HS_2228_B2_C05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2228 Col=10 Row=F, genomic survey sequence.//1.9e-31:179:75//AQ185128

F-NT2RP1000581//Pan troglodytes von Willebrand factor (vWF) gene, partial cds.//4.7e-34:223:90//U31620

F-NT2RP1000609//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730) containing the hFEN1 gene, complete sequence.//1.6e-18:229:65//AC004770

F-NT2RP1000629//Mouse clathrin-associated protein (AP47) mRNA, complete

cds.//9.3e-89:584:84//M62419

F-NT2RP1000630//Human DNA sequence from PAC 151B14 on chromosome 22 Contains EST, complete sequence.//1.0:203:63//Z85989

F-NT2RP1000677//Homo sapiens chromosome 19, cosmid R30538, complete sequence.//0.0034:350:61//AC005943

F-NT2RP1000688//H.sapiens gene for mitochondrial ATP synthase c subunit (P1 form).//5.2e-10:120:80//X69907

F-NT2RP1000695

F-NT2RP1000701//Sequence 1 from patent US 5580968.//2.4e-99:624:86//I30536

F-NT2RP1000721//Homo sapiens clone DJ0943F02, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.1e-19:188:81//AC004932

F-NT2RP1000730

F-NT2RP1000733//Human chromosome 16p13.1 BAC clone CIT987SK-551G9 complete sequence.//1.3e-30:315:75//U95742

F-NT2RP1000738//Homo sapiens Wolf-Hirschhorn syndrome candidate 2 protein (WHSC2) mRNA, complete cds.//8.0e-122:604:96//AF101434

F-NT2RP1000746//HS_3084_A1_H03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3084 Col=5 Row=0, genomic survey sequence.//1.5e-83:466:92//AQ186344

F-NT2RP1000767//Homo sapiens full length insert cDNA clone ZD81B04.//2.8e-21:144:91//AF086442

F-NT2RP1000782//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cds.//2.1e-121:591:97//AF054840

F-NT2RP1000796//T.thermophilus phosphofructokinase 1 (PFK1) gene, complete cds.//0.76:263:64//M71213

F-NT2RP1000825//Human DNA sequence from clone 116F5 on chromosome 22q13. Contains part of an unknown gene and part of a RhoGAP (CDC42 GTPase Activating Protein) LIKE gene. Contains ESTs, STSS, GSSs, genomic marker D2

2S1168 and a CA repeat polymorphism, complete sequence.//1.5e-77:163:96/
/Z93244

F-NT2RP1000833//Homo sapiens cGMP-specific phosphodiesterase (PDE9A2) mRNA, complete cds.//1.3e-147:424:96//AF048837

F-NT2RP1000834//Homo sapiens alpha-methylacyl-CoA racemase mRNA, complete cds.//1.9e-89:702:79//AF047020

F-NT2RP1000836//Homo sapiens DNA sequence from PAC 434014 on chromosome 1q32.3.-41. Contains the HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs, complete sequence.//8.7e-169:842:96//AL022398

F-NT2RP1000846//Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.//3.3e-15:196:76//U96629

F-NT2RP1000851//Homo sapiens PAC clone 267D11 from 12, complete sequence.//1.6e-144:724:96//AC004812

F-NT2RP1000856//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cds.//2.1e-121:591:97//AF054840

F-NT2RP1000860//Homo sapiens KL04P mRNA, complete cds.//6.7e-106:551:95//AF064094

F-NT2RP1000902//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316D5, WORKING DRAFT SEQUENCE.//0.0097:55:100//Z82199

F-NT2RP1000915//H.sapiens genomic DNA fragment (clone J32A032R).//1.3e-30:174:97//Z94761

F-NT2RP1000916

F-NT2RP1000943//Hylobates lar huntingtin gene, partial exon.//0.19:103:72//L49362

F-NT2RP1000944//HS_2179_B2_C12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2179 Col=24 Row=F, genomic survey sequence.//0.032:140:63//AQ065269

F-NT2RP1000947//Mus musculus ubiquitin conjugating enzyme (ubc4) mRNA, complete cds.//3.7e-53:461:78//U62483

F-NT2RP1000954//cSRL-143G4-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-143G4, genomic survey sequence.//0.030:89:78//B01950

F-NT2RP1000958//Caenorhabditis elegans cosmid K01C8, complete sequence.//3.9e-11:445:61//Z49068

F-NT2RP1000959//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//3.3e-57:326:92//AC004263

F-NT2RP1000966//Human nucleolin gene, complete cds.//3.4e-64:197:98//M60858

F-NT2RP1000980//CIT-HSP-2314B10.TF CIT-HSP Homo sapiens genomic clone 2314B10, genomic survey sequence.//0.32:137:68//AQ017126

F-NT2RP1000988//Human chromosome 3p21.1 gene sequence.//8.0e-72:665:80//L13435

F-NT2RP1001011//Drosophila melanogaster DNA repair protein (mei-41) gene, complete cds, and TH1 gene, partial cds.//1.3e-31:497:65//U34925

F-NT2RP1001013//HS_3068_B1_B09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3068 Col=17 Row=D, genomic survey sequence.//1.0e-24:414:66//AQ127667

F-NT2RP1001014//HS_3252_B1_B05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3252 Col=9 Row=D, genomic survey sequence.//0.00052:83:81//AQ304711

F-NT2RP1001033//Homo sapiens chromosome 17, clone hRPC.1073_F_15, complete sequence.//1.3e-134:241:99//AC004686

F-NT2RP1001073//Homo sapiens PAC clone DJ1194E14 from 7p21, complete sequence.//2.5e-59:451:83//AC004993

F-NT2RP1001079//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//4.5e-93:476:96//U82267

F-NT2RP1001080//Homo sapiens clone DJ0971C03, WORKING DRAFT SEQUENCE, 18
unordered pieces.//6.6e-54:217:89//AC004938

F-NT2RP1001113

F-NT2RP1001173

F-NT2RP1001177//Rattus norvegicus histone macroH2A1.2 mRNA, complete cds
.//8.1e-26:373:68//U79139

F-NT2RP1001185//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3
unordered pieces.//3.5e-32:388:73//AC006039

F-NT2RP1001199

F-NT2RP1001247//Homo sapiens signaling molecule LEFTY-A gene, exon 1.//2
.0e-29:166:96//AF081508

F-NT2RP1001248//Homo sapiens Chromosome 11q23 PAC clone pDJ356d6, comple
te sequence.//7.3e-50:128:99//AC002036

F-NT2RP1001253//Homo sapiens oscillin (hLn) mRNA, complete cds.//4.3e-91
:344:93//AF029914

F-NT2RP1001286//Homo sapiens chromosome X region from filamin (FLN) gene
to glucose-6-phosphate dehydrogenase (G6PD) gene, complete cds's.//0.54
:292:63//L44140

F-NT2RP1001294

F-NT2RP1001302

F-NT2RP1001310//Rabbit skeletal muscle mRNA for ryanodine receptor.//1.5
e-07:335:64//X15750

F-NT2RP1001311//RPCI11-67014.TK RPCI11 Homo sapiens genomic clone R-6701
4, genomic survey sequence.//0.26:80:75//AQ239291

F-NT2RP1001313//Homo sapiens Chromosome 11q12.2 PAC clone pDJ519o13 cont
aining human gene for ferritin heavy chain (FTH), complete sequence.//8.
8e-75:304:98//AC004228

F-NT2RP1001361//B.taurus CI-B14.5b mRNA for NADH dehydrogenase (ubiquino
ne).//2.7e-57:412:84//X68647

F-NT2RP1001385

F-NT2RP1001395//Mus musculus COP9 complex subunit 7a (COPS7a) mRNA, complete cds.//1.4e-72:535:83//AF071316

F-NT2RP1001410//Homo sapiens DNA sequence from PAC 257I20 on chromosome 22q13.1-13.2. Contains cytochrome P450 pseudogenes CYP2D7P, CYP2D8P, CYP2D6(D), TCF20, NADH ubiquinone oxidoreductase B14 subunit, ESTs, CA repeat, STS, GSS.//5.8e-105:570:94//AL021878

F-NT2RP1001424

F-NT2RP1001432

F-NT2RP1001449//Homo sapiens clone 24733 mRNA sequence.//1.7e-84:422:97//AF052149

F-NT2RP1001457//Xenopus laevis notchless (nle) mRNA, complete cds.//1.3e-47:471:73//AF069737

F-NT2RP1001466//HS_3006_A2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3006 Col=16 Row=G, genomic survey sequence.//0.56:289:60//AQ154336

F-NT2RP1001475//H.sapiens genomic DNA fragment (clone NLMA194R).//0.0001:1:91:79//Z95375

F-NT2RP1001482//Mouse oncogene (ect2) mRNA, complete cds.//4.0e-87:563:85//L11316

F-NT2RP1001494

F-NT2RP1001543//Drosophila melanogaster DNA sequence (P1 DS01142 (D148)), complete sequence.//1.9e-27:387:67//AC004280

F-NT2RP1001546//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cds.//8.0e-63:314:98//AF054840

F-NT2RP1001569//Mus musculus signal recognition particle receptor beta subunit mRNA, complete cds.//1.2e-68:514:81//U17343

F-NT2RP1001616//Human clone 23665 mRNA sequence.//7.6e-40:496:74//U90913

F-NT2RP1001665//CIT-HSP-2059N5.TF CIT-HSP Homo sapiens genomic clone 205

9N5, genomic survey sequence.//2.4e-45:305:88//B69912
 F-NT2RP2000001//Homo sapiens clone 617 unknown mRNA, complete sequence./
 /1.5e-135:685:96//AF091081
 F-NT2RP2000006//HS_3061_B2_C03_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3061 Col=6 Row=F, genomic survey s
 equence.//1.9e-17:394:67//AQ178856
 F-NT2RP2000007//Human mRNA for KIAA0392 gene, partial cds.//3.5e-14:241:
 68//AB002390
 F-NT2RP2000008//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 257E24, WORKING DRAFT SEQUENCE.//1.7e-34:147:99//AL034424
 F-NT2RP2000027//Homo sapiens BAC clone RG118P15 from 8q21, complete sequ
 ence.//1.4e-32:345:75//AC005066
 F-NT2RP2000032//F.rubripes GSS sequence, clone 060E22aG10, genomic surve
 y sequence.//5.0e-41:445:72//Z88655
 F-NT2RP2000040//Homo sapiens mRNA for KIAA0747 protein, partial cds.//1.
 9e-76:383:97//AB018290
 F-NT2RP2000045//Homo sapiens tumorous imaginal discs protein Tid56 homol
 og (TID1) mRNA, complete cds.//2.4e-95:467:97//AF061749
 F-NT2RP2000054//CIT-HSP-2328J24.TF CIT-HSP Homo sapiens genomic clone 23
 28J24, genomic survey sequence.//3.3e-39:236:91//AQ043092
 F-NT2RP2000056//Rat mRNA for protein tyrosine phosphatase epsilon C, par
 tial cds.//3.2e-50:311:90//D78610
 F-NT2RP2000067//Mus musculus DOC4 (Doc4) mRNA, complete cds.//3.0e-55:76
 6:66//AF059485
 F-NT2RP2000070//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169),
 complete sequence.//2.0e-118:597:95//AC005754
 F-NT2RP2000076//Homo sapiens clone NH0263G22, complete sequence.//0.0017
 :423:60//AC006037
 F-NT2RP2000077//Homo sapiens growth arrest specific 11 (GAS11) mRNA, com

plete cds.//2.1e-77:278:97//AF050079
 F-NT2RP2000079//H.sapiens CpG island DNA genomic MseI fragment, clone 40
 c2, forward read cpg40c2.ft1k.//3.2e-33:197:95//Z55440
 F-NT2RP2000088//Homo sapiens mRNA for KIAA0795 protein, partial cds.//2.
 2e-158:752:98//AB018338
 F-NT2RP2000091//HS_2228_A2_B02_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=2228 Col=4 Row=C, genomic survey s
 equence.//0.26:55:90//AQ146363
 F-NT2RP2000097
 F-NT2RP2000098//Homo sapiens clone DJ1098J04, WORKING DRAFT SEQUENCE, 2
 unordered pieces.//2.5e-05:482:60//AC004961
 F-NT2RP2000108//Homo sapiens DNA from chromosome 19, BAC 33152, complete
 sequence.//1.0e-22:274:69//AC003973
 F-NT2RP2000114//Homo sapiens mRNA for GM3 synthase, complete cds.//4.9e-
 114:551:97//AB018356
 F-NT2RP2000120//HS_3000_B1_E03_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3000 Col=5 Row=J, genomic survey s
 equence.//1.8e-21:129:97//AQ090365
 F-NT2RP2000126//Homo sapiens chromodomain-helicase-DNA-binding protein m
 RNA, complete cds.//4.2e-119:607:96//AF054177
 F-NT2RP2000133//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequ
 ence.//1.3e-07:339:63//AC004827
 F-NT2RP2000147//Mouse clathrin-associated protein (AP47) mRNA, complete
 cds.//9.0e-101:638:85//M62419
 F-NT2RP2000153//Human DNA sequence from clone 218J18 on chromosome Xp11.
 3-11.4. Contains the NDP (Norrie Disease (Pseudoglioma)) gene and a CCl.
 3 Splicing Factor pseudogene. Contains ESTs, STSs and GSSs, complete seq
 uence.//0.45:377:58//AL034370
 F-NT2RP2000157//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer

Institute Human PAC Library) complete sequence.//4.0e-73:317:87//AC0059
 24
 F-NT2RP2000161//CIT-HSP-2353L5.TF.1 CIT-HSP Homo sapiens genomic clone 2
 353L5, genomic survey sequence.//3.0e-14:123:90//AQ263431
 F-NT2RP2000173
 F-NT2RP2000175
 F-NT2RP2000183//F.rubripes GSS sequence, clone 168M02aC2, genomic survey
 sequence.//3.7e-06:152:66//AL007295
 F-NT2RP2000195//Human DNA sequence from clone 45I4 on chromosome 6q24.1-
 24.3. Contains two putative unknown genes, ESTs, STSs and GSSs, complete
 sequence.//7.6e-62:170:99//AL023581
 F-NT2RP2000205
 F-NT2RP2000208//Homo sapiens chromosome 19, overlapping cosmids R29828 a
 nd F25496, complete sequence.//7.2e-80:170:90//AC003030
 F-NT2RP2000224//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, c
 omplete sequence.//5.5e-64:400:85//AC004382
 F-NT2RP2000232//Human DNA sequence from PAC 196E23 on chromosome Xq26.1-
 27.2. Contains the TAT-SF1 (HIV-1 transcriptional elongation factor TAT
 cofactor TAT-SF1) gene, the BRS3 (Bombesin Receptor subtype-3 (Uterine B
 ombesin Receptor, BRS-3) gene, an unknown gene coding for two isoforms,
 a predicted CpG island, ESTs and STSs.//2.2e-07:280:66//Z97632
 F-NT2RP2000233//Mus musculus tumor metastasis associated gene product (M
 AG) mRNA, complete cds.//8.8e-30:508:67//U88401
 F-NT2RP2000239//Homo sapiens chromosome 4 clone B353C18 map 4q25, comple
 te sequence.//4.0e-79:504:87//AC004066
 F-NT2RP2000248
 F-NT2RP2000257//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
 * from clone Y1E3, WORKING DRAFT SEQUENCE.//0.0078:286:60//AL021388
 F-NT2RP2000258//CIT-HSP-2349P21.TF CIT-HSP Homo sapiens genomic clone 23

49P21, genomic survey sequence.//5.7e-82:416:97//AQ059184
F-NT2RP2000270//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323),
complete sequence.//4.5e-29:310:73//AC006116
F-NT2RP2000274
F-NT2RP2000283//G.gallus mRNA for LRP/alpha-2-macroglobulin receptor.//6
.3e-20:260:73//X74904
F-NT2RP2000288
F-NT2RP2000289
F-NT2RP2000297//Figure 2. Nucleotide and translated protein sequences of
HPF1, -2, and -9.//4.6e-69:744:70//M27877
F-NT2RP2000298//Streptomyces coelicolor cosmid 2E9.//4.4e-05:502:59//AL0
21530
F-NT2RP2000310//WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.1e-13:173
:76//AC006082
F-NT2RP2000327//Homo sapiens DNA sequence from PAC 434014 on chromosome
1q32.3.-41. Contains the HSD11B1 gene for Hydroxysteroid (11-beta) Dehyd
rogenase 1, the ADORA2BP adenosine A2b receptor LIKE pseudogene, the IRF
6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains
ESTs and GSSs, complete sequence.//8.3e-144:731:95//AL022398
F-NT2RP2000328//Human DNA sequence from clone 931K24 on chromosome 20p12
Contains ESTs and GSSs, complete sequence.//1.9e-102:555:90//AL034430
F-NT2RP2000329//Bovine mitochondrial GTP:AMP phosphotransferase mRNA, co
mplete cds.//6.4e-105:639:87//M25757
F-NT2RP2000337//HS_2060_B1_E01_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2060 Col=1 Row=J, genomic survey s
equence.//0.78:218:60//AQ243333
F-NT2RP2000346//Homo sapiens apoptosis associated protein (GADD34) mRNA,
complete cds.//3.6e-129:627:97//U83981
F-NT2RP2000369//HS_2182_B1_B11_MR CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=2182 Col=21 Row=D, genomic survey
sequence.//2.5e-87:421:99//AQ024835

F-NT2RP2000412//Human DNA sequence from PAC 12409 on chromosome 6q21. Co
ntains DNAJ2 (HDJ1) like pseudogene, ESTs, STSs and GSSs.//0.72:170:65//
AL021327

F-NT2RP2000414//Homo sapiens HnRNP F protein mRNA, complete cds.//5.0e-6
6:375:93//L28010

F-NT2RP2000420//Homo sapiens full length insert cDNA YQ86E07.//9.2e-77:4
23:93//AF075093

F-NT2RP2000422//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA,
complete cds.//2.1e-126:609:96//AF102265

F-NT2RP2000438//CITBI-E1-2519019.TR CITBI-E1 Homo sapiens genomic clone
2519019, genomic survey sequence.//0.96:61:78//AQ276878

F-NT2RP2000448//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete
sequence.//7.1e-17:341:67//AC004691

F-NT2RP2000459//H.sapiens mRNA for imogen 38.//5.7e-21:158:87//Z68747

F-NT2RP2000498//Human DNA sequence from PAC 435C23 on chromosome X. Cont
ains ESTs.//3.2e-11:160:73//Z92844

F-NT2RP2000503//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete
sequence.//0.0031:187:66//AC005229

F-NT2RP2000510//Fugu rubripes GSS sequence, clone 066G04aC1, genomic sur
vey sequence.//8.8e-07:179:64//AL026277

F-NT2RP2000516//Mus musculus t complex testis-specific protein (Tctex2)
gene, wild type, promoter sequence.//0.19:72:81//U21671

F-NT2RP2000523//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 150C2, WORKING DRAFT SEQUENCE.//5.0e-115:570:96//AL022318

F-NT2RP2000603//Homo sapiens mRNA for MCM3 import factor, complete cds./
/8.4e-37:196:98//AB005543

F-NT2RP2000617//Homo sapiens chromosome 19, cosmid R27377, complete sequ

ence.//0.81:354:60//AC005321

F-NT2RP2000634//Homo sapiens mRNA for KIAA0614 protein, partial cds.//1.3e-149:732:97//AB014514

F-NT2RP2000644//HS_3211_A1_F06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3211 Col=11 Row=K, genomic survey sequence.//3.6e-42:282:86//AQ175486

F-NT2RP2000656

F-NT2RP2000658//CITBI-E1-2518N15.TF CITBI-E1 Homo sapiens genomic clone 2518N15, genomic survey sequence.//0.57:141:66//AQ278386

F-NT2RP2000668

F-NT2RP2000678//Homo sapiens clone DJ0891L14, WORKING DRAFT SEQUENCE, 12 unordered pieces.//4.3e-22:433:62//AC004916

F-NT2RP2000704//Homo sapiens Xp22-175-176 BAC GSHB-484017 (Genome Systems Human BAC Library) complete sequence.//2.7e-22:270:75//AC005913

F-NT2RP2000710//Drosophila melanogaster; Chromosome 2L; Region 36B1-36B3; P1 clone DS02528, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.4e-32:574:64//AC005122

F-NT2RP2000715//Homo sapiens PAC clone DJ1066K24 from 7p15, complete sequence.//4.8e-113:546:98//AC004540

F-NT2RP2000731//Homo sapiens clone DJ1106H14, WORKING DRAFT SEQUENCE, 42 unordered pieces.//0.97:115:70//AC004965

F-NT2RP2000758//Human LIM-kinase1 and alternatively spliced LIM-kinase1 (LIMK1) gene, complete cds.//9.7e-16:162:77//U62293

F-NT2RP2000764//HS_2254_B2_D07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2254 Col=14 Row=H, genomic survey sequence.//0.071:45:95//AQ068887

F-NT2RP2000809

F-NT2RP2000812//Egernia stokesii clone EST3 microsatellite.//0.040:158:64//AF069698

F-NT2RP2000814

F-NT2RP2000816

F-NT2RP2000819

F-NT2RP2000841//Human mRNA for KIAA0294 gene, complete cds.//1.1e-26:390
:70//AB002292

F-NT2RP2000842//H.sapiens mRNA for G protein-coupled receptor Edg-2.//1.
2e-44:255:93//Y09479

F-NT2RP2000845

F-NT2RP2000863//Human partial cDNA sequence, clone x874:./5.9e-29:173:9
4//Z47045

F-NT2RP2000880//Homo sapiens mRNA for KIAA0741 protein, complete cds.//2
.4e-140:732:94//AB018284

F-NT2RP2000892

F-NT2RP2000931//Homo sapiens mRNA for KIAA0723 protein, complete cds.//3
.4e-129:610:98//AB018266

F-NT2RP2000932//Homo sapiens BAC clone GS166A23 from 7p21, complete sequ
ence.//1.8e-37:212:84//AC005014

F-NT2RP2000938//Human DNA sequence from cosmid RJ14 from a contig from t
he tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3. Conta
ins ESTs and CpG island.//1.6e-126:682:93//Z69890

F-NT2RP2000943//Homo sapiens mRNA for KIAA0755 protein, complete cds.//5
.8e-112:533:98//AB018298

F-NT2RP2000965

F-NT2RP2000970//Homo sapiens DNA sequence from BAC 747E2 on chromosome 2
2q12.1. Contains ESTs, STSs and GSSs and genomic marker D22S56, complete
sequence.//9.2e-101:505:96//AL021393

F-NT2RP2000985//Homo sapiens chromosome 17, clone hRPK.597_M_12, complet
e sequence.//1.6e-72:498:82//AC005277

F-NT2RP2000987//Human Chromosome 16 BAC clone CIT987SK-A-211C6, complete

sequence.//7.4e-12:171:77//AC002394

F-NT2RP2001036//Homo sapiens chromosome 17, clone HRPC1096F1, complete s
equence.//1.2e-37:390:76//AC004167

F-NT2RP2001044//HS_2253_B1_G01_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2253 Col=1 Row=N, genomic survey s
equence.//0.21:276:61//AQ069224

F-NT2RP2001056//Homo sapiens mRNA, chromosome 1 specific transcript KIAA
0488.//3.2e-144:696:97//AB007957

F-NT2RP2001065

F-NT2RP2001070//Rattus norvegicus pyridoxine 5'-phosphate oxidase mRNA,
complete cds.//4.3e-104:775:81//U91561

F-NT2RP2001081//Rattus norvegicus synaptotagmin XI mRNA, complete cds.//
3.7e-69:488:82//AF000423

F-NT2RP2001094//Human DNA sequence from PAC 410B11 on chromosome X conta
ins STS.//7.4e-11:490:61//Z86063

F-NT2RP2001119//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 745C22, WORKING DRAFT SEQUENCE.//5.1e-30:316:76//AL031596

F-NT2RP2001127//Human mRNA for KIAA0234 gene, complete cds.//1.1e-31:519
:63//D87072

F-NT2RP2001137//HS_2193_B2_D12_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2193 Col=24 Row=H, genomic survey
sequence.//1.8e-11:136:78//AQ032187

F-NT2RP2001149//Homo sapiens Chromosome 22q11.2 Cosmid Clone 2h In DGCR
Region, complete sequence.//6.2e-29:247:78//AC000076

F-NT2RP2001168//Human DNA sequence from clone 431P23 on chromosome 6q27.
Contains the first coding exon of the MLLT4 gene for myeloid/lymphoid o
r mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated
to, 4 (AF-6, Afadin, MLLT-4, ALL-1 fusion partner), and a Serine Palmito
yltransferase 2. (EC 2.3.1.50, Long Chain Base Biosynthesis protein 2, LC

B-2, SPT-2) pseudogene. Contains ESTs, STss, GSSs, and a putative CpG island, complete sequence.//0.23:207:66//AL009178

F-NT2RP2001173//Homo sapiens mRNA for KIAA0480 protein, complete cds.//2.3e-112:567:96//AB007949

F-NT2RP2001174//RPCI11-58L2.TK RPCI11 Homo sapiens genomic clone R-58L2, genomic survey sequence.//7.6e-07:196:64//AQ237306

F-NT2RP2001196

F-NT2RP2001218

F-NT2RP2001226//Homo sapiens LERK-6 (EPLG6) gene, exon 1.//1.1e-09:320:65//U92893

F-NT2RP2001233//Human ZFP-36 mRNA for a zinc finger protein.//6.1e-71:681:72//X51760

F-NT2RP2001245//HS_3062_B1_F07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3062 Col=13 Row=L, genomic survey sequence.//1.5e-05:268:63//AQ143177

F-NT2RP2001268//Homo sapiens mRNA for KIAA0810 protein, partial cds.//2.5e-106:514:97//AB018353

F-NT2RP2001277//Plasmodium falciparum chromosome 2, section 67 of 73 of the complete sequence.//0.32:183:64//AE001430

F-NT2RP2001290//M.musculus mRNA for I47 clone.//8.6e-102:641:86//X61455

F-NT2RP2001295//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **

* from clone Y105E8, WORKING DRAFT SEQUENCE.//0.20:171:63//AL022594

F-NT2RP2001312//Bovine synaptophysin mRNA, complete cds.//0.98:253:58//M22967

F-NT2RP2001327//Human B12 protein mRNA, complete cds.//5.8e-29:359:71//M80783

F-NT2RP2001328//CIT-HSP-2335A5.TF CIT-HSP Homo sapiens genomic clone 233A5, genomic survey sequence.//1.3e-65:366:94//AQ038539

F-NT2RP2001347//Homo sapiens complete genomic sequence between D16S3070

and D16S3275, containing Familial Mediterranean Fever gene disease.//3.8e-31:325:77//AJ003147

F-NT2RP2001366//H.sapiens CpG island DNA genomic MseI fragment, clone 4e11, forward read cpg4e11.f1a.//1.7e-12:98:92//Z61305

F-NT2RP2001378//HS_3054_B2_A03_MR CIT Approved Human Genomic Spermlibrary D Homo sapiens genomic clone Plate=3054 Col=6 Row=B, genomic survey sequence.//9.8e-17:131:89//AQ100721

F-NT2RP2001381//Arabidopsis thaliana BAC T2L5.//0.080:434:59//AF096371

F-NT2RP2001392//S.pristinaespiralis snbC gene & snbDE gene.//0.019:267:59//Y11548

F-NT2RP2001394//Human DNA sequence from PAC 389A20 on chromosome X contains ESTs STS, CpG islands and polymorphic CA repeat.//1.9e-16:133:78//Z93242

F-NT2RP2001397//Bos taurus cyclin B2 (CYCB2) mRNA, complete cds.//1.3e-63:419:84//AF080219

F-NT2RP2001420//Mus musculus nuclear protein NIP45 mRNA, complete cds.//3.1e-98:747:79//U76759

F-NT2RP2001423//Xenopus laevis ER1 mRNA, complete cds.//3.7e-34:269:85//AF015454

F-NT2RP2001427//Homo sapiens Chromosome 2p13 BAC Clone h173, complete sequence.//3.2e-13:164:78//AC003065

F-NT2RP2001436//Mus musculus clone OST1784, genomic survey sequence.//3.0e-06:136:71//AF046702

F-NT2RP2001440//cDNA sequence coding for gamma protein.//7.9e-83:553:86//E02350

F-NT2RP2001445//P.falciparum complete gene map of plastid-like DNA (IR-A).//1.5e-09:829:57//X95275

F-NT2RP2001449//B.taurus mRNA for cleavage and polyadenylation specificity factor.//1.3e-136:766:90//X75931

F-NT2RP2001450
 F-NT2RP2001467
 F-NT2RP2001506//CIT-HSP-2374H21.TF CIT-HSP Homo sapiens genomic clone 2374H21, genomic survey sequence.//7.9e-14:151:80//AQ109561
 F-NT2RP2001511//Oryctolagus cuniculus translation initiation factor eIF2 C mRNA, complete cds.//2.6e-22:462:64//AF005355
 F-NT2RP2001520//Homo sapiens mRNA for mitochondrial carrier protein ARAL AR1.//2.0e-136:657:97//Y14494
 F-NT2RP2001526//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//1.2e-37:357:64//AC004596
 F-NT2RP2001536//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds.//1.6e-103:384:94//AF035586
 F-NT2RP2001560
 F-NT2RP2001569//Homo sapiens mRNA, chromosome 1 specific transcript KIAA 0488.//4.4e-123:590:98//AB007957
 F-NT2RP2001576//Schistocerca americana Antennapedia homeotic protein (Antp) mRNA, complete cds.//0.038:580:58//U32943
 F-NT2RP2001581//Mus musculus semaphorin 6A mRNA, complete cds.//6.5e-09:222:66//AF030430
 F-NT2RP2001597//Homo sapiens alpha2-C4-adrenergic receptor gene, complete cds.//0.0057:361:60//U72648
 F-NT2RP2001601//Homo sapiens mRNA for KIAA0797 protein, partial cds.//7.2e-137:647:98//AB018340
 F-NT2RP2001613
 F-NT2RP2001628//H.sapiens (xsl28) mRNA, 380bp.//1.7e-15:279:68//Z36784
 F-NT2RP2001634//Homo sapiens alpha-catenin-like protein (CTNNA1) mRNA, complete cds.//5.4e-123:606:96//AF030233
 F-NT2RP2001660//Homo sapiens putative 13 S Golgi transport complex 90kD subunit brain-specific isoform mRNA, complete cds.//4.2e-144:687:97//AF0

58718

F-NT2RP2001663//H.sapiens mRNA for 2-phosphopyruvate-hydratase-alpha-enzyme.//1.0e-36:372:74//X84907

F-NT2RP2001675//S.pombe chromosome I cosmid c2G11.//0.070:507:59//Z54354

F-NT2RP2001677//Mouse BAC CitbcJ7 219m7, genomic sequence, complete sequence.//2.0e-60:232:96//AC005259

F-NT2RP2001678//HS_2007_A2_A04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2007 Col=8 Row=A, genomic survey sequence.//7.3e-62:370:91//AQ269699

F-NT2RP2001699//RPCI11-57B17.TK RPCI11 Homo sapiens genomic clone R-57B17, genomic survey sequence.//0.99:141:63//AQ115592

F-NT2RP2001720//Homo sapiens PAC clone DJ0167F23 from 7p15, complete sequence.//9.4e-117:604:95//AC004079

F-NT2RP2001721//Homo sapiens DNA sequence from clone 46618 on chromosome Xq11.1-13.2. Contains an unknown gene similar to Coagulation Factor V (Activated Protein C Cofactor), Coagulation Factor VIII (Procoagulant Component) and Ceruloplasmin (EC 1.16.3.1, Ferroxidase). Contains ESTs and an STS, complete sequence.//1.0:273:61//AL030998

F-NT2RP2001740//Homo sapiens Chromosome 22q11.2 Cosmid Clone 8c In DGCR Region, complete sequence.//1.0:356:62//AC000090

F-NT2RP2001748//Human mRNA for KIAA0003 gene, complete cds.//3.7e-18:151:86//D14697

F-NT2RP2001762//Homo sapiens chromosome 1, BAC CIT-HSP-292g8 (BC262482), complete sequence.//6.0e-145:715:97//AC004783

F-NT2RP2001813//Plasmodium falciparum chromosome 2, section 15 of 73 of the complete sequence.//0.38:340:60//AE001378

F-NT2RP2001839//HS_3000_B1_C07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3000 Col=13 Row=F, genomic survey sequence.//0.026:253:60//AQ090347

F-NT2RP2001861//Homo sapiens mRNA for paraplegin.//0.89:146:71//Y16610
 F-NT2RP2001869//Homo sapiens ZNF202 beta (ZNF202) mRNA, complete cds.//0.040:174:62//AF027219
 F-NT2RP2001876//Cyprinus carpio mRNA for allograft inflammatory factor-1, complete cds.//2.8e-44:483:71//AB012309
 F-NT2RP2001883//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//1.8e-87:496:92//AL031864
 F-NT2RP2001898//Human inositol polyphosphate 5-phosphatase (5ptase) mRNA, 3' end.//9.2e-112:633:90//M74161
 F-NT2RP2001900//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
 * from clone R08A5, WORKING DRAFT SEQUENCE.//0.0026:360:62//Z82281
 F-NT2RP2001907//H.sapiens CpG island DNA genomic MseI fragment, clone 97f11, forward read cpg97f11.ft1a.//4.2e-26:206:84//Z64125
 F-NT2RP2001926//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//5.5e-06:621:59//AC004688
 F-NT2RP2001936//cSRL-47D9-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-47D9, genomic survey sequence.//3.1e-50:282:93//B04856
 F-NT2RP2001943//Drosophila melanogaster cosmid 25E8.//0.00036:248:60//AL009196
 F-NT2RP2001946//Homo sapiens clone NH0140K04, complete sequence.//3.8e-78:232:99//AC005033
 F-NT2RP2001947//Homo sapiens full length insert cDNA clone ZD81B04.//2.0e-28:172:94//AF086442
 F-NT2RP2001969//H.sapiens CpG island DNA genomic MseI fragment, clone 152a8, reverse read cpg152a8.rt1a.//1.0e-20:123:99//Z59378

F-NT2RP2001976

F-NT2RP2001985//Homo sapiens mRNA for KIAA0545 protein, partial cds.//0.
0023:235:62//AB011117

F-NT2RP2001991//Rat orphan transporter v7-3 (NTT73) mRNA, complete cds./
/3.1e-35:180:80//L22022

F-NT2RP2002025//Homo sapiens mRNA for KIAA0756 protein, partial cds.//9.
8e-61:314:97//AB018299

F-NT2RP2002032//Homo sapiens chromosome 5, Bac clone 5m9 (LBNL H220), co
mplete sequence.//0.76:189:65//AC005895

F-NT2RP2002033//Homo sapiens clone DJ0292L20, WORKING DRAFT SEQUENCE, 2
unordered pieces.//2.9e-12:160:79//AC004825

F-NT2RP2002041//Human BAC clone RG035E18 from 7q31, complete sequence.//
0.0014:123:73//AC004029

F-NT2RP2002046//Homo sapiens Xp22 BAC GSHB-184P14 (Genome Systems Human
BAC library) complete sequence.//2.2e-86:722:77//AC004552

F-NT2RP2002047//Human DNA sequence from clone 21F7 on chromosome 6q16.1-
21. Contains part of an exon of a putative new gene and STSs and GSSs, c
omplete sequence.//0.13:350:61//AL033375

F-NT2RP2002058//S.cerevisiae chromosome XII reading frame ORF YLR129w.//
9.7e-11:480:60//Z73301

F-NT2RP2002066//Rattus norvegicus transmembrane receptor Unc5H2 mRNA, co
mplete cds.//6.5e-97:610:86//U87306

F-NT2RP2002070//beta -ADD=adducin beta subunit 63 kda isoform/membrane s
keleton protein, beta -ADD=adducin beta subunit 63 kda isoform/membrane
skeleton protein {alternatively spliced, exon 10 to 13 region} [human, G
enomic, 1851 nt, segment 3 of 3].//0.0059:107:73//S81083

F-NT2RP2002076//Homo sapiens clone 24804 mRNA sequence.//1.0e-127:643:96
//AF052183

F-NT2RP2002078//F12016-T7.1 IGF Arabidopsis thaliana genomic clone F1201

6, genomic survey sequence.//0.14:191:64//AQ249805
 F-NT2RP2002079//Homo sapiens clone DJ0892G19, complete sequence.//0.0094
 :325:60//AC004917
 F-NT2RP2002099//Homo sapiens mRNA for E1B-55kDa-associated protein.//9.8
 e-111:533:97//AJ007509
 F-NT2RP2002105//H.sapiens CpG island DNA genomic MseI fragment, clone 10
 h8, forward read cpg10h8.ft1a.//2.4e-29:178:94//Z58857
 F-NT2RP2002124//CIT-HSP-2023E9.TF CIT-HSP Homo sapiens genomic clone 202
 3E9, genomic survey sequence.//2.5e-32:202:92//B64468
 F-NT2RP2002137//Human plasma membrane calcium ATPase (hPMCA4) mRNA, comp
 lete cds.//0.095:319:59//M25874
 F-NT2RP2002154//Mus musculus mRNA for myosin, complete cds.//1.0:258:63/
 /D85923
 F-NT2RP2002172//HS_3020_B1_H02_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3020 Col=3 Row=P, genomic survey s
 equence.//1.2e-11:124:82//AQ093169
 F-NT2RP2002185//RPCI11-67B15.TJ RPCI11 Homo sapiens genomic clone R-67B1
 5, genomic survey sequence.//2.8e-18:109:100//AQ201833
 F-NT2RP2002192//Human PM-Scl-75 autoantigen (PM-scl) mRNA, complete cds.
 //2.7e-36:363:78//U09215
 F-NT2RP2002193//Rattus norvegicus potassium channel regulatory protein K
 ChAP mRNA, complete cds.//9.5e-82:477:89//AF032872
 F-NT2RP2002208
 F-NT2RP2002219//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
 from MAL4P1, WORKING DRAFT SEQUENCE.//1.0:378:58//AL034557
 F-NT2RP2002231//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic
 sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.60:560:56//AC0
 05308
 F-NT2RP2002235//P.falciparum glutamic acid-rich protein gnen, complete c

ds.//0.59:341:60//J03998

F-NT2RP2002252//Mus musculus mSin3A (sin3A) mRNA, complete cds.//3.5e-81
:398:87//U22394

F-NT2RP2002256//Homo sapiens retinoic acid hydroxylase mRNA, complete cd
s.//6.6e-50:315:89//AF005418

F-NT2RP2002259//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 118J21, WORKING DRAFT SEQUENCE.//9.7e-67:340:89//AL033527

F-NT2RP2002270//RPCI11-77C23.TV RPCI11.Homo sapiens genomic clone R-77C2
3, genomic survey sequence.//2.9e-18:79:93//AQ268098

F-NT2RP2002292//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 321D2, WORKING DRAFT SEQUENCE.//1.0:290:60//AL031033

F-NT2RP2002312//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA,
partial cds.//1.5e-93:467:96//AF069532

F-NT2RP2002316//HS_2171_B2_D11_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2171 Col=22 Row=H, genomic survey
sequence.//7.3e-94:463:97//AQ119673

F-NT2RP2002325//Homo sapiens mRNA for Pex1lp, complete cds.//3.9e-123:64
0:95//AB015594

F-NT2RP2002333

F-NT2RP2002373//F.rubripes GSS sequence, clone 026F10aB8, genomic survey
sequence.//0.46:234:61//Z87330

F-NT2RP2002385//Homo sapiens synaptic glycoprotein SC2 spliced variant m
RNA, complete cds.//9.4e-138:673:97//AF038958

F-NT2RP2002394//P.falciparum complete gene map of plastid-like DNA (IR-A
).//0.79:421:56//X95275

F-NT2RP2002408//F.rubripes GSS sequence, clone 080G11aA8, genomic survey
sequence.//5.7e-15:220:71//AL015615

F-NT2RP2002426//Sus scrofa SCAMP1 gene, exon 9.//7.1e-71:582:80//AJ22374

F-NT2RP2002439//Caenorhabditis elegans cosmid T07D3.//0.0018:210:67//AF016682
 F-NT2RP2002442//Caenorhabditis elegans cosmid T03F1.//2.8e-18:295:67//U88169
 F-NT2RP2002457//Homo sapiens Chromosome 16 BAC clone CIT987SK-44M2, complete sequence.//1.9e-06:281:66//AC004381
 F-NT2RP2002464//Human mRNA for KIAA0086 gene, complete cds.//0.039:207:63//D42045
 F-NT2RP2002475
 F-NT2RP2002479//Homo sapiens mRNA for ABC transporter 7 protein, complete cds.//2.4e-123:607:96//AB005289
 F-NT2RP2002498//Arabidopsis thaliana BAC F3D13.//0.73:395:57//AF069300
 F-NT2RP2002503//Homo sapiens, clone hRPK.15_A_1, complete sequence.//7.2e-18:134:90//AC006213
 F-NT2RP2002504//Homo sapiens mRNA for KIAA0791 protein, complete cds.//1.2e-157:761:97//AB018334
 F-NT2RP2002520
 F-NT2RP2002537
 F-NT2RP2002546//Homo sapiens Chromosome 11q12 pac pDJ741n15, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.83:252:60//AC004127
 F-NT2RP2002549//Human Chromosome 15q26.1 PAC clone pDJ457j11 containing DNA polymerase gamma (polg) gene, complete sequence.//5.9e-93:186:99//AC005317
 F-NT2RP2002591//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//4.0e-38:175:78//Z98304
 F-NT2RP2002595//Sequence 2 from patent US 5763220.//1.5e-84:430:95//AR012155
 F-NT2RP2002606//Rattus norvegicus Rabin3 mRNA, complete cds.//1.9e-43:282:87//U19181

F-NT2RP2002609//Mus musculus defender against death 1 (DAD1) gene, partial cds.//1.5e-11:99:90//AF051310

F-NT2RP2002618//H.sapiens mRNA for arginine methyltransferase, splice variant, 1316 bp.//5.6e-27:460:63//Y10806

F-NT2RP2002621

F-NT2RP2002643//Rat calmodulin III gene for calmodulin, promoter region and exon 1.//0.023:322:60//D90397

F-NT2RP2002672//Homo sapiens chromosome 10 clone CIT-HSP-1326H7 map 10q24.3-10q25.1, complete sequence.//3.9e-149:794:94//AC005384

F-NT2RP2002701//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING DRAFT SEQUENCE.//9.2e-10:129:75//AL034380

F-NT2RP2002706//S.griseus secA gene.//1.3e-05:311:63//Y10980

F-NT2RP2002710//Homo sapiens mRNA for KIAA0672 protein, complete cds.//2.5e-40:631:65//AB014572

F-NT2RP2002727//Rattus norvegicus tulip 2 mRNA, complete cds.//4.8e-65:600:73//AF041107

F-NT2RP2002736//S.pombe chromosome II cosmid c887.//0.17:352:58//AL033388

8

F-NT2RP2002740//Absidia glauca ORF, 3' end; (+) mating type surface protein (PSSP15) gene, complete cds; ORF, 5' end.//0.0073:274:66//M94861

F-NT2RP2002741//Homo sapiens mRNA for Neuroblastoma, complete cds.//7.5e-29:628:62//D89016

F-NT2RP2002750//Homo sapiens Xp22 Bins 35-37 BAC GSHB-214D18 (Genome Systems Human BAC Library) complete sequence.//3.6e-31:568:67//AC005296

F-NT2RP2002752//Human BAC clone RG317M02 from 7p15-p21, complete sequence.//1.7e-08:206:63//AC002433

F-NT2RP2002753//Human DNA sequence from cosmid B11B7 on chromosome 22 contains ESTs.//2.8e-71:195:89//Z82171

F-NT2RP2002769//Streptomyces fradiae tylactone synthase, starter module

and modules 1-7, (tylG) gene, complete cds.//0.0016:412:60//U78289
 F-NT2RP2002778//CIT-HSP-2059C5.TF CIT-HSP Homo sapiens genomic clone 205
 9C5, genomic survey sequence.//6.8e-18:186:79//B69837
 F-NT2RP2002800
 F-NT2RP2002839//Homo sapiens Chromosome 11q12.2 PAC clone pDJ688p12 cont
 aining uteroglobin gene, WORKING DRAFT SEQUENCE, 11 unordered pieces.//1
 .2e-41:134:94//AC006078
 F-NT2RP2002857//Rat T-cell receptor active beta-chain V-region (V-beta6-
 J-beta2.5) mRNA, partial cds, clone TRB-4.//0.85:93:68//M18845
 F-NT2RP2002862//HS_3084_A1_H03_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3084 Col=5 Row=0, genomic survey s
 equence.//5.0e-67:390:91//AQ186344
 F-NT2RP2002880
 F-NT2RP2002891//CIT-HSP-2310014.TF CIT-HSP Homo sapiens genomic clone 23
 10014, genomic survey sequence.//0.11:53:90//AQ019792
 F-NT2RP2002925//Pig mRNA for carbonyl reductase, complete cds.//0.66:194
 :65//D16511
 F-NT2RP2002928//Homo sapiens pre-mRNA splicing factor (PRP17) mRNA, comp
 lete cds.//2.3e-135:628:99//AF038392
 F-NT2RP2002929//F.rubripes GSS sequence, clone 123123aA1, genomic survey
 sequence.//3.9e-06:66:83//AL017246
 F-NT2RP2002939
 F-NT2RP2002954
 F-NT2RP2002959//Mus musculus ubiquitin conjugating enzyme (ubc4) mRNA, c
 omplete cds.//1.3e-47:411:79//U62483
 F-NT2RP2002979//CIT-HSP-2340D12.TF CIT-HSP Homo sapiens genomic clone 23
 40D12, genomic survey sequence.//4.6e-96:476:97//AQ057233
 F-NT2RP2002980//Sequence 20 from Patent EP0705842.//4.0e-13:100:94//A522

F-NT2RP2002986//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//2.4e-09:272:61//AF059569

F-NT2RP2002987//Homo sapiens (subclone 6_d9 from P1 H21) DNA sequence, complete sequence.//1.0e-22:293:67//AC000958

F-NT2RP2002993//Rattus norvegicus RNA polymerase I 127 kDa subunit mRNA, complete cds.//4.0e-74:502:84//AF025424

F-NT2RP2003000//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 21 unordered pieces.//2.3e-46:474:76//AC004765

F-NT2RP2003034//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//4.2e-23:202:82//AC005703

F-NT2RP2003073//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//3.4e-59:330:82//Z83822

F-NT2RP2003099//HS_3008_B2_C09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3008 Col=18 Row=F, genomic survey sequence.//1.4e-71:362:96//AQ089786

F-NT2RP2003108//Sequence 59 from patent US 5773577.//0.95:123:69//AR014362

F-NT2RP2003117//HS_2034_B2_D12_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2034 Col=24 Row=H, genomic survey sequence.//1.5e-88:461:96//AQ230797

F-NT2RP2003121//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//4.3e-46:470:72//AF079765

F-NT2RP2003125//Homo sapiens chromosome 19, cosmid R34382, complete sequence.//5.7e-10:436:61//AC005329

F-NT2RP2003129//P.thunbergii cab gene.//0.00044:541:60//X61915

F-NT2RP2003137//CIT-HSP-2300J6.TR CIT-HSP Homo sapiens genomic clone 2300J6, genomic survey sequence.//5.0e-78:393:97//AQ012976

F-NT2RP2003157//Human DNA sequence from cDNA 16pHQG:16 from chromosome 16p13.3.//5.4e-07:137:71//Z84716

F-NT2RP2003158//Homo sapiens mRNA for proteasome subunit p58, complete cds.//1.8e-111:581:93//D67025

F-NT2RP2003161//CITBI-E1-2506E20.TR CITBI-E1 Homo sapiens genomic clone 2506E20, genomic survey sequence.//0.0025:156:67//AQ262657

F-NT2RP2003164

F-NT2RP2003165//Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds.//1.4e-43:334:79//U91328

F-NT2RP2003177//Human signaling inositol polyphosphate 5 phosphatase SIP-110 mRNA, complete cds.//0.91:346:62//U50040

F-NT2RP2003194//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 996D20, WORKING DRAFT SEQUENCE.//1.7e-108:511:90//AL031597

F-NT2RP2003206

F-NT2RP2003228//H.sapiens P1-Cdc21 mRNA.//2.9e-136:726:93//X74794

F-NT2RP2003230//Rattus norvegicus endo-alpha-D-mannosidase (Enman) mRNA, complete cds.//2.6e-51:348:86//AF023657

F-NT2RP2003237//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//2.6e-56:415:83//AL031447

F-NT2RP2003243//RPCI11-36J1.TP RPCI-11 Homo sapiens genomic clone RPCI-11-36J1, genomic survey sequence.//2.1e-16:112:93//AQ047107

F-NT2RP2003265//Muridae sp. (mouse-rat, neuroblastoma-glioma hybrid cell line NGD5) mRNA, complete cds.//6.0e-114:696:87//L38481

F-NT2RP2003272//RPCI11-67B15.TJ RPCI11 Homo sapiens genomic clone R-67B15, genomic survey sequence.//3.8e-16:110:94//AQ201833

F-NT2RP2003277//Homo sapiens mRNA for KIAA0625 protein, partial cds.//1.5e-145:714:96//AB014525

F-NT2RP2003280//RPCI11-14I2.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-14I2, genomic survey sequence.//6.4e-77:400:95//B85286

F-NT2RP2003286//CIT-HSP-2336D3.TF CIT-HSP Homo sapiens genomic clone 233
6D3, genomic survey sequence.//5.3e-29:287:73//AQ041024

F-NT2RP2003293//Homo sapiens DNA from chromosome 19, BAC 33152, complete
sequence.//1.5e-54:508:74//AC003973

F-NT2RP2003295//Homo sapiens RMP mRNA for RPB5 meidating protein, comple
te cds.//6.1e-85:416:97//AB006572

F-NT2RP2003297//S.pombe pho2 gene for specific p-nitrophenylphosphatase.
//0.60:309:64//X62722

F-NT2RP2003307//Mus musculus kinesin light chain 2 (Klc2) mRNA, complete
cds.//1.0e-45:442:75//AF055666

F-NT2RP2003308//D.melanogaster crn mRNA.//1.1e-63:697:70//X58374

F-NT2RP2003329//Homo sapiens chromosome 17, clone hCIT.131_K_11, complet
e sequence.//0.040:145:64//AC005288

F-NT2RP2003339

F-NT2RP2003347//Plasmodium falciparum MAL3P7, complete sequence.//0.12:2
75:60//AL034559

F-NT2RP2003367//Homo sapiens chromosome 4 clone B368A9 map 4q25, complet
e sequence.//0.83:225:63//AC005510

F-NT2RP2003391

F-NT2RP2003393//HS_3218_A2_B09_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3218 Col=18 Row=C, genomic survey
sequence.//0.021:93:79//AQ204356

F-NT2RP2003394

F-NT2RP2003401

F-NT2RP2003433//Rattus rattus sec61 homologue mRNA, complete cds.//4.2e-
61:533:75//M96630

F-NT2RP2003445//Homo sapiens genomic DNA, chromosome 21q11.1, segment 1/
5, WORKING DRAFT SEQUENCE.//2.1e-49:301:72//AP000023

F-NT2RP2003446

F-NT2RP2003456//Rickettsia prowazekii strain Madrid E, complete genome;
segment 3/4.//0.0018:366:60//AJ235272

F-NT2RP2003466//Homo sapiens chromosome 11, BAC CIT-HSP-311e8 (BC269730)
containing the hFEN1 gene, complete sequence.//7.5e-16:189:68//AC004770

F-NT2RP2003480//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//
1.9e-25:197:85//M21977

F-NT2RP2003499
2.1e-08:408:61//AB000826

F-NT2RP2003506//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12
unordered pieces.//1.9e-33:192:96//AC005236

F-NT2RP2003511//Ceratopteris richardii mRNA for CRHB11, partial cds.//1.
0:328:60//AB013801

F-NT2RP2003513//Human mRNA for KIAA0270 gene, partial cds.//7.3e-76:403:
93//D87460

F-NT2RP2003517//Human osteosarcoma cell line U-2 OS mRNA fragment for PD
GF-B chain (PDGF= platelet-derived growth factor).//1.5e-24:151:95//X037
02

F-NT2RP2003522//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//
1.3e-101:564:91//M21977

F-NT2RP2003533//Human DNA sequence from cosmid F1121 on chromosome 6.//2
.0e-40:315:75//Z80899

F-NT2RP2003543

F-NT2RP2003559//H.sapiens CpG island DNA genomic MseI fragment, clone 90
a5, reverse read cpg90a5.rtl.a.//1.1e-20:122:99//Z56144

F-NT2RP2003564//Human 52-kD ribonucleoprotein Ro/SSA mRNA, complete cds.
//8.8e-27:664:63//M34551

F-NT2RP2003567//Homo sapiens mRNA for KIAA0462 protein, partial cds.//4.
1e-113:541:98//AB007931

F-NT2RP2003581

F-NT2RP2003596//F.rubripes GSS sequence, clone 036L10aF12, genomic survey sequence.//1.9e-11:210:65//AL012756

F-NT2RP2003604//Homo sapiens alpha-catenin-like protein (CTNNAL1) mRNA, complete cds.//1.9e-123:587:98//AF030233

F-NT2RP2003629

F-NT2RP2003643//Mus musculus mRNA for CMP-N-acetylneuraminic acid synthetase.//7.8e-88:582:84//AJ006215

F-NT2RP2003668//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//5.6e-47:335:83//AC005081

F-NT2RP2003687//Homo sapiens Xp22 BAC GSHB-519E5 (Genome Systems Human BAC library) complete sequence.//1.2e-06:133:74//AC003684

F-NT2RP2003691//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 525L6, WORKING DRAFT SEQUENCE.//1.7e-47:337:81//AL023807

F-NT2RP2003702//Rattus norvegicus ovarian-specific protein mRNA, complete cds.//1.3e-65:458:82//U44803

F-NT2RP2003704//H.sapiens CpG island DNA genomic MseI fragment, clone 2a9, reverse read cpg2a9.rtlc.//3.8e-17:170:84//Z60615

F-NT2RP2003706//Homo sapiens mRNA for KIAA0525 protein, partial cds.//2.6e-108:518:98//AB011097

F-NT2RP2003713//HS_2016_B1_B05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2016 Col=9 Row=D, genomic survey sequence.//1.3e-11:102:90//AQ226895

F-NT2RP2003714//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//1.4e-27:249:78//AC003973

F-NT2RP2003727//RPCI11-77I19.TV RPCI11 Homo sapiens genomic clone R-77I19, genomic survey sequence.//3.4e-26:294:74//AQ268303

F-NT2RP2003737//Homo sapiens clone DJ1022I14, WORKING DRAFT SEQUENCE, 14 unordered pieces.//2.6e-74:194:91//AC004951

F-NT2RP2003751//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-911E12,

complete sequence.//1.7e-92:165:96//AC003964
 F-NT2RP2003760//B.primigenius mRNA for coat protein gamma-cop.//4.5e-76:
 696:73//X92987
 F-NT2RP2003764//Homo sapiens gene for MTG16, exon 1b, partial sequence./
 /1.0:109:69//AB013275
 F-NT2RP2003769
 F-NT2RP2003770//Homo sapiens chromosome 17, clone hRPC.1050_D_4, complet
 e sequence.//3.0e-96:467:98//AC004771
 F-NT2RP2003777
 F-NT2RP2003781//tricarboxylate carrier [rats, liver, mRNA Partial, 2986
 nt].//7.2e-107:731:82//S70011
 F-NT2RP2003793//CIT-HSP-2326L12.TF CIT-HSP Homo sapiens genomic clone 23
 26L12, genomic survey sequence.//7.0e-20:124:95//AQ038761 .
 F-NT2RP2003825//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete
 sequence.//8.9e-06:151:74//AC004491
 F-NT2RP2003840//Arabidopsis thaliana chromosome II BAC F12A24 genomic se
 quence, complete sequence.//0.018:145:69//AC005167
 F-NT2RP2003857//HS_3227_A2_G04_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3227 Col=8 Row=M, genomic survey s
 equence.//0.96:257:61//AQ303467
 F-NT2RP2003859
 F-NT2RP2003871//Homo sapiens 12q24 PAC RPC11-74B13 (Roswell Park Cancer
 Institute Human PAC library) complete sequence.//2.0e-12:369:65//AC00237
 5
 F-NT2RP2003885//CITBI-E1-2514D6.TF CITBI-E1 Homo sapiens genomic clone 2
 514D6, genomic survey sequence.//0.13:167:64//AQ265722
 F-NT2RP2003912//nek1=serine/threonine- and tyrosine-specific protein kin
 ase [mice, erythroleukemia cells, mRNA, 4263 nt].//1.3e-136:838:86//S458

F-NT2RP2003952

F-NT2RP2003968//Homo sapiens HUBP mRNA for ubiquitin specific protease, complete cds.//2.1e-28:165:96//AB014458

F-NT2RP2003976//Human DNA sequence from clone 283E3 on chromosome 1p36.2 1-36.33. Contains the alternatively spliced gene for Matrix Metalloprotease in the Female Reproductive tract MIFR1, -2, MMP21/22A, -B and -C, a novel gene, the alternatively spliced CDC2L2 gene for Cell Division Cycle 2-Like 2 (PITSLRE, p58/GTA, Galactosyltransferase Associated Protein Kinase). beta 1, beta 2-1, beta 2-2 and alpha 2-4, a 40S Ribosomal Protein S7 pseudogene, part of the KIAA0447 gene, a novel alternatively spliced gene similar to many (archae) bacterial, worm and yeast hypothetical genes, and the GNB1 gene for Guanine Nucleotide Binding Protein (G protein), Beta polypeptide 1 (Transducin Beta chain 1). Contains putative CpG islands, ESTs, STSs and GSSs, complete sequence.//2.6e-24:298:74//AL031282

F-NT2RP2003981//Homo sapiens mRNA for KIAA0804 protein, partial cds.//9.9e-160:783:96//AB018347

F-NT2RP2003984

F-NT2RP2003986//Human Chromosome 11 pac pDJ197h17, WORKING DRAFT SEQUENCE, 11 unordered pieces.//1.7e-26:260:77//AC000382

F-NT2RP2003988//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//9.1e-61:701:70//AL031681

F-NT2RP2004013//Human DNA sequence from clone 372K1 on chromosome 6q24 C contains EST, STS, GSS and CpG Island, complete sequence.//3.0e-123:693:91//AL023580

F-NT2RP2004014

F-NT2RP2004041//Homo sapiens chromosome 19, cosmid F17127, complete sequence.//5.8e-83:427:87//AC004780

F-NT2RP2004042

F-NT2RP2004066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 134019, WORKING DRAFT SEQUENCE.//5.6e-110:528:98//AL034555

F-NT2RP2004081

F-NT2RP2004098//HS_2216_A1_B12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2216 Col=23 Row=C, genomic survey sequence.//1.0e-07:86:84//AQ145694

F-NT2RP2004124//HS_3064_B2_A04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=8 Row=B, genomic survey sequence.//3.0e-25:155:94//AQ136993

F-NT2RP2004142//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K8K14, complete sequence.//1.0:220:62//AB007645

F-NT2RP2004152//Drosophila melanogaster DNA sequence (P1 DS02252 (D97)), complete sequence.//0.93:480:56//AC002493

F-NT2RP2004165//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.051:265:61//AC005140

F-NT2RP2004170//Homo sapiens distal-less homeobox protein (DLX7) gene, complete cds.//1.0:162:66//AF028235

F-NT2RP2004172//S.pombe chromosome II cosmid c24E9.//1.7e-06:466:59//AL021816

F-NT2RP2004187//Homo sapiens full length insert cDNA YQ86E07.//3.5e-17:354:64//AF075093

F-NT2RP2004194//Rattus norvegicus Golgi SNARE GS15 mRNA, complete cds.//9.4e-53:397:82//AF003998

F-NT2RP2004196

F-NT2RP2004207//Human von Willebrand factor pseudogene corresponding to exons 23 through 34.//0.0023:386:61//M60676

F-NT2RP2004226//HS_2186_A1_D03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2186 Col=5 Row=G, genomic survey s

equence.//7.8e-58:370:87//AQ063813
 F-NT2RP2004232//H.sapiens mRNA for protein kinase C mu.//1.2e-34:448:67/
 /X75756
 F-NT2RP2004239//Homo sapiens lok mRNA for protein kinase, complete cds./
 /5.2e-108:510:99//AB015718
 F-NT2RP2004240//Pyrococcus horikoshii OT3 genomic DNA, 1166001-1485000 n
 t. position (6/7).//1.1e-12:489:61//AP000006
 F-NT2RP2004242
 F-NT2RP2004245
 F-NT2RP2004270//Streptomyces coelicolor cosmid 1A9.//7.5e-07:462:62//AL0
 34446
 F-NT2RP2004300//Homo sapiens chromosome 19, cosmid R33632, complete sequ
 ence.//3.5e-11:299:64//AC005781
 F-NT2RP2004316//Homo sapiens EXT-like protein 2 (EXTL2) mRNA, complete c
 ds.//4.5e-150:735:97//AF000416
 F-NT2RP2004321//Drosophila melanogaster DNA sequence (P1 DS02110 (D147))
 , complete sequence.//0.98:267:59//AC004423
 F-NT2RP2004339//Human Chromosome 16 BAC clone CIT987SK-A-355G7, complete
 sequence.//1.6e-40:419:75//AC002519
 F-NT2RP2004347//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 1018D12, WORKING DRAFT SEQUENCE.//1.2e-72:439:82//AL031650
 F-NT2RP2004364
 F-NT2RP2004365
 F-NT2RP2004366//Human DNA sequence from clone 612B18 on chromosome 1q24-
 25.3 Contains exon from gene similar to 40S ribosomal protein, first cod
 ing exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequ
 ence.//0.92:427:57//AL031864
 F-NT2RP2004373//Homo sapiens cosmids Qc15C1 and 94B6 from Xq28, complete
 sequence.//2.6e-26:493:65//AF035397

F-NT2RP2004389//HS_2183_B2_H04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2183 Col=8 Row=P, genomic survey sequence.//2.9e-11:83:96//AQ063969

F-NT2RP2004392

F-NT2RP2004396//Homo sapiens BAC clone RG135C18 from 7q21, complete sequence.//1.1e-171:875:95//AC005164

F-NT2RP2004399//Homo sapiens SYBL1 gene.//1.4e-24:467:64//AJ004799

F-NT2RP2004400//Arabidopsis thaliana BAC T19B17 from chromosome IV, near 19.3 cM, complete sequence.//0.00074:455:59//AF069441

F-NT2RP2004412//H.sapiens CpG island DNA genomic MseI fragment, clone 34g4, reverse read cpg34g4.rtl1a.//5.0e-27:154:98//Z65369

F-NT2RP2004425

F-NT2RP2004463//Streptomyces coelicolor cosmid 2E9.//0.0053:196:65//AL021530

F-NT2RP2004476//Drosophila melanogaster cosmid 67A9.//5.2e-15:377:63//AL034388

F-NT2RP2004490//Homo sapiens chromosome 16, P1 clone 94-10H (LANL), complete sequence.//4.3e-100:497:97//AC005591

F-NT2RP2004512//Plasmodium falciparum MAL3P5, complete sequence.//2.3e-07:815:57//AL034556

F-NT2RP2004523//Homo sapiens clone DJ0800G07, complete sequence.//8.5e-138:718:95//AC004890

F-NT2RP2004538//Homo sapiens mRNA for KIAA0591 protein, partial cds.//1.4e-137:687:96//AB011163

F-NT2RP2004551//CIT-HSP-2387G7.TF.1 CIT-HSP Homo sapiens genomic clone 2387G7, genomic survey sequence.//2.1e-85:484:91//AQ239555

F-NT2RP2004568//H.vulgare GAA-satellite DNA.//2.0e-07:292:62//Z50100

F-NT2RP2004580//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//4.5e-44:512:72//AL023755

F-NT2RP2004587//Candida albicans cytoskeleton assembly control protein (SLA2) gene, partial cds.//1.0:344:56//AF092908

F-NT2RP2004594//nbxb0019H13r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0019H13r, genomic survey sequence.//0.053:324:60//AQ258020

F-NT2RP2004600

F-NT2RP2004602//Homo sapiens chromosome 19, cosmid F21431, complete sequence.//0.12:109:73//AC005176

F-NT2RP2004614

F-NT2RP2004655//Homo sapiens mRNA for leucine rich protein.//2.6e-102:496:98//AJ006291

F-NT2RP2004664//Homo sapiens mRNA for KIAA0460 protein, partial cds.//1.6e-153:728:98//AB007929

F-NT2RP2004675//Homo sapiens chromosome 12q24.1, WORKING DRAFT SEQUENCE, 33 unordered pieces.//0.092:239:61//AC005805

F-NT2RP2004681//Human DNA sequence from clone 51J23 on chromosome Xq26.3-27.3. Contains an EST and GSSs, complete sequence.//1.0:236:61//AL031312

F-NT2RP2004689//Homo sapiens mRNA for KIAA0625 protein, partial cds.//1.3e-59:327:94//AB014525

F-NT2RP2004709//HS_2033_B2_E04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2033 Col=8 Row=J, genomic survey sequence.//1.9e-15:187:74//AQ230714

F-NT2RP2004710//HS_3185_B2_D07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3185 Col=14 Row=H, genomic survey sequence.//9.9e-10:110:84//AQ172885

F-NT2RP2004736//Homo sapiens mRNA for KIAA0478 protein, complete cds.//6.4e-117:582:96//AB007947

F-NT2RP2004743//Human DNA sequence from PAC 37M17 chromosome X.//0.14:138:71//Z78022

F-NT2RP2004767//H.sapiens CpG island DNA genomic MseI fragment, clone 65 c11, reverse read cpg65c11.rt1a.//1.3e-24:217:81//Z62210

F-NT2RP2004768//Homo sapiens STE20-like kinase 3 (mst-3) mRNA, complete cds.//1.6e-45:541:71//AF024636

F-NT2RP2004775//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//5.8e-13:697:59//AE001398

F-NT2RP2004791//Human HeLa mRNA isolated as a false positive in a two-hybrid-screen.//5.0e-53:353:84//U56252

F-NT2RP2004799//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//1.5e-116:594:95//AF058953

F-NT2RP2004802

F-NT2RP2004816//Homo sapiens H beta 58 homolog mRNA, complete cds.//2.1e-101:495:97//AF054179

F-NT2RP2004841//Human DNA sequence from cosmid J138017, between markers DXS6791 and DXS8038 on chromosome X contains EST CA repeat and an endogenous retroviral like element.//7.6e-82:531:84//Z72519

F-NT2RP2004861//Fugu rubripes GSS sequence, clone 040017bA3, genomic survey sequence.//0.96:183:64//AL025645

F-NT2RP2004897//Human Chromosome X clone bWXD187, complete sequence.//4.8e-142:710:96//AC004383

F-NT2RP2004933//Homo sapiens mRNA for ZIP-kinase, complete cds.//2.0e-82:418:95//AB007144

F-NT2RP2004936

F-NT2RP2004959//HS_3197_A2_G11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3197 Col=22 Row=M, genomic survey sequence.//3.5e-25:218:83//AQ150183

F-NT2RP2004961//Rattus norvegicus KRAB/zinc finger suppressor protein 1 (KS1) mRNA, complete cds.//2.5e-59:339:79//U56732

F-NT2RP2004962//Human hereditary haemochromatosis region, histone 2A-like

e protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds.//3.6e-19:187:72//U91328

F-NT2RP2004967//Plasmodium falciparum MAL3P6, complete sequence.//0.0020:297:61//Z98551

F-NT2RP2004978//Chlamydomonas reinhardtii VSP-3 mRNA, complete cds.//0.22:162:69//L29029

F-NT2RP2004982//F26D4-Sp6 IGF Arabidopsis thaliana genomic clone F26D4, genomic survey sequence.//0.13:273:61//B12642

F-NT2RP2004985//Human mRNA for KIAA0144 gene, complete cds.//1.5e-20:431:65//D63478

F-NT2RP2004999

F-NT2RP2005000//R.rattus gene for beta-1 subunit of Na,K-ATPase.//0.019:240:63//X63375

F-NT2RP2005001//Homo sapiens mRNA for KIAA0615 protein, complete cds.//6.0e-159:782:97//AB014515

F-NT2RP2005003//H.sapiens Staf50 mRNA.//3.1e-42:430:75//X82200

F-NT2RP2005012//Homo sapiens SEC63 (SEC63) mRNA, complete cds.//1.4e-98:501:96//AF100141

F-NT2RP2005018//Homo sapiens PAC clone DJ0659J06 from 7q33-q35, complete sequence.//1.0:209:63//AC004849

F-NT2RP2005020

F-NT2RP2005022//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE, 2 unordered pieces.//3.0e-43:98:93//AC000380

F-NT2RP2005031//HS_2052_B2_G10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2052 Col=20 Row=N, genomic survey sequence.//0.019:363:61//AQ231464

F-NT2RP2005037//Human 3' of immunoglobulin heavy chain locus (IGHA2) gene.//0.70:174:65//U64454

F-NT2RP2005038//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//0.20:519:57//AC005696

F-NT2RP2005108

F-NT2RP2005116//Homo sapiens mRNA for KIAA0664 protein, partial cds.//2.0e-103:495:98//AB014564

F-NT2RP2005126//H.sapiens mRNA for RNA helicase (Myc-regulated dead box protein).//2.9e-27:157:98//X98743

F-NT2RP2005139//Mycobacterium tuberculosis genes encoding rifamycin polyketide synthases, ORFs 1 to 5.//0.00024:547:59//AJ223012

F-NT2RP2005140//Homo sapiens chromosome 21, Neurofibromatosis 1 (NF1) related locus, complete sequence.//0.95:191:62//AC004527

F-NT2RP2005144//Homo sapiens tubby like protein 3 (TULP3) mRNA, complete cds.//2.6e-89:447:96//AF045583

F-NT2RP2005147//HS_3184_A1_E01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3184 Col=1 Row=I, genomic survey sequence.//0.10:294:60//AQ252226

F-NT2RP2005159//H.sapiens CpG island DNA genomic MseI fragment, clone 132g6, forward read cpg132g6.ft1a.//1.1e-13:93:97//Z59162

F-NT2RP2005162//Caenorhabditis elegans cosmid F01F1.//2.6e-20:394:64//U13070

F-NT2RP2005168//Homo sapiens mRNA for E1B-55kDa-associated protein.//1.4e-125:633:96//AJ007509

F-NT2RP2005204//Arabidopsis thaliana ubiquitin activating enzyme (UBA1) gene, complete cds.//0.00016:316:60//U80808

F-NT2RP2005227//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//0.51:52:92//AC005189

F-NT2RP2005239//S.pombe chromosome II cosmid c21D10.//1.3e-22:356:67//AL031536

F-NT2RP2005254

F-NT2RP2005270//H.sapiens genomic DNA (chromosome 3; clone NL197R).//0.5
8:132:65//X87513

F-NT2RP2005276//Rat mRNA for brain acyl-CoA synthetase II, complete cds.
//9.0e-103:656:85//D30666

F-NT2RP2005287//Cavia porcellus zinc finger protein (zfoC1) mRNA, comple
te cds.//3.4e-37:302:84//L26335

F-NT2RP2005288//Homo sapiens RCC1-like G exchanging factor RLG mRNA, com
plete cds.//7.1e-122:604:96//AF060219

F-NT2RP2005289//Homo sapiens mRNA for XRP2 protein.//4.0e-140:670:98//AJ
007590

F-NT2RP2005293//HS_3245_B1_E10_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3245 Col=19 Row=J, genomic survey
sequence.//8.2e-37:223:92//AQ217454

F-NT2RP2005315//Homo sapiens mRNA for KIAA0676 protein, partial cds.//1.
1e-95:483:96//AB014576

F-NT2RP2005325//Human LIM-homeobox domain protein (hLH-2) mRNA, complete
cds.//8.2e-22:166:90//U11701

F-NT2RP2005336//Homo sapiens snRNA activating protein complex 190kD subu
nit (SNAP190) mRNA, complete cds.//0.39:353:62//AF032387

F-NT2RP2005344//Homo sapiens mRNA for KIAA0566 protein, partial cds.//8.
8e-29:456:66//AB011138

F-NT2RP2005354//Human DNA sequence from PAC 435C23 on chromosome X. Cont
ains ESTs.//0.72:431:61//Z92844

F-NT2RP2005358//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA
, complete cds.//4.7e-99:489:96//AF072247

F-NT2RP2005360//Pan troglodytes huntingtin gene, partial exon.//0.93:105
:67//L49358

F-NT2RP2005393//Rat parathyroid hormone receptor mRNA, complete cds.//2.
4e-08:97:83//M77184

F-NT2RP2005407

F-NT2RP2005436//Homo sapiens chromosome 16, cosmid clone 2H2 (LANL), complete sequence.//0.014:235:62//AC005346

F-NT2RP2005441//CIT-HSP-2338P5.TR CIT-HSP Homo sapiens genomic clone 2338P5, genomic survey sequence.//4.0e-107:532:97//AQ055548

F-NT2RP2005453//F21C16TFC IGF Arabidopsis thaliana genomic clone F21C16, genomic survey sequence.//1.0:239:61//B97865

F-NT2RP2005457//B.taurus CI-B14.5b mRNA for NADH dehydrogenase (ubiquinone).//4.7e-25:245:79//X68647

F-NT2RP2005464//Human DNA sequence from clone 836E8 on chromosome 20p12 Contains EST, CA repeat, STS, GSS, retroviral sequence, complete sequence.//4.6e-111:724:86//AL031679

F-NT2RP2005465//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//6.5e-18:152:75//AC006116

F-NT2RP2005472//Human DNA sequence from clone 1118D24 on chromosome 1p36 .11-36.33. Contains part of a novel gene similar to worm genes T08G11.1 and C25H3.9, part of a 60S Ribosomal Protein L10 LIKE (pseudo)gene and two 3' exons of the TNFR2 gene for Tumor Necrosis Factor Receptor 2 (75 kD) (TNF Binding Protein 2, TBPII, TNF-R2, CD120B, TNFBR). Contains ESTs, STSs, GSSs, genomic marker DIS434 and a ca repeat polymorphism, complete sequence.//4.4e-12:89:97//AL031276

F-NT2RP2005476//Homo sapiens BAC clone RG293F17 from 7p15-p21, complete sequence.//4.3e-40:463:73//AC004130

F-NT2RP2005490//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//3.2e-115:228:99//AC006030

F-NT2RP2005491//HS_2253_A2_G10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2253 Col=20 Row=M, genomic survey sequence.//4.6e-23:234:80//AQ116847

F-NT2RP2005495

F-NT2RP2005496//HS_3064_A1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=15 Row=K, genomic survey sequence.//5.3e-90:436:98//AQ143097

F-NT2RP2005498//Rabbit protein phosphatase 2A beta subunit mRNA, complete cds.//1.4e-63:503:78//M64931

F-NT2RP2005501//Homo sapiens chromosome 10 clone CIT987SK-1143A11 map 10 q25, complete sequence.//0.86:183:63//AC005880

F-NT2RP2005509//Homo sapiens cosmid LM1937 from Xq28.//1.0:160:65//U82695

F-NT2RP2005520//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//3.9e-81:444:92//AF092563

F-NT2RP2005525//Homo sapiens mRNA for KIAA0764 protein, complete cds.//6.9e-18:112:99//AB018307

F-NT2RP2005531//Human structural protein 4.1 mRNA, complete cds.//1.1e-06:282:60//M14993

F-NT2RP2005539//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//2.9e-153:747:97//AJ012449

F-NT2RP2005540//Homo sapiens mRNA for KIAA0494 protein, complete cds.//5.9e-130:618:98//AB007963

F-NT2RP2005549//Mus musculus clone OST142, genomic survey sequence.//3.1e-43:277:89//AF046734

F-NT2RP2005555//HS_2188_A2_D04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2188 Col=8 Row=G, genomic survey sequence.//8.0e-05:195:65//AQ086723

F-NT2RP2005557//Homo sapiens clone 486790 diphosphoinositol polyphosphate phosphohydrolase mRNA, complete cds.//2.5e-44:473:71//AF062529

F-NT2RP2005581//Homo sapiens BAC clone GS180J15 from 7q31, complete sequence.//0.99:213:65//AC005016

F-NT2RP2005600//H.sapiens CpG island DNA genomic MseI fragment, clone 17

2d12, reverse read cpgl72d12.rt1a.//0.32:134:63//Z57359
F-NT2RP2005605
F-NT2RP2005620//Homo sapiens epsin 2a mRNA, complete cds.//9.8e-91:447:9
7//AF062085
F-NT2RP2005622
F-NT2RP2005635//Saccharomyces cerevisiae chromosome VIII cosmid 9205.//8
.6e-17:411:61//U10556
F-NT2RP2005637//NATI (NATI*10)=acetyltransferase 1 [3' region, polyadeny
lation polymorphism] [human, unrelated Caucasians, mRNA Partial Mutant,
300 nt].//0.22:156:65//S78829
F-NT2RP2005640//Mouse U6 RNA gene.//5.5e-19:249:76//X06980
F-NT2RP2005645//HS_2201_B2_D07_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2201 Col=14 Row=H, genomic survey
sequence.//0.30:159:65//AQ066763
F-NT2RP2005651//H.sapiens DNA sequence.//0.00037:150:66//Z22493
F-NT2RP2005654//Homo sapiens mRNA for KIAA0288 gene, complete cds.//4.7e
-07:351:62//AB006626
F-NT2RP2005669//Homo sapiens KE05 protein mRNA, complete cds.//8.2e-98:4
72:98//AF064605
F-NT2RP2005675//Homo sapiens growth suppressor related (DOC-1R) mRNA, co
mplete cds.//2.4e-94:462:98//AF089814
F-NT2RP2005683//HS-1024-B1-H05-MF.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 803 Col=9 Row=P, genomic survey sequ
ence.//0.99:156:64//B34405
F-NT2RP2005690//Human pyrroline 5-carboxylate reductase mRNA, complete c
ds.//7.7e-10:328:61//M77836
F-NT2RP2005694
F-NT2RP2005701//Homo sapiens 12p13.3 BAC RPC111-288K12 (Roswell Park Can
cer Institute Human BAC Library) complete sequence.//0.72:160:65//AC0051

83

F-NT2RP2005712//Homo sapiens mRNA for KIAA0799 protein, partial cds.//1.6e-124:599:97//AB018342

F-NT2RP2005719//R.norvegicus mRNA for metallothionein-III.//0.86:117:64//X89603

F-NT2RP2005722//Human zinc finger protein ZNF136.//2.6e-44:415:77//U09367

F-NT2RP2005723//Human BAC clone GS542D18 from 7q31-q32, complete sequence.//6.9e-15:153:81//AC002528

F-NT2RP2005726//Homo sapiens clone DJ0577P23, WORKING DRAFT SEQUENCE, 28 unordered pieces.//5.1e-41:138:95//AC005627

F-NT2RP2005732//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 291J10, WORKING DRAFT SEQUENCE.//0.61:303:60//Z93017

F-NT2RP2005741//Homo sapiens PALM gene, exon 1 and joined CDS.//0.52:116:67//Y16270

F-NT2RP2005748//Human Kox11 mRNA for zinc finger protein, partial.//0.11:136:66//X52342

F-NT2RP2005752//Homo sapiens TNFR-related death receptor-6 (DR6) mRNA, complete cds.//7.8e-22:134:96//AF068868

F-NT2RP2005753//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//1.2e-100:486:98//AF082516

F-NT2RP2005763//Human mRNA for KIAA0111 gene, complete cds.//0.00073:425:56//D21853

F-NT2RP2005767//G.gallus PB1 gene.//2.1e-73:544:80//X90849

F-NT2RP2005773//Human pyrroline 5-carboxylate reductase mRNA, complete cds.//6.2e-15:153:82//M77836

F-NT2RP2005775//Sus scrofa mRNA for soluble angiotensin-binding protein, complete cds.//1.2e-121:649:88//D11336

F-NT2RP2005781//Pseudomonas aeruginosa gene for MexX and MexY, complete

cds.//0.96:184:60//AB015853

F-NT2RP2005784//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//1.9e-63:222:96//AL034423

F-NT2RP2005804//Oryza sativa glycine-rich protein (OSGRP1) mRNA, complete cds.//2.6e-07:232:64//AF010579

F-NT2RP2005812

F-NT2RP2005815//Streptomyces sp. gene for alkaline serine protease I.//0.031:358:59//X74103

F-NT2RP2005835//Rattus norvegicus mRNA for p47, complete cds.//2.5e-107:449:91//AB002086

F-NT2RP2005841//Human DNA sequence from cosmid U209G1 on chromosome X.//5.1e-05:144:73//Z68873

F-NT2RP2005853//RPCI11-24D4.TKBF RPCI-11 Homo sapiens genomic clone RPCI-11-24D4, genomic survey sequence.//6.4e-13:130:85//AQ013490

F-NT2RP2005857//Homo sapiens chromosome-associated protein-C (hCAP-C) mRNA, partial cds.//1.7e-174:829:98//AF092564

F-NT2RP2005859//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 914P20, WORKING DRAFT SEQUENCE.//0.25:174:62//AL034553

F-NT2RP2005868//Fugu rubripes GSS sequence, clone 103I24aF4, genomic survey sequence.//7.8e-06:92:79//AL027276

F-NT2RP2005886//HS_3187_A2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3187 Col=16 Row=G, genomic survey sequence.//7.1e-95:494:95//AQ155885

F-NT2RP2005890//Mouse oncogene (ect2) mRNA, complete cds.//2.7e-32:660:66//L11316

F-NT2RP2005901//H.sapiens CpG island DNA genomic MseI fragment, clone 15b5, reverse read cpg15b5.rt1a.//0.0026:66:84//Z54729

F-NT2RP2005908//Homo sapiens 12q13.1 PAC RPCI3-197B17 (Roswell Park Cancer Institute Human PAC library) complete sequence.//6.4e-49:481:75//AC00

4241

F-NT2RP2005933//Rattus norvegicus nucleoporin p54 mRNA, complete cds.//6
.6e-61:657:73//U63840

F-NT2RP2005942//H.sapiens PAP mRNA.//1.6e-46:618:67//X76770

F-NT2RP2005980//Homo sapiens chromosome 17, clone hRPC.1081_P_3, complet
e sequence.//1.0e-48:533:71//AC005207

F-NT2RP2006023//HS_3048_A1_A11_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3048 Col=21 Row=A, genomic survey
sequence.//2.1e-25:167:91//AQ126553

F-NT2RP2006038//CIT-HSP-384K4.TR CIT-HSP Homo sapiens genomic clone 384K
4, genomic survey sequence.//3.9e-06:102:74//B51912

F-NT2RP2006043//Human intercrine-alpha (hIRH) mRNA, complete cds.//1.9e-
05:418:59//U19495

F-NT2RP2006052//Peromyscus polionotus ammobates dinucleotide microsatell
ite Ppa55.//0.0035:226:65//AF016861

F-NT2RP2006069//Human HepG2 partial cDNA, clone hmd3g02m5.//3.9e-11:121:
85//D17047

F-NT2RP2006071

F-NT2RP2006098//Homo sapiens chromosome 21q22.2, cosmid D13C2, complete
sequence.//0.46:264:59//AF027207

F-NT2RP2006100//Human Chromosome X, complete sequence.//3.2e-94:488:95//
AC004073

F-NT2RP2006103//HS_2254_A2_D02_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2254 Col=4 Row=G, genomic survey s
equence.//5.7e-27:156:96//AQ129602

F-NT2RP2006106//Human Chromosome 11 pac pDJ1173a5, complete sequence.//1
.2e-62:655:71//AC000378

F-NT2RP2006141//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 537K23, WORKING DRAFT SEQUENCE.//1.2e-69:316:98//AL034405

F-NT2RP2006166//Homo sapiens chromosome 4 clone B32I8, complete sequence
 .//3.1e-45:387:81//AC004063

F-NT2RP2006184//Cricetulus griseus beta-1,6-N-acetylglucosaminyltransfer
 ase Lec4A cell line point mutant mRNA, complete cds.//0.99:111:73//U6258
 7

F-NT2RP2006186//Homo sapiens mRNA for KIAA0654 protein, partial cds.//7.
 8e-113:567:96//AB014554

F-NT2RP2006196//Homo sapiens clone DJ1189D06, complete sequence.//2.8e-2
 8:718:62//AC005232

F-NT2RP2006200//Homo sapiens chromosome 12p13.3 clone RPCI1-96H9, WORKIN
 G DRAFT SEQUENCE, 66 unordered pieces.//6.5e-83:239:94//AC006057

F-NT2RP2006219//H.sapiens mRNA for DGCR6 protein.//1.4e-116:618:93//X964
 84

F-NT2RP2006237//CIT-HSP-2300P9.TR CIT-HSP Homo sapiens genomic clone 230
 0P9, genomic survey sequence.//2.0e-18:118:97//AQ012480

F-NT2RP2006238//Rattus norvegicus CTD-binding SR-like protein ra8 mRNA,
 complete cds.//7.6e-102:635:86//U49055

F-NT2RP2006258//RPCI11-9N9.TP RPCI-11 Homo sapiens genomic clone RPCI-11
 -9N9, genomic survey sequence.//8.6e-05:181:63//B71615

F-NT2RP2006261//H.sapiens mRNA for serine/threonine protein kinase EMK./
 /0.44:111:71//X97630

F-NT2RP2006275//Pseudorabies virus UL [5,6,7,8,8.5,9,10,11,12,13] genes./
 /2.0e-05:501:59//X97257

F-NT2RP2006312//Homo sapiens BAF57 (BAF57) gene, complete cds.//2.7e-138
 :679:97//AF035262

F-NT2RP2006320//P.falciparum pfmdrl gene.//0.00013:425:60//X56851

F-NT2RP2006321//Homo sapiens DNA from chromosome 19, BAC 33152, complete
 sequence.//4.1e-19:545:62//AC003973

F-NT2RP2006323//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 745114, WORKING DRAFT SEQUENCE.//8.9e-18:131:90//AL033532

F-NT2RP2006333//Homo sapiens PAC clone DJ0808A01 from 7q21.1-q31.1, complete sequence.//6.2e-125:602:98//AC004893

F-NT2RP2006334//Homo sapiens chromosome 19, cosmid R27139, complete sequence.//2.1e-06:241:65//AC005514

F-NT2RP2006365//Fugu rubripes GSS sequence, clone 171K15aC5, genomic survey sequence.//7.8e-06:148:70//AL029590

F-NT2RP2006393//Human DNA sequence from clone 80I19 on chromosome 6p21.3-22.2 Contains genes and pseudogenes for olfactory receptor-like proteins, STS, GSS, complete sequence.//6.8e-06:167:70//AL022727

F-NT2RP2006436//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//4.2e-92:363:84//AL023808

F-NT2RP2006441

F-NT2RP2006454//Sequence 8 from Patent WO9517522.//2.9e-06:180:66//A45338

F-NT2RP2006456

F-NT2RP2006464//Homo sapiens mRNA for AND-1 protein.//3.4e-148:545:98//AJ006266

F-NT2RP2006467//Sus scrofa IgM heavy chain gene, switch region and exons encoding chl-ch4 and secretion domains, partial cds.//0.061:201:66//U50149

F-NT2RP2006472

F-NT2RP2006534//Human DNA sequence from clone 272E8 on chromosome Xp22.1-22.31. Contains a pseudogene similar to MDM2-Like P53-binding protein gene. Contains STSs, GSSs and a CA repeat polymorphism, complete sequence.//8.8e-10:273:66//Z93929

F-NT2RP2006554//Human DNA mismatch repair protein homolog (hMLH1) gene, exon 6.//0.71:174:59//U40965

F-NT2RP2006565//Homo sapiens secretory carrier-associated membrane prote

in (SCAMP) mRNA, complete cds.//6.6e-114:669:90//AF038966

F-NT2RP2006571//Rabbit cytochrome P-450 isozyme 2 (type B2) mRNA, complete cds, clone B2-1.//6.0e-26:503:63//M20855

F-NT2RP2006573//Molluscum contagiosum virus subtype 1, complete genome.//0.44:134:71//U60315

F-NT2RP2006598//Human BRCA2 region, mRNA sequence CG033.//5.0e-16:140:85//U50537

F-NT2RP3000002//***ALU WARNING: Human Alu-Sc subfamily consensus sequence.//3.8e-32:214:89//U14571

F-NT2RP3000031//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//5.8e-136:637:98//AJ011972

F-NT2RP3000046//Bovine herpesvirus type 1 early-intermediate transcript on control protein (BICP4) gene, complete cds.//5.4e-05:571:60//L14320

F-NT2RP3000047

F-NT2RP3000050//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//1.0e-67:626:74//M27877

F-NT2RP3000055//Genomic sequence from Human 9q34, complete sequence.//3.5e-10:394:64//AC001227

F-NT2RP3000068

F-NT2RP3000072//Homo sapiens BAC clone RG290G13 from 7q21; complete sequence.//1.0:301:61//AC004746

F-NT2RP3000080//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 102D24, WORKING DRAFT SEQUENCE.//1.9e-44:297:79//AL021391

F-NT2RP3000085//Arabidopsis thaliana 3-methylcrotonyl-CoA carboxylase precursor mRNA, complete cds.//4.5e-33:528:65//U12536

F-NT2RP3000092//RPCI11-22M5.TV RPCI-11 Homo sapiens genomic clone RPCI-11-22M5, genomic survey sequence.//3.3e-27:157:97//B84237

F-NT2RP3000109//Arabidopsis thaliana 1-amino-1-cyclopropanecarboxylate synthase (ACS5) gene, complete cds.//0.92:185:64//L29260

F-NT2RP3000134//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//1.2e-112:286:89//AC005189

F-NT2RP3000142//Homo sapiens mRNA for KIAA0592 protein, partial cds.//9.0e-181:849:98//AB011164

F-NT2RP3000149//Homo sapiens chromosome 17, clone hRPK.264_B_14, complete sequence.//4.2e-24:155:94//AC005884

F-NT2RP3000186//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 500L14, WORKING DRAFT SEQUENCE.//7.2e-43:269:81//AL023583

F-NT2RP3000197//Homo sapiens interleukin 9 receptor (IL9R) pseudogene, exons 1-9.//0.098:405:57//L39063

F-NT2RP3000207//Drosophila melanogaster DNA sequence (P1 DS00164 (D269)), complete sequence.//0.96:608:55//AC004716

F-NT2RP3000220

F-NT2RP3000233//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//2.0e-18:509:58//AF059569

F-NT2RP3000235//Mouse Cosmid ma53a016 from 14D1-D2, complete sequence.//3.5e-05:224:65//AC004101

F-NT2RP3000247//Human mRNA for KIAA0218 gene, complete cds.//2.1e-109:691:86//D86972

F-NT2RP3000251//Caenorhabditis elegans cosmid ZK930, complete sequence.//0.20:119:68//Z70213

F-NT2RP3000252//Homo sapiens cosmid 1F1, complete sequence.//9.8e-78:174:88//AF065393

F-NT2RP3000255

F-NT2RP3000267

F-NT2RP3000299//Mus musculus Crk-associated substrate (Cas-b) mRNA, complete cds.//5.9e-48:374:82//U48853

F-NT2RP3000312//Fruit fly (D.melanogaster) Glued mRNA, complete cds.//4.9e-22:583:63//J02932

F-NT2RP3000320//RPCI11-36J1.TP RPCI-11 Homo sapiens genomic clone RPCI-11-36J1, genomic survey sequence.//4.4e-06:87:88//AQ047107

F-NT2RP3000324//Rattus norvegicus potassium channel regulator 1 mRNA, complete cds.//5.5e-26:283:79//U78090

F-NT2RP3000333//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 973M2, WORKING DRAFT SEQUENCE.//1.0:309:60//AL033533

F-NT2RP3000341//Homo sapiens DNA sequence from PAC 95C20 on chromosome X p11.3-11.4. Contains STSS and the DXS7 locus with GT and GTG repeat polymorphisms, complete sequence.//6.7e-42:465:74//Z97181

F-NT2RP3000348

F-NT2RP3000350//Homo sapiens cosmid 1F1, complete sequence.//3.4e-79:174:88//AF065393

F-NT2RP3000359//Bovine mitochondrial GTP:AMP phosphotransferase mRNA, complete cds.//2.2e-127:816:85//M25757

F-NT2RP3000361//Schizosaccharomyces pombe DNA for pre-mRNA splicing factor, complete cds.//0.0075:288:58//D83743

F-NT2RP3000366//Mus musculus ras-related protein (rab18) mRNA, complete cds.//7.1e-134:693:94//L04966

F-NT2RP3000393//Rattus norvegicus mRNA for GABA-B R2 receptor.//0.049:308:60//AJ011318

F-NT2RP3000397//S.cerevisiae chromosome VII reading frame ORF YGL120c.//0.00012:441:58//Z72642

F-NT2RP3000403//Homo sapiens formin binding protein 21 mRNA, complete cds.//5.0e-174:841:97//AF071185

F-NT2RP3000418//Homo sapiens chromosome 17, clone hRPK.1053_B_8, complete sequence.//7.9e-53:817:68//AC006083

F-NT2RP3000433//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//6.1e-31:590:63//AL031681

F-NT2RP3000439//Fugu rubripes GSS sequence, clone 075E22aB10, genomic su

rvey sequence.//4.0e-19:169:81//AL026471

F-NT2RP3000441//Human DNA sequence from PAC 93H18 on chromosome 6 contains ESTs heterochromatin protein HP1Hs-gamma pseudogene, STS and CpG island.//2.4e-41:459:65//Z84488

F-NT2RP3000449//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//1.1e-100:365:87//AL031650

F-NT2RP3000451//HS_2024_A1_E10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2024 Col=19 Row=I, genomic survey sequence.//0.011:367:57//AQ229420

F-NT2RP3000456//CIT-HSP-2338P5.TR CIT-HSP Homo sapiens genomic clone 2338P5, genomic survey sequence.//1.5e-89:458:96//AQ055548

F-NT2RP3000484//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 90L6, WORKING DRAFT SEQUENCE.//0.043:147:70//Z97353

F-NT2RP3000487//H.sapiens CpG island DNA genomic MseI fragment, clone 11b11, forward read cpg11b11.ft1a.//1.7e-11:96:92//Z64440

F-NT2RP3000512//Human HOX2G mRNA from the Hox2 locus.//9.7e-17:109:97//X16667

F-NT2RP3000526//Homo sapiens full length insert cDNA clone YZ38E04.//4.1e-30:283:76//AF086071

F-NT2RP3000527//Human mRNA for KIAA0211 gene, complete cds.//2.5e-34:706:63//D86966

F-NT2RP3000531//Mus musculus immunosuperfamily protein B12 mRNA, complete cds.//1.9e-14:220:70//AF061260

F-NT2RP3000542//Human Chromosome 11p11.2 PAC clone pDJ404m15, complete sequence.//0.00019:361:60//AC002554

F-NT2RP3000561//Homo sapiens PAC clone DJ0942I16 from 7q11, complete sequence.//9.0e-171:827:98//AC006012

F-NT2RP3000562

F-NT2RP3000578//F.rubripes GSS sequence, clone 013G07cE7, genomic survey

sequence.//1.7e-25:284:74//AL011271

F-NT2RP3000582//CIT978SK-A-56H4.TP CIT978SK Homo sapiens genomic clone A-56H4, genomic survey sequence.//5.8e-07:239:66//B73597

F-NT2RP3000584

F-NT2RP3000590//H.sapiens CpG island DNA genomic MseI fragment, clone 170d7, forward read cpg170d7.ft1a.//3.0e-22:128:100//Z59723

F-NT2RP3000592//CIT-HSP-2288J7.TR CIT-HSP Homo sapiens genomic clone 2288J7, genomic survey sequence.//2.2e-78:382:98//B98868

F-NT2RP3000596//CIT-HSP-2375J10.TR CIT-HSP Homo sapiens genomic clone 2375J10, genomic survey sequence.//0.00076:143:67//AQ109305

F-NT2RP3000599//Caenorhabditis elegans cosmid T19B10, complete sequence.//1.2e-13:295:66//Z74043

F-NT2RP3000603//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//0.37:520:57//L14320

F-NT2RP3000605//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//8.8e-155:526:97//AC006128

F-NT2RP3000622//HS_3213_A2_D02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3213 Col=4 Row=G, genomic survey sequence.//4.1e-29:238:85//AQ175104

F-NT2RP3000624//Homo sapiens clone DJ0800G07, complete sequence.//0.47:75:80//AC004890

F-NT2RP3000628//Human DNA sequence from clone 581F12 on chromosome Xq21. Contains Eukaryotic Translation Initiation Factor EIF3 P35 Subunit and 60S Ribosomal protein L22 pseudogenes. Contains ESTs, complete sequence.//0.078:393:58//AL031313

F-NT2RP3000632//Human zinc finger protein zfp6 (ZF6) mRNA, partial cds.//1.4e-96:541:79//U71363

F-NT2RP3000644//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//5.2e-46:421:77//AC005089

F-NT2RP3000661

F-NT2RP3000665//Human DNA sequence from clone 1191B2 on chromosome 22q13 .2-13.3. Contains part of the BIK (NBK, BP4, BIP1) gene for BCL2-interacting killer (apoptosis-inducing), a 40S Ribosomal Protein S25 pseudogene and part of an alternatively spliced novel Acyl Transferase gene similar to *C. elegans* C50D2.7. Contains ESTs, STSs, GSSs, two putative CpG islands and genomic marker D22S1151, complete sequence.//1.7e-11:292:65//AL022237

F-NT2RP3000685//H.sapiens mRNA for novel protein.//2.4e-80:460:92//X99961

F-NT2RP3000690//H.sapiens flow-sorted chromosome 6 TaqI fragment, SC6pA10F6.//1.0:141:65//Z77872

F-NT2RP3000736//Human mRNA for KIAA0140 gene, complete cds.//6.1e-20:127:96//D50930

F-NT2RP3000739//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds.//1.1e-46:622:67//AF015264

F-NT2RP3000742//Rattus norvegicus phospholipase C delta-4 mRNA, complete cds.//4.7e-37:429:70//U16655

F-NT2RP3000753

F-NT2RP3000759//Caenorhabditis elegans cosmid Y57G11C, complete sequence.//2.8e-38:519:69//Z99281

F-NT2RP3000815//HS_2237_A2_D12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2237 Col=24 Row=G, genomic survey sequence.//0.79:151:61//AQ067252

F-NT2RP3000825//Campanula ramosa chloroplast NADH dehydrogenase (ndhF) gene, complete cds.//0.36:378:58//L39387

F-NT2RP3000826//Suid herpesvirus 1 Kaplan glycoprotein L (UL1) and uracil-DNA glycosylase (UL2) genes, complete cds, and (UL3) gene, partial cds.//0.0025:291:62//U02513

F-NT2RP3000836//Mouse complement factor H-related protein mRNA, complete cds, clone 9C4.//0.69:563:57//M29009

F-NT2RP3000841//Human DNA sequence from PAC 121G13 on chromosome 6 contains flow sorted chromosome 6 HindIII fragment ESTs. polymorphic CA repeat, CpG island, CpG island genomic fragments.//2.1e-46:666:68//Z86062

F-NT2RP3000845//Homo sapiens chromosome 19, cosmid R31237, complete sequence.//3.4e-92:193:93//AC005581

F-NT2RP3000847//Human HepG2 3' region cDNA, clone hmd5d02.//3.4e-32:261:81//D16938

F-NT2RP3000850//Homo sapiens clone RG271G13, WORKING DRAFT SEQUENCE, 7 unordered pieces.//5.1e-44:358:81//AC005082

F-NT2RP3000852//Homo sapiens DNA sequence from PAC 117P20 on chromosome 1q24. Contains the LNHR (SELL) gene coding for Lymph Node Homing Receptor (L-Selectin precursor, LAM-1 Leukocyte Adhesion Molecule, Leukocyte surface antigen Leu-8, TQ1, GP90-MEL, LECAM1 Leukocyte-Endothelial Cell Adhesion Molecule 1, CD62L). Contains the SELE gene coding for E-Selectin precursor (CD62E, ELAM-1 Endothelial Leukocyte Adhesion Molecule 1, LECAM-2 Leukocyte-Endothelial Cell Adhesion Molecule 2). Contains an unknown gene with homology to predicted yeast, plant and worm proteins. Contains ESTs and STSs, complete sequence.//4.4e-123:150:98//AL021940

F-NT2RP3000859//T19M2TF TAMU Arabidopsis thaliana genomic clone T19M2, genomic survey sequence.//0.016:185:65//B60831

F-NT2RP3000865

F-NT2RP3000868//Human ovarian cancer downregulated myosin heavy chain homolog (Doc1) mRNA, complete cds.//2.0e-29:766:60//U53445

F-NT2RP3000869//H.sapiens gene for plectin.//1.1e-12:700:60//Z54367

F-NT2RP3000875//HS_2236_B1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2236 Col=19 Row=N, genomic survey sequence.//0.98:153:68//AQ154007

F-NT2RP3000901//Human herpesvirus 2 glycoprotein B precursor (UL27) gene, complete cds.//0.44:213:65//AF021340

F-NT2RP3000904//Rat Na⁺ channel mRNA, 3' end.//3.6e-106:505:99//M27223

F-NT2RP3000917//Mouse mRNA for Dhml protein, complete cds.//3.1e-132:691:93//D38517

F-NT2RP3000919//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds.//3.2e-97:585:88//AF015264

F-NT2RP3000968//Human Chromosome 16 BAC clone CIT987SK-A-234F9, complete sequence.//5.8e-70:181:89//U91326

F-NT2RP3000980//R.norvegicus CYP3A1 gene, 5' flanking region.//6.1e-26:507:66//X98335

F-NT2RP3000994//HS-1049-B2-F03-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 771 Col=6 Row=L, genomic survey sequence.//1.5e-22:128:100//B39529

F-NT2RP3001004//H.sapiens CpG island DNA genomic MseI fragment, clone 39 c1, reverse read cpg39c1.rtl.//5.9e-27:150:99//Z60925

F-NT2RP3001007//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.11:610:57//AC006039

F-NT2RP3001055//Drosophila melanogaster; Chromosome 2R; Region 47F1-47F7; P1 clone DS02304, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.8e-23:352:67//AC005653

F-NT2RP3001057//H.sapiens HZF4 mRNA for zinc finger protein.//1.4e-49:437:77//X78927

F-NT2RP3001081//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds.//8.4e-50:534:74//AF060219

F-NT2RP3001084//Homo sapiens mRNA for KIAA0782 protein, partial cds.//1.2e-14:474:60//AB018325

F-NT2RP3001096//CIT-HSP-2305P8.TF CIT-HSP Homo sapiens genomic clone 230 5P8, genomic survey sequence.//3.4e-37:222:93//AQ021278

F-NT2RP3001107//Human mRNA for KIAA0215 gene, complete cds.//8.5e-33:712:64//D86969

F-NT2RP3001109//Human Chromosome 15q26.1 PAC clone pDJ457j11 containing DNA polymerase gamma (polg) gene, complete sequence.//2.7e-116:186:99//AC005317

F-NT2RP3001111

F-NT2RP3001113//Human DNA sequence from cosmid U157D4, between markers DXS366 and DXS87 on chromosome X.//2.4e-05:702:58//Z68871

F-NT2RP3001115//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//1.9e-170:821:98//AC005189

F-NT2RP3001116//HS_3075_A1_F01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=1 Row=K, genomic survey sequence.//7.3e-49:290:92//AQ120581

F-NT2RP3001119//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//1.4e-121:598:97//AL031864

F-NT2RP3001120//Human zinc finger protein ZNF136.//7.4e-76:687:75//U09367

F-NT2RP3001126//Bovine herpesvirus type 1 DNA for UL36, UL37, UL38, UL39, UL40 and UL41.//6.8e-05:344:64//Z49078

F-NT2RP3001133//Nephila clavipes minor ampullate silk protein MiSp1 mRNA, partial cds.//0.00021:529:60//AF027735

F-NT2RP3001140//Homo sapiens mRNA for KIAA0762 protein, partial cds.//3.6e-179:851:98//AB018305

F-NT2RP3001147//RPCI11-3M16.TP RPCI-11 Homo sapiens genomic clone RPCI-11-3M16, genomic survey sequence.//2.1e-15:106:96//B48859

F-NT2RP3001150//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//2.0e-159:418:95//AL034379

F-NT2RP3001155//Homo sapiens mRNA for AND-1 protein.//5.1e-190:891:98//A
J006266

F-NT2RP3001176//Human DNA sequence from clone 879K22 on chromosome 1q32.
1-41 Contains GSS, complete sequence.//1.1e-69:207:97//AL034351

F-NT2RP3001214//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 geno
mic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.16:475:58//
AC005507

F-NT2RP3001216//Homo sapiens clone DJ0635005, WORKING DRAFT SEQUENCE, 7
unordered pieces.//3.3e-05:561:56//AC004845

F-NT2RP3001221

F-NT2RP3001232//Mouse mRNA for serine protease PC6, complete cds.//1.0e-1
1:120:87//D12619

F-NT2RP3001236

F-NT2RP3001239//Mouse MAP1B mRNA for MAP1B microtubule-associated protei
n.//3.9e-19:501:61//X51396

F-NT2RP3001245//CITBI-E1-2505C1.TF.1 CITBI-E1 Homo sapiens genomic clone
2505C1, genomic survey sequence.//8.5e-70:337:100//AQ242007

F-NT2RP3001253//CITBI-E1-2505N14.TR CITBI-E1 Homo sapiens genomic clone
2505N14, genomic survey sequence.//0.83:235:60//AQ260430

F-NT2RP3001260//Homo sapiens mRNA for KIAA0726 protein, complete cds.//3
.8e-47:761:64//AB018269

F-NT2RP3001268//Homo sapiens zinc finger protein (HZF6) mRNA, 5' UTR and
partial cds.//2.3e-64:618:72//AF027513

F-NT2RP3001272//Mus musculus mRNA for macrophage actin-associated-tyrosi
ne-phosphorylated protein.//2.6e-99:669:83//Y18101

F-NT2RP3001274//Human ABL gene, exon 1b and intron 1b, and putative M860
4 Met protein (M8604 Met) gene, complete cds.//0.99:400:58//U07561

F-NT2RP3001281//Homo sapiens chromosome 17, clone hRPK.318_A_15, complet
e sequence.//5.9e-39:304:70//AC005837

F-NT2RP3001297//Human mRNA for KIAA0281 gene, complete cds.//7.6e-47:544
:69//D87457

F-NT2RP3001307//Ambystoma tigrinum RPE65 protein mRNA, complete cds.//2.
4e-27:547:63//AF047465

F-NT2RP3001318//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genom
ic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.00022:624:60/
/AC004709

F-NT2RP3001325//Caenorhabditis elegans cosmid F36H12.//0.25:523:59//AF07
8790

F-NT2RP3001338//Human mRNA for KIAA0211 gene, complete cds.//5.1e-29:345
:73//D86966

F-NT2RP3001339//Rattus norvegicus myotonic dystrophy kinase-related Cdc42
-binding kinase (MRCK) mRNA, complete cds.//1.2e-151:821:91//AF021935

F-NT2RP3001340//Homo sapiens HMG box factor SOX-13 mRNA, complete cds.//
5.3e-27:247:81//AF083105

F-NT2RP3001355//Homo sapiens Chromosome 22q11.2 BAC Clone 77h2 In CES Re
gion, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.1e-16:130:76//AC000
052

F-NT2RP3001356

F-NT2RP3001374

F-NT2RP3001383//Homo sapiens DNA sequence from PAC 140C12 on chromosome
6q26-q27.//0.00082:365:61//AL008628

F-NT2RP3001384//Homo sapiens HRIHFB2018 mRNA, partial cds.//6.4e-157:743
:98//AB015332

F-NT2RP3001392//Human DNA sequence from PAC 302D9 on chromosome 22q11.2-
qter. Contains STS, complete sequence.//0.045:359:61//Z82198

F-NT2RP3001396//Drosophila melanogaster DNA sequence (P1 DS08860 (D181))
, complete sequence.//1.3e-16:336:65//AC004296

F-NT2RP3001398//Mus musculus zinc finger protein (Zfp64) mRNA, complete

cds.//3.1e-100:711:82//U49046

F-NT2RP3001399//Homo sapiens PAC clone DJ1106E03 from 7q31.3-7q3, complete sequence.//5.4e-20:245:73//AC005521

F-NT2RP3001407//RPCI11-41A20.TP RPCI-11 Homo sapiens genomic clone RPCI-11-41A20, genomic survey sequence.//0.051:306:59//AQ029031

F-NT2RP3001420//Human DNA sequence from PAC 12409 on chromosome 6q21. Contains DNAJ2 (HDJ1) like pseudogene, ESTs, STSs and GSSs.//0.90:170:65//AL021327

F-NT2RP3001426//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//2.9e-89:138:98//AL031447

F-NT2RP3001427//CIT-HSP-2302H24.TF CIT-HSP Homo sapiens genomic clone 2302H24, genomic survey sequence.//8.1e-36:212:94//AQ020997

F-NT2RP3001428//Human nuclear pore complex-associated protein TPR (tpr) mRNA, complete cds.//8.5e-73:431:91//U69668

F-NT2RP3001432//HS_3032_B1_A03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3032 Col=5 Row=B, genomic survey sequence.//0.00024:111:76//AQ096619

F-NT2RP3001447

F-NT2RP3001449//Human DNA sequence from clone 283E3 on chromosome 1p36.21-36.33. Contains the alternatively spliced gene for Matrix Metalloproteinase in the Female Reproductive tract MIFR1, -2, MMP21/22A, -B and -C, a novel gene, the alternatively spliced CDC2L2 gene for Cell Division Cycle 2-Like 2 (PITSLRE, p58/GTA, Galactosyltransferase Associated Protein Kinase) beta 1, beta 2-1, beta 2-2 and alpha 2-4, a 40S Ribosomal Protein S7 pseudogene, part of the KIAA0447 gene, a novel alternatively spliced gene similar to many (archae)bacterial, worm and yeast hypothetical genes, and the GNB1 gene for Guanine Nucleotide Binding Protein (G protein), Beta polypeptide 1 (Transducin Beta chain 1). Contains putative CpG islands, ESTs, STSs and GSSs, complete sequence.//2.1e-105:223:99//AL031

282

F-NT2RP3001453//*Ralstonia* sp. E2 positive phenol-degradative gene regulator (poxR), phenol hydroxylase components (poxA, poxB, poxC, poxD, poxE, poxF), and ferredoxin-like protein (poxG) genes, complete cds.//0.75:349:59//AF026065

F-NT2RP3001457

F-NT2RP3001459

F-NT2RP3001472//*Homo sapiens* Sox-like transcriptional factor mRNA, complete cds.//1.3e-08:168:70//AF072836

F-NT2RP3001490

F-NT2RP3001495//*Human* oxidoreductase (HHCMA56) mRNA, complete cds.//1.0e-26:191:90//U13395

F-NT2RP3001497//*Homo sapiens* multiple membrane spanning receptor TRC8 (TRC8) mRNA, complete cds.//8.5e-171:804:98//AF064801

F-NT2RP3001527//*Human* lymphoid-specific SP100 homolog (LYSP100-A) mRNA, complete cds.//8.9e-140:743:91//U36499

F-NT2RP3001529//*Streptomyces griseus* DNA for ribosomal protein L21, ribosomal protein L27, Obg, complete cds.//2.1e-14:517:59//D87916

F-NT2RP3001538//*Capra hircus hircus* clone 12 RAPD PCR sequence, genomic survey sequence.//4.7e-05:217:63//AF078176

F-NT2RP3001554//*Rattus norvegicus* microtubule-associated protein 1A MAP1A (Mtap-1) mRNA, complete cds.//4.3e-17:332:67//M83196

F-NT2RP3001580//RPCI11-91E19.TV RPCI11 *Homo sapiens* genomic clone R-91E19, genomic survey sequence.//4.2e-15:110:91//AQ281332

F-NT2RP3001587//*S.pombe* chromosome II cosmid c16H5.//6.6e-28:491:64//AL022104

F-NT2RP3001589//RPCI11-68M15.TK RPCI11 *Homo sapiens* genomic clone R-68M15, genomic survey sequence.//8.7e-108:517:98//AQ237629

F-NT2RP3001607//*Homo sapiens* Xp22 BAC GSHB-600G8 (Genome Systems Human B

AC library) complete sequence.//1.0e-09:257:65//AC004674

F-NT2RP3001608//Methylococcus capsulatus methane monooxygenase component A alpha chain, methane monooxygenase A beta chain and methane monooxygenase component C genes, complete cds.//0.59:450:57//M90050

F-NT2RP3001621//Human DNA sequence from clone 24o18 on chromosome 6p21.3 1-22.2 Contains zinc finger protein pseudogene, VNO-type olfactory receptor pseudogene, nuclear envelope pore membrane protein, EST, STS, GSS, complete sequence.//1.8e-42:278:79//AL021808

F-NT2RP3001629

F-NT2RP3001634//Homo sapiens mRNA for Ariadne-2 protein.//1.5e-63:276:97//AJ130978

F-NT2RP3001642//Caenorhabditis elegans cosmid F45E6, complete sequence.//0.018:127:66//Z68117

F-NT2RP3001646

F-NT2RP3001671//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//3.4e-171:816:98//AJ012449

F-NT2RP3001672//Drosophila melanogaster transcriptional repressor protein (Scm) mRNA, complete cds.//1.6e-38:542:66//U49793

F-NT2RP3001676//HS_3090_B1_B04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3090 Col=7 Row=D, genomic survey sequence.//3.1e-07:333:64//AQ123250

F-NT2RP3001678//Drosophila melanogaster; Chromosome 3L; Region 63C5-63D3; P1 clone DS01859, WORKING DRAFT SEQUENCE, 6 unordered pieces.//1.0:539:57//AC004358

F-NT2RP3001679//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//2.8e-130:355:96//AB020860

F-NT2RP3001688//Rattus norvegicus glucocorticoid modulatory element binding protein 2 mRNA, complete cds.//2.1e-37:512:70//AF059273

F-NT2RP3001690//CIT-HSP-2300P9.TR CIT-HSP Homo sapiens genomic clone 230
OP9, genomic survey sequence.//2.8e-19:123:95//AQ012480

F-NT2RP3001698//Rat mRNA for RhoGAP, complete cds.//9.4e-11:167:74//D319
62

F-NT2RP3001708//H.sapiens CpG island DNA genomic MseI fragment, clone 4g
7, reverse read cpg4g7.rt1d.//1.3e-17:113:97//Z61312

F-NT2RP3001712//M.musculus mRNA for HP1-BP74 protein.//2.2e-95:601:88//X
99642

F-NT2RP3001716

F-NT2RP3001724//Homo sapiens chromodomain-helicase-DNA-binding protein m
RNA, complete cds.//1.4e-159:565:97//AF054177

F-NT2RP3001727//Rattus norvegicus implantation-associated protein (IAG2)
mRNA, partial cds.//1.7e-132:786:88//AF008554

F-NT2RP3001730//Human mRNA for KIAA0128 gene, partial cds.//3.9e-104:811
:78//D50918

F-NT2RP3001739//Homo sapiens Chromosome 22q11.2 PAC Clone p201m18 In DGC
R Region, complete sequence.//6.5e-07:178:69//AC000097

F-NT2RP3001752//Human DNA sequence from clone 105D16 on chromosome Xp11.
3-11.4 Contains pseudogene similar to laminin-binding protein, CA repeat
, STS, complete sequence.//5.2e-31:311:77//AL031311

F-NT2RP3001753//Sequence 29 from patent US 5658882.//0.11:513:58//I62381

F-NT2RP3001764//Sequence 6 from Patent W09706245.//6.4e-47:673:66//A5988
8

F-NT2RP3001777//Caenorhabditis elegans cosmid T10E10.//0.078:290:63//U39
644

F-NT2RP3001782//Homo sapiens mRNA for KIAA0459 protein, partial cds.//2.
8e-151:710:98//AB007928

F-NT2RP3001792//Mus musculus myelin gene expression factor (MEF-2) mRNA,
partial cds.//1.2e-26:213:85//U13262

F-NT2RP3001799//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 469D22, WORKING DRAFT SEQUENCE.//8.4e-51:168:95//AL031284

F-NT2RP3001819//S.glaucescens genes strU, strX, strV and strW for 5'-hydroxystreptomycin production and transport polypeptides.//0.084:526:58//X89010

F-NT2RP3001844//HS_3110_B1_E10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3110 Col=19 Row=J, genomic survey sequence.//1.5e-40:232:82//AQ140433

F-NT2RP3001854//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.14:452:58//AC005505

F-NT2RP3001855//Mus musculus homeobox protein PKNOX1 (Pknox1) mRNA, complete cds.//2.7e-39:575:67//AF061270

F-NT2RP3001857//M.musculus tex292 mRNA (5' region).//8.7e-07:106:81//X80434

F-NT2RP3001896

F-NT2RP3001898//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 163G9, WORKING DRAFT SEQUENCE.//0.094:456:60//AL008733

F-NT2RP3001915//Caenorhabditis elegans cosmid C12D8, complete sequence.//0.58:482:56//Z73969

F-NT2RP3001926//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.42:401:58//AL034557

F-NT2RP3001929//Homo sapiens chromosome 16, cosmid clone RT102 (LANL), complete sequence.//3.1e-28:263:77//AC004651

F-NT2RP3001931

F-NT2RP3001938//CIT-HSP-2165E8.TR CIT-HSP Homo sapiens genomic clone 2165E8, genomic survey sequence.//3.6e-24:182:91//B95475

F-NT2RP3001943//Homo sapiens mRNA for KIAA0675 protein, complete cds.//1.8e-165:815:96//AB014575

F-NT2RP3001944

F-NT2RP3001969//Homo sapiens chromosome 12p13.3 clone RPC111-350L7, WORKING DRAFT SEQUENCE, 72 unordered pieces.//4.8e-62:304:89//AC005844

F-NT2RP3001989//Plasmodium falciparum strain Dd2 heat shock protein 86 (HSP86), 01 (o1), 03 (o3), 02 (o2), CG8 (cg8), CG4 (cg4), CG3 (cg3), CG9 (cg9), CG1 (cg1), CG6 (cg6), chloroquine resistance candidate protein (cg2), and CG7 (cg7) genes, complete cds.//8.2e-10:564:60//AF030694

F-NT2RP3002002//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//2.5e-57:361:80//Z83822

F-NT2RP3002004//Sequence 3 from patent US 5798245.//1.6e-26:104:100//AR025386

F-NT2RP3002007//Human Chromosome 15q11-q13 PAC clone pDJ223c9 from the Prader-Willi/Angelman Syndrome region, complete sequence.//0.0053:633:58//AC004137

F-NT2RP3002014//Drosophila melanogaster DNA sequence (Pls DS07528 (D169) and DS06665 (D220)), complete sequence.//1.3e-32:334:68//AC004640

F-NT2RP3002033//H.sapiens DNA sequence.//0.012:214:63//Z22493

F-NT2RP3002045//Rat mRNA for alpha-c large chain of the protein complex AP-2 associated with clathrin.//8.7e-116:713:86//X53773

F-NT2RP3002054//Mycobacterium tuberculosis H37Rv complete genome; segment 143/162.//1.6e-12:613:60//AL021841

F-NT2RP3002056//Human DNA sequence from PAC 358H7 on chromosome X.//0.17:566:59//Z77249

F-NT2RP3002057//Homo sapiens clone NH0084K19, WORKING DRAFT SEQUENCE, 30 unordered pieces.//3.3e-24:167:82//AC005682

F-NT2RP3002062

F-NT2RP3002063//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//0.24:508:58//AJ235272

F-NT2RP3002081//HS_2001_B1_E06_T7 CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=2001 Col=11 Row=J, genomic survey
sequence.//9.7e-22:155:90//AQ218494

F-NT2RP3002097//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Hu
man BAC Library) complete sequence.//9.6e-66:562:77//AC006210

F-NT2RP3002102//CIT-HSP-2307B10.TR CIT-HSP Homo sapiens genomic clone 23
07B10, genomic survey sequence.//5.9e-16:214:74//AQ018040

F-NT2RP3002108

F-NT2RP3002142//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-319E8, c
omplete sequence.//7.6e-29:414:68//AC004020

F-NT2RP3002146//Pseudomonas fluorescens polyketide synthase type I (pltB
) and polyketide synthase type I (pltC) genes, complete cds.//0.96:434:6
0//AF003370

F-NT2RP3002147//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 329F2, WORKING DRAFT SEQUENCE.//1.3e-63:380:91//AL031710

F-NT2RP3002151//Human chromosome 16p13.1 BAC clone CIT987SK-551G9 comple
te sequence.//9.9e-60:315:80//U95742

F-NT2RP3002163

F-NT2RP3002165//M.musculus HCNGP mRNA.//1.4e-142:867:87//X68061

F-NT2RP3002166//Homo sapiens chromosome X, clone hCIT.200_L_4, complete
sequence.//0.090:394:59//AC006121

F-NT2RP3002173//HS_3062_B1_G05_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3062 Col=9 Row=N, genomic survey s
equence.//3.3e-101:509:96//AQ193219

F-NT2RP3002181//Human DNA sequence from clone 24o18 on chromosome 6p21.3
1-22.2 Contains zinc finger protein pseudogene, VNO-type olfactory recep
tor pseudogene, nuclear envelope pore membrane protein, EST, STS, GSS, c
omplete sequence.//4.5e-106:432:84//AL021808

F-NT2RP3002244//Homo sapiens chromosome 19, cosmid R27377, complete sequ
ence.//0.63:353:60//AC005321

F-NT2RP3002248//HS_3029_A1_D10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3029 Col=19 Row=G, genomic survey sequence.//3.5e-10:125:79//AQ094880

F-NT2RP3002255//Bovine herpesvirus type 1 immediate-early transcriptional control protein (BICP4) gene, 5' end.//5.6e-09:629:59//L14321

F-NT2RP3002273//cSRL-165E12-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-165E12, genomic survey sequence.//4.9e-35:366:74//B03004

F-NT2RP3002276//B.taurus mRNA for B15 subunit of NADH: ubiquinone oxidoreductase complex.//0.023:326:60//X64898

F-NT2RP3002303//Methanobacterium thermoautotrophicum from bases 172512 to 182957 (section 16 of 148) of the complete genome.//3.8e-12:643:57//AE000810

F-NT2RP3002304//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.6e-09:490:60//AC005504

F-NT2RP3002330//Human DNA sequence from cosmid L58b6, Huntington's Disease Region, chromosome 4p16.3, containing STS matches.//1.9e-93:572:88//Z49862

F-NT2RP3002343//HS_3010_A2_B08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3010 Col=16 Row=C, genomic survey sequence.//9.0e-75:373:97//AQ119068

F-NT2RP3002351//Human mRNA for NAD-dependent methylene tetrahydrofolate dehydrogenase cyclohydrolase (EC 1.5.1.15).//4.9e-64:588:75//X16396

F-NT2RP3002352//Homo sapiens mRNA for protein encoded by cxorf5 (71-7A) gene, alternatively spliced form.//1.3e-164:770:98//Y16355

F-NT2RP3002377//Homo sapiens mRNA for KIAA0788 protein, partial cds.//1.4e-190:911:98//AB018331

F-NT2RP3002399

F-NT2RP3002402//Rattus norvegicus mRNA for dipeptidyl peptidase III, complete cds.//7.2e-25:249:79//D89340

F-NT2RP3002455//Homo sapiens mRNA for KIAA0678 protein, partial cds.//1.2e-138:649:99//AB014578

F-NT2RP3002484//CIT-HSP-367N3.TP.1 CIT-HSP Homo sapiens genomic clone 367N3, genomic survey sequence.//5.0e-18:115:96//B78927

F-NT2RP3002501//Caenorhabditis elegans cosmid K01C8, complete sequence.//0.00020:170:65//Z49068

F-NT2RP3002512//Homo sapiens clone 664 unknown mRNA, partial sequence.//1.6e-59:308:97//AF091088

F-NT2RP3002529//Human vacuolar protein sorting homolog h-vps45 mRNA, complete cds.//1.4e-144:763:93//U35246

F-NT2RP3002545//Homo sapiens mRNA for KIAA0729 protein, partial cds.//1.8e-178:833:98//AB018272

F-NT2RP3002549//Homo sapiens clone DJ0098022, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.7e-26:123:72//AC004821

F-NT2RP3002566//Streptomyces viridifaciens sigma factor (hrdD) gene, complete cds.//0.76:459:59//U60418

F-NT2RP3002587//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//4.6e-13:199:76//AC004617

F-NT2RP3002590//Porphyra purpurea chloroplast, complete genome.//0.88:284:60//U38804

F-NT2RP3002602//CIT978SK-A-441H11-2.TPB CIT978SK Homo sapiens genomic clone A-441H11, genomic survey sequence.//2.0e-22:140:95//B68331

F-NT2RP3002603

F-NT2RP3002628//C.acetobutylicum dnaJ and orfB genes.//2.0e-05:333:60//X69050

F-NT2RP3002631

F-NT2RP3002650//Mus musculus mRNA for cartilage-associated protein (CASP

).//1.5e-20:641:62//AJ006469
 F-NT2RP3002659//Bovine herpesvirus type 1 UL22-35 genes.//5.2e-05:621:59
 //Z78205
 F-NT2RP3002660//Homo sapiens PAC clone DJ1006K12 from 7q31.2-q31, complete
 te sequence.//0.98:453:57//AC004946
 F-NT2RP3002663//Homo sapiens chromosome 19, cosmid F6697, complete seque
 nce.//3.3e-22:407:67//AC006129
 F-NT2RP3002671//S.pombe chromosome III cosmid c553.//1.0e-12:336:66//AL0
 23704
 F-NT2RP3002682//Caenorhabditis elegans cosmid F17C11, complete sequence.
 //1.3e-21:448:64//Z72507
 F-NT2RP3002687//CIT978SK-A-789B1.TP CIT978SK Homo sapiens genomic clone
 A-789B1, genomic survey sequence.//2.5e-25:173:91//B51656
 F-NT2RP3002688//Mouse mRNA for kinesin-like protein (Kif1b), complete cd
 s.//1.2e-73:728:74//D17577
 F-NT2RP3002701//CITBI-E1-2507L14.TF CITBI-E1 Homo sapiens genomic clone
 2507L14, genomic survey sequence.//0.0012:55:92//AQ263530
 F-NT2RP3002713
 F-NT2RP3002763//Caenorhabditis elegans cosmid T20F10, complete sequence.
 //0.98:209:63//Z81594
 F-NT2RP3002770
 F-NT2RP3002785//Homo sapiens laminin beta-4 chain precursor (LAMB4) mRNA
 , alternatively spliced short variant, partial cds.//0.78:515:57//AF0293
 25
 F-NT2RP3002799//Human DNA sequence from clone 1052M9 on chromosome Xq25.
 Contains the SH2D1A gene for SH2 domain protein 1A, Duncan's disease (l
 ymphoproliferative syndrome) (DSHP), part of a 60S Acidic Ribosomal prot
 ein 1 (RPLP1) LIKE gene and part of a mouse DOC4 LIKE gene. Contains EST
 s and GSSs, complete sequence.//1.9e-21:167:79//AL022718

F-NT2RP3002810//Homo sapiens chromosome 17, clone hRPK.215_E_13, complete sequence.//0.32:187:66//AC005549

F-NT2RP3002818//Homo sapiens jerky gene product homolog mRNA, complete cds.//6.9e-54:615:70//AF004715

F-NT2RP3002861//Caenorhabditis elegans cosmid M03F4.//4.2e-05:226:65//U64601

F-NT2RP3002869//Mus musculus semaphorin VIa mRNA, complete cds.//2.0e-93:638:83//AF030430

F-NT2RP3002876//Homo sapiens mRNA for B120, complete cds.//8.5e-89:557:88//AB001895

F-NT2RP3002877//Homo sapiens chromosome 12p13.3 clone RPCI11-433J6, WORKING DRAFT SEQUENCE, 100 unordered pieces.//7.9e-12:160:78//AC006087

F-NT2RP3002909//Homo sapiens mRNA for KIAA0771 protein, partial cds.//5.7e-180:853:98//AB018314

F-NT2RP3002911//RPCI11-24N15.TPC RPCI-11 Homo sapiens genomic clone RPCI-11-24N15, genomic survey sequence.//2.3e-13:442:61//B88815

F-NT2RP3002948//, complete sequence.//2.2e-110:637:91//AC005500

F-NT2RP3002953//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//1.7e-166:793:98//AC005754

F-NT2RP3002955//Human HepG2 partial cDNA, clone hmd3c02m5.//0.00011:61:95//D17024

F-NT2RP3002969//Rat mRNA for brain acyl-CoA synthetase II, complete cds.//1.2e-128:808:85//D30666

F-NT2RP3002972//H.sapiens (xs168) mRNA, 381bp.//1.5e-43:312:85//Z36820

F-NT2RP3002978//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.00044:527:57//AC005505

F-NT2RP3002985//Genomic sequence from Human 9q34, complete sequence.//0.92:341:60//AC001644

F-NT2RP3002988//HS_3015_A1_B07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3015 Col=13 Row=C, genomic survey sequence.//4.4e-05:379:58//AQ091708

F-NT2RP3003008//Mus musculus major histocompatibility locus class III regions Hsc70t gene, partial cds; smRNP, G7A, NG23, Muts homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes.//1.4e-72:197:79//AF109905

F-NT2RP3003032//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-80, complete sequence.//1.6e-08:809:58//AL010153

F-NT2RP3003059//Rattus norvegicus potassium channel regulator 1 mRNA, complete cds.//4.1e-111:804:81//U78090

F-NT2RP3003061//Human mRNA for ankyrin (variant 2.1).//1.4e-12:633:59//X16609

F-NT2RP3003068//Human BAC clone RG264L19 from 7p15-p21, complete sequence.//0.034:282:60//AC002410

F-NT2RP3003071//H.sapiens CpG island DNA genomic MseI fragment, clone 13 d12, reverse read cpg13d12.rtlc.//6.8e-15:95:100//Z64565

F-NT2RP3003078

F-NT2RP3003101//Mouse mRNA for tetracycline transporter-like protein, complete cds.//8.1e-72:732:71//D88315

F-NT2RP3003121

F-NT2RP3003133//Homo sapiens chromosome 19, cosmid R30385, complete sequence.//3.5e-12:168:76//AC004510

F-NT2RP3003138//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//4.0e-148:908:87//D12646

F-NT2RP3003139//Rattus norvegicus kappa opioid receptor gene, exon 4 and complete cds.//2.0e-31:658:63//U17995

F-NT2RP3003145//Mus musculus carboxypeptidase X2 mRNA, complete cds.//3.5e-22:430:63//AF017639

F-NT2RP3003150

F-NT2RP3003157//HS_3055_B1_G05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3055 Col=9 Row=N, genomic survey sequence.//1.9e-92:493:94//AQ155489

F-NT2RP3003185//Rattus norvegicus brain-enriched guanylate kinase-associated protein 1 mRNA, complete cds.//8.6e-06:228:65//AF064868

F-NT2RP3003193//H.sapiens HZF10 mRNA for zinc finger protein.//7.4e-73:737:71//X78933

F-NT2RP3003197

F-NT2RP3003203//Rattus norvegicus golgi peripheral membrane protein p65 (GRASP65) mRNA, complete cds.//4.1e-48:640:67//AF015264

F-NT2RP3003204//Human Mermaid LINE-1 element mRNA sequence.//0.0033:69:81//U31059

F-NT2RP3003210//Homo sapiens SYBL1 gene.//1.1e-34:430:70//AJ004799

F-NT2RP3003212//Rattus norvegicus lamina associated polypeptide 1C (LAP1C) mRNA, complete cds.//6.3e-75:776:74//U20286

F-NT2RP3003230//Rattus norvegicus mRNA for coronin-like protein.//1.8e-62:575:74//AJ006064

F-NT2RP3003242//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds.//3.7e-128:617:98//AF055460

F-NT2RP3003251//H.sapiens Staf50 mRNA.//3.5e-67:651:76//X82200

F-NT2RP3003264//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.015:473:58//AC004153

F-NT2RP3003278//H.sapiens CpG island DNA genomic MseI fragment, clone 28b4, forward read cpg28b4.ft1a.//4.0e-27:174:93//Z60555

F-NT2RP3003282//Homo sapiens dynamin (DNM) mRNA, complete cds.//1.3e-131:694:93//L36983

F-NT2RP3003290//Homo sapiens nickel-specific induction protein (Cap43) m

RNA, complete cds.//1.7e-64:662:71//AF004162

F-NT2RP3003301//*Spinacia oleracea* mRNA for ATP-dependent protease Lon, complete cds.//4.9e-37:682:64//D85610

F-NT2RP3003302//*Homo sapiens*, clone hRPK.15_A_1, complete sequence.//4.6e-95:680:82//AC006213

F-NT2RP3003311//*Homo sapiens* chromosome 21, Neurofibromatosis 1 (NF1) related locus, complete sequence.//1.0:191:62//AC004527

F-NT2RP3003313//*Streptomyces coelicolor* cosmid 5A7.//0.0084:403:61//AL031107

F-NT2RP3003327//*H.sapiens* Staf50 mRNA.//2.5e-29:253:67//X82200

F-NT2RP3003330

F-NT2RP3003344

F-NT2RP3003346//*Homo sapiens* chromosome 17, clone hRPK.795_F_17, complete sequence.//9.0e-41:296:84//AC005284

F-NT2RP3003353//Human DNA sequence from PAC 970D1 on chromosome 1q24. Contains ESTs, STSs and a BAC end-sequence (GSS).//0.047:404:60//AL021069

F-NT2RP3003377//*Homo sapiens* clone DJ0919J22, WORKING DRAFT SEQUENCE, 34 unordered pieces.//8.3e-122:632:96//AC005519

F-NT2RP3003384//*Homo sapiens* Chromosome 2 BAC Clone 376a1, WORKING DRAFT SEQUENCE, 17 unordered pieces.//0.0036:127:74//AC000360

F-NT2RP3003385//*Mus musculus* SKD3 mRNA, complete cds.//2.0e-110:843:79//U09874

F-NT2RP3003403//Human Chromosome X, complete sequence.//7.5e-21:647:61//AC002407

F-NT2RP3003409//Human DHHC-domain-containing cysteine-rich protein mRNA, complete cds.//1.0e-20:430:63//U90653

F-NT2RP3003411//*Mus musculus* COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//4.2e-139:524:90//AF071317

F-NT2RP3003427//HS-1051-A1-D03-MF.abi CIT Human Genomic Sperm Library C

Homo sapiens genomic clone Plate=CT 773 Col=5 Row=G, genomic survey sequence.//8.8e-18:111:97//B40173

F-NT2RP3003433//HS_2219_B2_A11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2219 Col=22 Row=B, genomic survey sequence.//1.2e-57:410:83//AQ145866

F-NT2RP3003464//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//5.2e-181:853:98//AF004828

F-NT2RP3003490//Homo sapiens mRNA for KIAA0725 protein, partial cds.//1.6e-173:826:98//AB018268

F-NT2RP3003491//CIT-HSP-234401.TR CIT-HSP Homo sapiens genomic clone 234401, genomic survey sequence.//1.2e-39:213:97//AQ057124

F-NT2RP3003500//HS_3000_B1_C07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3000 Col=13 Row=F, genomic survey sequence.//0.025:253:60//AQ090347

F-NT2RP3003543//Homo sapiens chromosome 16, cosmid clone 399H11 (LANL), complete sequence.//0.95:279:60//AC004234

F-NT2RP3003552//Homo sapiens clone UWGC:y54c222 from 6p21, complete sequence.//1.8e-88:166:84//AC006049

F-NT2RP3003555//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//8.9e-17:245:72//AL031985

F-NT2RP3003564//HS_3141_B1_G10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3141 Col=19 Row=N, genomic survey sequence.//2.7e-79:442:93//AQ187798

F-NT2RP3003572

F-NT2RP3003576//Homo sapiens clone RG031N19, WORKING DRAFT SEQUENCE, 1 unordered pieces.//5.8e-55:275:84//AC005632

F-NT2RP3003589//Canine rab10 mRNA for ras-related GTP-binding protein.//1.1e-94:488:95//X56387

F-NT2RP3003621//Homo sapiens chromosome 16, cosmid clone 432A1 (LANL), c

complete sequence.//6.0e-88:463:84//AC004235

F-NT2RP3003625//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 390E6, WORKING DRAFT SEQUENCE.//0.98:307:60//AL031600

F-NT2RP3003656

F-NT2RP3003659//F.rubripes GSS sequence, clone 013G07cE7, genomic survey sequence.//1.7e-25:284:74//AL011271

F-NT2RP3003665//Homo sapiens chromosome 9q34, clone 63G10, complete sequence.//0.011:279:65//AC002096

F-NT2RP3003672

F-NT2RP3003680//Drosophila melanogaster; Chromosome 2R; Region 39B1-39B3; P1 clone DS05527, WORKING DRAFT SEQUENCE, 9 unordered pieces.//3.4e-16:425:64//AC005811

F-NT2RP3003686//HS_3064_B2_A04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=8 Row=B, genomic survey sequence.//3.1e-27:153:98//AQ136993

F-NT2RP3003701

F-NT2RP3003716//Rattus norvegicus Shal-related potassium channel Kv4.3 mRNA, complete cds.//4.6e-107:788:82//U42975

F-NT2RP3003726//Homo sapiens mRNA for KIAA0757 protein, complete cds.//2.3e-148:700:98//AB018300

F-NT2RP3003746//CIT-HSP-2306A10.TF CIT-HSP Homo sapiens genomic clone 2306A10, genomic survey sequence.//0.39:212:61//AQ015785

F-NT2RP3003795//Human DNA sequence from clone 333H23 on chromosome 22q12.1-12.3. Contains the (possibly alternatively spliced) RPL3 gene for 60S Ribosomal Protein L3 and the threefold alternatively spliced gene for Synaptogyrin 1A, 1B and 1C (SYNGR1A, SYBGR1B, SYNGR1C), both genes downstream of a putative CpG island. Contains ESTs, an STS, GSSs, genomic marker D22S1155 and a ca repeat polymorphism, complete sequence.//4.2e-21:445:66//AL022326

F-NT2RP3003799//Homo sapiens DNA from chromosome 19-cosmids R31158, R31874, and R28125, genomic sequence, complete sequence.//1.0:257:63//AF038458

F-NT2RP3003800//Mouse neuronal proto-oncogene c-src mRNA encoding tyrosine-specific protein kinase, complete cds.//1.2e-63:484:81//M17031

F-NT2RP3003805//Homo sapiens chromosome 19, cosmid R27377, complete sequence.//0.96:353:60//AC005321

F-NT2RP3003809//Bovine herpesvirus 1 complete genome.//7.2e-12:615:60//AJ004801

F-NT2RP3003819

F-NT2RP3003825

F-NT2RP3003828//Human rRNA primary transcript internal transcribed spacer 2 (ITS2).//6.2e-16:543:62//X17626

F-NT2RP3003831//RPCI11-50N15.TJ RPCI11 Homo sapiens genomic clone R-50N15, genomic survey sequence.//1.1e-21:174:85//AQ082633

F-NT2RP3003833//Homo sapiens clones 24718 and 24825 mRNA sequence.//8.0e-47:242:98//AF070611

F-NT2RP3003842//RPCI11-44E5.TJ RPCI11 Homo sapiens genomic clone R-44E5, genomic survey sequence.//9.7e-25:143:97//AQ195884

F-NT2RP3003846//Homo sapiens mRNA for KIAA0725 protein, partial cds.//4.2e-36:335:68//AB018268

F-NT2RP3003870//Homo sapiens mRNA for KIAA0800 protein, complete cds.//4.1e-174:805:99//AB018343

F-NT2RP3003876//Rattus norvegicus Rabin3 mRNA, complete cds.//2.7e-109:709:84//U19181

F-NT2RP3003914//Drosophila melanogaster UDP-glucose:glycoprotein glucosyltransferase mRNA, complete cds.//8.9e-11:193:70//U20554

F-NT2RP3003918//Homo sapiens VAMP-associated protein of 33 kDa (VAP-33) mRNA, complete cds.//2.6e-47:404:77//AF057358

F-NT2RP3003932//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.68:597:55//AC005504

F-NT2RP3003989//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 404H4, WORKING DRAFT SEQUENCE.//0.37:548:56//AL031661

F-NT2RP3003992//Human cGMP-gated cation channel beta subunit (CNCG2) mRNA, complete cds.//0.021:433:58//U58837

F-NT2RP3004013//M.musculus Spnr mRNA for RNA binding protein.//1.4e-164:838:94//X84692

F-NT2RP3004016//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018K9, WORKING DRAFT SEQUENCE.//0.00042:356:62//AL031726

F-NT2RP3004041//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 809F4, WORKING DRAFT SEQUENCE.//6.8e-112:627:82//AL022400

F-NT2RP3004051//Human mRNA for KIAA0319 gene, complete cds.//2.2e-61:774:67//AB002317

F-NT2RP3004070//Homo sapiens DNA sequence from PAC 352A20 on chromosome 6q24.1-25.1. Contains a pseudogene similar to yeast, bacterial, worm and slime mold hypothetical genes, and a gene coding for an aldehyde dehydrogenase family protein. Contains ESTs, STSs and GSSs, complete sequence.//7.9e-17:484:62//AL021939

F-NT2RP3004078//M.musculus (BALB/c) MRFX2 mRNA.//1.9e-102:684:83//X76089

F-NT2RP3004093//F24P17-Sp6 IGF Arabidopsis thaliana genomic clone F24P17, genomic survey sequence.//0.021:207:63//B09433

F-NT2RP3004095//Homo sapiens clone NH0486I22, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.5e-25:272:77//AC005038

F-NT2RP3004110//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//8.6e-28:223:73//AC003973

F-NT2RP3004125//Homo sapiens TTF-I interacting peptide 20 mRNA, partial cds.//2.2e-28:637:63//AF000560

F-NT2RP3004145

F-NT2RP3004148

F-NT2RP3004155//Homo sapiens timing protein CLK-1 mRNA, complete cds.//6
.5e-120:578:98//AF032900

F-NT2RP3004189//M.musculus tex292 mRNA (5' region).//1.1e-06:102:82//X804
34

F-NT2RP3004206//D.melanogaster crn mRNA.//7.3e-69:715:71//X58374

F-NT2RP3004207//Mouse mRNA for seizure-related gene product 6 type 2 pre
cursor, complete cds.//4.8e-42:650:66//D64009

F-NT2RP3004209//Human cosmid Q7A10 (D21S246) insert DNA, complete sequen
ce.//8.4e-55:184:84//D42052

F-NT2RP3004215//Homo sapiens chromosome 5, Pac clone 9c13 (LBNL H127), c
omplete sequence.//0.22:458:60//AC006084

F-NT2RP3004242//Caenorhabditis elegans cosmid ZK632, complete sequence./
/1.6e-29:409:69//Z22181

F-NT2RP3004246//Homo sapiens chromosome 10 clone CIT987SK-1010K1 map 10q
25, complete sequence.//3.6e-117:242:100//AC005385

F-NT2RP3004253//H.sapiens 28S rRNA V8 region (LAN5-6).//2.6e-12:589:59//
X69353

F-NT2RP3004258//Rattus norvegicus Zis mRNA, complete cds.//1.2e-88:489:9
1//AF013967

F-NT2RP3004262//Homo sapiens heat shock protein hsp40-3 mRNA, complete c
ds.//3.1e-153:733:98//AF088982

F-NT2RP3004282//Homo sapiens torsinA (DYT1) mRNA, complete cds.//1.3e-24
:597:61//AF007871

F-NT2RP3004332

F-NT2RP3004334//L.esculentum gene for fruit ripening polygalacturonase./
/0.23:501:57//X80908

F-NT2RP3004341//Human DNA sequence from clone 503G16 on chromosome 6p23

Contains EST, CpG island, complete sequence.//0.0014:198:66//Z93020
 F-NT2RP3004348//R.norvegicus mRNA for cytosolic resiniferatoxin-binding
 protein.//1.4e-103:600:82//X67877
 F-NT2RP3004349//Homo sapiens Xp22 BAC GS-321G17 (Genome Systems Human BA
 C library) complete sequence.//5.1e-49:480:75//AC004025
 F-NT2RP3004378//Drosophila melanogaster; Chromosome 2R; Region 47F1-47F7
 ; P1 clone DS02304, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.8e-23
 :352:67//AC005653
 F-NT2RP3004399//H.sapiens mRNA for leucine-rich primary response protein
 1.//7.2e-140:804:90//X97249
 F-NT2RP3004424//Mus musculus mRNA for nuclear protein SA3.//6.8e-53:413:
 81//AJ005678
 F-NT2RP3004428//Salmo salar DNA for a cryptic repeat.//3.2e-07:270:63//A
 J012206
 F-NT2RP3004451//RPCI11-51J15.TK RPCI11 Homo sapiens genomic clone R-51J1
 5, genomic survey sequence.//8.8e-19:180:82//AQ052326
 F-NT2RP3004454//Homo sapiens mRNA for KIAA0448 protein, complete cds.//6
 .2e-123:583:99//AB007917
 F-NT2RP3004466//HS_3038_B2_F08_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3038 Col=16 Row=L, genomic survey
 sequence.//0.41:172:59//AQ102458
 F-NT2RP3004470//H.sapiens CpG island DNA genomic MseI fragment, clone 81
 a11, reverse read cpg81a11.rt1a.//7.0e-25:148:96//Z56029
 F-NT2RP3004472//RPCI11-42M5.TJ RPCI11 Homo sapiens genomic clone R-42M5,
 genomic survey sequence.//1.6e-20:143:92//AQ052792
 F-NT2RP3004475//Homo sapiens mRNA for KIAA0456 protein, partial cds.//3.
 0e-150:715:98//AB007925
 F-NT2RP3004480//Mus musculus maternal-embryonic 3 (Mem3) mRNA, complete
 cds.//1.0e-119:679:90//U47024

F-NT2RP3004490//Homo sapiens mRNA for Musashi, complete cds.//7.1e-155:752:97//AB012851

F-NT2RP3004498//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25 unordered pieces.//4.0e-67:265:84//AC006023

F-NT2RP3004503//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//1.2e-55:415:78//AC004673

F-NT2RP3004504//M.musculus mRNA for CPEB protein.//2.0e-110:618:91//Y08260

F-NT2RP3004507//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//9.3e-46:433:76//AC005328

F-NT2RP3004527//Homo sapiens mRNA; transcriptional unit N144, 5' end.//1.1e-100:508:97//AJ002574

F-NT2RP3004534//Mouse oncogene (ect2) mRNA, complete cds.//2.0e-93:442:84//L11316

F-NT2RP3004539//Homo sapiens mRNA for KIAA0632 protein, partial cds.//8.5e-145:679:98//AB014532

F-NT2RP3004544//Homo sapiens mRNA for KIAA0554 protein, partial cds.//2.8e-169:793:98//AB011126

F-NT2RP3004566//Mus musculus kruppel-related zinc finger protein (Emzf1) mRNA, complete cds.//6.9e-18:433:64//AF031955

F-NT2RP3004569//CITBI-E1-2522H6.TF CITBI-E1 Homo sapiens genomic clone 2522H6, genomic survey sequence.//5.3e-15:138:84//AQ280780

F-NT2RP3004572//Homo sapiens cofactor of initiator function (CIF150) mRNA, complete cds.//1.0e-179:860:97//AF026445

F-NT2RP3004578//Homo sapiens mRNA for KIAA0477 protein, complete cds.//4.2e-150:711:98//AB007946

F-NT2RP3004594//Homo sapiens mRNA for AND-1 protein.//1.1e-158:796:95//AJ006266

F-NT2RP3004617//Homo sapiens clone DJ1152C17, WORKING DRAFT SEQUENCE, 1

unordered pieces.//9.3e-14:360:65//AC004977

F-NT2RP3004618//Oryctolagus cuniculus translation initiation factor eIF2 C mRNA, complete cds.//2.9e-52:539:73//AF005355

F-NT2RP3004669//Brn-3a=class V POU transcription factor [mice, CD/CD, embryonic fibroblast cells, Genomic, 2160 nt].//0.046:437:57//S69350

F-NT2RP3004670//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 356B8, WORKING DRAFT SEQUENCE.//1.9e-05:625:59//Z98882

F-NT2RP4000008//Homo sapiens chromosome X, clone hCIT.200_L_4, complete sequence.//1.5e-155:844:92//AC006121

F-NT2RP4000023//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K24G6, complete sequence.//0.012:417:59//AB012242

F-NT2RP4000035//Homo sapiens BAC clone NH0353P23 from 2, complete sequence.//8.0e-18:242:74//AC005035

F-NT2RP4000049//Homo sapiens decoy receptor 2 mRNA, complete cds.//2.1e-81:556:85//AF029761

F-NT2RP4000051//Mus musculus mRNA for cartilage-associated protein (CASP).//1.6e-19:654:63//AJ006469

F-NT2RP4000078//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//2.5e-149:720:97//AJ012449

F-NT2RP4000102//Plasmodium falciparum MAL3P2, complete sequence.//0.28:336:57//AL034558

F-NT2RP4000109//Homo sapiens mRNA for MEGF5, partial cds.//4.4e-166:774:99//AB011538

F-NT2RP4000111//B.taurus mRNA for cleavage and polyadenylation specificity factor.//2.6e-137:678:91//X75931

F-NT2RP4000129//Homo sapiens mRNA for KIAA0483 protein, partial cds.//3.3e-114:548:98//AB007952

F-NT2RP4000147//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//1.2e-104:677:85//U35776

F-NT2RP4000150//Rat proto-oncogene (Ets-1) mRNA, complete cds.//7.2e-54:
327:74//L20681

F-NT2RP4000151//Homo sapiens clone 664 unknown mRNA, partial sequence.//
2.2e-62:360:92//AF091088

F-NT2RP4000159//RPCI11-75N16.TJ RPCI11 Homo sapiens genomic clone R-75N1
6, genomic survey sequence.//2.6e-19:119:98//AQ267551

F-NT2RP4000167//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Hu
man BAC Library) complete sequence.//3.3e-49:683:67//AC006210

F-NT2RP4000185//Homo sapiens clone DT1P1E11 mRNA, CAG repeat region.//1.
1e-99:543:93//U92989

F-NT2RP4000210//Homo sapiens mRNA for KIAA0700 protein, partial cds.//4.
9e-174:825:98//AB014600

F-NT2RP4000212//, complete sequence.//4.0e-131:233:94//AC005300

F-NT2RP4000214//Homo sapiens chromosome 19, CIT-HSP-444n24, complete seq
uence.//1.8e-161:751:99//AC005261

F-NT2RP4000218//RPCI11-69B7.TJ RPCI11 Homo sapiens genomic clone R-69B7,
genomic survey sequence.//1.7e-84:413:98//AQ268504

F-NT2RP4000243//Homo sapiens mRNA for cartilage-associated protein (CASP
).//2.6e-156:771:97//AJ006470

F-NT2RP4000246//Mus musculus neural variant mena+++ protein (Mena) mRNA,
complete cds.//2.1e-120:707:87//U72523

F-NT2RP4000259//Homo sapiens clone 683 unknown mRNA, complete sequence./
/2.8e-128:604:99//AF091092

F-NT2RP4000263//CIT-HSP-2336N24.TF CIT-HSP Homo sapiens genomic clone 23
36N24, genomic survey sequence.//0.27:124:69//AQ043515

F-NT2RP4000290//S.cerevisiae chromosome XIV reading frame ORF YNL132w.//
8.6e-32:619:63//Z71408

F-NT2RP4000312//Human mRNA for KIAA0147 gene, partial cds.//4.7e-41:685:
63//D63481

F-NT2RP4000321//Mus musculus transcription factor HOXA13 (Hoxa13) gene, complete cds.//6.9e-05:756:59//U59322

F-NT2RP4000323

F-NT2RP4000355

F-NT2RP4000360//Homo sapiens mRNA for KIAA0738 protein, complete cds.//2.0e-140:654:99//AB018281

F-NT2RP4000367//Homo sapiens IkappaB kinase complex associated protein (IKAP) mRNA, complete cds.//2.6e-135:649:97//AF044195

F-NT2RP4000370//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//2.0e-23:524:62//AJ235272

F-NT2RP4000376//Sequence 1 from patent US 5580968.//1.6e-115:716:87//I30536

F-NT2RP4000381//Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain:BALB/c.//4.3e-05:450:58//D63850

F-NT2RP4000398//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//9.2e-37:336:69//AC006116

F-NT2RP4000415//Caenorhabditis elegans cosmid C42D8.//0.30:222:60//U56966

F-NT2RP4000417//Drosophila melanogaster cosmid clone 86E4.//1.8e-48:580:69//AL021086

F-NT2RP4000424//Homo sapiens chromosome 17, clone HRPC41C23, complete sequence.//1.6e-42:265:81//AC003101

F-NT2RP4000448//CIT-HSP-2370F8.TF CIT-HSP Homo sapiens genomic clone 2370F8, genomic survey sequence.//2.0e-56:287:98//AQ110194

F-NT2RP4000449//CIT-HSP-2366N18.TR CIT-HSP Homo sapiens genomic clone 2366N18, genomic survey sequence.//2.4e-42:236:95//AQ076183

F-NT2RP4000455//Homo sapiens PAC clone 166H1 from 12q, complete sequence.//0.17:158:67//AC003982

F-NT2RP4000457//H.sapiens mRNA for herpesvirus associated ubiquitin-spec

ific protease (HAUSP).//0.00034:532:57//Z72499
F-NT2RP4000480//Rhodothermus marinus R-21 DNA ligase gene, complete cds.
//0.0094:616:58//U10483
F-NT2RP4000481
F-NT2RP4000498//S.cerevisiae chromosome IX cosmid 9150.//5.7e-24:633:60/
/Z38125
F-NT2RP4000500//G.gallus mRNA for LRP/alpha-2-macroglobulin receptor.//2
.4e-62:667:73//X74904
F-NT2RP4000515
F-NT2RP4000517//Homo sapiens chromosome 18, clone hRPK.474_N_24, complet
e sequence.//1.6e-179:851:98//AC006238
F-NT2RP4000518//Homo sapiens mRNA for ATP-dependent RNA helicase, partia
l.//6.7e-33:203:93//AJ010840
F-NT2RP4000519//Mus musculus tyrosine kinase growth factor receptor (Etk
2/tyro3) gene, alternative 5' coding exon 2C.//0.26:162:61//U23720
F-NT2RP4000524//Rattus norvegicus rsec8 mRNA, partial cds.//1.2e-139:809
:89//U32498
F-NT2RP4000528//Caenorhabditis elegans cosmid F59E12.//1.0e-06:404:59//A
F003386
F-NT2RP4000541//Drosophila melanogaster DNA sequence (P1 DS02109 (D53)),
complete sequence.//1.3e-05:498:58//AC002443
F-NT2RP4000556//Sequence 1 from Patent EP 0285405.//1.2e-18:586:61//I054
65
F-NT2RP4000560//Murine genomic DNA; partially digested Sau3A fragment, c
loned into cosmid vector pEMBLcos2, complete sequence.//2.5e-53:183:82//
AF059580
F-NT2RP4000588//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 414D7, WORKING DRAFT SEQUENCE.//0.00062:253:65//AL033543
F-NT2RP4000614//Homo sapiens TLS-associated protein TASR-2 mRNA, complet

e cds.//3.2e-138:666:98//AF067730

F-NT2RP4000638//HS_3042_B2_D05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3042 Col=10 Row=H, genomic survey sequence.//3.0e-06:78:89//AQ099333

F-NT2RP4000648//Homo sapiens KNSL4 and MAZ genes for kinesin-like DNA binding protein and Myc-associated zinc finger protein, complete cds.//1.9e-11:104:85//AB017335

F-NT2RP4000657//Mus musculus bone morphogenetic factor 11 (Bmp11) gene, exon 1.//0.34:350:62//AF100904

F-NT2RP4000704//Homo sapiens mRNA expressed in 19week fetal lung, clone IMAGE:300856.//3.3e-167:785:99//AB004852

F-NT2RP4000713//Gallus gallus atonal homolog 1 (Cath1) gene, complete cds.//3.7e-07:261:65//U61149

F-NT2RP4000724//Human endogenous retrovirus env mRNA.//9.2e-136:474:89//X82272

F-NT2RP4000728//Homo sapiens mRNA for KIAA0606 protein, partial cds.//3.1e-41:350:71//AB011178

F-NT2RP4000737//Myxococcus xanthus ATP-dependent protease (bsgA) gene, complete cds.//1.0:504:58//L19301

F-NT2RP4000739//CIT-HSP-2010022.TR CIT-HSP Homo sapiens genomic clone 2010022, genomic survey sequence.//1.1e-24:161:93//B57903

F-NT2RP4000781//Homo sapiens clone DJ0892G19, complete sequence.//0.052:493:58//AC004917

F-NT2RP4000787//Cricetulus griseus SRD-2 mutant sterol regulatory element binding protein-2 (SREBP-2) mRNA, complete cds.//9.6e-18:259:68//U22818

F-NT2RP4000817//Homo sapiens mRNA for KIAA0470 protein, complete cds.//1.5e-174:816:98//AB007939

F-NT2RP4000833//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete

sequence.//0.97:52:92//AC005189

F-NT2RP4000837//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1112F19, WORKING DRAFT SEQUENCE.//2.1e-128:644:97//AL034420

F-NT2RP4000839//RPCI11-6D8.TP RPCI-11 Homo sapiens genomic clone RPCI-11-6D8, genomic survey sequence.//1.5e-44:281:91//B48216

F-NT2RP4000855//Rattus norvegicus mRNA for aminopeptidase-B, complete cds.//9.5e-43:722:64//D87515

F-NT2RP4000865//Human zinc finger protein ZNF136.//6.8e-95:415:78//U09367

F-NT2RP4000878//Mus musculus mRNA for myeloid associated differentiation protein.//7.0e-87:646:80//AJ001616

F-NT2RP4000879//N.tabaccum mRNA for ubiquitin activating enzyme E1.//9.0e-17:806:58//Y10804

F-NT2RP4000907//Mouse NLRR-1 mRNA for leucine-rich-repeat protein, complete cds.//6.8e-153:934:86//D45913

F-NT2RP4000915//Homo sapiens mRNA for ZNF198 protein.//9.4e-79:584:78//AJ224901

F-NT2RP4000918//Drosophila melanogaster DNA sequence (P1 DS04106 (D172)), complete sequence.//2.0e-08:609:58//AC004290

F-NT2RP4000925//Rattus norvegicus Shal-related potassium channel Kv4.3 mRNA, complete cds.//3.5e-64:415:87//U42975

F-NT2RP4000927//H.sapiens genomic DNA (chromosome 3; clone NRL062R).//0.75:175:62//X87547

F-NT2RP4000928//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA, partial cds.//3.5e-163:781:97//AF069532

F-NT2RP4000929//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.94:763:56//AC004688

F-NT2RP4000955//Homo sapiens clone DJ0919J22, WORKING DRAFT SEQUENCE, 34

unordered pieces.//1.0e-128:673:96//AC005519
 F-NT2RP4000973//Caenorhabditis elegans cosmid Y47H9C, complete sequence.
 //1.6e-15:255:69//AL032657
 F-NT2RP4000975//CIT-HSP-2307I6.TF CIT-HSP Homo sapiens genomic clone 230
 7I6, genomic survey sequence.//6.5e-31:317:79//AQ015742
 F-NT2RP4000979//Human bullous pemphigoid antigen mRNA, 3' end.//0.88:54:
 90//M22942
 F-NT2RP4000984//Rhodobacter sphaeroides mRNA.//0.76:214:64//M83823
 F-NT2RP4000989//F.rubripes GSS sequence, clone 011A11aE12, genomic surve
 y sequence.//1.0:149:65//AL010911
 F-NT2RP4000996//Penaeus setiferus microsatellite Pse017 repeat region.//
 3.3e-08:139:74//AF047358
 F-NT2RP4000997//Rattus norvegicus RNA polymerase I 127 kDa subunit mRNA,
 complete cds.//3.6e-126:824:84//AF025424
 F-NT2RP4001004
 F-NT2RP4001006//Mus musculus ROSA 26 transcription AS ROSA26AS mRNA, com
 plete cds.//1.4e-110:861:78//U83176
 F-NT2RP4001010//Rattus norvegicus PSD-95/SAP90-associated protein-4 mRNA
 , complete cds.//2.0e-135:789:89//U67140
 F-NT2RP4001029//Mus domesticus nuclear binding factor NF2d9 mRNA, comple
 te cds.//3.7e-120:718:88//U20086
 F-NT2RP4001041//Schizosaccharomyces pombe mRNA, partial cds, clone: SY 0
 717.//4.1e-22:452:64//D89170
 F-NT2RP4001057
 F-NT2RP4001064//Mus musculus mRNA for cartilage-associated protein (CASP
).//1.2e-20:639:62//AJ006469
 F-NT2RP4001078//Streptomyces coelicolor cosmid 1C2.//0.0025:474:59//AL03
 1124
 F-NT2RP4001079//Rat alternatively spliced mRNA.//1.4e-141:832:88//M93018

F-NT2RP4001080//H.sapiens PTB-4 gene for polypirimidine tract binding protein.//9.0e-64:628:70//X65372

F-NT2RP4001086//Homo sapiens mRNA for KIAA0592 protein, partial cds.//4.7e-84:604:86//AB011164

F-NT2RP4001095

F-NT2RP4001100//CITBI-E1-2503J7.TR CITBI-E1 Homo sapiens genomic clone 2 503J7, genomic survey sequence.//9.4e-17:185:79//AQ263402

F-NT2RP4001117//Canis familiaris sec61 homologue mRNA, complete cds.//1.0e-143:760:87//M96629

F-NT2RP4001122

F-NT2RP4001126//Homo sapiens shox gene, alternatively spliced products, complete cds.//4.2e-17:636:61//U82668

F-NT2RP4001138//Homo sapiens PAC clone DJ1121E10 from 7q21.1-q2, complete sequence.//2.5e-23:408:60//AC004969

F-NT2RP4001143//Sequence 5 from patent US 5753432.//1.8e-39:276:86//AR008079

F-NT2RP4001148//Homo sapiens clone RG332P12, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.7e-116:684:89//AC005095

F-NT2RP4001149//Mouse mRNA for thymic epithelial cell surface antigen, complete cds.//3.0e-48:581:66//D67067

F-NT2RP4001150//Homo sapiens clone DJ1032D07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//9.4e-25:193:67//AC004952

F-NT2RP4001159//Human FMR1 gene, 5' end.//0.28:130:66//L19476

F-NT2RP4001174//FMR1 {CGG repeats} [human, Fragile X syndrome patient, Genomic, 429 nt].//0.0014:187:67//S74494

F-NT2RP4001206//Dictyostelium discoideum random slug cDNA19 protein (rsc19) mRNA, partial cds.//0.032:453:58//U82511

F-NT2RP4001207//HS_2248_A1_C03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2248 Col=5 Row=E, genomic survey s

equence://0.00018:58:94//AQ192358
 F-NT2RP4001210//Homo sapiens chromosome 10 clone CIT987SK-1019018 map 10
 p11.2-10p12.1, complete sequence.//0.93:515:58//AC005877
 F-NT2RP4001213//Human KRAB zinc finger protein (ZNF177) mRNA, splicing v
 ariant, complete cds.//3.6e-44:187:74//U37251
 F-NT2RP4001219//Caenorhabditis elegans cosmid Y47H9C, complete sequence.
 //1.3e-15:288:67//AL032657
 F-NT2RP4001228//Homo sapiens actin binding protein MAYVEN mRNA, complete
 cds.//2.2e-26:855:60//AF059569
 F-NT2RP4001235//RPCI11-18E11.TVB RPCI-11 Homo sapiens genomic clone RPCI
 -11-18E11, genomic survey sequence.//2.7e-15:101:98//B88081
 F-NT2RP4001256//Amycolatopsis mediterranei 3-amino-5-hydroxy benzoic aci
 d synthase (rifD) gene, complete cds.//1.0:459:59//U33061
 F-NT2RP4001260//Sequence 2 from Patent WO9601901.//0.0018:246:63//A48324
 F-NT2RP4001274//Homo sapiens, complete sequence.//2.5e-05:201:67//AC0058
 54
 F-NT2RP4001276//CIT-HSP-2324B15.TF CIT-HSP Homo sapiens genomic clone 23
 24B15, genomic survey sequence.//3.5e-18:138:92//AQ040728
 F-NT2RP4001313//Homo sapiens mitochondrial outer membrane protein (TOM40
) mRNA, nuclear gene encoding mitochondrial protein, complete cds.//7.4e
 -30:535:65//AF043250
 F-NT2RP4001315//Bos taurus mRNA for Rab5 GDP/GTP exchange factor, Rabex5
 .//3.5e-145:795:91//AJ001119
 F-NT2RP4001336//CIT-HSP-2169F21.TR CIT-HSP Homo sapiens genomic clone 21
 69F21, genomic survey sequence.//8.4e-16:109:94//B89870
 F-NT2RP4001339//HS_3205_B1_E08_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3205 Col=15 Row=J, genomic survey
 sequence.//7.1e-24:305:73//AQ183725
 F-NT2RP4001343//Homo sapiens PAC clone DJ0894A10 from 7q32-q32, complete

sequence.//1.9e-17:106:91//AC004918
 F-NT2RP4001345//G.gallus mRNA for lecithin-cholesterol acyltransferase./
 /7.6e-40:631:66//X91011
 F-NT2RP4001351//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 184J9, WORKING DRAFT SEQUENCE.//2.7e-30:608:64//AL031428
 F-NT2RP4001353//Streptomyces coelicolor cosmid 5A7.//0.23:540:57//AL0311
 07
 F-NT2RP4001372//RPCI11-49L11.TJ RPCI11 Homo sapiens genomic clone R-49L1
 1, genomic survey sequence.//8.5e-23:129:100//AQ051701
 F-NT2RP4001373//G.gallus genomic DNA repeat region, clone 16E1.//0.15:21
 3:61//X78609
 F-NT2RP4001375
 F-NT2RP4001379//Homo sapiens chromosome 17, clone hRPK.311_F_12, comple
 te sequence.//7.3e-28:153:88//AC005722
 F-NT2RP4001389//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete
 sequence.//7.2e-47:518:73//AC004691
 F-NT2RP4001407//P.falciparum glutamic acid-rich protein gnen, complete c
 ds.//0.00079:686:57//J03998
 F-NT2RP4001414//Human mRNA for KIAA0202 gene, partial cds.//2.0e-76:818:
 71//D86957
 F-NT2RP4001433//H.sapiens HZF10 mRNA for zinc finger protein.//3.5e-87:8
 39:73//X78933
 F-NT2RP4001442
 F-NT2RP4001447//Homo sapiens mRNA for KIAA0783 protein, complete cds.//0
 .21:218:63//AB018326
 F-NT2RP4001474//Human NotI linking clone 924A058R, genomic survey sequen
 ce.//7.6e-14:109:90//U49884
 F-NT2RP4001483//Human mRNA for 2-oxoglutarate dehydrogenase, complete cd
 s.//2.5e-59:480:75//D10523

F-NT2RP4001498//Homo sapiens huntingtin interacting protein HYPH mRNA, partial cds.//9.7e-39:392:72//AF049612

F-NT2RP4001502//H.sapiens (D8S135) DNA segment containing GT repeat.//2.7e-24:147:96//X61693

F-NT2RP4001507//Plasmid pSB24.2 (from S.cyanogenus) neomycin resistance protein gene, complete cds.//0.87:583:58//M32513

F-NT2RP4001524//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.93:394:58//AC005308

F-NT2RP4001529//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//3.1e-143:820:89//U20086

F-NT2RP4001547//S.cerevisiae chromosome XIV reading frame ORF YNR048w.//2.2e-05:319:61//Z71663

F-NT2RP4001551//S.pombe chromosome II pl p8B7.//0.64:335:60//AL032684

F-NT2RP4001555//Homo sapiens 12q24.2 BAC RPCI11-360E11 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//1.0:309:58//AC004806

F-NT2RP4001567//HS_2166_B1_C07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2166 Col=13 Row=F, genomic survey sequence.//0.99:188:59//AQ086290

F-NT2RP4001568//Human mRNA for KIAA0167 gene, complete cds.//7.0e-53:566:72//D79989

F-NT2RP4001571//RPCI11-21F20.TP RPCI-11 Homo sapiens genomic clone RPCI-11-21F20, genomic survey sequence.//2.8e-19:119:97//B85885

F-NT2RP4001574//B.primigenius mRNA for coat protein gamma-cop.//5.8e-129:813:85//X92987

F-NT2RP4001575//Rattus norvegicus mRNA for ARE1 protein.//3.4e-131:795:86//AJ223830

F-NT2RP4001592//S.aureus gene for isoleucyl-tRNA synthetase.//1.3e-14:66

3:59//X74219

F-NT2RP4001610//Homo sapiens Xp22 Cosmids U15E4, U115H5, U132E12, U115B9

(Lawrence Livermore human cosmid library) complete sequence.//6.4e-10:

135:73//AC002364

F-NT2RP4001614//HS_3042_B2_D05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3042 Col=10 Row=H, genomic survey sequence.//3.4e-06:78:89//AQ099333

F-NT2RP4001634

F-NT2RP4001638//cSRL-161F1-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-161F1, genomic survey sequence.//4.9e-12:144:76//B02870

F-NT2RP4001644//M.musculus mRNA for map kinase interacting kinase, Mnk2. //3.8e-69:437:86//Y11092

F-NT2RP4001656//HS_2013_A1_D01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2013 Col=1 Row=G, genomic survey sequence.//2.0e-30:207:89//AQ224793

F-NT2RP4001677//Hylobates lar huntingtin gene, partial exon.//0.23:105:71//L49362

F-NT2RP4001679//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 462023, WORKING DRAFT SEQUENCE.//2.7e-45:351:84//AL031431

F-NT2RP4001696//Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.//1.8e-30:163:88//U96629

F-NT2RP4001725//Drosophila melanogaster DNA sequence (P1 DS08860 (D181)), complete sequence.//1.1e-13:402:63//AC004296

F-NT2RP4001730//RPCI11-37M21.TK RPCI-11 Homo sapiens genomic clone RPCI-11-37M21, genomic survey sequence.//0.88:177:67//AQ029840

F-NT2RP4001739

F-NT2RP4001753//H.sapiens telomeric DNA sequence, clone 12QTEL023, read 12QTEL00023.seq.//4.9e-36:192:98//Z96232

F-NT2RP4001760//Mouse oncogene (ect2) mRNA, complete cds.//2.3e-140:866:86//L11316

F-NT2RP4001790//Homo sapiens clone NH0569124, complete sequence.//1.4e-29:327:74//AC005678

F-NT2RP4001803

F-NT2RP4001822//Homo sapiens tetraspan TM4SF (TSPAN-4) mRNA, complete cds.//1.0e-16:576:60//AF054841

F-NT2RP4001823//Human DNA sequence from clone 181C9 on chromosome 22q13.2-13.33. Contains a PHAPI2 Leucine Rich Acidic Nuclear Protein pseudogene, part of a putative novel gene, ESTs, STSs and GSSs, complete sequence.//2.1e-08:601:59//Z98743

F-NT2RP4001828

F-NT2RP4001838//Human mRNA for KIAA0071 gene, partial cds.//2.2e-53:555:73//D31888

F-NT2RP4001841

F-NT2RP4001849//Homo sapiens mRNA for KIAA0672 protein, complete cds.//1.7e-55:813:65//AB014572

F-NT2RP4001861//Human simple repeat polymorphism.//0.0014:145:66//M87691

F-NT2RP4001889//HS_2052_B1_H06_T7 CIT Approved Human Genomic Spermlibrary D Homo sapiens genomic clone Plate=2052 Col=11 Row=P, genomic survey sequence.//1.0e-23:187:86//AQ270425

F-NT2RP4001893//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//7.3e-76:178:95//AC005014

F-NT2RP4001896//T3B4TFC TAMU Arabidopsis thaliana genomic clone T3B4, genomic survey sequence.//0.99:354:61//B26193

F-NT2RP4001901//Streptomyces griseus genes for Orf2, Orf3, Orf4, Orf5, AfsA, Orf8, partial and complete cds.//0.031:409:60//AB011413

F-NT2RP4001927//HS_2216_B1_D03_MF CIT Approved Human Genomic Spermlibrary D Homo sapiens genomic clone Plate=2216 Col=5 Row=H, genomic survey s

sequence.//4.9e-32:216:89//AQ184677

F-NT2RP4001938//Mus musculus zinc finger protein (Zfp64) mRNA, complete cds.//1.2e-83:709:79//U49046

F-NT2RP4001946//HS_3021_B2_H10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3021 Col=20 Row=P, genomic survey sequence.//7.6e-09:120:76//AQ133185

F-NT2RP4001950//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//2.1e-18:421:65//AL022577

F-NT2RP4001953//CIT-HSP-2294D14.TR CIT-HSP Homo sapiens genomic clone 2294D14, genomic survey sequence.//0.030:358:61//AQ005028

F-NT2RP4001966//Mus musculus DOC4 (Doc4) mRNA, complete cds.//2.5e-68:812:68//AF059485

F-NT2RP4001975//Homo sapiens chromosome 17, clone hCIT.91_J_4, complete sequence.//1.9e-57:555:75//AC003976

F-NT2RP4002018//cSRL-143G4-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-143G4, genomic survey sequence.//8.9e-21:123:98//B01950

F-NT2RP4002047//Saccharomyces cerevisiae chromosome XII cosmid 8003.//1.6e-29:520:64//U17243

F-NT2RP4002052//CIT-HSP-2045A15.TF CIT-HSP Homo sapiens genomic clone 2045A15, genomic survey sequence.//2.8e-22:137:96//B80243

F-NT2RP4002058//T20L11-T7 TAMU Arabidopsis thaliana genomic clone T20L11, genomic survey sequence.//0.019:141:65//AQ248640

F-NT2RP4002071//CIT-HSP-2314J9.TF CIT-HSP Homo sapiens genomic clone 2314J9, genomic survey sequence.//0.99:163:63//AQ027223

F-NT2RP4002075//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **

* from clone Y57G11, WORKING DRAFT SEQUENCE.//0.15:506:59//Z92841
 F-NT2RP4002078//RPCI11-73M20.TJ RPCI11 Homo sapiens genomic clone R-73M2
 0, genomic survey sequence.//4.8e-21:130:96//AQ269030
 F-NT2RP4002081//F.rubripes GSS sequence, clone 190022bB9, genomic survey
 sequence.//0.0024:350:60//Z92062
 F-NT2RP4002083//M.musculus tex27 mRNA.//8.2e-77:456:89//X80437
 F-NT2RP4002408//Caenorhabditis elegans serine/threonine kinase LET-502 (
 let-502) mRNA, complete cds.//3.7e-18:541:62//U85515
 F-NT2RP4002791
 F-NT2RP4002888//Homo sapiens BAC clone RG067E13 from 7q21, complete sequ
 ence.//4.7e-39:385:75//AC002383
 F-NT2RP4002905//Homo sapiens chromosome 17, clone hRPC.842_A_23, complet
 e sequence.//6.5e-91:672:83//AC004662
 F-NT2RP5003459//Human glyceraldehyde-3-phosphate dehydrogenase (GAPDH) m
 RNA, complete cds.//2.9e-37:193:99//M33197
 F-NT2RP5003461//Human DNA sequence from PAC 506G2 contains ESTs.//7.9e-5
 1:300:80//Z82901
 F-NT2RP5003477//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE,
 2 unordered pieces.//6.7e-77:150:100//AC000380
 F-NT2RP5003492
 F-NT2RP5003500//Human DNA sequence from cosmid 97K10, between markers DX
 S6791 and DXS8038 on chromosome X contains STSs and CpG island.//1.7e-11
 1:623:93//Z81365
 F-NT2RP5003506//H.sapiens CpG island DNA genomic MseI fragment, clone 71
 h2, reverse read cpg71h2.rtl1a.//1.4e-49:283:93//Z62703
 F-NT2RP5003512//HS_3084_A1_D04_MF CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3084 Col=7 Row=G, genomic survey s
 equence.//7.7e-18:117:95//AQ186312
 F-NT2RP5003522//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12

unordered pieces.//3.8e-101:211:96//AC005236

F-NT2RP5003524//Homo sapiens beta-spectrin (HSpTB1) gene, exon 14 and partial cds.//0.00056:650:57//AF013178

F-NT2RP5003534//H.sapiens CpG island DNA genomic MseI fragment, clone 14 c10, forward read.cpg14c10.ft1b.//0.00013:70:91//Z54631

F-OVARC1000001//Homo sapiens mRNA for KIAA0465 protein, partial cds.//1.2e-67:373:94//AB007934

F-OVARC1000004//Homo sapiens chromosome 4 clone B368A9 map 4q25, complete sequence.//5.8e-93:518:81//AC005510

F-OVARC1000006//Gallus gallus histone H2A (H2A-VIII) gene, complete cds.//9.1e-56:392:84//U38933

F-OVARC1000013

F-OVARC1000014//Homo sapiens GLE1 (GLE1) mRNA, complete cds.//5.6e-170:815:98//AF058922

F-OVARC1000017//Streptomyces glaucescens tcm operon.//0.37:347:60//M80674

F-OVARC1000035//Homo sapiens GA17 protein mRNA, complete cds.//6.8e-36:238:89//AF064603

F-OVARC1000058

F-OVARC1000060//Homo sapiens ribonuclease 6 precursor, mRNA, complete cds.//2.5e-36:192:98//U85625

F-OVARC1000068//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 404K8, WORKING DRAFT SEQUENCE.//0.14:554:57//AL023883

F-OVARC1000071//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 596C15, WORKING DRAFT SEQUENCE.//5.3e-104:197:100//AL031387

F-OVARC1000085//Human DNA sequence from clone 191N21 on chromosome 6q27 Contains genes for PDCD2 (PROGRAMMED CELL DEATH-2/RP8 HOMOLOG), TATA factor (TFIID), proteasome subunit HC5, EST, STS, GSS, complete sequence.//1.6e-116:588:96//AL031259

F-OVARC1000087//HS_2004_B2_E11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2004 Col=22 Row=J, genomic survey sequence.//7.1e-11:94:94//AQ221037

F-OVARC1000091//nbxb0020P17r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0020P17r, genomic survey sequence.//5.2e-05:238:64//AQ258489

F-OVARC1000092//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//1.1e-10:720:58//AC004617

F-OVARC1000106//HS_3212_B2_G12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3212 Col=24 Row=N, genomic survey sequence.//9.9e-05:141:73//AQ175369

F-OVARC1000109

F-OVARC1000113//Homo sapiens okadaic acid-inducible phosphoprotein (OA48-18) mRNA, complete cds.//1.6e-133:663:96//AFQ69250

F-OVARC1000114//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1111N9, WORKING DRAFT SEQUENCE.//2.3e-51:547:70//AL022574

F-OVARC1000133//Homo sapiens clone GS512I21, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.62:349:61//AC005027

F-OVARC1000139//Caenorhabditis elegans cosmid F09D1.//2.5e-18:314:64//AF040640

F-OVARC1000145//HS_2257_B2_D11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2257 Col=22 Row=H, genomic survey sequence.//5.8e-30:203:90//AQ304854

F-OVARC1000148//CIT-HSP-2345A22.TR CIT-HSP Homo sapiens genomic clone 2345A22, genomic survey sequence.//1.1e-26:146:100//AQ056703

F-OVARC1000151//Sequence 1 from patent US 5665588.//2.6e-61:677:70//I64695

F-OVARC1000168//Homo sapiens chromosome 19, cosmid R31343, complete sequence.//4.9e-19:381:63//AC005764

F-OVARC1000191//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***

from MAL4P1, WORKING DRAFT SEQUENCE.//1.3e-06:745:57//AL034557
 F-OVARC1000198//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4
 , BAC clone C0366H07; HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered
 pieces.//6.4e-161:781:97//AC004604
 F-OVARC1000209//Oryza sativa submergence induced protein 2A mRNA, comple
 te cds.//9.2e-33:511:65//AF068332
 F-OVARC1000212//F.rubripes GSS sequence, clone 185L11aC1, genomic survey
 sequence.//1.1e-13:139:79//AL019910
 F-OVARC1000240//Sequence 1 from patent US 5710024.//1.4e-129:623:98//181
 226
 F-OVARC1000241//Mus musculus hypoxia inducible factor three alpha mRNA,
 complete cds.//1.1e-112:697:87//AF060194
 F-OVARC1000288
 2.2e-22:181:83//J00345
 F-OVARC1000302//A-192A9.TP CIT978SK Homo sapiens genomic clone A-192A9,
 genomic survey sequence.//4.8e-18:110:99//B18003
 F-OVARC1000304//Mouse mRNA from Mov10 locus.//5.5e-100:631:85//X52574
 F-OVARC1000309
 F-OVARC1000321//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12
 unordered pieces.//3.1e-122:325:95//AC005236
 F-OVARC1000326//Rattus norvegicus lamina-associated polypeptide 1C (LAP1
 C) mRNA, complete cds.//4.0e-46:339:84//U19614
 F-OVARC1000335//Caenorhabditis elegans cosmid F15B10.//0.020:545:57//AF0
 36696
 F-OVARC1000347//Homo sapiens clone GS051M12, complete sequence.//0.71:25
 2:59//AC005007
 F-OVARC1000384//Homo sapiens expanded SCA7 CAG repeat.//2.2e-09:276:64//
 AF020275
 F-OVARC1000408//Human Chromosome 11p15.5 PAC clone pDJ915f1 containing K

vLQT1 gene, complete sequence.//0.61:343:59//AC003693
F-OVARC1000411//S.cerevisiae chromosome XI reading frame ORF YKL202w.//0.075:242:60//Z28201
F-OVARC1000414//Homo sapiens PAC clone DJ0905M06 from 7q31, complete sequence.//0.00088:285:62//AC005166
F-OVARC1000420//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 371H6, WORKING DRAFT SEQUENCE.//0.14:487:60//AL031718
F-OVARC1000427//Homo sapiens clone UWGC:rg041a03 from 7p14-15, complete sequence.//4.9e-30:195:84//AC005826
F-OVARC1000431//Plasmodium falciparum MAL3P2, complete sequence.//1.3e-05:651:59//AL034558
F-OVARC1000437//Chicken tensin mRNA, complete cds.//9.6e-54:296:78//M74165
F-OVARC1000440//Human PINCH protein mRNA, complete cds.//2.7e-19:116:99//U09284
F-OVARC1000442//Human DNA sequence from clone 816K17 on chromosome 20p12.2-13 Contains TGM3 (PROTEIN-GLUTAMINE GLUTAMYLTRANSFERASE E3 PRECURSOR (EC 2.3.2.13) (TGASE E3) (TRANSGLUTAMINASE 3), and another member of the Transglutaminase family, complete sequence.//1.0e-21:202:79//AL031678
F-OVARC1000443//Homo sapiens mRNA for KIAA0683 protein, complete cds.//1.0e-138:566:99//AB014583
F-OVARC1000461
F-OVARC1000465//Bos taurus guanine nucleotide-exchange protein (ARF-GEF1) mRNA, complete cds.//4.7e-124:650:93//AF023451
F-OVARC1000466//Homo sapiens DNA from chromosome 19, cosmid R29144, complete sequence.//1.0e-15:510:59//AC004221
F-OVARC1000473//Ciona intestinalis genomic fragment, clone 3F4, genomic survey sequence.//2.5e-06:272:62//AJ227191
F-OVARC1000479//cDNA encoding novel rat protein TIP120 which is formed o

f complex with TBP (TATA binding protein).//1.1e-117:652:90//E12829

F-OVARC1000486//Homo sapiens DNA sequence from PAC 262D12 on chromosome 1q23.3-24.3. Contains a Tenascin (Hexabrachion, Cytotactin, Neuronectin, Myotendinous antigen)-LIKE gene and a mitochondrial/chloroplast 30S ribosomal protein S14-LIKE gene preceded by a CpG island. Contains ESTs, genomic marker D1S2691 and STSs.//1.7e-13:709:60//Z99297

F-OVARC1000496//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 455J7, WORKING DRAFT SEQUENCE.//6.0e-23:316:72//AL031733

F-OVARC1000520//Homo sapiens supervillin mRNA, complete cds.//2.1e-113:539:99//AF051850

F-OVARC1000526//Homo sapiens clone GS438P06, WORKING DRAFT SEQUENCE, 17 unordered pieces.//8.0e-149:716:98//AC005024

F-OVARC1000533//Homo sapiens chromosome 19, cosmid R30385, complete sequence.//5.8e-137:545:97//AC004510

F-OVARC1000543//HS_3055_A2_F10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3055 Col=20 Row=K, genomic survey sequence.//0.19:104:71//AQ102820

F-OVARC1000556//Homo sapiens DNA sequence from PAC 168L15 on chromosome 6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS. CpG island, complete sequence.//4.4e-136:670:97//AL022069

F-OVARC1000557//Human DNA from chromosome 19-specific cosmid R27090, genomic sequence, complete sequence.//1.3e-15:262:69//AC002985

F-OVARC1000564//Mus musculus clone OST7314, genomic survey sequence.//1.9e-41:476:70//AF046733

F-OVARC1000573//HS_3241_B1_H03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3241 Col=5 Row=P, genomic survey sequence.//2.2e-101:530:95//AQ211942

F-OVARC1000576//Human Chromosome X, WORKING DRAFT SEQUENCE, 2 unordered pieces.//9.7e-97:445:90//AC002414

F-OVARC1000578//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//9.1e-27:354:72//AC003973

F-OVARC1000588//Human DNA sequence from clone 497J21 on chromosome 6q26-27. Contains a KOC (KH-domain containing transcript overexpressed in cancer) pseudogene, genomic marker D6S193, ESTs, STSs and GSSs, and a ca repeat polymorphism, complete sequence.//0.97:276:62//AL023775

F-OVARC1000605

F-OVARC1000622//Homo sapiens (subclone 2_d8 from P1 H42) DNA sequence, complete sequence.//7.2e-60:457:82//L81648

F-OVARC1000640//Human BAC clone RG326K09 from 7q21, complete sequence.//6.2e-58:499:80//AC002069

F-OVARC1000649//Human squamous cell carcinoma of esophagus mRNA for GRB-7 SH2 domain protein, complete cds.//5.1e-77:424:93//D43772

F-OVARC1000661//Homo sapiens mRNA for KIAA0590 protein, complete cds.//4.8e-99:536:94//AB011162

F-OVARC1000678//cSRL-29c7-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-29c7, genomic survey sequence.//2.5e-57:336:91//B04244

F-OVARC1000679//Rattus norvegicus mRNA for myosin-RhoGAP protein Myr 7.//1.6e-81:291:84//AJ001713

F-OVARC1000681//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 257E24, WORKING DRAFT SEQUENCE.//8.2e-158:782:96//AL034424

F-OVARC1000682//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds.//1.5e-151:549:99//AF027156

F-OVARC1000689//nxb0003aG01f CUGI Rice BAC Library Oryza sativa genomic clone nxb0003M01f, genomic survey sequence.//0.17:499:60//AQ050003

F-OVARC1000700

F-OVARC1000703//Drosophila melanogaster DNA repair protein (mei-41) gene, complete cds, and TH1 gene, partial cds.//3.5e-26:425:65//U34925

F-OVARC1000722//Homo sapiens chromosome 1q21-1q23 beta-1,4-galactosyltransferase mRNA, complete cds.//3.7e-109:451:91//AF038661

F-OVARC1000730

F-OVARC1000746

F-OVARC1000769//HS_2056_B2_G06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2056 Col=12 Row=N, genomic survey sequence.//8.8e-19:147:86//AQ245905

F-OVARC1000771//M.musculus mRNA for GTP-binding protein.//2.2e-62:305:78//X95403

F-OVARC1000781//Sequence 5 from Patent WO9722695.//1.9e-89:705:78//A63552

F-OVARC1000787//Homo sapiens PAC clone DJ430N08 from 22q12.1-qter, complete sequence.//3.0e-131:631:98//AC004542

F-OVARC1000800//Human Chromosome 11q23 PAC clone pDJ254e13, complete sequence.//1.7e-32:295:80//AC003691

F-OVARC1000802//Homo sapiens chromosome Xp22-67-68, WORKING DRAFT SEQUENCE, 99 unordered pieces.//3.2e-55:356:88//AC004469

F-OVARC1000834//Homo sapiens mRNA for atopy related autoantigen CALC.//9.5e-27:163:94//Y17711

F-OVARC1000846//Homo sapiens mRNA for KIAA0643 protein, partial cds.//6.0e-150:432:100//AB014543

F-OVARC1000850//Homo sapiens PB39 mRNA, complete cds.//1.0e-135:632:99//AF045584

F-OVARC1000862//M.musculus mRNA for FT1.//2.6e-109:769:83//Z67963

F-OVARC1000876//S.cerevisiae chromosome IX cosmid 9150.//7.4e-21:541:61//Z38125

F-OVARC1000883//Mus domesticus nuclear binding factor NF2d9 mRNA, complete cds.//2.2e-08:98:88//U20086

F-OVARC1000885//B.subtilis 25 kb genomic DNA segment (from sspE to kata)

./0.25:231:61//Z82044

F-OVARC1000886//CIT-HSP-2171H6.TR CIT-HSP Homo sapiens genomic clone 2171H6, genomic survey sequence.//0.00035:139:69//B89721

F-OVARC1000890

F-OVARC1000891

F-OVARC1000897//Human DNA sequence from clone 215F16 on chromosome 22q12.1-12.3. Contains part of a Homeobox domain containing gene and GSSs, complete sequence.//1.4e-18:473:64//AL024494

F-OVARC1000912//Bovine herpesvirus type 1 early-intermediate transcript on control protein (BICP4) gene, complete cds.//8.9e-08:378:63//L14320

F-OVARC1000915//Homo sapiens mRNA for KIAA0600 protein, partial cds.//7.7e-85:440:95//AB011172

F-OVARC1000924//HS_2022_A1_C01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2022 Col=1 Row=E, genomic survey sequence.//5.7e-21:122:99//AQ269493

F-OVARC1000936//Human PAC clone DJ0093103 from Xq23, complete sequence.//1.2e-113:476:91//AC003983

F-OVARC1000937//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20208, WORKING DRAFT SEQUENCE.//0.00066:436:61//AL031848

F-OVARC1000945//Rattus norvegicus mRNA for atypical PKC specific binding protein, complete cds.//5.0e-89:556:86//AB005549

F-OVARC1000948//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.98:160:64//X95276

F-OVARC1000959//CIT-HSP-2348016.TR CIT-HSP Homo sapiens genomic clone 2348016, genomic survey sequence.//0.99:270:59//AQ062850

F-OVARC1000960//Human DNA sequence from PAC 212P9 on chromosome 1p34.1-1p35. Contains delta opiate receptor, CpG island, CA repeat,./3.9e-41:577:72//AL009181

F-OVARC1000964//P.falciparum malaria antigen (M26-32-2) gene, partial cd

s.//0.19:83:73//M63270

F-OVARC1000971//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y57G11, WORKING DRAFT SEQUENCE.//0.013:670:57//Z92841

F-OVARC1000984//Leishmania major chromosome 1, complete sequence.//0.80:
345:58//AE001274

F-OVARC1000996//M025 gene [mice, embryos, mRNA, 2322 nt].//2.6e-55:403:8
2//S51858

F-OVARC1000999//Synthetic construct galanin receptor type 3 (GALR3) gene
, complete cds.//0.33:105:69//AF042785

F-OVARC1001000//HS_2247_A1_H05_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2247 Col=9 Row=0, genomic survey s
equence.//3.1e-60:315:96//AQ153910

F-OVARC1001004//Homo sapiens from UWC:y18c282 from 6p21, complete seque
nce.//3.1e-124:595:98//AC004190

F-OVARC1001010//CIT-HSP-2034M3.TF CIT-HSP Homo sapiens genomic clone 203
4M3, genomic survey sequence.//1.0:151:60//B74290

F-OVARC1001011//Human DNA sequence from cosmid U85A3, between markers DX
S366 and DXS87 on chromosome X contains rad21 and T-cell cyclophorin pse
udogenes, STS.//3.0e-08:149:79//Z78021

F-OVARC1001032//Yeast (S.cerevisiae) mitochondrial Tyr-tRNA gene.//3.2e-
13:667:60//M12451

F-OVARC1001034//Mus musculus Fn54 mRNA, partial cds.//2.5e-119:737:86//A
F001533

F-OVARC1001038//Homo sapiens TRIAD1 type I mRNA, complete cds.//2.7e-150
:733:97//AF099149

F-OVARC1001040//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18
unordered pieces.//9.8e-29:277:76//AC005081

F-OVARC1001044//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 364I1, WORKING DRAFT SEQUENCE.//0.0017:387:61//AL031319

F-OVARC1001051//Rattus norvegicus brain specific cortactin-binding prote
in CBP90 mRNA, partial cds.//0.012:112:74//AF053768

F-OVARC1001055//Sequence 1 from patent US 5580754.//3.3e-45:381:81//I302
92

F-OVARC1001062//nbxb0026H08r CUGI Rice BAC Library Oryza sativa genomic
clone nbxb0026H08r, genomic survey sequence.//0.018:344:59//AQ271878

F-OVARC1001065//S.pombe chromosome I cosmid c29E6.//0.86:338:59//Z66525

F-OVARC1001068//Homo sapiens Era GTPase A protein (HERA-A) mRNA, partial
cds.//2.0e-130:620:98//AF082657

F-OVARC1001072//Homo sapiens glypican 3 (GPC3) gene, partial cds and fla
nking repeat regions.//9.3e-24:285:65//AF003529

F-OVARC1001074//Human DNA sequence from clone 23K20 on chromosome Xq25-2
6.2 Contains EST, STS, GSS, complete sequence.//2.0e-07:652:59//AL022153

F-OVARC1001085//Homo sapiens c-syn protooncogene mRNA, complete cds.//5.
0e-35:187:99//M14333

F-OVARC1001092//Homo sapiens mRNA for JM5 protein, complete CDS (clone I
MAGE 53337, LLNLc110F1857Q7 (RZPD Berlin) and LLNLc110G0913Q7 (RZPD Berl
in)).//4.0e-74:289:95//AJ005897

F-OVARC1001107//Homo sapiens SKB1Hs mRNA, complete cds.//3.6e-72:351:86/
/AF015913

F-OVARC1001113//Homo sapiens diaphanous 1 (HDIA1) mRNA, complete cds.//6
.4e-150:710:98//AF051782

F-OVARC1001117//Homo sapiens chromosome 5, P1 clone 328E3 (LBNL H53), co
mplete sequence.//0.99:148:67//AC005178

F-OVARC1001118//Human Chromosome 11 pac pDJ197h17, WORKING DRAFT SEQUENC
E, 11 unordered pieces.//2.6e-35:302:74//AC000382

F-OVARC1001129//CIT-HSP-647P20.TP CIT-HSP Homo sapiens genomic clone 647
P20, genomic survey sequence.//0.94:106:66//B79052

F-OVARC1001154//R.norvegicus mRNA for epithelin 1 and 2.//1.8e-95:462:79

//X62322

F-OVARC1001161//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//2.9e-90:496:84//AC004069

F-OVARC1001162

F-OVARC1001167//Homo sapiens clone DJ1098J04, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.00090:219:64//AC004961

F-OVARC1001169//Borrelia burgdorferi (section 27 of 70) of the complete genome.//1.0:265:59//AE001141

F-OVARC1001170//H.sapiens (xs170) mRNA, 350bp.//4.6e-58:355:90//Z36823

F-OVARC1001171//CIT-HSP-2285E22.TF CIT-HSP Homo sapiens genomic clone 2285E22, genomic survey sequence.//1.5e-25:152:83//AQ002315

F-OVARC1001173//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs and GSSs, complete sequence.//0.0024:94:80//AL022323

F-OVARC1001176//Streptomyces plicatus B-N-acetylhexosaminidase (hex) gene, complete cds.//1.0:356:60//AF063001

F-OVARC1001180//G.gallus DNA for polyubiquitin gene Ub II.//0.0062:275:60//X58195

F-OVARC1001188//Homo sapiens full length insert cDNA clone ZD93F03.//1.8e-32:180:97//AF086486

F-OVARC1001200

F-OVARC1001232//Caenorhabditis elegans cosmid F10B5, complete sequence.//0.013:128:67//Z48334

F-OVARC1001240//Human Chromosome 11 pac pDJ360p17, WORKING DRAFT SEQUENCE, 44 unordered pieces.//3.7e-131:811:87//AC001235

F-OVARC1001243//Human BAC clone GS117010 from 7q21-q22, complete sequence.//0.044:457:59//AC003078

F-OVARC1001244//Human homolog of Drosophila female sterile homeotic mRNA, complete cds.//8.4e-18:118:95//M80613

F-OVARC1001261//Mus musculus putative membrane-associated guanylate kinase 1 (Magi-1) mRNA, alternatively spliced c form, partial cds.//1.4e-95:649:84//AF027505

F-OVARC1001268//Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds.//0.00051:72:83//U35776

F-OVARC1001270

F-OVARC1001271//Homo sapiens mRNA for KIAA0643 protein, partial cds.//2.1e-142:644:96//AB014543

F-OVARC1001282//RPCI11-60K8.TK RPCI11 Homo sapiens genomic clone R-60K8, genomic survey sequence.//0.0089:285:58//AQ195857

F-OVARC1001296//Homo sapiens echinoderm microtubule-associated protein homolog HuEMAP mRNA, complete cds.//3.0e-20:263:73//U97018

F-OVARC1001306//nxb0002M13r CUGI Rice BAC Library Oryza sativa genomic clone nxb0002M13r, genomic survey sequence.//0.98:170:66//AQ156061

F-OVARC1001329//Homo sapiens BAC clone RG370M10 from 7p15, complete sequence.//1.3e-05:432:61//AC003986

F-OVARC1001330//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.027:444:59//AC005504

F-OVARC1001339//Homo sapiens chromosome 17, clone hCIT.124_H_2, complete sequence.//0.76:89:74//AC006071

F-OVARC1001341//CITBI-E1-2503J7.TR CITBI-E1 Homo sapiens genomic clone.2503J7, genomic survey sequence.//0.99:45:86//AQ263402

F-OVARC1001342

F-OVARC1001344//HS-1059-A2-H02-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 781 Col=4 Row=0, genomic survey sequence.//1.5e-07:254:67//B44456

F-OVARC1001357//Homo sapiens Xp22-149 BAC RPCI11-46604 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.83:376:61//AC0052

97

F-OVARC1001360

F-OVARC1001369//Homo sapiens clone 162B15, complete sequence.//0.0066:99:76//AC004811

F-OVARC1001372//Homo sapiens liprin-alpha4 mRNA, partial cds.//2.7e-142:683:98//AF034801

F-OVARC1001376//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 850H21, WORKING DRAFT SEQUENCE.//1.9e-52:382:73//AL031680

F-OVARC1001381//Homo sapiens mRNA for candidate tumor suppressor involved in B-CLL.//1.2e-147:683:99//AJ224819

F-OVARC1001391//S.coelicolor whiB gene.//0.018:454:59//X62287

F-OVARC1001399//CIT-HSP-229118.TR CIT-HSP Homo sapiens genomic clone 229118, genomic survey sequence.//1.7e-11:104:87//AQ007611

F-OVARC1001417//Homo sapiens EXLM1 mRNA, complete cds.//3.9e-149:707:98//AB006651

F-OVARC1001419//Homo sapiens GOK (STIM1) mRNA, complete cds.//4.9e-48:586:69//U52426

F-OVARC1001425//Human DNA sequence from clone 1048E9 on chromosome 22q11.2-12.2 Contains pseudogene similar to ribosomal protein S3A and part of a gene similar to C.elegans protein CE02118, ESTs, STS, GSS, complete sequence.//0.0019:96:78//Z99714

F-OVARC1001436//Caenorhabditis elegans mitotic chromosome and X-chromosome associated MIX-1 protein (mix-1) mRNA, complete cds.//0.77:519:59//U96387

F-OVARC1001442//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 998H6, WORKING DRAFT SEQUENCE.//1.0:167:64//AL031687

F-OVARC1001453//Human DNA sequence from PAC 453D15 on chromosome 6 contains STS.//4.4e-64:376:79//Z84482

F-OVARC1001476//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **

* from clone Y24F12, WORKING DRAFT SEQUENCE.//0.20:107:71//AL022277

F-OVARC1001480

F-OVARC1001489//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.20:281:63//AC005140

F-OVARC1001496//Homo sapiens C-terminal binding protein 2 mRNA, complete cds.//8.1e-85:479:92//AF016507

F-OVARC1001506//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-13F4 -c complete genomic sequence, complete sequence.//1.2e-98:503:83//AC002039

F-OVARC1001525//Human beta-hexosaminidase alpha chain (HEXA) gene, exon 1.//1.7e-13:87:100//M16411

F-OVARC1001542//H.sapiens polymorphic repeat associated with glutamate dehydrogenase pseudogene 5.//0.43:190:68//X69219

F-OVARC1001547//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.017:533:56//AC005140

F-OVARC1001555//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//7.4e-159:416:99//AC005037

F-OVARC1001577//Homo sapiens SRp46 splicing factor transcribed retrosequence.//2.4e-115:540:99//AF031165

F-OVARC1001600//Homo sapiens chromosome 21q22.3 PAC 39C17, complete sequence.//5.5e-13:529:62//AF043945

F-OVARC1001610//, complete sequence.//1.4e-12:152:77//AC005409

F-OVARC1001611

F-OVARC1001615//Human DNA sequence from clone 873P14 on chromosome 20p12 Contains STS, GSS, complete sequence.//0.022:146:70//AL031682

F-OVARC1001668//Homo sapiens mRNA for MCM3 import factor, complete cds.//6.5e-109:358:96//AB005543

F-OVARC1001702//Homo sapiens mRNA for hSOX20 protein, complete cds.//1.8

e-47:393:81//AB006867

F-OVARC1001703//CIT-HSP-2164L6.TF CIT-HSP Homo sapiens genomic clone 2164L6, genomic survey sequence.//0.94:85:69//B92840

F-OVARC1001711//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 317C6, WORKING DRAFT SEQUENCE.//1.9e-06:489:61//Z97651

F-OVARC1001713//Rattus norvegicus neuroligin 2 mRNA, complete cds.//1.0:262:59//U41662

F-OVARC1001726//Human telomere associated repeat sequence, complete sequence.//7.5e-08:283:65//M57752

F-OVARC1001731//Mus musculus gene for beta-tropomyosin.//2.6e-83:606:81//X12650

F-OVARC1001745//HS_3007_B2_G09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3007 Col=18 Row=N, genomic survey sequence.//0.00020:269:60//AQ164522

F-OVARC1001762//S.pombe chromosome III cosmid c338.//3.0e-17:624:61//AL023781

F-OVARC1001766//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//4.2e-149:706:98//U97670

F-OVARC1001767//Homo sapiens mRNA for KIAA0675 protein, complete cds.//3.0e-115:580:96//AB014575

F-OVARC1001768

F-OVARC1001791//Homo sapiens BAC clone RG118P15 from 8q21, complete sequence.//5.7e-64:477:78//AC005066

F-OVARC1001795//Homo sapiens chromosome 4 clone B341C20 map 4q25, complete sequence.//6.5e-11:171:76//AC004704

F-OVARC1001802//CITBI-E1-2502A17.TR CITBI-E1 Homo sapiens genomic clone 2502A17, genomic survey sequence.//0.98:214:61//AQ264481

F-OVARC1001805//Human DNA sequence from clone 511E16 on chromosome 6p24.3-25.1. Contains the last coding exon of the gene for P18 component of a

minoacyl-tRNA synthetase complex, part of an unknown gene downstream of a putative CpG island, and an STS with a CA repeat polymorphism, complete sequence.//9.5e-151:712:99//AL023694

F-OVARC1001809//Mus musculus sphingosine kinase (SPHK1a) mRNA, partial cds.//2.7e-56:522:75//AF068748

F-OVARC1001812//Homo sapiens chromosome 17, clone HCIT104N19, complete sequence.//1.7e-63:526:81//AC003662

F-OVARC1001813//Human DNA sequence from cosmid U144A10, between markers DXS366 and DXS87 on chromosome X contains STS.//0.17:214:65//Z70224

F-OVARC1001820//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 445N2, WORKING DRAFT SEQUENCE.//3.2e-55:379:82//AL031779

F-OVARC1001828//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155), complete sequence.//2.8e-17:509:62//AC005609

F-OVARC1001846//Human DNA sequence from cosmid U73E8, between markers DXS366 and DXS87 on chromosome X.//0.35:403:58//Z73361

F-OVARC1001861//CIT-HSP-2165M3.TR CIT-HSP Homo sapiens genomic clone 2165M3, genomic survey sequence.//2.4e-25:148:96//B94622

F-OVARC1001873//Homo sapiens clones 24718 and 24825 mRNA sequence.//1.2e-18:122:95//AF070611

F-OVARC1001879//HS_3026_B1_F09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3026 Col=17 Row=L, genomic survey sequence.//4.9e-29:204:87//AQ207748

F-OVARC1001880//Human interferon regulatory factor 5 (Humirf5) mRNA, complete cds.//3.5e-05:489:60//U51127

F-OVARC1001883//Homo sapiens clone GS259H13, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.9e-29:350:74//AC005020

F-OVARC1001900//Homo sapiens tumorous imaginal discs protein Tid56 homolog (TID1) mRNA, complete cds.//8.6e-56:300:96//AF061749

F-OVARC1001901//Human DNA sequence from clone 103M22 on chromosome 6p24.

Contains STSs and GSSs, complete sequence.//2.3e-10:253:66//AL031904
 F-OVARC1001911//HS_2196_B2_H11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2196 Col=22 Row=P, genomic survey sequence.//3.4e-09:123:78//AQ294069
 F-OVARC1001916//HS_3054_B1_C11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3054 Col=21 Row=F, genomic survey sequence.//1.2e-31:126:97//AQ099979
 F-OVARC1001928
 F-OVARC1001942//H.sapiens CpG island DNA genomic MseI fragment, clone 21 d7, forward read cpg21d7.ftla.//7.2e-12:83:98//Z60390
 F-OVARC1001943//Aplysia californica potassium channel modulatory factor mRNA, complete cds.//3.5e-50:535:69//AF059179
 F-OVARC1001949//Human KRAB zinc finger protein (ZNF177) mRNA, complete cds.//1.7e-16:294:67//U37263
 F-OVARC1001950//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//1.5e-20:261:68//AJ011929
 F-OVARC1001987//D.melanogaster G6PD gene, exons 2-4.//0.99:447:57//Z1902
 1
 F-OVARC1001989//Homo sapiens clone DJ0042M02, WORKING DRAFT SEQUENCE, 20 unordered pieces.//2.9e-19:178:83//AC005995
 F-OVARC1002044//Plasmodium falciparum MAL3P7, complete sequence.//0.17:232:62//AL034559
 F-OVARC1002050//Homo sapiens mRNA for KIAA0465 protein, partial cds.//2.1e-158:739:98//AB007934
 F-OVARC1002066//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 4/15, WORKING DRAFT SEQUENCE.//3.0e-17:781:59//AP000011
 F-OVARC1002082//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//5.4e-136:683:96//AC006015

F-OVARC1002107//Homo sapiens BAC clone RG276003 from 7q22-q31.1, complete sequence.//1.0:220:61//AC004668

F-OVARC1002112//Homo sapiens histone macroH2A1.2 mRNA, complete cds.//6.1e-115:557:98//AF041483

F-OVARC1002127//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//0.013:461:57//AC006241

F-OVARC1002138//Caenorhabditis elegans cosmid F32D1.//1.0e-29:545:64//AF016427

F-OVARC1002143//CIT-HSP-2343H20.TR CIT-HSP Homo sapiens genomic clone 2343H20, genomic survey sequence.//2.3e-11:258:67//AQ055576

F-OVARC1002156

F-OVARC1002158//F1707-T7 IGF Arabidopsis thaliana genomic clone F1707, genomic survey sequence.//1.8e-16:383:66//B11616

F-OVARC1002165//H.sapiens BDP1 mRNA for protein-tyrosine-phosphatase.//0.0041:300:64//X79568

F-OVARC1002182//F.rubripes GSS sequence, clone 123I23aA7, genomic survey sequence.//1.4e-10:240:66//AL017241

F-PLACE1000004//CIT-HSP-2294H13.TF CIT-HSP Homo sapiens genomic clone 2294H13, genomic survey sequence.//8.2e-10:158:75//AQ003859

F-PLACE1000005//Mouse alpha-1 antitrypsin gene, segment 1.//4.8e-15:89:93//M12585

F-PLACE1000007//Homo sapiens ubiquitin hydrolyzing enzyme I (UBH1) mRNA, partial cds.//3.8e-51:550:72//AF022789

F-PLACE1000014

F-PLACE1000031//Homo sapiens clone DJ0098022, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.91:333:61//AC004821

F-PLACE1000040//Homo sapiens DNA sequence from PAC 958B3 on chromosome Xp22.11-Xp22.22. Contains ESTs STS and CpG island.//2.6e-20:279:67//Z9302

F-PLACE1000048//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//3.6e-63:488:82//AC005177

F-PLACE1000050//Mus musculus chromosome 14 marker um-m24 GA dinucleotide DNA sequence.//2.3e-10:141:75//U31508

F-PLACE1000061//Human ribosomal protein L37a mRNA sequence.//1.9e-30:190:94//L22154

F-PLACE1000066//Homo sapiens PAC clone DJ1106E03 from 7q31.3-7q3, complete sequence.//6.0e-63:597:74//AC005521

F-PLACE1000078//Homo sapiens chromosome 11 clone CIT987SK-1012F4, WORKING DRAFT SEQUENCE, 6 unordered pieces.//5.2e-09:143:73//AC005848

F-PLACE1000081//Human DNA from chromosome 19 specific cosmid R28461, genomic sequence, complete sequence.//0.52:390:60//AC002389

F-PLACE1000094

F-PLACE1000133//Human DNA sequence from clone 372K1 on chromosome 6q24 C contains EST, STS, GSS and CpG Island, complete sequence.//4.4e-129:731:92//AL023580

F-PLACE1000142//H.sapiens AUH mRNA.//6.4e-09:328:62//X79888

F-PLACE1000184//Homo sapiens estrogen-related receptor gamma mRNA, complete cds.//7.7e-150:737:97//AF058291

F-PLACE1000185//Sequence 15 from patent US 5691147.//5.7e-106:558:94//I76211

F-PLACE1000213

F-PLACE1000214//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.8e-06:644:57//AC005504

F-PLACE1000236//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 695020, WORKING DRAFT SEQUENCE.//2.6e-39:191:83//AL032818

F-PLACE1000246//HS_2008_A2_D04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2008 Col=8 Row=G, genomic survey s

equence.//0.96:153:61//AQ269813
 F-PLACE1000292//Drosophila melanogaster Oregon-R mitochondrial A+T region.//5.1e-12:571:60//U11584
 F-PLACE1000308//D.teissieri mitochondrial DNA for tRNA-fmet, tRNA-Ile, tRNA-Gln & tRNA-Val.//0.00013:369:59//X54011
 F-PLACE1000332//HS_2016_B2_D08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2016 Col=16 Row=H, genomic survey sequence.//7.5e-83:424:96//AQ232106
 F-PLACE1000347//CIT-HSP-2326A16.TV CIT-HSP Homo sapiens genomic clone 2326A16, genomic survey sequence.//0.13:46:100//AQ047350
 F-PLACE1000374//Mus musculus putative CCAAT binding factor 1 (mCBF) mRNA, alternatively spliced transcript mCBF1, complete cds.//0.00048:84:83//U19891
 F-PLACE1000380//F.rubripes GSS sequence, clone 047P21aA10, genomic survey sequence.//0.43:198:62//Z88163
 F-PLACE1000383//Homo sapiens myotubularin related protein 1 (MTMR1) mRNA, partial cds.//8.7e-149:740:96//U58032
 F-PLACE1000401//Pinctada fucata mRNA for insoluble protein, complete cds.//0.22:484:56//D86074
 F-PLACE1000406//Human nuclear matrix protein 55 (nmt55) mRNA, complete cds.//3.3e-19:372:65//U89867
 F-PLACE1000420//Homo sapiens chromosome 17, clone hRPK.227_G_15, complete sequence.//1.6e-85:421:87//AC005899
 F-PLACE1000421//Human GT334 protein (GT334) gene, exons 16 and 17.//0.88:145:68//U61515
 F-PLACE1000424//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//0.076:196:66//AC005189
 F-PLACE1000435//HS_3217_A2_A12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3217 Col=24 Row=A, genomic survey

sequence.//2.2e-47:438:76//AQ181698

F-PLACE1000444//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//6.9e-61:616:71//AC004382

F-PLACE1000453//Murine genomic DNA; partially digested Sau3A fragment, cloned into cosmid vector pEMBLcos2, complete sequence.//5.8e-18:314:69//AF059580

F-PLACE1000481//Homo sapiens Chromosome 22q11.2 Cosmid Clone 94a In DGCR Region, complete sequence.//1.1e-33:349:76//AC002491

F-PLACE1000492//Rat vacuolar protein sorting homolog r-vps33b mRNA, complete cds.//1.1e-34:256:83//U35245

F-PLACE1000540//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.099:336:58//X95276

F-PLACE1000547//Arabidopsis thaliana GDP-mannose pyrophosphorylase (GMP1) mRNA, complete cds.//5.4e-11:279:63//AF076484

F-PLACE1000562//, complete sequence.//1.7e-97:559:88//AC005409

F-PLACE1000564

F-PLACE1000583//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//3.3e-46:631:68//M27877

F-PLACE1000588//Human guanylate binding protein isoform I (GBP-2) mRNA, complete cds.//7.3e-84:503:88//M55542

F-PLACE1000596//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//3.8e-164:798:97//AJ012449

F-PLACE1000599//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.018:295:61//X95276

F-PLACE1000610//HS_2056_A1_D10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2056 Col=19 Row=G, genomic survey sequence.//5.3e-24:188:87//AQ235967

F-PLACE1000611//Rattus norvegicus neural membrane protein 35 mRNA, complete cds.//2.4e-47:687:66//AF044201

F-PLACE1000636

F-PLACE1000653//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//1.5e-152:747:96//AF102265

F-PLACE1000656//Homo sapiens mRNA for JM4 protein, complete CDS (clone I MAGE 546750 and LLNLc110F1857Q7 (RZPD Berlin)).//2.3e-156:775:97//AJ005896

F-PLACE1000706//nuclear protein TIF1 [mice, mRNA, 3951 nt].//8.0e-60:675:70//S78219

F-PLACE1000712

F-PLACE1000716//HS-1057-A1-A03-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 779 Col=5 Row=A, genomic survey sequence.//2.7e-42:266:82//B43026

F-PLACE1000748//CIT-HSP-2372J8.TR CIT-HSP Homo sapiens genomic clone 2372J8, genomic survey sequence.//0.023:157:68//AQ113109

F-PLACE1000749//Plasmodium falciparum MAL3P7, complete sequence.//0.099:664:57//AL034559

F-PLACE1000755//H.sapiens DNA 3' flanking simple sequence region clone w g2c3.//0.00068:206:62//X76589

F-PLACE1000769//RPCI11-3J18.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-3J18, genomic survey sequence.//6.5e-08:93:89//B63806

F-PLACE1000785//Homo sapiens mRNA for KIAA0648 protein, partial cds.//3.5e-138:663:98//AB014548

F-PLACE1000786//Drosophila melanogaster cosmid 80H7.//1.4e-43:589:68//AL031027

F-PLACE1000793//H.sapiens CpG island DNA genomic MseI fragment, clone 13 d12, reverse read cpg13d12.rtlc.//4.6e-09:71:100//Z64565

F-PLACE1000798//Human Chromosome 16 BAC clone CIT987SK-A-635H12, complete sequence.//5.0e-14:235:72//AC002310

F-PLACE1000841//Homo sapiens clone NH0441G08, WORKING DRAFT SEQUENCE, 12

unordered pieces.//0.013:404:60//AC006158

F-PLACE1000849//H.sapiens CpG island DNA genomic MseI fragment, clone 72 a10, reverse read cpg72a10.rt1a.//3.3e-09:82:92//Z62712

F-PLACE1000856//Hydra vulgaris HT4 mRNA for collagen-like protein, partial cds.//1.0:317:59//AB008935

F-PLACE1000863//H.sapiens CpG island DNA genomic MseI fragment, clone 53 d2, forward read cpg53d2.ft1b.//7.3e-37:199:98//Z55621

F-PLACE1000909//H.sapiens CpG island DNA genomic MseI fragment, clone 17 3f8, reverse read cpg173f8.rt1a.//1.5e-17:128:92//Z57391

F-PLACE1000931//Human DNA sequence from PAC 212P9 on chromosome 1p34.1-1 p35. Contains delta opiate receptor, CpG island, CA repeat, .//8.1e-55:64 7:72//AL009181

F-PLACE1000948

F-PLACE1000972//RPCI11-61B1.TJ RPCI11 Homo sapiens genomic clone R-61B1, genomic survey sequence.//1.0e-26:148:99//AQ194348

F-PLACE1000977//Homo sapiens mRNA for KIAA0672 protein, complete cds.//6 .1e-08:413:61//AB014572

F-PLACE1000979//H.sapiens CpG island DNA genomic MseI fragment, clone 76 e8, reverse read cpg76e8.rt1a.//2.7e-10:84:94//Z55963

F-PLACE1000987//Homo sapiens mRNA for KIAA0724 protein, complete cds.//8 .0e-140:694:96//AB018267

F-PLACE1001000//Herpetomonas muscarum muscarum kinetoplast 12S rRNA gene .//0.0056:443:58//U01011

F-PLACE1001007//CIT-HSP-2013L15.TF CIT-HSP Homo sapiens genomic clone 20 13L15, genomic survey sequence.//0.99:277:58//B58681

F-PLACE1001010//Human cosmid g1572c101, complete sequence.//3.6e-55:294: 88//AC000357

F-PLACE1001015//Homo sapiens PAC clone DJ0754J18 from 7p21, complete sequence.//7.2e-33:333:73//AC004741

F-PLACE1001024

F-PLACE1001036//CIT-HSP-2373I10.TF CIT-HSP Homo sapiens genomic clone 2373I10, genomic survey sequence.//1.1e-80:393:98//AQ108662

F-PLACE1001054//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K9I9, complete sequence.//8.8e-40:483:66//AB013390

F-PLACE1001062//Mus musculus mRNA encoding lysine-ketoglutarate reductase/saccharopine dehydrogenase.//1.2e-23:224:80//AJ224761

F-PLACE1001076//HS_2195_B1_D05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2195 Col=9 Row=H, genomic survey sequence.//0.0014:168:66//AQ066659

F-PLACE1001088

F-PLACE1001092//Homo sapiens sorting nexin 4 mRNA, complete cds.//3.1e-95:489:96//AF065485

F-PLACE1001104//Caprine arthritis-encephalitis virus envelope glycoprotein (env) gene, partial cds.//0.0073:253:62//U81400

F-PLACE1001118//Homo sapiens KRAB domain zinc finger protein (ZFP37) mRNA, complete cds.//2.5e-64:676:71//AF022158

F-PLACE1001136//Human amphiregulin (AR) gene, exon 5, clones lambda-ARH(6,12).//3.8e-26:174:93//M30702

F-PLACE1001168

F-PLACE1001171//Homo sapiens subtelomeric cosmid 11b-1, complete sequence.//7.6e-23:245:68//AC005603

F-PLACE1001185//Human DNA sequence from clone 889N15 on chromosome Xq22.1-22.3. Contains part of the gene for a novel protein similar to X. laevis Cortical Thymocyte Marker CTX, the possibly alternatively spliced gene for 26S Proteasome subunit p28 (Ankyrin repeat protein), a novel gene and exons 36 through 45 of the COL4A6 for Collagen Alpha 6(IV). Contains ESTs, STSs, GSSs and a putative CpG island, complete sequence.//0.010:102:70//AL031177

F-PLACE1001238//Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds.//9.3e-82:684:77//D14336

F-PLACE1001241

F-PLACE1001257//Caenorhabditis elegans cosmid R12E2.//1.1e-16:480:60//AF067219

F-PLACE1001272//H.sapiens subunit of coatomer complex.//0.31:50:96//X70476

F-PLACE1001279//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.054:352:60//AC005507

F-PLACE1001280//Bovine herpesvirus type 1 early-intermediate transcription control protein (BICP4) gene, complete cds.//1.0e-10:620:61//L14320

F-PLACE1001294//M.musculus GEG-154 mRNA.//5.0e-107:826:80//X71642

F-PLACE1001304//Mouse Zfp-35 mRNA for zinc finger protein ZFP-35.//1.2e-67:510:77//X17617

F-PLACE1001311//Homo sapiens clone DJ0826E18, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.6e-47:491:73//AC005282

F-PLACE1001323//HS-1007-A2-B10-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 328 Col=20 Row=C, genomic survey sequence.//9.6e-26:142:100//B31181

F-PLACE1001351

F-PLACE1001366//Homo sapiens mRNA for KIAA0799 protein, partial cds.//8.6e-25:155:95//AB018342

F-PLACE1001377//H.sapiens MADM gene (exon 1).//1.6e-43:393:79//Z48614

F-PLACE1001383//Human DNA sequence from clone 246H3 on chromosome 22q11.21-12.2 Contains LRP5 (Lipoprotein Receptor Related Protein) pseudogene, EST, CA repeats (D22S414, D22S925, D22S926), STS, GSS and CpG island, complete sequence.//1.5e-119:705:91//AL022324

F-PLACE1001384//Homo sapiens mRNA for multi PDZ domain protein.//5.7e-08

:117:84//AJ001319

F-PLACE1001387//Sequence 3 from patent US 5610018.//1.7e-06:395:58//I573
40

F-PLACE1001395//Plasmodium falciparum circular DNA rpoB and rpoC genes f
or beta and beta-prime subunits of RNA polymerase (EC 2.7.7.6).//7.2e-11
:620:60//X52177

F-PLACE1001399//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING
DRAFT SEQUENCE, 2 ordered pieces.//3.0e-145:700:98//AC005412

F-PLACE1001412//Homo sapiens clone 643 unknown mRNA, complete sequence./
/2.0e-69:365:96//AF091087

F-PLACE1001414//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete
sequence.//8.2e-121:608:97//AC006241

F-PLACE1001440//Human Chromosome 11 pac pDJ393o15, WORKING DRAFT SEQUENC
E, 8 unordered pieces.//1.3e-06:437:61//AC000384

F-PLACE1001456//Homo sapiens Xp22 GS-524I1 (Genome Systems Human BAC lib
rary), complete sequence.//0.98:348:60//AC003106

F-PLACE1001468//Homo sapiens DNA sequence from PAC 435A7 on chromosome X
q22.1-q22.3. Contains STS.//4.4e-05:358:62//AL022148

F-PLACE1001484//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 387E22, WORKING DRAFT SEQUENCE.//5.7e-31:195:93//AL031660

F-PLACE1001502//Human fibroblast growth factor receptor 3 (FGFR3) gene,
exon 1.//0.00015:333:59//L78720

F-PLACE1001503//Drosophila melanogaster DNA sequence (P1 DS05273 (D80)),
complete sequence.//0.00016:161:66//AC004373

F-PLACE1001517//Human DNA sequence from PAC 696H22 on chromosome Xq21.1-
21.2. Contains a mouse E25 like gene, a Kinesin like pseudogene and ESTs
./3.7e-22:260:76//AL021786

F-PLACE1001534//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 620E11, WORKING DRAFT SEQUENCE.//1.1e-143:713:97//AL031667

F-PLACE1001545//Homo sapiens chromosome 3, clone hRPK.165_I_16, complete sequence.//2.7e-139:482:96//AC005669

F-PLACE1001551//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//6.9e-116:681:89//AC005261

F-PLACE1001570//HS_3105_A1_F06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3105 Col=11 Row=K, genomic survey sequence.//1.2e-10:137:79//AQ139817

F-PLACE1001602//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer , segment 3/11. //1.8e-102:217:99//AB020860

F-PLACE1001603//Homo sapiens nitrilase homolog 1 (NIT1) gene, alternatively spliced product, complete cds.//3.7e-104:501:98//AF069984

F-PLACE1001608//HS_2189_A1_G07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2189 Col=13 Row=M, genomic survey sequence.//2.9e-60:429:84//AQ221959

F-PLACE1001610//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//4.4e-114:552:98//AC005037

F-PLACE1001611//Human DNA sequence from clone 1039K5 on chromosome 22q12.3-13.2 Contains gene similar to PICK1 perinuclear binding protein, gene similar to monocarboxylate transporter (MCT3), ESTs, STS, GSS and a CpG island, complete sequence.//0.93:131:71//AL031587

F-PLACE1001632//Homo sapiens mRNA for KIAA0798 protein, complete cds.//1.1e-74:702:75//AB018341

F-PLACE1001634//Human p190-B (p190-B) mRNA, complete cds.//1.2e-18:114:100//U17032

F-PLACE1001640//Homo sapiens chromosome 17, clone hRPK.651_L_9, complete sequence.//7.7e-159:788:97//AC005971

F-PLACE1001672//Human DNA sequence from clone 71L16 on chromosome Xp11. Contains a probable Zinc Finger protein (pseudo)gene, an unknown putativ

e gene, a pseudogene with high similarity to part of antigen KI-67, a putative Chondroitin 6-Sulfotransferase LIKE gene and a KIAA0267 LIKE putative Na(+)/H(+) exchanger protein gene. Contains a predicted CpG island, ESTs, STSS and GSSs and genomic markers DXS1003 and DXS1055, complete sequence.//7.8e-36:365:73//AL022165

F-PLACE1001691//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//9.1e-149:760:96//AC005921

F-PLACE1001692//Rat medium-chain S-acyl fatty acid synthetase thio ester hydrolase (MCH), complete cds.//2.9e-57:643:71//M16200

F-PLACE1001705//Homo sapiens chromosome 17, clone hRPK.958_E_11, WORKING DRAFT SEQUENCE, 2 ordered pieces.//3.9e-18:284:71//AC005883

F-PLACE1001716//Human mRNA for KIAA0191 gene, partial cds.//6.6e-68:369:73//D83776

F-PLACE1001720//Homo sapiens Chromosome 22q11.2 Cosmid Clone 31f3 In IGL C Region, complete sequence.//1.0:274:59//AC000051

F-PLACE1001729//Streptomyces coelicolor cosmid 1C2.//0.22:433:57//AL031124

F-PLACE1001739//Caenorhabditis elegans cosmid C18H7.//0.049:341:61//AF067607

F-PLACE1001740//Homo sapiens chromosome 5, P1 clone 1108H7 (LBNL H81), complete sequence.//4.8e-26:372:68//AC005221

F-PLACE1001745

F-PLACE1001746//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.018:472:57//AL031744

F-PLACE1001748//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//8.8e-159:773:97//AF061243

F-PLACE1001756//Homo sapiens chromosome 12p13.3 clone RPC111-303E5, WORKING DRAFT SEQUENCE, 65 unordered pieces.//1.9e-54:274:81//AC005842

F-PLACE1001761//HS_3027_A1_D02_MR CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=3027 Col=3 Row=G, genomic survey sequence.//0.095:49:93//AQ130972

F-PLACE1001771//Homo sapiens transient receptor potential protein 6 mRNA, complete cds.//1.0e-146:709:97//AF080394

F-PLACE1001781

1.3e-08:238:65//AC005637

F-PLACE1001799//HS_3075_B1_H03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=5 Row=P, genomic survey sequence.//1.7e-09:166:69//AQ138474

F-PLACE1001810//Arabidopsis thaliana genomic DNA, chromosome 3, P1 clone : MRC8, complete sequence.//0.00035:196:66//AB020749

F-PLACE1001817//Homo sapiens ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//1.1e-108:546:96//AF058953

F-PLACE1001821//RPCI11-35D17.TK RPCI-11 Homo sapiens genomic clone RPCI-11-35D17, genomic survey sequence.//2.1e-55:300:97//AQ045286

F-PLACE1001844//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//2.8e-67:443:86//AC005177

F-PLACE1001845//Arabidopsis thaliana chromosome I BAC T25B24 genomic sequence, complete sequence.//0.34:219:64//AC005850

F-PLACE1001869//Klebsiella pneumoniae ribitol kinase (rbtK) and ribitol transporter (rbtT) genes, complete cds.//7.1e-11:505:57//AF045244

F-PLACE1001897//RPCI11-46D15.TJ RPCI11 Homo sapiens genomic clone R-46D15, genomic survey sequence.//9.3e-08:383:63//AQ194408

F-PLACE1001912

F-PLACE1001920//Homo sapiens MDC-3.13 isoform 2 mRNA, complete cds.//7.3e-156:753:98//AF099935

F-PLACE1001928//HS_2220_B2_G04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2220 Col=8 Row=N, genomic survey sequence.//2.8e-43:233:97//AQ152361

F-PLACE1001983//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745C22, WORKING DRAFT SEQUENCE.//1.6e-07:396:62//AL031596

F-PLACE1001989//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//1.0e-109:602:93//AL023755

F-PLACE1002004//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 317E23, WORKING DRAFT SEQUENCE.//1.0e-69:475:87//AL020996

F-PLACE1002046//Mus musculus ligatin (Lgtn) mRNA, partial cds.//7.2e-97:623:85//U58337

F-PLACE1002052//HS_2178_B2_D05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2178 Col=10 Row=H, genomic survey sequence.//4.8e-22:140:95//AQ307908

F-PLACE1002066//Apis mellifera NADH dehydrogenase subunit 2 (ND2) gene, mitochondrial gene encoding mitochondrial protein, partial cds.//0.0063:371:60//U72284

F-PLACE1002072//Homo sapiens tight junction protein ZO (ZO-2) gene, alternative splice products, promoter and exon A.//0.97:248:60//AF043195

F-PLACE1002073//Homo sapiens mRNA for KIAA0606 protein, partial cds.//1.3e-37:635:64//AB011178

F-PLACE1002090//Homo sapiens full length insert cDNA clone ZA85C09.//7.0e-122:583:98//AF086131

F-PLACE1002115//nbxb0038A20r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0038A20r, genomic survey sequence.//0.039:210:69//AQ291086

F-PLACE1002119//Mus musculus IER5 (Ier5) mRNA, complete cds.//7.1e-61:540:77//AF079527

F-PLACE1002140//Homo sapiens DNA sequence from PAC 454M7 on chromosome X q25-26.3. Contains the OCRL1 gene for Lowe Oculocerebrorenal Syndrome protein OCRL-1. Contains ESTs, STSs and GSSs, complete sequence.//2.1e-125:491:98//AL022162

F-PLACE1002150//Plasmodium falciparum MAL3P5, complete sequence.//0.12:4

08:61//AL034556

F-PLACE1002157//Homo sapiens BAC clone NH0335J18 from 2, complete sequence.//1.1e-44:515:71//AC005539

F-PLACE1002163//Homo sapiens T-cell receptor alpha delta locus from bases 1000498 to 1071650 (section 5 of 5) of the Complete Nucleotide Sequence.//0.98:210:65//AE000662

F-PLACE1002170//Homo sapiens Xp22 bins 16-17 BAC GSHB-531117 (Genome Systems Human BAC Library) complete sequence.//1.2e-06:283:60//AC004805

F-PLACE1002171//Mus musculus interferon alpha/beta receptor (IFNAR) gene, exon 11 and partial cds.//1.0e-24:313:71//U06244

F-PLACE1002205//Drosophila melanogaster; Chromosome 3L; Region 79F1-80A2; BAC clone BACR48E05, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.6e-05:428:60//AC005720

F-PLACE1002213//HS_3238_B1_G03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3238 Col=5 Row=N, genomic survey sequence.//2.2e-74:371:98//AQ206965

F-PLACE1002227//HS-1056-B1-C01-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 778 Col=1 Row=F, genomic survey sequence.//2.1e-07:174:71//B42800

F-PLACE1002256//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-72, complete sequence.//0.022:458:59//AL010142

F-PLACE1002259//Human DNA sequence from clone 246H3 on chromosome 22q11.21-12.2 Contains LRP5 (Lipoprotein Receptor Related Protein) pseudogene, EST, CA repeats (D22S414, D22S925, D22S926), STS, GSS and CpG island, complete sequence.//3.5e-91:637:84//AL022324

F-PLACE1002319

F-PLACE1002342//Caenorhabditis elegans cosmid M03A1.//0.47:403:58//U4995

6

F-PLACE1002395//Homo sapiens chromosome 19, cosmid R28991, complete sequence

ence.//1.9e-127:487:93//AC004623

F-PLACE1002399//Homo sapiens chromosome 17, clone hRPK.235_I_10, complete sequence.//5.6e-05:474:59//AC005922

F-PLACE1002433//Drosophila melanogaster fidipidine gene, exons 1-7.//1.7e-11:613:58//AJ011928

F-PLACE1002437//M.musculus abc1 mRNA.//5.5e-62:452:85//X75926

F-PLACE1002438//Dictyostelium discoideum developmental protein DG1098 (D G1098) gene, partial cds.//0.013:372:59//AF081801

F-PLACE1002450//HS_3233_A1_G01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3233 Col=1 Row=M, genomic survey sequence.//3.1e-07:449:59//AQ204769

F-PLACE1002465

F-PLACE1002474//Mus musculus matrilin-2 precursor mRNA, complete cds.//1.5e-110:720:85//U69262

F-PLACE1002477//Homo sapiens Xp22-171-173 BAC GSHB-312I4 (Genome Systems Human BAC Library) complete sequence.//3.9e-05:195:71//AC005926

F-PLACE1002493//Homo sapiens 3p22-8 PAC RPCI4-736H12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.020:301:60//AC006060

F-PLACE1002499

F-PLACE1002500//Rattus norvegicus zinc transporter (ZnT-2) mRNA, complete cds.//2.1e-58:465:80//U50927

F-PLACE1002514//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 292E10, WORKING DRAFT SEQUENCE.//3.7e-08:139:76//Z93930

F-PLACE1002529//Homo sapiens mRNA for KIAA0713 protein, partial cds.//9.0e-143:583:95//AB018256

F-PLACE1002532//Homo sapiens BAC clone RG300E22 from 7q21-q31.1, complete sequence.//0.00019:193:65//AC004774

F-PLACE1002537//Human DNA sequence from clone 127F18 on chromosome Xp11.

4-21.3. Contains part of a novel gene with some similarity to parts of chicken Myosin Light Chain and various species' Interleukin-1 Receptor Type 1 (IL1-R-1). Contains GSSs, complete sequence.//4.7e-25:198:84//AL031575

F-PLACE1002571//Drosophila melanogaster actin-related protein mRNA, complete cds.//2.0e-13:400:60//L25314

F-PLACE1002578//Homo sapiens Xq28 BACs 360 F12, GSHB-555C13, complete sequence.//3.5e-11:167:72//AC002523

F-PLACE1002583//Mus musculus glutamate receptor subunit (GluR6) gene, partial cds.//4.2e-09:370:61//U31443

F-PLACE1002591//H.sapiens mRNA for coronin.//7.2e-26:279:74//X89109

F-PLACE1002598//Homo sapiens clone GS308H05, WORKING DRAFT SEQUENCE, 6 unordered pieces.//0.0013:375:64//AC005537

F-PLACE1002604//Hansenula wingei mitochondrial DNA, complete sequence.//4.7e-05:556:59//D31785

F-PLACE1002625

F-PLACE1002655//Homo sapiens PAC clone DJ0722F20 from 7q31.1-q31.3, complete sequence.//1.6e-128:229:92//AC005281

F-PLACE1002665//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//3.6e-107:706:84//AF079765

F-PLACE1002685//Homo sapiens B cell linker protein BLNK mRNA, alternatively spliced, complete cds.//3.4e-186:804:97//AF068180

F-PLACE1002714//Mus musculus cathepsin S (CatS) gene, promoter region and exons 1 and 2.//2.3e-16:474:64//AF051726

F-PLACE1002722//Sequence 1 from patent US 5686597.//1.7e-107:552:95//173723

F-PLACE1002768//Human DNA sequence from clone 726F20 on chromosome 1p36.

11-36.23. Contains ESTs and a GSS, complete sequence.//0.0076:161:70//AL031273

F-PLACE1002772//HS_3058_A1_D02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3058 Col=3 Row=G, genomic survey sequence.//0.0046:192:64//AQ134567

F-PLACE1002775//Mus musculus bromodomain-containing protein BP75 mRNA, complete cds.//7.6e-14:459:62//AF084259

F-PLACE1002782//Rattus norvegicus zinc transporter (ZnT-2) mRNA, complete cds.//3.6e-43:385:77//U50927

F-PLACE1002794//CIT-HSP-2368A17.TR CIT-HSP Homo sapiens genomic clone 2368A17, genomic survey sequence.//1.3e-71:368:96//AQ075879

F-PLACE1002811//Human mRNA for KIAA0172 gene, partial cds.//1.8e-44:567:70//D79994

F-PLACE1002815//Sequence 25 from patent US 5747660.//2.6e-07:150:73//ARO05295

F-PLACE1002816//Homo sapiens antigen NY-CO-9 (NY-CO-9) mRNA, partial cds.//1.3e-68:687:73//AF039691

F-PLACE1002834//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//9.3e-41:240:93//M27877

F-PLACE1002839//Human BAC clone RG205G13 from 7q31, complete sequence.//0.00087:213:63//AC003045

F-PLACE1002851//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.0032:269:66//AC005140

F-PLACE1002853//Leishmania tarentolae kinetoplast pre-edited mitochondrial maxicircle DNA complete transcribed region and flanks.//0.032:275:62//M10126

F-PLACE1002881//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 111B22, WORKING DRAFT SEQUENCE.//4.7e-38:355:76//Z98200

F-PLACE1002908//Gallus gallus beta-1,4-galactosyltransferase (CKII) mRNA, complete cds.//0.00012:200:64//U19889

F-PLACE1002941//Human BAC clone RG161K23 from 7q21, complete sequence.//
1.1e-14:241:70//AC000120

F-PLACE1002962

F-PLACE1002968//Plasmodium falciparum MAL3P2, complete sequence.//0.21:4
10:59//AL034558

F-PLACE1002991//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 968D22, WORKING DRAFT SEQUENCE.//6.8e-121:605:93//AL023755

F-PLACE1002993//CIT-HSP-2338I16.TF CIT-HSP Homo sapiens genomic clone 23
38I16, genomic survey sequence.//1.9e-13:100:95//AQ054760

F-PLACE1002996//Mouse U6 RNA gene.//2.0e-13:113:90//X06980

F-PLACE1003025//Plasmodium falciparum MAL3P6, complete sequence.//0.84:3
74:58//Z98551

F-PLACE1003027//Homo sapiens mRNA for KIAA0516 protein, partial cds.//6.
1e-130:632:97//AB011088

F-PLACE1003044//cDNA encoding novel rat protein TIP120 which is formed o
f complex with TBP (TATA binding protein).//1.6e-123:687:91//E12829

F-PLACE1003045//H.sapiens CpG island DNA genomic MseI fragment, clone 47
g6, forward read cpg47g6.ft1a.//0.0064:52:96//Z61200

F-PLACE1003092//CIT-HSP-387P22.TRB CIT-HSP Homo sapiens genomic clone 38
7P22, genomic survey sequence.//0.0031:249:63//B60158

F-PLACE1003100//Human Hep27 protein mRNA, complete cds.//8.9e-65:650:73/
/U31875

F-PLACE1003108

F-PLACE1003136//Homo sapiens chromosome 5, P1 clone 1130f1 (LBNL H40), c
omplete sequence.//6.3e-46:606:68//AC004219

F-PLACE1003145

F-PLACE1003153//RPCI11-13P16.TP RPCI-11 Homo sapiens genomic clone RPCI-
11-13P16, genomic survey sequence.//2.7e-63:478:82//B76206

F-PLACE1003174//Human DNA sequence from clone 441J1 on chromosome 6p24 C

ontains STS, GSS, complete sequence.//0.61:147:65//Z99495
 F-PLACE1003176//HS_2255_A2_B01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2255 Col=2 Row=C, genomic survey sequence.//6.3e-09:137:76//AQ131934
 F-PLACE1003190//Homo sapiens clone RG332P12, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.4e-138:791:90//AC005095
 F-PLACE1003200//P.falciparum complete gene map of plastid-like DNA (IR-B).//8.7e-06:728:57//X95276
 F-PLACE1003205//Human BAC clone RG354L07 from 7q31, complete sequence.//7.5e-05:249:63//AC002466
 F-PLACE1003238//HS_3239_A2_G02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3239 Col=4 Row=M, genomic survey sequence.//0.36:64:87//AQ209954
 F-PLACE1003249
 F-PLACE1003256
 F-PLACE1003258//HS_3223_A1_G10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3223 Col=19 Row=M, genomic survey sequence.//1.4e-07:227:65//AQ190317
 F-PLACE1003296//CIT-HSP-2337F11.TF CIT-HSP Homo sapiens genomic clone 2337F11, genomic survey sequence.//1.1e-13:97:95//AQ057429
 F-PLACE1003302//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//2.3e-92:485:95//M27877
 F-PLACE1003334
 F-PLACE1003342
 F-PLACE1003343//Homo sapiens clone DJ1022I14, WORKING DRAFT SEQUENCE, 14 unordered pieces.//1.0e-20:179:84//AC004951
 F-PLACE1003353//Homo sapiens breast cancer antiestrogen resistance 3 protein (BCAR3) mRNA, complete cds.//8.0e-143:773:92//U92715
 F-PLACE1003361//Human Cosmid gl248a143 from 7q31.3, complete sequence.//

1.9e-30:402:70//AC004095

F-PLACE1003366

F-PLACE1003369//Plasmodium falciparum MAL3P2, complete sequence.//7.6e-0

7:378:60//AL034558

F-PLACE1003373//Homo sapiens PAC clone DJ0740L10 from 7p13-p14, complete
sequence.//6.0e-18:471:61//AC005247

F-PLACE1003375

F-PLACE1003383//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat e
pithelium cancer , segment 10/10.//2.3e-157:779:96//AB020878

F-PLACE1003394//Sprague-Dawley (clone LRB13) RAB14 mRNA, complete cds.//
1.2e-104:596:91//M83680

F-PLACE1003401//RPCI11-71J5.TJ RPCI11 Homo sapiens genomic clone R-71J5,
genomic survey sequence.//0.85:140:65//AQ268588

F-PLACE1003420//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y1E3, WORKING DRAFT SEQUENCE.//0.0015:286:60//AL021388

F-PLACE1003454//Plasmodium falciparum microsatellite pe63 sequence.//0.0
084:219:61//AF015470

F-PLACE1003478//Homo sapiens calcium-dependent chloride channel-1 (hCLCA
1) gene, complete cds.//1.3e-11:746:60//AF039401

F-PLACE1003493

F-PLACE1003516//Homo sapiens chromosome 17, clone HRPC987K16, complete s
equence.//8.2e-41:379:78//AC002994

F-PLACE1003519//Homo sapiens chromosome 21q22.3 PAC 141B3, complete sequ
ence, containing ribosomal protein homologue pseudogene L23a.//6.2e-21:2
47:76//AF064859

F-PLACE1003521//Human DNA sequence from PAC 257A7 on chromosome 6p24. Co
ntains two unknown genes and ESTs, STSs and a GSS.//4.4e-68:502:79//AL00
8729

F-PLACE1003528//Homo sapiens DNA sequence from clone 78F24 on chromosome

22q12.1-12.3. Contains one exon of an Oxysterol-binding protein (OSBP) LIKE gene. Contains GSSs and an STS, complete sequence.//1.0:323:58//AL022336

F-PLACE1003537//Homo sapiens multispinning membrane protein mRNA, complete cds.//0.0054:322:59//U94831

F-PLACE1003553//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING DRAFT SEQUENCE.//2.9e-78:267:88//AL031297

F-PLACE1003566//Plasmodium falciparum MAL3P3, complete sequence.//0.00026:514:58//Z98547

F-PLACE1003575//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.079:755:54//AC004688

F-PLACE1003583//Human DNA sequence from clone 246H3 on chromosome 22q11.21-12.2 Contains LRP5 (Lipoprotein Receptor Related Protein) pseudogene, EST, CA repeats (D22S414, D22S925, D22S926), STS, GSS and CpG island, complete sequence.//1.1e-41:212:74//AL022324

F-PLACE1003584//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-56, complete sequence.//0.0038:465:57//AL010230

F-PLACE1003592//Homo sapiens chromosome 17, clone 296K1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//0.72:111:71//AC002557

F-PLACE1003593//Human PAC clone DJ318C15 from Xq23, complete sequence.//0.096:162:66//AC002476

F-PLACE1003596//Mus musculus integral membrane protein 1 (Itml) mRNA, complete cds.//1.4e-54:685:68//L34260

F-PLACE1003602//Homo sapiens mRNA expressed in placenta.//1.1e-138:679:97//D83200

F-PLACE1003605//Homo sapiens chromosome 16, cosmid clone RT81 (LANL), complete sequence.//0.0074:265:63//AC005356

F-PLACE1003611//HS_2198_B1_D02_MF CIT Approved Human Genomic Sperm Library

ry D Homo sapiens genomic clone Plate=2198 Col=3 Row=H, genomic survey s
equence.//2.1e-23:137:97//AQ184475

F-PLACE1003618//Homo sapiens chromosome 4 clone C0011C13 map 4p16, compl
ete sequence.//3.0e-122:725:89//AC006226

F-PLACE1003625//HS_2238_B2_D11_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2238 Col=22 Row=H, genomic survey
sequence.//4.8e-12:92:94//AQ065662

F-PLACE1003638//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone
: MKD10, complete sequence.//0.043:264:63//AB011478

F-PLACE1003669

F-PLACE1003704//RPCI11-23H21.TKBF RPCI-11 Homo sapiens genomic clone RPC
I-11-23H21, genomic survey sequence.//7.1e-31:199:91//AQ013830

F-PLACE1003709//Homo sapiens mitotic checkpoint kinase Bub1 (BUB1) mRNA,
complete cds.//4.3e-132:669:95//AF053305

F-PLACE1003711//Homo sapiens DNA sequence from PAC 163M9 on chromosome 1
p35.1-p36.21. Contains protein synthesis factor (eIF-4C), D1F15S1A pseud
ogene, ESTs, STS, GSS, complete sequence.//1.5e-31:166:99//AL021920

F-PLACE1003723//HS_2231_A2_C07_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2231 Col=14 Row=E, genomic survey
sequence.//1.2e-12:114:90//AQ235672

F-PLACE1003738//Human zinc finger protein 42 (MZF-1) mRNA, complete cds.
//5.9e-33:592:67//M58297

F-PLACE1003760//Homo sapiens tetraspan TM4SF (TSPAN-3) mRNA, complete cd
s.//3.6e-11:92:93//AF054840

F-PLACE1003762

F-PLACE1003768//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndr
ome region), segment 7/15, WORKING DRAFT SEQUENCE.//4.8e-77:737:76//AP00
0014

F-PLACE1003771//Homo sapiens BAC clone GS164B05 from 7p21-p22, complete

sequence.//2.1e-164:793:98//AC004160

F-PLACE1003783//HS_2190_A2_C02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2190 Col=4 Row=E, genomic survey sequence.//1.1e-26:147:100//AQ218757

F-PLACE1003784//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//4.5e-57:706:68//AC006210

F-PLACE1003795//Homo sapiens Xq28 genomic DNA in the region of the L1CAM locus containing the genes for neural cell adhesion molecule L1 (L1CAM), arginine-vasopressin receptor (AVPR2), C1 p115 (C1), ARD1 N-acetyltransferase related protein (TE2), renin-binding protein (RbP), host cell factor 1 (HCF1), and interleukin-1 receptor-associated kinase (IRAK) genes, complete cds, and Xq28lu2 gene.//0.015:296:60//U52112

F-PLACE1003833//Homo sapiens DNA sequence from cosmid N75B3 on chromosome 22 Contains EST, exon trap, complete sequence.//0.52:212:64//AL022339

F-PLACE1003850//P.falciparum histidine-rich protein genes.//0.39:330:60//M17028

F-PLACE1003858//Human DNA sequence from PAC 332011 on chromosome 1q24-1q25. Contains ESTs and STSs.//4.8e-07:461:59//Z98043

F-PLACE1003864//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.026:538:56//AC005139

F-PLACE1003870//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//6.5e-06:175:69//Z98304

F-PLACE1003885//Mus musculus poly(A) polymerase VI mRNA, complete cds.//9.4e-75:754:72//U58134

F-PLACE1003886//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1 unordered pieces.//6.7e-20:432:64//AC006030

F-PLACE1003888//Human mRNA for phospholipase C, complete cds.//2.6e-53:702:67//D42108

F-PLACE1003892//RPCI11-24P17.TV RPCI-11 Homo sapiens genomic clone RPCI-11-24P17, genomic survey sequence.//3.3e-20:245:65//B86759

F-PLACE1003900//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 328E19, WORKING DRAFT SEQUENCE.//2.5e-17:260:71//AL022240

F-PLACE1003903//Mus musculus CTP synthetase homolog (CTPsh) mRNA, complete cds.//2.7e-86:533:87//U49385

F-PLACE1003915//Mus musculus clone OST1963, genomic survey sequence.//6.4e-29:251:80//AF046591

F-PLACE1003923//Homo sapiens full length insert cDNA clone ZD40A05.//2.8e-25:316:70//AF086251

F-PLACE1003932//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.6e-05:652:58//AC005505

F-PLACE1003936//CIT-HSP-2387C11.TR.1 CIT-HSP Homo sapiens genomic clone 2387C11, genomic survey sequence.//1.0:223:62//AQ239494

F-PLACE1003968//Rattus norvegicus 5'-AMP-activated protein kinase, gamma-1 subunit mRNA, complete cds.//5.2e-47:505:72//U42413

F-PLACE1004103//Homo sapiens chromosome 19, cosmid R28784, complete sequence.//6.7e-29:241:84//AC005954

F-PLACE1004104//Rattus norvegicus rsec5 mRNA, complete cds.//3.0e-115:719:86//AF032666

F-PLACE1004114//Homo sapiens Chromosome 22q11.2 BAC Clone 77h2 In CES Region, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.5e-22:213:80//AC000052

F-PLACE1004118//Pseudorabies virus with upstream and downstream sequences.//0.87:209:64//M34651

F-PLACE1004128//M.musculus G protein beta-subunit mRNA, complete cds.//2.5e-62:437:84//M63658

F-PLACE1004149//Oryctolagus cuniculus translation initiation factor eIF2

C mRNA, complete cds.//1.4e-16:342:65//AF005355

F-PLACE1004156//Homo sapiens DNA sequence from PAC 57E3 on chromosome 6p 12.1-21.1. Contains GSSs and an STS with a TATC repeat polymorphism, complete sequence.//1.2e-26:299:74//AL022099

F-PLACE1004161

F-PLACE1004183//Homo sapiens for TOM1-like protein.//1.2e-146:731:96//AJ010071

F-PLACE1004197

F-PLACE1004203//Homo sapiens GPI-anchored membrane protein CDw108 precursor, mRNA, complete cds.//4.0e-144:695:98//AF069493

F-PLACE1004242//Homo sapiens DNA sequence from PAC 124C6 on chromosome 6 q21. Contains genomic marker D6S1603, ESTs, GSSs and a STS with a CA repeat polymorphism, complete sequence.//2.3e-151:772:95//AL021326

F-PLACE1004256//HS_2010_B2_G04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2010 Col=8 Row=N, genomic survey sequence.//1.5e-44:372:79//AQ252434

F-PLACE1004257//Homo sapiens BAC clone NH0342K06 from 2, complete sequence.//0.00011:349:63//AC005034

F-PLACE1004258//Homo sapiens DNA sequence from PAC 779B17 on chromosome 22q13.1. Contains exon trap, complete sequence.//0.77:475:59//AL021806

F-PLACE1004270//Human IgA C alpha 1 switch region (Sal).//1.7e-08:622:61//L19121

F-PLACE1004274//H.sapiens CpG island DNA genomic MseI fragment, clone 18 g6, forward read cpg18g6.ft1b.//8.6e-37:196:98//Z57691

F-PLACE1004277//Homo sapiens two pore domain K+ channel (TASK-2) mRNA, complete cds.//6.0e-156:756:97//AF084830

F-PLACE1004284//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MPI7, complete sequence.//0.0060:635:57//AB011480

F-PLACE1004289//HS_3023_B1_E04_T7 CIT Approved Human Genomic Sperm Library

ry D Homo sapiens genomic clone Plate=3023 Col=7 Row=J, genomic survey s
equence.//2.4e-12:86:98//AQ094451

F-PLACE1004302//Streptomyces coelicolor cosmid 7H1.//0.26:297:64//AL0214
11

F-PLACE1004316//H.sapiens mRNA for apoptosis specific protein.//2.9e-150
:797:94//Y11588

F-PLACE1004336//Drosophila melanogaster DNA sequence (P1 DS07968 (D117))
, complete sequence.//0.87:206:59//AC004267

F-PLACE1004358//Homo sapiens connector enhancer of KSR-like protein CNK1
mRNA, complete cds.//5.9e-139:688:97//AF100153

F-PLACE1004376//Mus musculus clone OST20307, genomic survey sequence.//4
.1e-81:498:89//AF046631

F-PLACE1004384//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1121J18, WORKING DRAFT SEQUENCE.//3.6e-41:482:73//AL031653

F-PLACE1004388//Caenorhabditis elegans cosmid K08F11.//8.6e-26:615:62//U
70855

F-PLACE1004405//Homo sapiens clone GS512I21, WORKING DRAFT SEQUENCE, 9 u
nordered pieces.//9.2e-150:749:96//AC005027

F-PLACE1004425//Homo sapiens PAC clone DJ0733B09 from 7p14-p13, complete
sequence.//2.4e-08:129:76//AC005532

F-PLACE1004428//R.norvegicus mRNA for Pristanoyl-CoA Oxidase.//7.0e-17:5
49:61//X95188

F-PLACE1004437//Human NAD⁺-specific isocitrate dehydrogenase beta subuni
t precursor, mRNA, nuclear gene encoding mitochondrial protein, complete
cds.//3.1e-129:536:99//U49283

F-PLACE1004451//Human DNA sequence from PAC 214K23, BRCA2 gene region ch
romosome 13q12-13 contains BRCA2 exons 1-24, Interferon Induced 56Kd pse
udogene and ESTs.//4.8e-23:231:71//Z74739

F-PLACE1004460//Homo sapiens PAC clone DJ1064B22 from 7q21, complete seq

uence.//0.96:454:56//AC004954

F-PLACE1004467//HS_2058_B1_C09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=17 Row=F, genomic survey sequence.//2.4e-87:433:98//AQ242700

F-PLACE1004471//Figure 2. Nucleotide and translated protein sequences of HPF1, -2, and -9.//1.4e-74:665:70//M27877

F-PLACE1004473//CIT-HSP-2045A15.TF CIT-HSP Homo sapiens genomic clone 2045A15, genomic survey sequence.//3.3e-20:140:92//B80243

F-PLACE1004491//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//9.9e-05:794:57//AC004709

F-PLACE1004506//Human Gx-alpha gene.//1.0e-05:231:63//D90150

F-PLACE1004510//Homo sapiens TATA binding protein associated factor (TAFII150) mRNA, complete cds.//3.2e-146:699:98//AF040701

F-PLACE1004516//Human DNA sequence from cosmid SRL9A13, chromosome region 11p13. Contains EST.//1.4e-33:367:71//Z86001

F-PLACE1004518

F-PLACE1004548//Dictyostelium discoideum Miga (miga) gene, complete cds.//2.6e-05:318:62//U86962

F-PLACE1004550//Human FMR1 gene, 5' end.//0.0018:142:66//L19476

F-PLACE1004564//B.taurus mRNA for cleavage and polyadenylation specificity factor.//1.7e-114:513:85//X75931

F-PLACE1004629//Anolis carolinensis Brain-1 gene, complete cds.//0.00013:188:67//AB001868

F-PLACE1004645//Mycobacterium tuberculosis H37Rv complete genome; segment 138/162.//0.66:337:60//Z95120

F-PLACE1004646//Rattus norvegicus retinal pigment epithelium-specific protein (Rpe65) mRNA, complete cds.//1.1e-19:326:63//AF035673

F-PLACE1004658//H.sapiens CpG island DNA genomic MseI fragment, clone 55

h1, forward read cpq55h1.ft1a.//2.4e-34:188:98//Z61632

F-PLACE1004664//Caenorhabditis elegans cosmid W10G6, complete sequence.//1.0:148:65//Z81140

F-PLACE1004672//Human ABL gene, exon 1b and intron 1b, and putative M860 4 Met protein (M8604 Met) gene, complete cds.//1.9e-101:182:95//U07561

F-PLACE1004674//Homo sapiens calcium binding protein (ALG-2) mRNA, complete cds.//4.3e-109:625:91//AF035606

F-PLACE1004681//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 3/11.//1.9e-152:759:96//AB020860

F-PLACE1004686//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains the SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein CSBP2 and a MAPK p38beta LIKE protein. Contains ESTs, STSS and two predicted CpG islands, complete sequence.//1.2e-34:320:71//Z95152

F-PLACE1004691//HS_3044_A1_G01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3044 Col=1 Row=M, genomic survey sequence.//0.018:191:63//AQ098323

F-PLACE1004693//Human DNA sequence from clone 353H6 on chromosome Xq25-26.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains ESTs, STSS and GSSs, complete sequence.//0.28:573:57//AL022577

F-PLACE1004716//Plasmodium falciparum MAL3P6, complete sequence.//0.00081:428:59//Z98551

F-PLACE1004722//HS_3052_B1_C10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3052 Col=19 Row=F, genomic survey sequence.//2.3e-05:104:75//AQ134959

F-PLACE1004736//CIT-HSP-2365J21.TF CIT-HSP Homo sapiens genomic clone 23

65J21, genomic survey sequence.//1.3e-24:180:88//AQ080498
 F-PLACE1004740//RPC111-58A7.TJ RPC111 Homo sapiens genomic clone R-58A7,
 genomic survey sequence.//8.6e-26:522:65//AQ195766
 F-PLACE1004743//Mus musculus ubiquitin-protein ligase E3-alpha (Ubr1) mRNA,
 complete cds.//1.1e-112:711:86//AF061555
 F-PLACE1004751
 F-PLACE1004773//Homo sapiens inversin protein mRNA, complete cds.//5.4e-
 171:828:97//AF084367
 F-PLACE1004777//Rattus norvegicus mRNA for myosin-RhoGAP protein Myr 7./
 /4.2e-134:763:90//AJ001713
 F-PLACE1004793//Human DNA sequence from clone 323P24 on chromosome Xp11.
 21-11.23 Contains SPIN (spindlin homolog (PROTEIN DXF34), hypothetical p
 rotein EST, STS, GSS, complete sequence.//9.3e-132:759:90//AL022157
 F-PLACE1004804
 F-PLACE1004813//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic
 sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//6.5e-06:403:58//
 AC004710
 F-PLACE1004814//Homo sapiens chromosome 17, clone hRPK.294_J_22, complet
 e sequence.//9.8e-39:207:99//AC005921
 F-PLACE1004815//Homo sapiens PAC clone DJ0651K02 from 7p21-p22, complete
 sequence.//8.1e-15:203:73//AC004613
 F-PLACE1004824//G.gallus PB1 gene.//1.1e-103:759:80//X90849
 F-PLACE1004827//HS_2230_A2_A05_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=2230 Col=10 Row=A, genomic survey
 sequence.//4.1e-38:330:81//AQ299313
 F-PLACE1004836//H.sapiens nidogen gene (exon 8).//0.97:116:68//X84825
 F-PLACE1004838//HS_3241_A2_A04_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3241 Col=8 Row=A, genomic survey s
 equence.//1.8e-87:425:98//AQ206740

F-PLACE1004840//Sequence 2 from patent US 5728819.//6.7e-47:285:91//1928
19

F-PLACE1004868

F-PLACE1004885//Arabidopsis thaliana DNA chromosome 4, ESSA I contig fragment No. 9.//0.14:465:59//Z97344

F-PLACE1004900

F-PLACE1004902//CITBI-E1-2510J4.TR CITBI-E1 Homo sapiens genomic clone 2 510J4, genomic survey sequence.//3.6e-06:56:100//AQ261184

F-PLACE1004913//Homo sapiens BAC clone RG054D04 from 7q31, complete sequence.//2.6e-151:770:91//AC005058

F-PLACE1004918//Mus musculus signaling molecule (ATTP) mRNA, complete cds.//2.6e-68:459:84//U97571

F-PLACE1004930//Homo sapiens TNF-induced protein GG2-1 mRNA, complete cds.//4.4e-106:545:95//AF070671

F-PLACE1004934//Human DNA sequence from clone 192P9 on chromosome Xp11.2 3-11.4. Contains a pseudogene similar to rat Plasmolipin, ESTs and GSSs, complete sequence.//3.5e-45:226:84//AL020989

F-PLACE1004937

F-PLACE1004969

F-PLACE1004972//Homo sapiens PAC clone DJ0612F12 from 7p12-p14, complete sequence.//0.012:316:61//AC004843

F-PLACE1004979//Human DNA sequence from clone 142F18 on chromosome Xq26. 3-27.2 Contains part of a gene similar to melanoma-associated antigen, EST, GSS and an inverted repeat, complete sequence.//4.7e-39:394:77//AL03 1073

F-PLACE1004982//Caenorhabditis elegans cosmid B0507.//0.16:167:65//U6483
3

F-PLACE1004985//Plasmodium falciparum chromosome 2, section 10 of 73 of the complete sequence.//8.8e-14:590:61//AE001373

F-PLACE1005026

F-PLACE1005027

F-PLACE1005046

F-PLACE1005052//Homo sapiens chromosome Xp22-135-136 clone GSHB-56711, WORKING DRAFT SEQUENCE, 35 unordered pieces.//2.1e-135:675:97//AC005867

F-PLACE1005055//Homo sapiens mRNA for KIAA0576 protein, partial cds.//1.9e-159:761:98//AB011148

F-PLACE1005066//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//9.2e-10:757:56//AF059569

F-PLACE1005077

F-PLACE1005085//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//6.9e-29:253:77//AC004673

F-PLACE1005086//Homo sapiens chromosome 17, clone HCIT11023, complete sequence.//6.5e-52:446:78//AC002316

F-PLACE1005101//Homo sapiens clone DJ0414A15, WORKING DRAFT SEQUENCE, 9 unordered pieces.//2.0e-146:734:96//AC005225

F-PLACE1005102//Homo sapiens chromosome 19, cosmid R29388, complete sequence.//9.8e-83:254:95//AC004476

F-PLACE1005108//Human BAC clone RG009H02 from 7q31, complete sequence.//0.46:179:64//AC003081

F-PLACE1005111

F-PLACE1005128//Bovine herpesvirus type 1 early-intermediate transcript on control protein (BICP4) gene, complete cds.//0.00051:287:63//L14320

F-PLACE1005146//HS_3071_A1_E03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3071 Col=5 Row=I, genomic survey sequence.//7.4e-38:299:82//AQ103361

F-PLACE1005162//Human BAC clone GS306C12 from 7q21-q22, complete sequence.//2.6e-44:346:82//AC002451

F-PLACE1005176

F-PLACE1005181//CIT-HSP-234005.TR CIT-HSP Homo sapiens genomic clone 234005, genomic survey sequence.//0.99:211:63//AQ054651

F-PLACE1005187//CIT-HSP-2358N6.TR CIT-HSP Homo sapiens genomic clone 2358N6, genomic survey sequence.//2.7e-07:80:90//AQ074445

F-PLACE1005206//Human BAC clone 133K23 from 7q31.2, complete sequence.//0.98:216:61//AC000061

F-PLACE1005232//Homo sapiens clone DJ1106H14, WORKING DRAFT SEQUENCE, 42 unordered pieces.//0.70:245:63//AC004965

F-PLACE1005243

F-PLACE1005261//Caenorhabditis elegans cosmid T05H10, complete sequence.//0.00041:254:61//Z47812

F-PLACE1005266//H.sapiens mRNA (fetal brain cDNA a4_2g).//9.6e-33:177:98//Z70695

F-PLACE1005277//Homo sapiens mRNA for KIAA0610 protein, partial cds.//1.6e-148:706:98//AB011182

F-PLACE1005287//Plasmodium falciparum (MESA) mRNA exons 1-2, complete cds.//2.8e-15:737:60//M69183

F-PLACE1005305//Bovine mitochondrial GTP:AMP phosphotransferase mRNA, complete cds.//3.8e-111:728:84//M25757

F-PLACE1005308//Clethrionomys glareolus endogenous retroviral sequence ERV-L pol gene, clone ERV-L Vole Cg14.//1.0:128:67//AJ233621

F-PLACE1005313//Caenorhabditis elegans cosmid D2092.//8.8e-11:342:62//U88167

F-PLACE1005327//HS_3080_B2_A12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3080 Col=24 Row=B, genomic survey sequence.//4.1e-25:147:96//AQ139116

F-PLACE1005331//Homo sapiens chromosome 19, cosmid F20569, complete sequence.//1.4e-132:399:94//AC004794

F-PLACE1005335//Human Chromosome 3 pac pDJ70i11, WORKING DRAFT SEQUENCE,

2 unordered pieces.//5.5e-114:237:92//AC000380

F-PLACE1005373

F-PLACE1005374//Homo sapiens chromosome 7 common fragile site, complete sequence.//0.20:305:58//AF017104

F-PLACE1005409//Human BAC clone RG167B05 from 7q21, complete sequence.//2.5e-148:760:95//AC003991

F-PLACE1005453//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y48A6, WORKING DRAFT SEQUENCE.//0.00069:582:59//Z92854

F-PLACE1005467//Rat mRNA.//0.0014:131:70//M59859

F-PLACE1005471//Human DNA sequence from clone 45I4 on chromosome 6q24.1-24.3. Contains two putative unknown genes, ESTs, STSs and GSSs, complete sequence.//3.0e-23:530:67//AL023581

F-PLACE1005477//Human DNA sequence from clone J181N11, WORKING DRAFT SEQUENCE.//3.3e-131:814:88//Z82191

F-PLACE1005480//Homo sapiens DNA sequence from PAC 257I20 on chromosome 22q13.1-13.2. Contains cytochrome P450 pseudogenes CYP2D7P, CYP2D8P, CYP2D6(D), TCF20, NADH ubiquinone oxidoreductase B14 subunit, ESTs, CA repeat, STS, GSS.//7.0e-34:246:73//AL021878

F-PLACE1005481//RPCI11-74L17.TJ RPCI11 Homo sapiens genomic clone R-74L17, genomic survey sequence.//0.37:403:57//AQ266885

F-PLACE1005494//Homo sapiens transient receptor potential protein 6 mRNA, complete cds.//2.1e-67:325:99//AF080394

F-PLACE1005502//Homo sapiens BAC clone NH0161H12 from 7p14-p15, complete sequence.//0.015:403:61//AC005589

F-PLACE1005526//H.sapiens CpG island DNA genomic MseI fragment, clone 9f1, reverse read cp9f1.rtl1a.//3.6e-27:159:96//Z66485

F-PLACE1005528//Homo sapiens genomic DNA, chromosome 21q11.1, segment 9/28, WORKING DRAFT SEQUENCE.//2.6e-28:449:67//AP000038

F-PLACE1005530//Homo sapiens clone DJ0691L07, complete sequence.//6.5e-1

8:234:72//AC004860

F-PLACE1005550//Fugu rubripes GSS sequence, clone 048A08bH3, genomic survey sequence.//1.2e-14:123:75//AL025925

F-PLACE1005554//Leishmania tarentolae mitochondrial 12S ribosomal RNA gene.//0.43:209:66//X02354

F-PLACE1005557//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//9.3e-113:536:97//AC004707

F-PLACE1005574//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.1e-10:514:59//AC005504

F-PLACE1005584//Homo sapiens mRNA for KIAA0617 protein, complete cds.//0.00056:289:63//AB014517

F-PLACE1005595//Human Chromosome 11q12.2 PAC clone pDJ606g6, complete sequence.//1.2e-111:262:89//AC004126

F-PLACE1005603

F-PLACE1005611//F1605TFC IGF Arabidopsis thaliana genomic clone F1605, genomic survey sequence.//2.0e-10:209:66//B98589

F-PLACE1005623

F-PLACE1005630//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1 ordered pieces.//1.2e-93:230:98//AC005840

F-PLACE1005639//HS_3095_B1_A03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3095 Col=5 Row=B, genomic survey sequence.//1.2e-05:220:63//AQ123022

F-PLACE1005646//Homo sapiens RNA helicase-related protein mRNA, complete cds.//6.4e-150:721:98//AF083255

F-PLACE1005656//H.sapiens RR2 mRNA for small subunit ribonucleotide reductase.//1.3e-51:480:74//X59618

F-PLACE1005666//RPC111-78015.TV RPC111 Homo sapiens genomic clone R-78015, genomic survey sequence.//8.7e-05:243:62//AQ284667

F-PLACE1005698//Human membrane-associated lectin type-C mRNA.//1.9e-63:374:85//M98457

F-PLACE1005727//Plasmodium falciparum chromosome 2, section 59 of 73 of the complete sequence.//0.69:633:57//AE001422

F-PLACE1005730//HS_2026_B1_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2026 Col=21 Row=P, genomic survey sequence.//2.0e-24:286:74//AQ231147

F-PLACE1005739//Mus musculus IFN-gamma induced (Mg11) mRNA, complete cds.//2.8e-55:621:71//U15635

F-PLACE1005755//HS_2213_A2_H11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2213 Col=22 Row=0, genomic survey sequence.//1.4e-25:290:75//AQ136844

F-PLACE1005763//Rat medium-chain S-acyl fatty acid synthetase thio ester hydrolase (MCH), complete cds.//4.5e-40:297:70//M16200

F-PLACE1005799//R.norvegicus mRNA for mitochondrial isoform of cytochrome b5.//0.91:287:63//Y12517

F-PLACE1005802//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//5.0e-109:530:98//AC004827

F-PLACE1005803//HS_3092_B1_A10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3092 Col=19 Row=B, genomic survey sequence.//2.4e-08:76:96//AQ103695

F-PLACE1005804//Homo sapiens alpha 1,2-mannosidase IB mRNA, complete cds.//1.4e-126:636:96//AF027156

F-PLACE1005813//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//2.6e-154:739:98//AF065482

F-PLACE1005828//Homo sapiens chromosome 17, clone hRPC.971_F_3, WORKING DRAFT SEQUENCE, 1 ordered pieces.//2.2e-37:355:77//AC004150

F-PLACE1005834//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-105, complete sequence.//0.00080:663:58//AL010283

F-PLACE1005845//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.00015:340:58//AC004153

F-PLACE1005850//Human DNA sequence from clone 465N24 on chromosome 1p35.1-36.13. Contains two novel genes, ESTs, GSSs and CpG islands, complete sequence.//1.8e-46:278:85//AL031432

F-PLACE1005851

F-PLACE1005876//B.taurus mRNA for cleavage and polyadenylation specificity factor.//5.0e-120:701:89//X75931

F-PLACE1005884//CIT-HSP-2333012, TR CIT-HSP Homo sapiens genomic clone 2333012, genomic survey sequence.//4.6e-78:385:98//AQ039226

F-PLACE1005890//Schizosaccharomyces pombe bem1/bud5 suppressor (Bem46+) mRNA, partial cds.//9.3e-16:638:57//U29892

F-PLACE1005898//Rattus norvegicus A-kinase anchoring protein AKAP150 mRNA, complete cds.//1.0:178:65//U67136

F-PLACE1005921//M.musculus mRNA for immunity associated protein 38.//6.6e-17:614:59//Y08026

F-PLACE1005923//RPCI11-33G19.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-33G19, genomic survey sequence.//4.0e-10:535:57//AQ046151

F-PLACE1005925//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 537K23, WORKING DRAFT SEQUENCE.//0.17:159:65//AL034405

F-PLACE1005932

F-PLACE1005934//H.sapiens CpG island DNA genomic MseI fragment, clone 165g2, forward read cpg165g2.ft1a.//8.3e-43:247:93//Z57153

F-PLACE1005936//F.rubripes GSS sequence, clone 069K22aG2, genomic survey sequence.//0.91:116:68//AL014719

F-PLACE1005951//Rhodobacter sphaeroides DMSO/TMAO-sensor kinase (dorS), DMSO/TMAO-response regulator (dorR), DMSO/TMAO-cytochrome c-containing subunit (dorC), DMSO-membrane protein (dorB), and DMSO/TMAO-reductase (do

ra) genes, complete cds.//0.0022:495:59//AF016236

F-PLACE1005953//Homo sapiens PAC clone DJ0320J15 from Xq23, complete sequence.//2.9e-05:442:61//AC004081

F-PLACE1005955//Caenorhabditis elegans cosmid F01F1.//4.3e-20:409:64//U13070

F-PLACE1005966//P.falciparum aarp3 gene, exon.//0.0083:270:64//Y08925

F-PLACE1005968

F-PLACE1005990//Homo sapiens chromosome 12p13.3 clone RPC111-407G6, WORKING DRAFT SEQUENCE, 51 ordered pieces.//1.0e-100:513:96//AC005866

F-PLACE1006002//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 229A8, WORKING DRAFT SEQUENCE.//2.5e-54:444:77//Z86090

F-PLACE1006003//HS-1059-A2-G01-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 781 Col=2 Row=M, genomic survey sequence.//3.4e-05:214:64//B44442

F-PLACE1006011//Mus musculus poly-(ADPribose)-transferase homolog PARP mRNA, complete cds.//4.3e-71:580:79//AF072521

F-PLACE1006017//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-113A6 complete genomic sequence, complete sequence.//8.6e-32:177:83//AC002299

F-PLACE1006037//Mus musculus B6D2F1 clone 2C11B mRNA.//1.8e-34:269:83//U01139

F-PLACE1006040//Homo sapiens mRNA for alpha endosulfine.//3.4e-147:719:97//X99906

F-PLACE1006076//Homo sapiens DNA sequence from PAC 79C4 on chromosome 1q24. Contains the PMX1 gene, coding for two alternative forms of the Paired Mesoderm Homeobox protein 1 (PMX-1, PHOX-1). Contains ESTs, STSs and BAC end sequences (GSSs), complete sequence.//0.37:332:62//Z97200

F-PLACE1006119//Homo sapiens Ran-GTP binding protein mRNA, partial cds.//1.3e-145:679:99//AF039023

F-PLACE1006129

F-PLACE1006139//Saccharomyces cerevisiae chromosome VI cosmid 9965.//4.8e-27:693:60//D44597

F-PLACE1006143//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 16915, WORKING DRAFT SEQUENCE.//4.7e-46:435:77//Z93015

F-PLACE1006157//Saguinus oedipus mRNA for membrane cofactor protein CD46, complete cds, clone:B2.//0.048:290:60//D85750

F-PLACE1006159//Homo sapiens chromosome 10 clone CIT987SK-105402 map 10q25, complete sequence.//3.2e-129:466:96//AC005661

F-PLACE1006164//HS_3003_A1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3003 Col=15 Row=K, genomic survey sequence.//1.4e-70:388:93//AQ118200

F-PLACE1006167//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//4.3e-78:385:86//AC005239

F-PLACE1006170//Mouse mRNA for alpha-adaptin (C).//3.5e-91:630:84//X14972

F-PLACE1006187//Homo sapiens cyclin E2 mRNA, complete cds.//3.9e-149:694:99//AF091433

F-PLACE1006195//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//2.5e-16:283:70//AC003658

F-PLACE1006196//Mouse RNA helicase and RNA-dependent ATPase from the DEAD box family mRNA, complete cds.//2.2e-94:648:84//L25125

F-PLACE1006205//Human Xp22 cosmid U250A9, complete sequence.//0.15:533:58//U75931

F-PLACE1006223//F24L20-T7 IGF Arabidopsis thaliana genomic clone F24L20, genomic survey sequence.//0.0068:175:64//B19803

F-PLACE1006225//CIT-HSP-2335I23.TF CIT-HSP Homo sapiens genomic clone 2335I23, genomic survey sequence.//2.1e-19:149:90//AQ039880

F-PLACE1006236//Human chromosome 12p15 BAC clone CIT987SK-99D8 complete sequence.//0.51:290:58//U91327

F-PLACE1006239//Homo sapiens BAC clone RG118D07 from 7q31, complete sequence.//7.4e-158:452:96//AC004142

F-PLACE1006246//RPCI11-36I23.TK RPCI-11 Homo sapiens genomic clone RPCI-11-36I23, genomic survey sequence.//2.6e-31:176:97//AQ045400

F-PLACE1006248//Homo sapiens mRNA for KIAA0648 protein, partial cds.//2.3e-166:791:98//AB014548

F-PLACE1006262//342E3.TVD CIT978SKA1 Homo sapiens genomic clone A-342E03, genomic survey sequence.//1.0:228:63//B16447

F-PLACE1006288//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20N2, WORKING DRAFT SEQUENCE.//6.6e-172:809:99//AL031320

F-PLACE1006318

F-PLACE1006325//Homo sapiens PAC clone DJ0988L12 from 7q11.23-q21.1, complete sequence.//0.079:396:59//AC004454

F-PLACE1006335//Mouse Ig third hypervariable region (HCDR3), nonproductively rearranged alpha-chain gene VHSB32-D-JH2 region.//1.0:90:67//M55721

F-PLACE1006357//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.16:445:56//AC005504

F-PLACE1006360//Plasmodium falciparum MAL3P7, complete sequence.//6.1e-05:625:57//AL034559

F-PLACE1006368//X.laevis mRNA for KLP2 protein.//3.0e-25:376:68//X94082

F-PLACE1006371//Homo sapiens chromosome 16, cosmid clone 360H6 (LANL), complete sequence.//2.0e-146:711:97//AC004232

F-PLACE1006382

F-PLACE1006385//Homo sapiens epsin 2a mRNA, complete cds.//5.1e-110:539:97//AF062085

F-PLACE1006412//Homo sapiens BAC clone GS588G18 from 7p12-p14, complete sequence.//1.3e-23:463:68//AC005029

F-PLACE1006414//Homo sapiens PCAF associated factor 65 alpha mRNA, compl

ete cds.//1.3e-109:525:98//AF069735
 F-PLACE1006438//Homo sapiens mRNA for KIAA0557 protein, partial cds.//6.9e-23:531:65//AB011129
 F-PLACE1006445//HS_3071_A1_C11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3071 Col=21 Row=E, genomic survey sequence.//4.7e-74:392:95//AQ103347
 F-PLACE1006469//Rhodobacter capsulatus strain SB1003, partial genome.//1.1e-40:686:65//AF010496
 F-PLACE1006470//T.brucei kinetoplast maxicircle variable region DNA.//0.99:250:59//Z15118
 F-PLACE1006482//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 447C4, WORKING DRAFT SEQUENCE.//4.3e-120:328:98//AL021977
 F-PLACE1006488//Canine mRNA for 68kDA subunit of signal recognition particle (SRP68).//6.5e-86:478:91//X53744
 F-PLACE1006492
 F-PLACE1006506
 F-PLACE1006521//Homo sapiens BAC clone RG281G05 from 7p15-p21, complete sequence.//0.0010:547:58//AC005083
 F-PLACE1006531//Oryctolagus cuniculus translation initiation factor eIF2C mRNA, complete cds.//2.6e-84:625:80//AF005355
 F-PLACE1006534//Caenorhabditis elegans cosmid Y40H7A, complete sequence.//0.00031:671:58//AL033510
 F-PLACE1006540
 F-PLACE1006552//P.falciparum glutamic acid-rich protein gnen, complete cds.//6.0e-10:636:59//J03998
 F-PLACE1006598//Homo sapiens BAC clone NH0539B24 from 7p15.1-p14, complete sequence.//9.8e-25:170:77//AC006044
 F-PLACE1006615//Homo sapiens eukaryotic translation initiation factor eIF3, p35 subunit mRNA, complete cds.//6.7e-167:781:99//U97670

F-PLACE1006617//Homo sapiens Xp22 BAC GSHB-433024 (Genome Systems Human BAC library) complete sequence.//0.98:514:59//AC004470

F-PLACE1006626//H.sapiens DNA 3' flanking simple sequence region clone w g2c3.//0.00079:206:62//X76589

F-PLACE1006629//Human BAC clone RG333F24 from 7q11.2-q21, complete sequence.//0.0012:576:57//AC004015

F-PLACE1006640//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.0018:588:59//X95276

F-PLACE1006673//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.0028:469:58//AC004688

F-PLACE1006678//Mus musculus UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase-I (b3GT1) gene, complete cds.//0.00011:184:64//AF029790

F-PLACE1006704//Mus musculus dentin sialophosphoprotein precursor (DSPP) mRNA, complete cds.//0.0013:380:62//U67916

F-PLACE1006731//Human DNA sequence from PAC 408N23 on chromosome 22q13. Contains HIP, HSC70-INTERACTING PROTEIN (PROGESTERONE RECEPTOR-ASSOCIATED P48 PROTEIN), ESTs and STS.//1.5e-78:520:86//Z98048

F-PLACE1006754//Homo sapiens chromosome 19, cosmid R29124, complete sequence.//1.9e-135:378:99//AC005626

F-PLACE1006760//CIT-HSP-2336013.TR CIT-HSP Homo sapiens genomic clone 2336013, genomic survey sequence.//0.018:147:66//AQ039246

F-PLACE1006779//Plasmodium falciparum chromosome 2, section 63 of 73 of the complete sequence.//2.6e-08:823:58//AE001426

F-PLACE1006782//Homo sapiens clone NH0005N18, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.043:252:65//AC005487

F-PLACE1006792//HS_3165_B1_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3165 Col=1 Row=P, genomic survey sequence.//1.4e-11:249:67//AQ149559

F-PLACE1006795//Mouse eph-related receptor tyrosine kinase (Mek4) mRNA, complete cds.//1.3e-12:155:80//M68513

F-PLACE1006800//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-92, complete sequence.//6.7e-05:391:62//AL010272

F-PLACE1006805//paramecium species 1,168 mt dna dimer: replication init. region.//9.1e-09:369:62//K00915

F-PLACE1006815//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 321D2, WORKING DRAFT SEQUENCE.//0.89:465:58//AL031033

F-PLACE1006819//Homo sapiens clone DJ1163L11, complete sequence.//1.5e-121:618:91//AC005230

F-PLACE1006829//Brn-3a=class V POU transcription factor [mice, CD/CD, embryonic fibroblast cells, Genomic, 2160 nt].//0.011:145:68//S69350

F-PLACE1006860//Plasmodium falciparum MAL3P7, complete sequence.//2.2e-07:691:58//AL034559

F-PLACE1006867//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 323M4, WORKING DRAFT SEQUENCE.//1.5e-132:643:98//AL033378

F-PLACE1006878

F-PLACE1006883//Mycobacterium tuberculosis H37Rv complete genome; segment 138/162.//1.0:236:62//Z95120

F-PLACE1006901//Mus musculus testis-specific protein (Tctex2) gene, testis haplotype, promoter sequence.//2.7e-19:171:81//U21672

F-PLACE1006904

F-PLACE1006917//H.sapiens CpG island DNA genomic MseI fragment, clone 79g10, forward read cp979g10.ft1a.//1.3e-21:131:98//Z63175

F-PLACE1006932//Mus musculus FKBP65 binding protein mRNA, complete cds.//0.99:248:61//L07063

F-PLACE1006935//Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families.//0.85:161:63//AF029308

F-PLACE1006956//Hylobates lar involucrin gene, complete cds.//0.077:355:

61//M35447

F-PLACE1006958//*Mus musculus* osmotic stress protein 94 (Osp94) mRNA, complete cds.//2.9e-89:483:86//U23921

F-PLACE1006961//*Saccharomyces cerevisiae* mitochondrial tRNA-Tyr, tRNA-Asn, & tRNA-Met genes.//1.6e-06:651:58//AJ223323

F-PLACE1006962//*H.sapiens* irlB mRNA.//7.1e-15:202:71//X63417

F-PLACE1006966//*Caenorhabditis elegans* DNA *** SEQUENCING IN PROGRESS **
* from clone Y105E8, WORKING DRAFT SEQUENCE.//1.7e-26:451:61//AL022594

F-PLACE1006989//cSRL-172A4-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-172A4, genomic survey sequence.//1.0:97:67//B03188

F-PLACE1007014//*Rattus norvegicus* equilibrative nitrobenzylthioinosine-insensitive nucleoside transporter mRNA, complete cds.//4.2e-07:592:58//AF015305

F-PLACE1007021//Homo sapiens chromosome 19, cosmid F16403, complete sequence.//5.1e-17:285:70//AC005777

F-PLACE1007045//Human DNA sequence from PAC 181N1 on chromosome X contains ESTs, STS polymorphic CA repeat*.//6.2e-131:775:89//Z82899

F-PLACE1007053//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.7e-143:675:99//AC004895

F-PLACE1007068//Homo sapiens chromosome 17, clone hRPK.214_0_1, complete sequence.//1.3e-131:652:97//AC005224

F-PLACE1007097//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//8.3e-158:768:97//AL021368

F-PLACE1007105//Mus musculus muskelin mRNA, complete cds.//4.1e-124:687:91//U72194

F-PLACE1007111//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.7e-05:586:56//AC005139

F-PLACE1007112//HS_2234_B2_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2234 Col=20 Row=N, genomic survey sequence.//0.26:200:62//AQ087801

F-PLACE1007132//CIT978SK-A-211C6.TVB CIT978SK Homo sapiens genomic clone A-211C6, genomic survey sequence.//1.3e-40:255:92//B72112

F-PLACE1007140//QN1 orf [Coturnix coturnix, japonica, K2 neuroretinal cells, mRNA Partial, 3884 nt].//4.9e-15:386:62//S68151

F-PLACE1007178//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.011:329:61//AC005140

F-PLACE1007226//Human lipocortin (LIP) 2 gene, upstream region.//0.0036:180:63//M62899

F-PLACE1007238//FMR1 {CGG repeats} [human, Fragile X syndrome patient, Genomic, 429 nt].//2.8e-08:269:63//S74494

F-PLACE1007239//Homo sapiens mRNA for transcription elongation factor S-II, hS-II-T1, complete cds.//6.3e-57:405:87//D50495

F-PLACE1007242//HS_3006_A1_B11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3006 Col=21 Row=C, genomic survey sequence.//0.088:191:59//AQ089443

F-PLACE1007243//Human transporter protein (gl7) mRNA, complete cds.//7.9e-12:245:66//U49082

F-PLACE1007257//Homo sapiens mRNA for dia-12c protein.//5.2e-144:677:98//Y15908

F-PLACE1007274//HS_3003_A1_D08_MF CIT Approved Human Genomic Sperm Library

ry D Homo sapiens genomic clone Plate=3003 Col=15 Row=G, genomic survey
sequence.//7.4e-49:345:85//AQ294154

F-PLACE1007276//Fugu rubripes GSS sequence, clone 014010aG11, genomic su
rvey sequence.//0.0052:228:62//AL024982

F-PLACE1007282//F.rubripes GSS sequence, clone 019007aB3, genomic survey
sequence.//0.024:289:58//AL011743

F-PLACE1007286//Human Chromosome 16 BAC clone CIT987SK-A-256A9, complete
sequence.//0.0048:185:69//AC002492

F-PLACE1007301//Dictyostelium discoideum gene for TRFA, complete cds.//0
.069:761:57//AB009080

F-PLACE1007317

F-PLACE1007342

F-PLACE1007346//Homo sapiens estrogen-responsive B box protein (EBBP) mR
NA, complete cds.//5.4e-120:567:98//AF096870

F-PLACE1007367//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 u
nordered pieces.//1.2e-59:613:75//AC005077

F-PLACE1007375//Caenorhabditis elegans cosmid D2092.//1.8e-12:193:70//U8
8167

F-PLACE1007386

F-PLACE1007402//HS_2170_A2_D12_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2170 Col=24 Row=G, genomic survey
sequence.//5.6e-06:162:67//AQ125590

F-PLACE1007409//Homo sapiens mitoxantrone resistance protein 2 mRNA, com
plete sequence.//1.6e-25:165:93//AF093772

F-PLACE1007416

F-PLACE1007450//Homo sapiens DNA from chromosome 19, BAC 33152, complete
sequence.//4.9e-34:764:62//AC003973

F-PLACE1007452//Mus musculus bet3 (Bet3) mRNA, complete cds.//4.1e-17:37
4:64//AF041433

F-PLACE1007454//Homo sapiens (clone s153) mRNA fragment.//8.1e-52:317:93
//L40391

F-PLACE1007460//Human DNA sequence from clone 914P14 on chromosome Xq23
Contains calpain-like protease gene, DCX (doublecortin) ESTs, CA repeat,
GSS, complete sequence.//0.0019:280:64//AL031117

F-PLACE1007478//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-345G4
complete genomic sequence, complete sequence.//2.5e-24:362:71//AC002302

F-PLACE1007484

F-PLACE1007488//Danio rerio faciogenital dysplasia protein (fgd) mRNA, c
omplete cds.//3.8e-14:293:63//AF017370

F-PLACE1007507//Human DNA sequence from clone 105D16 on chromosome Xp11.
3-11.4 Contains pseudogene similar to laminin-binding protein, CA repeat
, STS, complete sequence.//4.6e-10:152:75//AL031311

F-PLACE1007511//Homo sapiens chromosome 17, clone hRPC.1110_E_20, comple
te sequence.//3.6e-139:477:98//AC004231

F-PLACE1007524//Plasmodium falciparum microsatellite 14C sequence.//0.00
55:395:59//AF015461

F-PLACE1007525//Trypanoplasma borelli mitochondrion cytochrome oxidase s
ubunit 1 (cox1), cytochrome oxidase subunit 2 (cox2), and apocytochrome
b (cytb) genes, complete cds, and complete 9S rRNA gene and partial 12S
rRNA gene.//0.0013:550:58//U11682

F-PLACE1007537//H. sapiens CpG island DNA genomic MseI fragment, clone 19
8g6, reverse read cpg198g6.rtl1a.//0.98:121:67//Z60280

F-PLACE1007544//Mus musculus chromosome 14 marker um-m24 GA dinucleotide
DNA sequence.//2.3e-10:141:75//U31508

F-PLACE1007547//Homo sapiens mRNA for KIAA0661 protein, complete cds.//3
.1e-69:733:71//AB014561

F-PLACE1007557//Drosophila yakuba mitochondrial DNA molecule.//0.022:393
:61//X03240

F-PLACE1007583//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 545L17, WORKING DRAFT SEQUENCE.//3.6e-114:565:97//AL031665

F-PLACE1007598//CIT-HSP-2371G14.TF CIT-HSP Homo sapiens genomic clone 2371G14, genomic survey sequence.//2.0e-22:304:70//AQ111183

F-PLACE1007618//Homo sapiens chromosome 17, clone hRPK.642_C_21, complete sequence.//1.0:386:59//AC005245

F-PLACE1007621

F-PLACE1007632//Homo sapiens 12p13.3 PAC RPCI5-940J5 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.0e-88:276:96//AC006064

F-PLACE1007645//Bovine elastin mRNA, partial cds.//2.1e-07:110:79//M26132

F-PLACE1007649

F-PLACE1007677//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 968D22, WORKING DRAFT SEQUENCE.//1.2e-21:567:64//AL023755

F-PLACE1007688//Pseudorabies virus immediate-early gene.//2.2e-05:287:66//X15120

F-PLACE1007690//Caenorhabditis elegans cosmid R07G3.//0.40:122:70//U23452

F-PLACE1007697//Mus musculus LIM/homeobox (Lhx3) gene fragment.//0.85:117:71//L40483

F-PLACE1007705//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 460J8, WORKING DRAFT SEQUENCE.//0.0035:75:88//AL031662

F-PLACE1007706//Homo sapiens metalloprotease 1 (MP1) mRNA, complete cds.//1.3e-147:709:97//AF061243

F-PLACE1007725//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MBB18, complete sequence.//1.0:510:58//AB005231

F-PLACE1007729//Human endogenous retrovirus HML6 proviral clone HML6p, putative leader region, gag, pro and pol pseudogenes.//4.8e-136:516:89//U

86698

F-PLACE1007730//Homo sapiens mRNA for KIAA0685 protein, complete cds.//7.9e-155:728:98//AB014585

F-PLACE1007737//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3 unordered pieces.//5.8e-22:806:60//AC005484

F-PLACE1007743//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.1e-06:510:56//AC005504

F-PLACE1007746//HS_2268_B1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2268 Col=19 Row=N, genomic survey sequence.//0.10:171:63//AQ124780

F-PLACE1007791//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P6, WORKING DRAFT SEQUENCE.//0.63:241:58//AL031749

F-PLACE1007807//Homo sapiens chromosome 17, clone hRPK.879_D_6, complete sequence.//1.0e-120:743:87//AC005273

F-PLACE1007810//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//1.0e-113:739:86//AC003658

F-PLACE1007829//CIT-HSP-2383J22.TR CIT-HSP Homo sapiens genomic clone 2383J22, genomic survey sequence.//1.0e-47:254:97//AQ196438

F-PLACE1007843//F.rubripes GSS sequence, clone 162K02bC12, genomic survey sequence.//1.6e-10:148:72//AL006903

F-PLACE1007846//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 3/15, WORKING DRAFT SEQUENCE.//3.4e-177:844:98//AP00010

F-PLACE1007852//Mouse perlecan mRNA, complete cds.//8.5e-39:243:90//M77174

F-PLACE1007858//Homo sapiens mRNA for KIAA0766 protein, complete cds.//3.9e-189:894:98//AB018309

F-PLACE1007866//CIT-HSP-2353D11.TF.1 CIT-HSP Homo sapiens genomic clone

2353D11, genomic survey sequence.//0.015:279:61//AQ263271
 F-PLACE1007877
 F-PLACE1007897
 F-PLACE1007908//Homo sapiens mRNA, chromosome 1 specific transcript KIAA
 0487.//2.3e-154:755:97//AB007956
 F-PLACE1007946//Human chromosome Y cosmid 56B5 genomic sequence, WORKING
 DRAFT SEQUENCE.//1.1e-59:310:81//AC003097
 F-PLACE1007954//Homo sapiens BAC clone NH0414C23 from Y, complete sequen
 ce.//2.1e-61:522:79//AC006157
 F-PLACE1007955//Homo sapiens cyclin-D binding Myb-like protein mRNA, com
 plete cds.//2.7e-171:813:98//AF084530
 F-PLACE1007958//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B)
 mRNA, partial cds.//2.5e-153:730:98//AF079529
 F-PLACE1007969//Mus musculus myelin gene expression factor (MEF-2) mRNA,
 partial cds.//3.4e-32:383:74//U13262
 F-PLACE1007990//H.sapiens genomic DNA fragment (clone J31A212R).//6.6e-3
 5:198:96//Z94758
 F-PLACE1008000//Mus musculus veli 3 mRNA, complete cds.//1.5e-118:706:88
 //AF087695
 F-PLACE1008002//Homo sapiens clone DJ0613C23, WORKING DRAFT SEQUENCE, 4
 unordered pieces.//6.4e-163:786:98//AC005628
 F-PLACE1008044//Rattus norvegicus nuclear pore complex protein NUP107 mR
 NA, complete cds.//1.2e-95:625:84//L31840
 F-PLACE1008045//Caenorhabditis elegans cosmid F17C8, complete sequence./
 /0.016:165:65//Z35719
 F-PLACE1008080//Human DNA sequence from cosmid L118G10, Huntington's Dis
 ease Region, chromosome 4p16.3.//4.0e-07:251:64//Z68883
 F-PLACE1008095//RPCI11-21F19.TP RPCI-11 Homo sapiens genomic clone RPCI-
 11-21F19, genomic survey sequence.//1.5e-30:166:99//B85883

F-PLACE1008111//Aphidius picipes NADH dehydrogenase 1 gene, mitochondria
l gene encoding mitochondrial protein, partial cds.//7.5e-06:414:60//AF0
69163

F-PLACE1008122//S.cerevisiae chromosome XV reading frame ORF YOL125w.//0
.046:477:59//Z74867

F-PLACE1008129//Human Chromosome 15q26.1 PAC clone pDJ290i21 containing
fur, fes, and alpha mannosidase IIx genes, WORKING DRAFT SEQUENCE, 9 uno
rdered pieces.//0.0068:446:57//AC004586

F-PLACE1008132//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 316D5, WORKING DRAFT SEQUENCE.//3.6e-20:111:93//Z82199

F-PLACE1008177//Mouse mRNA for meiosis-specific nuclear structural prote
in 1 (MNS1), complete cds.//2.5e-88:866:73//D14849

F-PLACE1008181//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 159A1, WORKING DRAFT SEQUENCE.//0.0033:727:56//AL034397

F-PLACE1008198//HS_3073_A1_C06_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3073 Col=11 Row=E, genomic survey
sequence.//2.3e-12:94:92//AQ171450

F-PLACE1008201//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 u
nordered pieces.//2.5e-162:791:97//AC005069

F-PLACE1008209

F-PLACE1008231//Mouse testis-specific protein mRNA, complete cds.//0.65:
174:66//M26332

F-PLACE1008244//CIT-HSP-2337B4.TR CIT-HSP Homo sapiens genomic clone 233
7B4, genomic survey sequence.//6.7e-28:165:95//AQ039317

F-PLACE1008273//B.primigenius mRNA for coat protein gamma-cop.//2.8e-71:
709:71//X92987

F-PLACE1008275//D.discoideum actin A-13 gene, 5' flank.//0.12:131:64//M2
9123

F-PLACE1008280//Homo sapiens Xp22-175-176 BAC GSHB-484017 (Genome System

s Human BAC Library) complete sequence.//0.011:96:73//AC005913

F-PLACE1008309//Rattus norvegicus putative four repeat ion channel mRNA, complete cds.//8.2e-86:672:77//AF078779

F-PLACE1008329//HS_2027_A1_C06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2027 Col=11 Row=E, genomic survey sequence.//8.7e-09:116:81//AQ244432

F-PLACE1008330//Homo sapiens chromosome 19, cosmid F21431, complete sequence.//2.2e-141:670:98//AC005176

F-PLACE1008331//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.1e-27:157:78//AC005000

F-PLACE1008356//Homo sapiens mRNA for KIAA0679 protein, partial cds.//1.1e-137:659:98//AB014579

F-PLACE1008368//CIT-HSP-2311C9.TR CIT-HSP Homo sapiens genomic clone 2311C9, genomic survey sequence.//7.1e-08:398:60//AQ016352

F-PLACE1008369//HS_2251_B1_A02_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2251 Col=3 Row=B, genomic survey sequence.//2.1e-35:217:93//AQ066512

F-PLACE1008392//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//1.4e-11:403:64//AC005856

F-PLACE1008398//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 215D11, WORKING DRAFT SEQUENCE.//3.7e-144:681:99//AL034417

F-PLACE1008401//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0366H07; HTGS phase 1, WORKING DRAFT SEQUENCE, 28 unordered pieces.//2.8e-45:257:96//AC004604

F-PLACE1008402//Homo sapiens mRNA for p115, complete cds.//4.3e-148:711:98//D86326

F-PLACE1008405//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.089:672:56//AC004688

F-PLACE1008424

F-PLACE1008426//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer , segment 7/11.

//1.0e-88:331:84//AB020864

F-PLACE1008429//Chromosome 22q13 BAC Clone CIT987SK-384D8 complete sequence.//0.55:530:58//U62317

F-PLACE1008437//CIT-HSP-2376H4.TR CIT-HSP Homo sapiens genomic clone 237 6H4, genomic survey sequence.//3.3e-78:349:94//AQ112479

F-PLACE1008455//HS_2064_B1_E09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2064 Col=17 Row=J, genomic survey sequence.//4.7e-59:471:81//AQ246589

F-PLACE1008457//Homo sapiens chromosome 17, Neurofibromatosis 1 locus, complete sequence.//8.9e-43:307:73//AC004526

F-PLACE1008465//CIT-HSP-2163F24.TR CIT-HSP Homo sapiens genomic clone 21 63F24, genomic survey sequence.//8.9e-41:210:99//B90014

F-PLACE1008488//Mus musculus mRNA for testis-specific protein kinase 1, complete cds.//0.00013:516:58//AB003494

F-PLACE1008524//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34B21, WORKING DRAFT SEQUENCE.//1.3e-161:778:98//AL031778

F-PLACE1008531//Homo sapiens wbscr1 (WBSR1) and replication factor C subunit 2 (RFC2) genes, complete cds.//1.1e-78:191:100//AF045555

F-PLACE1008532//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 92N15, WORKING DRAFT SEQUENCE.//3.8e-24:257:70//Z93097

F-PLACE1008533//Homo sapiens PAC clone DJ130H16 from 22q12.1-qter, complete sequence.//1.0e-13:215:71//AC004997

F-PLACE1008568//Human DNA sequence from PAC 388N15 on chromosome Xq21.1. //0.66:263:64//Z99571

F-PLACE1008584//Homo sapiens cosmid clone U39B3 from Xp22.1-22.2, complete sequence.//1.1e-19:315:68//U73023

F-PLACE1008603//Homo sapiens mRNA for KIAA0791 protein, complete cds.//1.2e-173:812:98//AB018334

F-PLACE1008621//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//3.9e-09:198:71//AC005077

F-PLACE1008625//Homo sapiens chromosome 5, PAC clone 45L14 (LBNL H91), complete sequence.//0.68:568:59//AC005373

F-PLACE1008626//HS_3221_A2_F03_T7 CIT Approved Human Genomic Library D Homo sapiens genomic clone Plate=3221 Col=6 Row=K, genomic survey sequence.//1.7e-13:147:82//AQ180967

F-PLACE1008627//Cricetulus griseus mRNA for Zn finger factor.//9.7e-98:586:88//Y12836

F-PLACE1008629//CIT-HSP-2012I4.TR CIT-HSP Homo sapiens genomic clone 2012I4, genomic survey sequence.//0.00085:203:66//B53732

F-PLACE1008630//Sequence 26 from Patent W09517522.//9.7e-05:97:80//A45356

F-PLACE1008643//Human mRNA for inter-alpha-trypsin inhibitor family heavy chain-related protein (IHRP), complete cds.//1.4e-23:299:64//D38595

F-PLACE1008650//Homo sapiens pleiotropic regulator 1 (PLRG1) mRNA, complete cds.//1.1e-133:622:99//AF044333

F-PLACE1008693//CIT-HSP-2346F2.TF CIT-HSP Homo sapiens genomic clone 2346F2, genomic survey sequence.//0.24:89:76//AQ060732

F-PLACE1008696//Homo sapiens NADH dehydrogenase-ubiquinone Fe-S protein 8 23 kDa subunit (NDUFS8) gene, nuclear gene encoding mitochondrial protein, complete cds.//1.4e-94:420:97//AF038406

F-PLACE1008715//CIT-HSP-2294K20.TR CIT-HSP Homo sapiens genomic clone 2294K20, genomic survey sequence.//2.1e-70:349:98//AQ007199

F-PLACE1008748//Arabidopsis thaliana chromosome I BAC T14N5 genomic sequence, complete sequence.//0.14:347:59//AC004260

F-PLACE1008757//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human

BAC library) complete sequence.//7.9e-25:244:71//AC003037

F-PLACE1008790//Homo sapiens importin alpha 7 subunit mRNA, complete cds
 .//4.5e-120:503:97//AF060543

F-PLACE1008798//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete
 sequence.//0.00026:370:61//AF001549

F-PLACE1008807//CIT-HSP-2334B19.TF CIT-HSP Homo sapiens genomic clone 23
 34B19, genomic survey sequence.//3.3e-08:220:65//AQ036643

F-PLACE1008808//Homo sapiens exonuclease homolog RAD1 (RAD1) mRNA, compl
 ete cds.//1.7e-120:470:97//AF030933

F-PLACE1008813//Rattus norvegicus rsec15 mRNA, complete cds.//2.8e-87:50
 4:89//AF032668

F-PLACE1008851//Homo sapiens DNA sequence from PAC 163M9 on chromosome 1
 p35.1-p36.21. Contains protein synthesis factor (eIF-4C), D1F15S1A pseud
 ogene, ESTs, STS, GSS, complete sequence.//4.0e-21:212:74//AL021920

F-PLACE1008854

F-PLACE1008867//Human DNA sequence from clone J428A131, WORKING DRAFT SE
 QUENCE.//4.7e-77:477:84//Z82209

F-PLACE1008887//Homo sapiens BAC clone NH0335J18 from 2, complete sequen
 ce.//3.4e-53:699:70//AC005539

F-PLACE1008902//Mouse G-alpha-13 protein mRNA, complete cds.//2.1e-06:16
 4:68//M63660

F-PLACE1008920//Homo sapiens mRNA for KIAA0765 protein, partial cds.//6.
 4e-158:753:98//AB018308

F-PLACE1008925//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-A-180
 G2, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.00013:400:63//AC00204
 2

F-PLACE1008934//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 1104E15, WORKING DRAFT SEQUENCE.//7.4e-05:145:71//AL022312

F-PLACE1008941//Human zinc finger protein (ZNF141) mRNA, complete cds.//

4.3e-41:282:87//L15309

F-PLACE1008947//Pseudorabies virus with upstream and downstream sequences
./5.9e-15:710:60//M34651

F-PLACE1009020//HS_3051_B1_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3051 Col=1 Row=P, genomic survey sequence./1.9e-21:167:86//AQ253727

F-PLACE1009027//Human DNA sequence from clone 914P14 on chromosome Xq23 Contains calpain-like protease gene, DCX (doublecortin) ESTs, CA repeat, GSS, complete sequence./4.1e-152:763:97//AL031117

F-PLACE1009039//HS_2034_A2_F08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2034 Col=16 Row=K, genomic survey sequence./0.17:252:59//AQ230137

F-PLACE1009045//HS_3185_B2_B03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3185 Col=6 Row=D, genomic survey sequence./1.9e-34:260:86//AQ172861

F-PLACE1009048//Pig pituitary glycoprotein hormone alpha subunit gene, 5' flank and exon 1./4.7e-70:463:80//D00766

F-PLACE1009050//Homo sapiens 12q13.1 PAC RPC13-197B17 (Roswell Park Cancer Institute Human PAC library) complete sequence./0.63:280:61//AC004241

F-PLACE1009060//Mus musculus mRNA for Alix (ALG-2-interacting protein X), complete CDS./5.9e-113:725:85//AJ005073

F-PLACE1009090//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1045J21, WORKING DRAFT SEQUENCE./9.1e-27:222:84//AL021919

F-PLACE1009091//Homo sapiens clone DJ0968I16, complete sequence./0.027:630:58//AC006016

F-PLACE1009094

F-PLACE1009099//Mouse zinc finger protein (mkr4) mRNA, partial cds./2.1e-85:726:76//M36515

F-PLACE1009110

F-PLACE1009111//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 138B7, WORKING DRAFT SEQUENCE.//6.0e-12:362:64//Z98752

F-PLACE1009113//Homo sapiens X-ray repair cross-complementing protein 3 (XRCC3) mRNA, complete cds.//3.4e-138:671:97//AF035586

F-PLACE1009130//Human mRNA for KIAA0032 gene, complete cds.//3.6e-23:718:59//D25215

F-PLACE1009150//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//6.1e-142:684:98//AJ011929

F-PLACE1009155//Homo sapiens genomic DNA, chromosome 21q11.1, segment 2/28, WORKING DRAFT SEQUENCE.//4.3e-36:227:77//AP000031

F-PLACE1009158//H.sapiens genomic sequence for ERCC2 gene 3' region involved in DNA excision repair.//1.0:173:60//X52222

F-PLACE1009166

F-PLACE1009172//Human BAC clone 7E17 from 12q, complete sequence.//4.0e-35:257:85//AC002070

F-PLACE1009174//Homo sapiens Xp22 bins 16-17 BAC GSHB-531I17 (Genome Systems Human BAC Library) complete sequence.//2.9e-19:288:72//AC004805

F-PLACE1009183//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MHJ24, complete sequence.//0.053:388:60//AB008266

F-PLACE1009186//Rattus norvegicus fracture callus 1 (FxC1) mRNA, complete cds.//1.8e-50:317:89//AF061242

F-PLACE1009190//RPCI11-81N5.TJ RPCI11 Homo sapiens genomic clone R-81N5, genomic survey sequence.//0.91:114:67//AQ281881

F-PLACE1009200//CITBI-E1-2509J16.TF CITBI-E1 Homo sapiens genomic clone 2509J16, genomic survey sequence.//2.8e-44:175:83//AQ262198

F-PLACE1009230//H.sapiens gene for pregnancy specific beta-1 glycoprotein.//1.1e-106:495:88//X63203

F-PLACE1009246//HS_3058_Bi_A06_MF CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=3058 Col=11 Row=B, genomic survey
sequence.//0.10:175:68//AQ185945

F-PLACE1009298//Mus musculus maternal-embryonic 3 (Mem3) mRNA, complete
cds.//1.8e-94:575:89//U47024

F-PLACE1009308//Human clone mcag32 chromosome 7 CTG repeat region.//0.00
17:350:62//U23862

F-PLACE1009319//Homo sapiens post-synaptic density protein 95 (PSD95) mR
NA, complete cds.//3.0e-06:411:59//U83192

F-PLACE1009328//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 191P20, WORKING DRAFT SEQUENCE.//5.7e-138:830:86//AL034399

F-PLACE1009335//Human (lambda) DNA for immunoglobulin light chain.//0.071:
253:62//D87015

F-PLACE1009338//RPCI11-74N24.TV RPCI11 Homo sapiens genomic clone R-74N2
4, genomic survey sequence.//2.4e-34:180:100//AQ268811

F-PLACE1009368

F-PLACE1009375

F-PLACE1009388//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1014D13, WORKING DRAFT SEQUENCE.//2.0e-37:288:84//AL022311

F-PLACE1009398//Human DNA binding protein (HPF2) mRNA, complete cds.//4.
3e-78:730:74//M27878

F-PLACE1009404//SmD homolog [mice, liver, mRNA Partial, 199 nt].//0.16:9
5:71//S71494

F-PLACE1009410//Homo sapiens chromosome 17, clone hRPK.142_H_19, complet
e sequence.//1.6e-150:701:99//AC005919

F-PLACE1009434//Mus musculus clone OST431, genomic survey sequence.//2.9
e-73:442:88//AF046700

F-PLACE1009443//Mycobacterium tuberculosis H37Rv complete genome; segmen
t 148/162.//0.012:582:56//AL022022

F-PLACE1009444//Homo sapiens phosphatidylinositol 4-kinase 230 (pi4K230)

mRNA, complete cds.//4.6e-21:146:93//AF012872

F-PLACE1009459//Mus musculus clone OST9217, genomic survey sequence.//2.9e-31:264:81//AF046660

F-PLACE1009468//Sequence 1 from patent US 5580968.//1.9e-83:567:84//I30536

F-PLACE1009476//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-67A1, complete sequence.//1.9e-142:704:97//AC004531

F-PLACE1009477//Human 11p14.3 PAC clone pDJ939m16, complete sequence.//2.2e-09:235:68//AC004601

F-PLACE1009493//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//2.9e-83:171:92//U91321

F-PLACE1009524//Homo sapiens DNA sequence from PAC 63G5 on chromosome 22 q12.3-13.1. Contains part of a gene for a human SEC7 homolog B2-1 (cytohesin-2, Arno, ARF exchange factor) LIKE protein, an unknown gene and a gene coding for a Leucine rich protein. Contains ESTs, STSs and GSSs, complete sequence.//3.8e-69:175:92//Z94160

F-PLACE1009539//Mus musculus synaptojanin 2 isoform alpha mRNA, complete cds.//7.0e-26:237:78//AF041862

F-PLACE1009542//Human DNA sequence from clone 1039K5 on chromosome 22q12.3-13.2 Contains gene similar to PICK1 perinuclear binding protein, gene similar to monocarboxylate transporter (MCT3), ESTs, STS, GSS and a CpG island, complete sequence.//3.1e-10:126:79//AL031587

F-PLACE1009571//RPCI11-60K12.TK RPCI11 Homo sapiens genomic clone R-60K12, genomic survey sequence.//1.4e-05:68:91//AQ195869

F-PLACE1009581

F-PLACE1009595//Homo sapiens chromosome 5, P1 clone 1029A7 (LBNL H15), complete sequence.//6.6e-19:309:70//AC003959

F-PLACE1009596//Rattus norvegicus platelet-activating factor acetylhydrolase beta subunit (PAF-AH beta) gene, complete cds.//9.0e-09:485:59//AF0

16049

F-PLACE1009607//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 409J21, WORKING DRAFT SEQUENCE.//4.9e-43:714:66//Z83824

F-PLACE1009613//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.017:655:57//AC004157

F-PLACE1009621

F-PLACE1009622//HS-1016-B2-E08-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 791 Col=16 Row=J, genomic survey sequence.//2.7e-15:100:98//B33248

F-PLACE1009637//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.63:130:67//AC005308

F-PLACE1009639//S.pombe chromosome II cosmid c24E9.//0.86:509:58//AL021816

F-PLACE1009659//Homo sapiens mRNA for KIAA0587 protein, complete cds.//1.4e-171:816:98//AB011159

F-PLACE1009665//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//3.4e-67:437:87//AC005177

F-PLACE1009670//Homo sapiens genethonin 1 mRNA, complete cds.//2.5e-147:701:98//AF062534

F-PLACE1009708//Homo sapiens clone DJ0935K16, complete sequence.//1.5e-98:228:100//AC006011

F-PLACE1009721//Human Cosmid g0771a222 from 7q31.3, complete sequence.//2.2e-130:736:91//AC000109

F-PLACE1009731//M.musculus mRNA for immunity associated protein 38.//1.1e-13:311:64//Y08026

F-PLACE1009763//Homo sapiens UBA3 (UBA3) mRNA, complete cds.//4.2e-125:602:98//AF046024

F-PLACE1009794

F-PLACE1009798//Human DNA sequence from clone 1189B24 on chromosome Xq25-26.3. Contains NADH-Ubiquinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, CI-MLRQ), Tubulin Beta and Proto-oncogene Tyrosine-protein Kinase FER (EC 2.7.1.112, P94-FER, C-FER, TYK3) pseudogenes, and part of a novel gene similar to hypothetical proteins S. pombe C22F3.14C and C. elegans C16A3.8. Contains ESTs, an STS and GSSs, complete sequence.//1.3e-73:271:84//AL030996

F-PLACE1009845

F-PLACE1009861//B.tauris cathepsin B mRNA, 3' end.//0.00023:147:65//M64620

F-PLACE1009879//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 159A1, WORKING DRAFT SEQUENCE.//4.9e-27:725:63//AL034397

F-PLACE1009886//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 167A19, WORKING DRAFT SEQUENCE.//8.2e-12:135:82//AL031427

F-PLACE1009888//F14G3-T7 IGF Arabidopsis thaliana genomic clone F14G3, genomic survey sequence.//0.0044:232:60//AQ251431

F-PLACE1009908//S.pombe chromosome I cosmid c3F10.//1.5e-19:559:59//Z69369

F-PLACE1009921//Homo sapiens cosmid clone HDAB (1S149) insert DNA, complete cosmid.//5.9e-48:304:87//M63005

F-PLACE1009924//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-201104, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.4e-51:481:78//AC004529

F-PLACE1009925//nbxb0027C22r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0027C22r, genomic survey sequence.//0.98:220:67//AQ272066

F-PLACE1009935//Sequence 16 from patent US 5552281.//0.030:152:67//I25655

F-PLACE1009947//Homo sapiens clone GS096J14, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.6e-12:322:67//AC006026

F-PLACE1009971

F-PLACE1009992//HS_3178_B1_F04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3178 Col=7 Row=L, genomic survey sequence.//4.9e-23:142:95//AQ150311

F-PLACE1009995//Caenorhabditis elegans cosmid C01A2, complete sequence.//0.00019:231:64//Z81029

F-PLACE1009997//Rattus norvegicus A-kinase anchoring protein AKAP 220 mRNA, complete cds.//7.9e-87:552:80//U48288

F-PLACE1010023

F-PLACE1010031//Human DNA sequence from clone 30M3 on chromosome 6p22.1-22.3. Contains three novel genes, one similar to C. elegans Y63D3A.4 and one similar to (predicted) plant, worm, yeast and archaea bacterial genes, and the first exon of the KIAA0319 gene. Contains ESTs, GSSs and putative CpG islands, complete sequence.//6.9e-101:181:98//AL031775

F-PLACE1010053//M.musculus Spnr mRNA for RNA binding protein.//2.3e-136:689:95//X84692

F-PLACE1010069//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 212A2, WORKING DRAFT SEQUENCE.//0.0090:383:60//Z95114

F-PLACE1010074//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds.//1.8e-166:792:98//AF065482

F-PLACE1010076//Mouse mRNA for TGF-beta type I receptor, complete cds.//7.5e-13:203:77//D25540

F-PLACE1010083//Homo sapiens mRNA for KIAA0456 protein, partial cds.//3.0e-152:727:98//AB007925

F-PLACE1010089//HS_3111_A1_E08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3111 Col=15 Row=I, genomic survey sequence.//4.8e-07:124:78//AQ101268

F-PLACE1010096//R.norvegicus mRNA for 100 kDa protein.//1.2e-108:700:85//X64411

F-PLACE1010102//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.1e-07:476:60//AC005506

F-PLACE1010105//Homo sapiens actin binding protein MAYVEN mRNA, complete cds.//3.8e-25:728:60//AF059569

F-PLACE1010106//Human DNA sequence from PAC 127B14 on chromosome Xq22.//6.5e-25:488:63//Z93928

F-PLACE1010134//S.pombe chromosome I cosmid c29B12.//1.9e-13:238:67//Z99164

F-PLACE1010148//Homo sapiens partial human cDNA (660 bp).//4.8e-83:409:98//AJ222636

F-PLACE1010152//CIT-HSP-2381F24.TF CIT-HSP Homo sapiens genomic clone 2381F24, genomic survey sequence.//1.5e-28:163:98//AQ196757

F-PLACE1010181//Homo sapiens PAC clone DJ1139I01 from Xq23, complete sequence.//2.4e-15:197:72//AC004973

F-PLACE1010194//Ictalurus punctatus tumor supressor p53 mRNA, complete cds.//3.0e-14:181:74//AF074967

F-PLACE1010202//Homo sapiens mRNA for MBNL protein.//1.2e-27:509:66//Y13829

F-PLACE1010231//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 287G14, WORKING DRAFT SEQUENCE.//2.3e-101:194:95//AL033377

F-PLACE1010261//Homo sapiens mRNA for KIAA0448 protein, complete cds.//5.8e-145:693:97//AB007917

F-PLACE1010270//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//2.1e-05:347:60//AC004710

F-PLACE1010274//Caenorhabditis elegans cosmid C01A2, complete sequence.//0.00040:231:64//Z81029

F-PLACE1010293//Homo sapiens chromosome 2 PAC RPCI3-417E16 (Roswell Park

Cancer Institute Human PAC library) complete sequence.//6.5e-25:344:70/
/AC004464

F-PLACE1010310//Homo sapiens DNA sequence from PAC 329E20 on chromosome
1p34.4-36.13. Contains endothelin-converting-enzyme 1 (ECE-1), EST, STS,
CA repeat, complete sequence.//3.5e-10:185:67//AL031005

F-PLACE1010321//Human DNA sequence from clone 299D3 on chromosome 22q13.
3, complete sequence.//0.010:524:58//Z84468

F-PLACE1010324//CIT-HSP-2335J21.TR CIT-HSP Homo sapiens genomic clone 23
35J21, genomic survey sequence.//9.1e-90:448:97//AQ041837

F-PLACE1010329//Apis mellifera ligustica complete mitochondrial genome./
/2.8e-08:384:64//L06178

F-PLACE1010341//HS-1047-A2-C04-MR.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 830 Col=8 Row=E, genomic survey sequ
ence.//4.1e-21:141:92//B38252

F-PLACE1010362//Mycobacterium tuberculosis H37Rv complete genome; segmen
t 155/162.//0.94:398:57//AL022121

F-PLACE1010364//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y102G3, WORKING DRAFT SEQUENCE.//0.11:404:56//AL020985

F-PLACE1010383//Homo sapiens chromosome 17, clone hCIT.186_H_2, complete
sequence.//0.066:88:76//AC004675

F-PLACE1010401//CIT-HSP-2367K17.TR CIT-HSP Homo sapiens genomic clone 23
67K17, genomic survey sequence.//2.4e-71:454:88//AQ076825

F-PLACE1010481//Bos taurus C5-glucuronyl epimerase mRNA, partial cds.//7
.5e-134:722:93//AF003927

F-PLACE1010491//Homo sapiens Cre binding protein-like 2 mRNA, complete c
ds.//2.2e-150:702:99//AF039081

F-PLACE1010492

F-PLACE1010522//Homo sapiens cosmid LM1937 from Xq28.//0.022:405:60//U82
695

F-PLACE1010529//Sequence 1 from patent US 5776717.//2.9e-145:684:98//ARO
16417

F-PLACE1010547//Human DNA sequence from clone 790B6 on chromosome 20p11.
22-12.2. Contains STSs and GSSs, complete sequence.//1.0:283:61//AL03167
7

F-PLACE1010562//RPC111-65I16.TK RPC111 Homo sapiens genomic clone R-65I1
6, genomic survey sequence.//0.017:216:67//AQ200831

F-PLACE1010579//Homo sapiens full length insert cDNA YI23D12.//3.9e-19:1
47:89//AF075014

F-PLACE1010580//Mouse RNA helicase and RNA-dependent ATPase from the DEA
D box family mRNA, complete cds.//6.4e-96:559:89//L25125

F-PLACE1010599//Homo sapiens peroxisomal membrane anchor protein HsPex14
p (PEX14) mRNA, complete cds.//3.1e-146:707:97//AF045186

F-PLACE1010616//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic
sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.045:454:59//AC
005308

F-PLACE1010622//Plasmodium falciparum MAL3P2, complete sequence.//9.1e-0
7:378:60//AL034558

F-PLACE1010624//Streptomyces coelicolor cosmid 5A7.//1.4e-05:518:61//AL0
31107

F-PLACE1010628//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21
unordered pieces.//5.0e-137:675:97//AC004846

F-PLACE1010629//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-259H10,
complete sequence.//2.5e-17:187:80//AC004682

F-PLACE1010630//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clon
e: K21P3, complete sequence.//0.21:159:64//AB016872

F-PLACE1010631//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 u
nordered pieces.//1.2e-144:720:97//AC005069

F-PLACE1010661

F-PLACE1010662//Arabidopsis thaliana DNA chromosome 4, BAC clone F7J7 (ESSA project).//0.90:257:61//AL021960

F-PLACE1010702//Human repressor transcriptional factor (ZNF85) mRNA, complete cds.//3.3e-73:697:74//U35376

F-PLACE1010714//Human Chromosome 15q11-q13 PAC clone pDJ778a2, complete sequence.//0.010:447:59//AC004583

F-PLACE1010720//Mouse TPA-induced TIS11 mRNA.//2.0e-86:535:88//X14678

F-PLACE1010739//HS_2013_B2_B10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2013 Col=20 Row=D, genomic survey sequence.//5.7e-87:435:97//AQ235864

F-PLACE1010743//R.norvegicus mRNA for myr5.//1.7e-87:582:85//X77609

F-PLACE1010761//Homo sapiens chromosome 17, clone hRPK.294_J_22, complete sequence.//4.7e-45:235:99//AC005921

F-PLACE1010771//M.musculus HCNGP mRNA.//1.6e-135:801:88//X68061

F-PLACE1010786//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-15, complete sequence.//0.35:334:60//AL010221

F-PLACE1010800//RPCI11-79H17.TV RPCI11 Homo sapiens genomic clone R-79H17, genomic survey sequence.//5.8e-18:168:82//AQ284252

F-PLACE1010802//Human Chromosome X clone bWXd531, complete sequence.//1.6e-30:693:63//AC004384

F-PLACE1010811//RPCI11-51N5.TK RPCI11 Homo sapiens genomic clone R-51N5, genomic survey sequence.//8.3e-11:142:78//AQ052380

F-PLACE1010833//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 467K16, WORKING DRAFT SEQUENCE.//7.3e-40:147:88//AL031283

F-PLACE1010856//M.musculus mRNA for utrophin.//7.3e-17:150:86//Y12229

F-PLACE1010857//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer, segment 11/11.//1.4e-94:422:95//AB020868

F-PLACE1010870//M.musculus mRNA for ZT3 zinc finger factor.//1.3e-93:530

:90//Z67747

F-PLACE1010877//Homo sapiens mRNA for KIAA0610 protein, partial cds.//1.
1e-147:694:98//AB011182

F-PLACE1010891

F-PLACE1010896//Mouse BAC mbac20 from 14D1-D2 (T-Cell Receptor Alpha Loc
us), complete sequence.//3.9e-26:394:68//AC003997

F-PLACE1010900

F-PLACE1010916//HS_2242_A1_C04_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2242 Col=7 Row=E, genomic survey s
equence.//1.0e-78:391:97//AQ146687

F-PLACE1010917

F-PLACE1010925//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic
sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.11:629:56//AC00
4688

F-PLACE1010926//Homo sapiens mRNA for KIAA0554 protein, partial cds.//9.
5e-138:653:98//AB011126

F-PLACE1010942//Homo sapiens intersectin short form mRNA, complete cds./
/5.6e-90:437:98//AF064243

F-PLACE1010944//Homo sapiens full length insert cDNA clone ZD38E12.//1.4
e-09:208:68//AF086247

F-PLACE1010947

F-PLACE1010954//CIT-HSP-2283D9.TR CIT-HSP Homo sapiens genomic clone 228
3D9, genomic survey sequence.//2.1e-29:190:91//B98965

F-PLACE1010960//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 4-52, complete sequence.//0.00074:421:60//AL010226

F-PLACE1010965//CIT-HSP-2386K24.TF.1 CIT-HSP Homo sapiens genomic clone
2386K24, genomic survey sequence.//1.8e-84:412:99//AQ240696

F-PLACE1011026//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 3-20, complete sequence.//0.00037:257:64//AL008972

F-PLACE1011032//Homo sapiens chromosome 5, BAC clone 118L13 (LBNL H176), complete sequence.//3.8e-06:315:65//AC005348

F-PLACE1011041//Human Fas-ligand associated factor 3 mRNA, partial cds./1.5e-56:286:98//U70669

F-PLACE1011046//Rat phospholipase C-1 mRNA, complete cds.//1.3e-24:278:76//M20636

F-PLACE1011054//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 981L23, WORKING DRAFT SEQUENCE.//3.8e-27:196:84//AL031686

F-PLACE1011056//Ovis aries bactinecin 11 (Bac11) gene, exon 4, and complete cds.//5.4e-06:182:67//U77049

F-PLACE1011057//protein kinase PRK2 [human, DX3 B-cell myeloma cell line, mRNA, 3255 nt].//3.2e-31:169:100//S75548

F-PLACE1011090//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 998H6, WORKING DRAFT SEQUENCE.//5.1e-80:479:89//AL031687

F-PLACE1011109//Rattus norvegicus nuclear-encoded mitochondrial elongation factor G mRNA, complete cds.//2.3e-24:192:84//L14684

F-PLACE1011114//S.cerevisiae chromosome XI reading frame ORF YKR024c.//1.4e-14:346:60//Z28249

F-PLACE1011133//T7E9-T7.1 TAMU Arabidopsis thaliana genomic clone T7E9, genomic survey sequence.//0.010:345:60//B19698

F-PLACE1011143//CIT-HSP-2375J10.TR CIT-HSP Homo sapiens genomic clone 2375J10, genomic survey sequence.//0.00013:95:76//AQ109305

F-PLACE1011160//Homo sapiens PAC clone DJ0808A01 from 7q21.1-q31.1, complete sequence.//3.7e-111:692:87//AC004893

F-PLACE1011165//H.sapiens galactokinase (GK2) mRNA, complete cds.//8.4e-31:194:92//M84443

F-PLACE1011185//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-249B10, complete sequence.//3.1e-43:447:72//AC002288

F-PLACE1011203//Homo sapiens chromosome 18q11 beta-1,4-galactosyltransfe

rase mRNA, complete cds.//3.3e-124:584:99//AF038664

F-PLACE1011214//HS_2046_A2_B01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2046 Col=2 Row=C, genomic survey sequence.//2.0e-39:346:81//AQ305965

F-PLACE1011219

F-PLACE1011221//CITBI-E1-2513F18.TR CITBI-E1 Homo sapiens genomic clone 2513F18, genomic survey sequence.//2.4e-20:119:100//AQ279801

F-PLACE1011229//Homo sapiens mRNA for KIAA0529 protein, partial cds.//4.4e-146:675:99//AB011101

F-PLACE1011263//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//1.7e-42:212:84//AC005014

F-PLACE1011273//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y37D8, WORKING DRAFT SEQUENCE.//1.0:214:60//Z92819

F-PLACE1011291//RPCI11-16P9.TP RPCI-11 Homo sapiens genomic clone RPCI-11-16P9, genomic survey sequence.//8.0e-08:66:98//B81770

F-PLACE1011296//Homo sapiens chromosome 16, cosmid clone 443G8 (LANL), complete sequence.//0.027:135:67//AC004647

F-PLACE1011310//H.sapiens CpG island DNA genomic MseI fragment, clone 53c10, reverse read cpg53c10.rt1b.//1.4e-05:57:100//Z61496

F-PLACE1011325//Human immunodeficiency virus type 1 (D9) proviral structural capsid protein (gag) gene, partial cds.//0.077:193:60//L02290

F-PLACE1011332//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//3.1e-150:699:99//AF102265

F-PLACE1011340//Homo sapiens chromosome 17, clone hRPK.388_F_14, complete sequence.//2.4e-38:186:83//AC005375

F-PLACE1011371//Mus musculus PK-120 precursor (itih-4) mRNA, complete cds.//6.0e-35:689:63//AF023919

F-PLACE1011375//Mus musculus Kv3.4 gene, exon 4.//6.0e-88:584:86//AJ0103

F-PLACE1011399//paramecium species 7,325 mt dna dimer: replication init.
region.//0.00011:255:63//K00919

F-PLACE1011419//Homo sapiens chromosome 21 PAC LLNLP704G1150Q13.//0.067:
337:62//AJ006996

F-PLACE1011433//Homo sapiens mRNA for KIAA0530 protein, partial cds.//4.
6e-157:743:98//AB011102

F-PLACE1011452//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRA
FT SEQUENCE.//1.1e-53:557:73//AJ011929

F-PLACE1011465//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, c
omplete sequence.//3.5e-71:498:80//AC004605

F-PLACE1011472//Homo sapiens mRNA for KIAA0712 protein, complete cds.//4
.8e-151:703:99//AB018255

F-PLACE1011477//Homo sapiens sorting nexin 2 (SNX2) mRNA, complete cds./
/5.2e-145:675:99//AF065482

F-PLACE1011492//Ray (T.californica) acetylcholine receptor beta-subunit
mRNA.//1.0:448:59//J00964

F-PLACE1011503

F-PLACE1011520//Homo sapiens clone DJ1119N05, complete sequence.//3.8e-1
47:692:99//AC004968

F-PLACE1011563//R.norvegicus mRNA for leucocyte common antigen-related p
rotein (3941 bp).//0.00036:296:61//X83546

F-PLACE1011567//Homo sapiens PAC clone DJ1164K10 from 7p21-p22, complete
sequence.//1.1e-38:315:82//AC004984

F-PLACE1011576//Homo sapiens hematopoietic cell derived zinc finger prot
ein mRNA, complete cds.//1.3e-65:268:86//AF054180

F-PLACE1011586//Homo sapiens chromosome 17, clone HRPC890E16, complete s
equence.//2.0e-82:188:96//AC004477

F-PLACE1011635//Homo sapiens chromosome 17, clone hRPK.214_0_1, complete
sequence.//1.8e-153:752:97//AC005224

F-PLACE1011641//Homo sapiens T-cell receptor alpha delta locus from base
s 501613 to 752736 (section 3 of 5) of the Complete Nucleotide Sequence.
//4.8e-05:190:67//AE000660

F-PLACE1011643//Alcaligenes eutrophus phaP gene.//0.16:466:59//X85729

F-PLACE1011646//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1013A10, WORKING DRAFT SEQUENCE.//9.1e-19:156:76//AL033383

F-PLACE1011649

F-PLACE1011650//Homo sapiens retinol dehydrogenase gene, complete cds.//
6.4e-09:172:74//AF037062

F-PLACE1011664//D.melanogaster crn mRNA.//1.1e-52:650:68//X58374

F-PLACE1011675//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 geno
mic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.11:443:58//
AC005507

F-PLACE1011682//Human DNA sequence from clone 342B11 on chromosome 22q12
.1-12.3. Contains ESTs and a GSS, complete sequence.//0.31:127:71//AL008
719

F-PLACE1011719//Human BAC clone RG369K23 from 7q31, complete sequence.//
4.6e-52:461:77//AC002487

F-PLACE1011725

F-PLACE1011729//Human Chromosome 15q11-q13 clone pDJ276c12 from the Prad
er-Willi/Angelman syndrome region, WORKING DRAFT SEQUENCE, 3 unordered p
ieces.//0.011:320:62//AC004737

F-PLACE1011749//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic
sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.00031:544:59//
AC004157

F-PLACE1011762//Homo sapiens BAC clone RG437L15 from 8q21, complete sequ
ence.//2.4e-115:682:90//AC004003

F-PLACE1011778//RPCI11-22D17.TVB RPCI-11 Homo sapiens genomic clone RPCI
-11-22D17, genomic survey sequence.//2.7e-114:611:93//AQ008944

F-PLACE1011783//CIT-HSP-2317N1.TF CIT-HSP Homo sapiens genomic clone 2317N1, genomic survey sequence.//2.3e-17:120:94//AQ042330

F-PLACE1011858//Gallus domesticus filamin mRNA, complete cds.//4.1e-24:565:64//U00147

F-PLACE1011874//Homo Sapiens Chromosome X clone bWDX312, complete sequence.//2.5e-141:678:98//AC004478

F-PLACE1011875//Homo sapiens mRNA for KIAA0580 protein, partial cds.//1.6e-108:526:98//AB011152

F-PLACE1011891//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 439F8, WORKING DRAFT SEQUENCE.//0.0014:330:62//AL021392

F-PLACE1011896//Mus musculus Wnt10a mRNA, complete cds.//1.4e-89:678:82//U61969

F-PLACE1011922//Caprine arthritis-encephalitis virus envelope glycoprotein (env) gene, partial cds.//0.069:246:61//U81400

F-PLACE1011923//Homo sapiens serum-inducible kinase mRNA, complete cds.//1.2e-138:664:98//AF059617

F-PLACE1011962//HS_3212_B2_G12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3212 Col=24 Row=N, genomic survey sequence.//2.4e-07:154:74//AQ175369

F-PLACE1011964//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 322P7, WORKING DRAFT SEQUENCE.//3.7e-22:369:69//AL023799

F-PLACE1011982//HS-1041-A1-B01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 823 Col=1 Row=C, genomic survey sequence.//0.44:309:58//B36529

F-PLACE1011995//Homo sapiens Xq28 BAC RPCI11-382P7 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//8.8e-53:687:71//AC00605

4

F-PLACE1012031//Homo sapiens mRNA for KIAA0713 protein, partial cds.//1.2e-146:690:98//AB018256

F-PLACE2000003//Homo sapiens chromosome 17, clone hRPK.318_A_15, complete sequence.//1.7e-62:293:88//AC005837

F-PLACE2000006//Homo sapiens chromosome 12p13.3 clone RPC11-96H9, WORKING DRAFT SEQUENCE, 66 unordered pieces.//1.4e-116:261:91//AC006057

F-PLACE2000007

F-PLACE2000011//Homo sapiens chromosome 19, cosmid F20887, complete sequence.//5.2e-102:489:99//AC005578

F-PLACE2000014//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1111N9, WORKING DRAFT SEQUENCE.//0.0095:307:62//AL022574

F-PLACE2000015//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 unordered pieces.//2.0e-36:316:81//AC005069

F-PLACE2000017//HS_3042_A1_F08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3042 Col=15 Row=K, genomic survey sequence.//1.0:184:61//AQ098074

F-PLACE2000021//Homo sapiens TRF1-interacting ankyrin-related ADP-ribose polymerase mRNA, complete cds.//4.6e-84:844:72//AF082556

F-PLACE2000030//Human Chromosome 11 Cosmid cSRL16b6, complete sequence.//2.3e-22:233:77//U73638

F-PLACE2000033//C.capitata mRNA for chorion protein s18.//0.0019:342:62//Y08913

F-PLACE2000034//Rattus norvegicus transmembrane receptor Robo1 mRNA, complete cds.//2.8e-13:335:63//AF041082

F-PLACE2000039//Rattus norvegicus cytoplasmic dynein heavy chain (MAP 1C), mRNA, complete cds.//7.7e-84:489:90//L08505

F-PLACE2000047//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//5.0e-28:327:76//U95626

F-PLACE2000050//Homo sapiens chromosome 17, clone HRPC41C23, complete sequence.//1.1e-32:527:68//AC003101

F-PLACE2000061//CIT-HSP-2346L20.TF CIT-HSP Homo sapiens genomic clone 2346L20, genomic survey sequence.//1.1e-05:89:83//AQ059010

F-PLACE2000062//Human membrane-associated lectin type-C mRNA.//9.0e-113:662:86//M98457

F-PLACE2000072//Homo sapiens ZNF202 beta (ZNF202) mRNA, complete cds.//2.2e-133:631:98//AF027219

F-PLACE2000097//Homo sapiens chromosome 12p13.3 clone RPCI11-189M20, WORKING DRAFT SEQUENCE, 39 unordered pieces.//1.6e-16:119:93//AC005910

F-PLACE2000100//HS_3184_A1_D06_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3184 Col=11 Row=G, genomic survey sequence.//1.5e-80:409:97//AQ150004

F-PLACE2000103//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 20208, WORKING DRAFT SEQUENCE.//1.0e-172:830:98//AL031848

F-PLACE2000111//Homo sapiens DNA, trinucleotide repeats region.//1.0:200:64//AB018491

F-PLACE2000115

F-PLACE2000124//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-67A1, complete sequence.//6.2e-43:362:80//AC004531

F-PLACE2000132//RPCI11-79F15.TV RPCI11 Homo sapiens genomic clone R-79F15, genomic survey sequence.//5.4e-35:206:94//AQ284166

F-PLACE2000136//Human BAC clone 7E17 from 12q, complete sequence.//2.7e-12:814:59//AC002070

F-PLACE2000140//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 11703, WORKING DRAFT SEQUENCE.//3.6e-165:799:97//AL020995

F-PLACE2000164//Canine histamine H2 receptor gene, complete cds.//0.10:392:56//M32701

F-PLACE2000170

F-PLACE2000172//Homo sapiens PAC clone DJ0811017 from 7q21-22, complete sequence.//3.9e-91:552:88//AC006005

F-PLACE2000176//Homo sapiens Chromosome 22q11.2 BAC Clone b437g10 In BCR
L2-GGT Region, complete sequence.//0.98:201:64//AC004032

F-PLACE2000187

F-PLACE2000216

F-PLACE2000223//RPCI11-12L17.TP RPCI-11 Homo sapiens genomic clone RPCI-
11-12L17, genomic survey sequence.//0.00039:325:58//B75888

F-PLACE2000235//Human Chromosome 16 BAC clone CIT987SK-254P9, complete s
equence.//7.5e-55:237:78//AC003003

F-PLACE2000246//Homo sapiens chromosome 3p clone RPCI4-544D10, WORKING D
RAFT SEQUENCE, 58 unordered pieces.//2.4e-92:236:94//AC005902

F-PLACE2000264//Human DNA sequence from clone 391022 on chromosome 6p21.
2-21.31 Contains pseudogenes similar to ribosomal protein, ESTs, GSSs, c
omplete sequence.//1.4e-32:331:78//AL031577

F-PLACE2000274//Anthocidaris crassispina mRNA for B2HC, partial cds.//8.
5e-48:765:66//AB012308

F-PLACE2000302//Kaposi's sarcoma-associated herpes-like virus ORF73 homo
log gene, complete cds.//8.3e-08:662:58//U52064

F-PLACE2000305//Homo sapiens clone DJ1129L24, WORKING DRAFT SEQUENCE, 5
unordered pieces.//2.4e-08:95:81//AC006021

F-PLACE2000317//HS_3183_B2_F05_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3183 Col=10 Row=L, genomic survey
sequence.//2.5e-71:346:99//AQ172747

F-PLACE2000335//Homo sapiens clone DJ1032D07, WORKING DRAFT SEQUENCE, 3
unordered pieces.//3.7e-14:402:65//AC004952

F-PLACE2000341//Rattus norvegicus sodium-dependent multi-vitamin transpo
rter (SMVT) mRNA, complete cds.//4.5e-77:555:82//AF026554

F-PLACE2000342//Suid herpesvirus 1 UL5 gene, partial cds, UL6 and UL7 ge
nes, complete cds, UL8 gene, partial cds.//1.8e-14:259:71//U66829

F-PLACE2000347//Human DNA from overlapping chromosome 19-specific cosmid

s R32543, , and F15613 containing ZNF gene family member, genomic sequence, complete sequence.//6.0e-34:376:74//AC003006

F-PLACE2000359//RPCI11-23J20.TKBR RPCI-11 Homo sapiens genomic clone RPCI-11-23J20, genomic survey sequence.//8.4e-21:288:69//AQ013849

F-PLACE2000366//Human Tigger1 transposable element, complete consensus sequence.//5.0e-114:692:80//U49973

F-PLACE2000371//Homo sapiens 12p13.3 PAC RPCI1-29K11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.38:356:58//AC005182

F-PLACE2000373//RPCI11-49C18.TJ RPCI11 Homo sapiens genomic clone R-49C18, genomic survey sequence.//0.064:132:68//AQ051776

F-PLACE2000379//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//1.6e-130:776:88//AC003658

F-PLACE2000394//Homo sapiens chromosome 18 BAC RPCI11-128D14 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//5.4e-113:808:83//AC005909

F-PLACE2000398//Mouse hexamer repeat sequence (l17) homologous to Drosophila 'period' gene.//0.87:286:63//X06967

F-PLACE2000399

F-PLACE2000404//Caenorhabditis elegans cosmid R74, complete sequence.//2.9e-59:532:68//Z36238

F-PLACE2000411//Acanthamoeba castellanii transformation-sensitive protein homolog mRNA, complete cds.//0.44:553:56//U89984

F-PLACE2000419//Human adenosine deaminase (ADA) gene, complete cds.//1.4e-56:303:86//M13792

F-PLACE2000425//HS_3047_AI_H05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3047 Col=9 Row=0, genomic survey sequence.//2.8e-42:224:97//AQ126949

F-PLACE2000427

F-PLACE2000433//Homo sapiens chromosome 17, clone hRPK.156_L_14, complete

e sequence.//1.1e-19:363:67//AC005821

F-PLACE2000435//HS_3036_B1_F11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3036 Col=21 Row=L, genomic survey sequence.//3.1e-06:184:66//AQ096999

F-PLACE2000438//Caenorhabditis elegans cosmid Y45F10D, complete sequence.//4.6e-23:550:62//AL021492

F-PLACE2000450//Homo sapiens PAC clone DJ1188N21 from 7q11.23-q21.1, complete sequence.//1.0e-78:604:80//AC006025

F-PLACE2000455//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//8.2e-05:330:63//AC002300

F-PLACE2000458//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//5.7e-168:816:97//AC005740

F-PLACE2000465//Human Chromosome 11 Overlapping Cosmids cSRL72g7 and cSR L140b8, complete sequence.//4.3e-33:296:79//AC002037

F-PLACE2000477//Homo sapiens clone RG052H06, WORKING DRAFT SEQUENCE, 11 unordered pieces.//3.4e-59:598:74//AC005057

F-PLACE3000004//Human EYA3 homolog (EYA3) mRNA, complete cds.//7.6e-49:361:84//U81602

F-PLACE3000009//Human placenta (Diff48) mRNA, complete cds.//3.0e-58:713:69//U49187

F-PLACE3000020//R.norvegicus type III adenylyl cyclase mRNA, complete cds.//6.1e-103:600:89//M55075

F-PLACE3000029

F-PLACE3000059//Mus musculus mRNA for ubiquitin conjugating enzyme.//4.4e-115:718:86//Y17267

F-PLACE3000070//Homo sapiens chromosome 5, BAC clone 194j18 (LBNL H158), complete sequence.//1.8e-17:250:74//AC005368

F-PLACE3000103//Caenorhabditis elegans cosmid C13F10.//4.6e-07:408:61//U97006

F-PLACE3000119//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4
 , BAC clone C0190L06; HTGS phase 1, WORKING DRAFT SEQUENCE, 21 unordered
 pieces.//1.5e-58:291:86//AC004670

F-PLACE3000121//Rattus norvegicus rsec15 mRNA, complete cds.//8.1e-81:83
 7:71//AF032668

F-PLACE3000124//Homo sapiens chromosome 17, clone hRPK.85_B_7, complete
 sequence.//1.8e-48:330:79//AC005695

F-PLACE3000136

F-PLACE3000142//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 349A12, WORKING DRAFT SEQUENCE.//0.011:294:62//AL033520

F-PLACE3000145//Gallus gallus tensin mRNA, 3' end.//6.9e-52:659:68//L066
 62

F-PLACE3000147//Human DNA sequence from clone 267M20 on chromosome Xq22.
 2-22.3. Contains part of the DIAPH2 gene and a pseudogene, ESTs, STSS an
 d GSSs, complete sequence.//5.1e-37:305:81//AL031053

F-PLACE3000148//Homo sapiens chromosome Y, clone 475I1, complete sequenc
 e.//4.7e-32:766:63//AC004474

F-PLACE3000155//Homo sapiens chromosome 17, clone hRPK.597_M_12, complet
 e sequence.//7.4e-173:822:98//AC005277

F-PLACE3000156//Homo sapiens chromosome 19, overlapping cosmids F18547,
 F11133, R27945, R28830 and R32804, complete sequence.//2.2e-81:783:74//A
 C003682

F-PLACE3000157

F-PLACE3000158//, complete sequence.//1.0e-180:845:97//AC005500

F-PLACE3000160//CIT978SK-152K7.TV CIT978SK Homo sapiens genomic clone 15
 2K7, genomic survey sequence.//0.080:259:59//B50878

F-PLACE3000169//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete se
 quence.//9.8e-158:749:98//AC006130

F-PLACE3000194

F-PLACE3000197//F.rubripes GSS sequence, clone 075N04bB7, genomic survey sequence.//1.4e-08:164:68//AL003352

F-PLACE3000199//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//0.0019:277:58//Z82207

F-PLACE3000207//Homo sapiens BAC clone GS165L15 from 7p15, complete sequence.//6.6e-21:312:67//AC005013

F-PLACE3000208//Homo sapiens (clones: CW52-2, CW27-6, CW15-2, CW26-5, 11-67) collagen type VII intergenic region and (COL7A1) gene, complete cds.//1.0:279:61//L23982

F-PLACE3000218//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//9.3e-43:383:79//AC004086

F-PLACE3000220//RPCI11-54B4.TV RPCI11 Homo sapiens genomic clone R-54B4, genomic survey sequence.//2.4e-36:381:76//AQ082056

F-PLACE3000221//Homo sapiens clone DJ1186P10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//7.2e-135:721:91//AC005231

F-PLACE3000226

F-PLACE3000230//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//3.3e-80:498:78//U95626

F-PLACE3000242//Human DNA sequence from clone 1409 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. Contains ESTs, STSs and genomic marker DXS8032, complete sequence.//2.6e-54:254:92//Z98046

F-PLACE3000244//M.musculus mRNA for 200 kD protein.//1.4e-139:850:86//X80169

F-PLACE3000254//Ateline herpesvirus 3 complete genome.//1.3e-10:399:61//AF083424

F-PLACE3000271//Human Chromosome 16 BAC clone CIT987SK-A-815A9, complete sequence.//1.8e-21:350:68//AF001548

F-PLACE3000276//HS_2026_B1_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2026 Col=21 Row=P, genomic survey sequence.//5.7e-45:376:81//AQ231147

F-PLACE3000304//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//1.6e-138:650:99//AC005328

F-PLACE3000310

F-PLACE3000320//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//1.9e-41:379:77//AL034379

F-PLACE3000322//Homo sapiens chromosome 17, clone hRPK.209_J_20, complete sequence.//3.3e-35:419:68//AC005822

F-PLACE3000331//CIT-HSP-2347D24.TR CIT-HSP Homo sapiens genomic clone 2347D24, genomic survey sequence.//2.7e-20:119:99//AQ061543

F-PLACE3000339//Rhodobacter sphaeroides magnesium chelatase subunits BchI (bchI) and BchD (bchD) genes, complete cds; and Bch0 (bch0) gene, partial cds.//0.99:310:58//AF017642

F-PLACE3000341//Homo sapiens 3p22 Contig 7 PAC RPCI4-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//7.5e-159:752:98//AC006055

F-PLACE3000350//Rattus norvegicus serine/threonine protein kinase TA01 mRNA, complete cds.//2.3e-107:592:92//AF084205

F-PLACE3000352//Human DNA sequence from PAC 293L6 on chromosome 22, complete sequence.//2.1e-37:480:70//Z83732

F-PLACE3000353

F-PLACE3000362//Homo sapiens chromosome 17, clone hRPK.215_P_18, complete sequence.//0.00011:373:60//AC005969

F-PLACE3000363

F-PLACE3000365//Human DNA sequence from PAC 227P17, between markers DXS6

791 and DXS8038 on chromosome X contains CpG island, EST.//0.074:279:61/
/Z81007

F-PLACE3000373//Human DNA sequence from PAC 50A13 on chromosome Xp11. Co
ntains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1,
ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA
repeat.//2.8e-118:653:92//Z92545

F-PLACE3000388//Homo sapiens PAC clone DJ0777023 from 7p14-p15, complete
sequence.//2.2e-25:288:71//AC005154

F-PLACE3000399//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 466N1, WORKING DRAFT SEQUENCE.//2.3e-69:303:86//Z97630

F-PLACE3000400//Caenorhabditis elegans cosmid H03A11, complete sequence.
//0.0063:435:58//Z93239

F-PLACE3000401//Homo sapiens clone DJ1147A01, WORKING DRAFT SEQUENCE, 25
unordered pieces.//5.8e-25:292:73//AC006023

F-PLACE3000402//RPCI11-20D6.TVB RPCI-11 Homo sapiens genomic clone RPCI-
11-20D6, genomic survey sequence.//1.1e-10:154:74//AQ008761

F-PLACE3000405//Homo sapiens chromosome 17, clone hRPK.628_E_12, complet
e sequence.//2.9e-41:515:72//AC005701

F-PLACE3000406//cSRL-179E11-u cSRL flow sorted Chromosome 11 specific co
smid Homo sapiens genomic clone cSRL-179E11, genomic survey sequence.//2
.8e-91:540:89//B03443

F-PLACE3000413

F-PLACE3000416//F19L8-Sp6 IGF Arabidopsis thaliana genomic clone F19L8,
genomic survey sequence.//0.0018:664:55//B11305

F-PLACE3000425//Human DNA sequence from clone 231L4 on chromosome Xq27.1
-27.3 Contains GSS, STS, complete sequence.//1.1e-16:284:70//AL022719

F-PLACE3000455//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 469D22, WORKING DRAFT SEQUENCE.//3.6e-146:732:96//AL031284

F-PLACE3000475//HS_2164_A2_H10_MF CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=2164 Col=20 Row=0, genomic survey
sequence.//1.5e-07:159:71//AQ132983

F-PLACE3000477//Human DNA sequence from PAC 368A4 on chromosome X. Conta
ins ESTs, CELLULAR NUCLEIC ACID BINDING PROTEIN (CNBP) like gene and STS
s.//2.9e-11:213:70//Z83843

F-PLACE4000009//Sequence 93 from patent US 5616500.//9.9e-08:692:60//I39
845

F-PLACE4000014//Homo sapiens mRNA for KIAA0809 protein, partial cds.//1.
1e-116:331:100//AB018352

F-PLACE4000034//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-69G12, c
omplete sequence.//5.0e-05:244:63//AC004131

F-PLACE4000049//Homo sapiens Xp22-171-173 BAC GSHB-312I4 (Genome Systems
Human BAC Library) complete sequence.//1.2e-37:385:74//AC005926

F-PLACE4000052//M.musculus abcl mRNA.//1.5e-110:671:88//X75926

F-PLACE4000063

F-PLACE4000089//M.musculus BOX DNA for regulatory element and promoter r
egion related to EC cell differentiation.//3.7e-12:114:85//X74311

F-PLACE4000093//CIT-HSP-2380K5.TF CIT-HSP Homo sapiens genomic clone 238
OK5, genomic survey sequence.//0.11:245:60//AQ108342

F-PLACE4000100//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 20208, WORKING DRAFT SEQUENCE.//2.9e-19:384:65//AL031848

F-PLACE4000106//Homo sapiens mRNA for KIAA0462 protein, partial cds.//1.
2e-145:684:99//AB007931

F-PLACE4000128//Mus musculus putative transcription factor mRNA, complet
e cds.//3.7e-62:541:78//AF091234

F-PLACE4000129

F-PLACE4000131//HS_3139_B2_F12_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3139 Col=24 Row=L, genomic survey
sequence.//2.3e-14:221:70//AQ183207

F-PLACE4000147//Human DNA sequence from clone 740A11 on chromosome Xq22.
2-23. Contains part of the COL4A5 gene for Collagen Alpha 5(IV) Chain Pr
ecursor. Contains GSSs, complete sequence.//0.28:412:58//AL031622
F-PLACE4000156//Human zinc finger protein ZNF136.//7.2e-88:764:76//U0936
7
F-PLACE4000192
F-PLACE4000211
F-PLACE4000222//344J1.TVB CIT978SKA1 Homo sapiens genomic clone A-344J01
, genomic survey sequence.//1.2e-14:177:76//B17158
F-PLACE4000230//Mus musculus semaphorin Via mRNA, complete cds.//9.8e-11
6:662:89//AF030430
F-PLACE4000233//Homo sapiens DNA from chromosome 19, BAC 33152, complete
sequence.//5.2e-54:363:70//AC003973
F-PLACE4000247
F-PLACE4000250//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome System
s Human BAC library) complete sequence.//0.0053:229:65//AC004673
F-PLACE4000252
F-PLACE4000259//H.sapiens gene for U5 snRNP-specific 200kD protein.//2.0
e-25:191:87//Z70200
F-PLACE4000261//Mus musculus bromodomain-containing protein BP75 mRNA, c
omplete cds.//2.6e-23:314:71//AF084259
F-PLACE4000269//Rattus norvegicus rexo70 mRNA, complete cds.//5.5e-122:7
34:88//AF032667
F-PLACE4000270
F-PLACE4000300
F-PLACE4000320//Human FKBP-rapamycin associated protein (FRAP) mRNA, com
plete cds.//1.4e-21:135:96//L34075
F-PLACE4000323//HS_2165_B1_B02_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2165 Col=3 Row=D, genomic survey s

equence.//4.3e-08:170:71//AQ125036
 F-PLACE4000326//Mouse DNA with homology to EBV IR3 repeat, segment 1, clone Mu2.//2.8e-06:311:63//M10296
 F-PLACE4000344//Plasmodium falciparum chromosome 2, section 38 of 73 of the complete sequence.//0.014:252:60//AE001401
 F-PLACE4000367
 F-PLACE4000369
 F-PLACE4000379//CIT-HSP-2350B9.TF CIT-HSP Homo sapiens genomic clone 2350B9, genomic survey sequence.//9.2e-46:282:86//AQ062661
 F-PLACE4000387//CIT-HSP-2382F11.TR CIT-HSP Homo sapiens genomic clone 2382F11, genomic survey sequence.//0.96:102:70//AQ080649
 F-PLACE4000392//Rattus norvegicus polymorphic marker D20UIA1 sequence.//1.2e-05:222:68//AF054088
 F-PLACE4000401//Homo sapiens mRNA for KIAA0640 protein, partial cds.//9.6e-46:605:71//AB014540
 F-PLACE4000411//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 173D1, WORKING DRAFT SEQUENCE.//3.2e-29:179:79//AL031984
 F-PLACE4000431//H.sapiens gene for U5 snRNP-specific 200kD protein.//4.0e-44:263:92//Z70200
 F-PLACE4000445//HS-1053-B1-D02-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 775 Col=3 Row=H, genomic survey sequence.//0.070:47:100//B41346
 F-PLACE4000450
 F-PLACE4000465//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//2.3e-07:273:65//AC005065
 F-PLACE4000487//Homo sapiens chromosome 17, clone hRPK.156_L_14, complete sequence.//4.1e-34:351:70//AC005821
 F-PLACE4000489//HS_3012_B1_G05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3012 Col=9 Row=N, genomic survey s

equence.//2.0e-36:220:92//AQ095537
 F-PLACE4000494//Homo sapiens 12p13.3 PAC RPCI5-1063M23 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.3e-57:395:79//AC005865
 F-PLACE4000521//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//1.6e-163:770:98//AJ011929
 F-PLACE4000522//Feline leukemia virus Notch2 gene, clone FeLV/Notch2-C, partial cds.//4.0e-124:686:90//U47645
 F-PLACE4000548
 F-PLACE4000558//Bothrops atrox batroxobin gene (EC 3.4.21.29).//0.049:435:59//X12747
 F-PLACE4000581
 F-PLACE4000590//Homo sapiens chromosome Y, clone 475I1, complete sequence.//3.6e-20:747:59//AC004474
 F-PLACE4000593//Caenorhabditis elegans cosmid F25D7, complete sequence.//5.6e-16:326:65//Z78418
 F-PLACE4000612//Homo sapiens PAC clone DJ0722F20 from 7q31.1-q31.3, complete sequence.//1.7e-163:785:97//AC005281
 F-PLACE4000638//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//8.7e-74:707:74//AC006039
 F-PLACE4000650
 F-PLACE4000654//Mus musculus mRNA for ubiquitin conjugating enzyme.//1.1e-145:840:89//Y17267
 F-PLACE4000670//Sequence 13 from patent US 5712381.//1.0:311:59//I82816
 F-SKNMC1000011//Gallus gallus bone sialoprotein II mRNA, complete cds.//0.014:92:73//U10577
 F-SKNMC1000013//Orang-utan involucrin gene, complete cds.//0.021:417:59//M25312
 F-SKNMC1000046//Homo sapiens mRNA for KIAA0654 protein, partial cds.//7.

6e-147:706:98//AB014554

F-SKNMC1000050//Sequence 5 from patent US 5789181.//1.6e-52:330:90//AR02
0616

F-SKNMC1000091//Human NK homeobox protein (Nkx6.1) gene, exon 1.//0.0018
:375:60//U66797

F-THYRO1000017//Rattus norvegicus pyridoxine 5'-phosphate oxidase mRNA,
complete cds.//6.6e-97:542:84//U91561

F-THYRO1000026//Human DNA sequence from clone 833B7 on chromosome 22q12.
3-13.2 Contains genes for NCF4 (P40PHOX) protein, cytokine receptor commo
n beta chain precursor CSF2RB (partial), ESTs, CA repeat, STS, GSS, comp
lete sequence.//3.5e-46:353:82//AL008637

F-THYRO1000034//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 90L6, WORKING DRAFT SEQUENCE.//0.83:227:61//Z97353

F-THYRO1000035//Human Chromosome X clone bWDX187, complete sequence.//1.
2e-39:303:83//AC004383

F-THYRO1000040

F-THYRO1000070//Homo sapiens chromosome 10 clone CIT987SK-1144G6 map 10q
25.1, complete sequence.//1.3e-05:613:58//AC005383

F-THYRO1000072//Homo sapiens mRNA for KIAA0657 protein, partial cds.//2.
7e-84:722:77//AB014557

F-THYRO1000085

F-THYRO1000092//CIT-HSP-2013L16.TFB CIT-HSP Homo sapiens genomic clone 2
013L16, genomic survey sequence.//0.31:186:61//B60606

F-THYRO1000107

F-THYRO1000111//Human genomic DNA sequence from clone 30801 on chromosom
e Xp11.3-11.4. Contains EST, CA repeat, STS, GSS, CpG island.//6.4e-110:
690:87//Z93403

F-THYRO1000121//Rattus norvegicus CTD-binding SR-like protein ra8 mRNA,
complete cds.//1.4e-127:816:85//U49055

F-THYRO1000124//H.sapiens CpG island DNA genomic MseI fragment, clone 72 a7, forward read cpg72a7.ft1a.//9.5e-26:169:94//Z62724

F-THYRO1000129//Homo sapiens TED protein (TED) mRNA, complete cds.//8.5e-154:732:98//AF087142

F-THYRO1000132//Homo sapiens chromosome 9q34, clone 63G10, complete sequence.//3.7e-39:315:82//AC002096

F-THYRO1000156//Human DNA sequence from clone 113J7 on chromosome Xp11.2 2-11.4. Contains part of a putative Homeobox (pseudo?) gene, ESTs and an STS, complete sequence.//1.2e-21:335:71//AL023574

F-THYRO1000163//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-A-218C7, complete sequence.//8.4e-52:301:88//AC002331

F-THYRO1000173//Mouse clathrin-associated protein (AP47) mRNA, complete cds.//4.0e-89:821:74//M62419

F-THYRO1000186//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//7.2e-39:293:85//Z82207

F-THYRO1000187//Clostridium tetani gene for tetanus toxin.//0.041:473:57//X06214

F-THYRO1000190//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//0.38:184:64//AC005746

F-THYRO1000197//Homo sapiens mRNA for poly(A)-specific ribonuclease.//7.5e-174:805:99//AJ005698

F-THYRO1000199//Homo sapiens mRNA for KIAA0652 protein, complete cds.//1.2e-86:616:84//AB014552

F-THYRO1000206//HS_3047_A1_A05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3047 Col=9 Row=A, genomic survey sequence.//0.51:331:63//AQ099134

F-THYRO1000221//Plasmodium falciparum 3D7 chromosome 12 PFYAC293 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.092:738:56//AC004157

F-THYRO1000241//Gallus gallus genome fragment with pentamer tandem repeats.//0.43:191:62//X00186

F-THYRO1000242//Human zinc finger gene HZF7.//2.8e-43:534:64//X60156

F-THYRO1000253//Homo sapiens 3p22 Contig 7 PAC RPC14-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//0.95:139:68//AC006055

F-THYRO1000270

F-THYRO1000279//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 531H16, WORKING DRAFT SEQUENCE.//1.4e-174:826:98//AL031664

F-THYRO1000288//Homo sapiens mRNA for Hs Ste24p, complete cds.//3.9e-179:848:98//AB016068

F-THYRO1000320//Mus musculus sphingosine-1-phosphate lyase mRNA, complete cds.//1.0e-44:331:83//AF036894

F-THYRO1000327//Homo sapiens autocrine motility factor receptor (AMFR) mRNA, complete cds.//5.7e-112:641:91//L35233

F-THYRO1000343//Homo sapiens mRNA for KIAA0790 protein, partial cds.//2.2e-162:763:98//AB018333

F-THYRO1000358//Human selenium-binding protein (hSBP) mRNA, complete cds.//2.2e-32:177:84//U29091

F-THYRO1000368//Caenorhabditis elegans cosmid W09G3, complete sequence.//0.97:206:60//Z82080

F-THYRO1000381//Arthrobacter sp. glcI gene for beta-1,3-glucanase, complete cds.//0.27:427:62//D23668

F-THYRO1000387//Homo sapiens PAC clone DJ1048B16 from 7q34-q36, complete sequence.//9.7e-147:698:98//AC006019

F-THYRO1000394//HS_2061_A2_C04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2061 Col=8 Row=E, genomic survey sequence.//1.6e-29:202:91//AQ247672

F-THYRO1000395//Drosophila melanogaster ring canal protein and ORF2 mRNA

, complete cds.//4.3e-15:512:59//L08483
 F-THYRO1000401
 3.2e-116:504:80//AF051908
 F-THYRO1000438//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic
 sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.4e-09:539:59//
 AC005308
 F-THYRO1000452//RPCI11-1C19.TVB RPCI-11 Homo sapiens genomic clone RPCI-
 11-1C19, genomic survey sequence.//0.27:132:64//B49573
 F-THYRO1000471//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete
 sequence.//1.3e-38:332:81//AC005229
 F-THYRO1000484//Homo sapiens BAC378, complete sequence.//2.2e-37:254:76/
 U85196
 F-THYRO1000488//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154),
 complete sequence.//6.3e-130:327:97//AC005740
 F-THYRO1000501//H.sapiens Staf50 mRNA.//9.8e-74:615:77//X82200
 F-THYRO1000502//Human DNA sequence from PAC 436M11 on chromosome Xp22.11
 -22.2. Contains the serine threonine protein phosphatase gene PPEF1, and
 the first coding exon of the RS1 gene for retinoschisis (X-linked, juve
 nile) 1 (XLRS1). Contains ESTs, an STS and GSSs, complete sequence.//0.0
 76:380:59//Z94056
 F-THYRO1000505
 F-THYRO1000558//Human PAC clone 127H14 from 12q, complete sequence.//2.4
 e-27:412:69//AC002563
 F-THYRO1000569//HS_2178_B2_E03_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=2178 Col=6 Row=J, genomic survey s
 equence.//1.9e-27:326:74//AQ307499
 F-THYRO1000570
 F-THYRO1000585//Homo sapiens protein associated with Myc mRNA, complete
 cds.//7.4e-167:808:97//AF075587

F-THYR01000596//Human Chromosome 16 BAC clone CIT987SK-A-972D3, complete sequence.//0.99:280:61//U91323

F-THYR01000602//HS_3037_B2_E04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3037 Col=8 Row=J, genomic survey sequence.//1.2e-05:109:75//AQ097057

F-THYR01000605//Homo sapiens map 2p11.2: 83cM from GATA85A06 repeat region, complete sequence.//1.0:84:70//AF067777

F-THYR01000625//Homo sapiens chromosome 19, cosmid R29425, complete sequence.//3.4e-174:820:98//AC005546

F-THYR01000637//Human DNA sequence from clone 91J24 on chromosome 6q24 C contains part of utrophin Gene, part of cytochrome C oxidase gene, EST, CpG island, complete sequence.//3.6e-38:289:84//AL024474

F-THYR01000641//Plasmodium falciparum MAL3P7, complete sequence.//6.8e-07:540:56//AL034559

F-THYR01000658//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//1.1e-68:468:84//AC005696

F-THYR01000662//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K23L20, complete sequence.//0.0072:141:70//AB016874

F-THYR01000666//Mus musculus mRNA for motor domain of KIF9, partial cds.//4.7e-58:367:87//AB001437

F-THYR01000676//Homo sapiens chromosome 19, cosmid F22676, complete sequence.//1.2e-36:396:71//AC005778

F-THYR01000684//Fugu rubripes cosmid 165K09 DNA for GRM7, TRIP, Sand, PR GFR3 genes.//6.6e-13:236:69//AJ010317

F-THYR01000699//RPCI11-50D4.TK RPCI11 Homo sapiens genomic clone R-50D4, genomic survey sequence.//2.7e-09:135:78//AQ052641

F-THYR01000712//Homo sapiens BAC clone RG041D11 from 7q21, complete sequence.//5.2e-17:290:67//AC005053

F-THYR01000715//Bovine herpesvirus type 1 early-intermediate transcripti

on control protein (BICP4) gene, complete cds.//8.6e-08:517:60//L14320
 F-THYRO1000734//HS_3233_B1_B04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3233 Col=7 Row=D, genomic survey sequence.//6.0e-72:463:89//AQ182143
 F-THYRO1000748//Homo sapiens KIAA0411 mRNA, complete cds.//9.7e-34:339:74//AB007871
 F-THYRO1000756//M.musculus mRNA for Gal betal, 3GalNac alpha2,3-sialyltransferase.//0.00034:349:60//X73523
 F-THYRO1000777//S.griseus str0 gene and sts gene cluster.//8.2e-05:625:59//Y08763
 F-THYRO1000783//Xenopus laevis tail-specific thyroid hormone up-regulated (gene 5) mRNA, complete cds.//4.0e-70:860:69//U37373
 F-THYRO1000787//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 366D1, WORKING DRAFT SEQUENCE.//5.3e-09:221:66//Z97986
 F-THYRO1000793
 F-THYRO1000796//Cristatella mucedo clone 5.9 microsatellite sequence.//0.34:173:63//AF085422
 F-THYRO1000805//Homo sapiens Xp21 PAC RPC11-37A12 containing exons 10 to 16 of the Duchenne Muscular Dystrophy gene, complete sequence.//7.8e-43:677:66//AC004468
 F-THYRO1000815//Homo sapiens chromosome 5, Bac clone 189 (LBNL H135), complete sequence.//5.5e-43:405:77//AC005914
 F-THYRO1000829//CIT-HSP-2387C10.TF.1 CIT-HSP Homo sapiens genomic clone 2387C10, genomic survey sequence.//2.0e-20:159:88//AQ240053
 F-THYRO1000843
 F-THYRO1000852//Homo sapiens chromosome 19, cosmid R31855, complete sequence.//1.8e-33:445:72//AC005782
 F-THYRO1000855//Mus musculus potassium channel alpha subunit (Kv9.1) mRNA, complete cds.//0.038:208:64//AF008573

F-THYRO1000865//Homo sapiens PAC clone DJ0283M22 from 14, complete sequence.//1.9e-30:286:74//AC005477

F-THYRO1000895//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 385E7, WORKING DRAFT SEQUENCE.//2.8e-18:186:80//AL031720

F-THYRO1000916//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.6e-78:432:93//AC006015

F-THYRO1000926//Homo sapiens cAMP-specific phosphodiesterase 8B (PDE8B) mRNA, partial cds.//9.2e-178:839:98//AF079529

F-THYRO1000934//Human pyrroline 5-carboxylate reductase mRNA, complete cds.//3.5e-32:759:63//M77836

F-THYRO1000951//Homo sapiens Chromosome 11q12 pac pDJ57114, WORKING DRAFT SEQUENCE, 29 unordered pieces.//4.9e-76:224:93//AC004229

F-THYRO1000952

F-THYRO1000974//HS_3238_B2_F01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3238 Col=2 Row=L, genomic survey sequence.//2.4e-26:154:96//AQ219846

F-THYRO1000975//Plasmodium falciparum TopoII gene.//0.32:491:58//X79345

F-THYRO1000983//Mvzf9A3 exon amplification products from BACs in Mvzf region Mus musculus genomic, genomic survey sequence.//7.0e-16:112:94//AQ010457

F-THYRO1000984//CIT-HSP-2167017.TR CIT-HSP Homo sapiens genomic clone 2167017, genomic survey sequence.//0.00015:186:66//B91313

F-THYRO1000988//Human Chromosome 11q12.2 PAC clone pDJ756b9 containing human ferritin heavy chain mRNA (FTH), WORKING DRAFT SEQUENCE, 19 unordered pieces.//0.024:267:63//AC004588

F-THYRO1001003

F-THYRO1001031//Homo sapiens chromosome 17, clone hRPC.859_0_20, complete sequence.//1.1e-55:543:72//AC003695

F-THYRO1001033//Methanobacterium thermoautotrophicum from bases 48264 to

58328 (section 5 of 148) of the complete genome.//0.94:445:58//AE000799
 F-THYRO1001062//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 199H16, WORKING DRAFT SEQUENCE.//4.4e-45:441:75//AL022320
 F-THYRO1001093//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete
 sequence.//4.9e-34:353:76//AC006241
 F-THYRO1001100//Human DNA-binding protein mRNA, 3' end.//1.1e-72:742:74//
 L14787
 F-THYRO1001120//Homo sapiens clone DJ1129E22, WORKING DRAFT SEQUENCE, 7
 unordered pieces.//1.2e-76:521:86//AC005522
 F-THYRO1001121//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 671014, WORKING DRAFT SEQUENCE.//0.00078:594:58//AL031595
 F-THYRO1001133//Homo sapiens PAC clone DJ1200123 from 7p15, complete seq
 uence.//4.0e-35:349:76//AC004996
 F-THYRO1001134//Homo sapiens clone DJ1070G24, WORKING DRAFT SEQUENCE, 12
 unordered pieces.//1.0:154:66//AC005486
 F-THYRO1001142//Human DNA sequence from clone B79B4 on chromosome 22 Con
 tains CA repeat and GSS, complete sequence.//1.4e-44:374:80//Z82178
 F-THYRO1001173
 F-THYRO1001177//Human pigment epithelium-derived factor gene, complete c
 ds.//1.9e-42:250:86//U29953
 F-THYRO1001189//HS_3171_B2_F10_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3171 Col=20 Row=L, genomic survey
 sequence.//1.8e-28:246:83//AQ302330
 F-THYRO1001204//Drosophila melanogaster DNA repair protein (mei-41) gene
 , complete cds, and TH1 gene, partial cds.//4.9e-39:657:64//U34925
 F-THYRO1001213//, complete sequence.//1.7e-45:257:84//AC005300
 F-THYRO1001262//Homo sapiens genomic DNA, chromosome 21q11.1, segment 7/
 28, WORKING DRAFT SEQUENCE.//1.5e-40:274:87//AP000036
 F-THYRO1001271//Streptomyces coelicolor cosmid 1A6.//0.033:364:61//AL023

496

F-THYRO1001287//Drosophila melanogaster cosmid clone 86E4.//9.6e-49:586:69//AL021086

F-THYRO1001290//HS_2045_B1_H09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2045 Col=17 Row=P, genomic survey sequence.//4.4e-13:156:78//AQ248237

F-THYRO1001313//S. lavendulae bla gene for beta-lactamase, complete cds.//1.0:229:64//D12693

F-THYRO1001320//Homo sapiens Chromosome 22q11.2 PAC Clone p_n5 In BCRL2-GGT Region, complete sequence.//1.1e-88:672:82//AC002472

F-THYRO1001321//Human PAC clone DJ527C21 from Xq23, complete sequence.//1.2e-115:740:87//AC000114

F-THYRO1001322//HS_3205_B2_C12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3205 Col=24 Row=F, genomic survey sequence.//0.00031:285:61//AQ304025

F-THYRO1001347//Homo sapiens mRNA for KIAA0745 protein, partial cds.//2.2e-43:638:64//AB018288

F-THYRO1001363//Homo sapiens PAC clone DJ0845I21 from 7q11.21-q11.23, complete sequence.//1.0e-09:189:74//AC004905

F-THYRO1001365//Homo sapiens chromosome 10 clone CIT987SK-1163G10 map 10 q25, complete sequence.//7.6e-168:821:97//AC005660

F-THYRO1001374//Homo sapiens mRNA for KIAA0707 protein, partial cds.//2.3e-155:740:97//AB014607

F-THYRO1001401//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//3.2e-07:138:73//AC005239

F-THYRO1001403//Homo sapiens chromosome 12p13.3 clone RPCI3-454B23, WORKING DRAFT SEQUENCE, 48 unordered pieces.//3.6e-70:360:86//AC005845

F-THYRO1001405//Bos taurus mRNA for NDP52, complete cds.//2.6e-14:559:63//AB008852

F-THYRO1001406//Mus musculus putative steroid dehydrogenase (KIK-I) mRNA, complete cds.//1.0e-91:631:82//AF064635

F-THYRO1001411//Homo sapiens chromosome 19, cosmid F18718, complete sequence.//5.5e-42:509:71//AC006126

F-THYRO1001426//*** SEQUENCING IN PROGRESS *** Homo sapiens genomic DNA (PAC 1118i22) from chromosome 11; HTGS phase 1, WORKING DRAFT SEQUENCE.//2.7e-31:172:81//AJ002553

F-THYRO1001434//Human Chromosome 11 pac pDJ393o15, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.0:98:70//AC000384

F-THYRO1001458//Bos taurus non-muscle myosin heavy chain mRNA, partial cds.//1.9e-58:653:71//U87265

F-THYRO1001480//Homo sapiens clone DJ0756H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//7.5e-42:357:80//AC006001

F-THYRO1001487//H.sapiens DNA sequence.//0.92:160:64//Z22449

F-THYRO1001534//Homo sapiens chromosome 17, clone hCIT.468_F_23, WORKING DRAFT SEQUENCE, 3 unordered pieces.//4.8e-47:266:80//AC004666

F-THYRO1001537//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 998H6, WORKING DRAFT SEQUENCE.//1.3e-79:479:89//AL031687

F-THYRO1001541//Human DNA sequence from clone 399M14 on chromosome Xq26.1-26.3. Contains ESTs, an STS and GSSs, complete sequence.//0.0034:106:77//Z96074

F-THYRO1001559//Rattus norvegicus simple sequence repeat D18Mco6.//1.6e-09:351:63//AF006056

F-THYRO1001570//RPCI11-49B23.TJ RPCI11 Homo sapiens genomic clone R-49B23, genomic survey sequence.//1.4e-65:384:91//AQ052105

F-THYRO1001573//Homo sapiens clone 24778 unknown mRNA.//8.2e-104:546:95//AF070572

F-THYRO1001584//CIT-HSP-2365J21.TF CIT-HSP Homo sapiens genomic clone 2365J21, genomic survey sequence.//1.3e-24:180:88//AQ080498

F-THYRO1001595//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//8.7e-145:779:93//AL023808

F-THYRO1001602//Homo sapiens chromosome 17, clone hRPK.786_0_4, complete sequence.//2.9e-26:393:68//AC005863

F-THYRO1001605//Dictyostelium discoideum filopodin (tala) gene, complete cds.//0.0012:436:58//U14576

F-THYRO1001617//Homo sapiens full length insert cDNA clone ZD69D05.//8.6e-43:342:82//AF086381

F-THYRO1001637//Homo sapiens clone DJ1019E05, WORKING DRAFT SEQUENCE, 10 unordered pieces.//6.2e-15:318:66//AC004950

F-THYRO1001656//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//1.5e-05:147:68//AC004827

F-THYRO1001661

F-THYRO1001671//Homo sapiens mRNA for 2'-5' oligoadenylate synthetase 59 kDa isoform.//2.5e-164:780:98//AJ225089

F-THYRO1001673//Homo sapiens clone RG161A02, complete sequence.//4.4e-40:770:64//AC005071

F-THYRO1001703//S.coelicolor plasmid SCP2 transfer region DNA.//0.14:414:59//X72857

F-THYRO1001706//Homo sapiens BAC clone RG281B09 from 7q21.1-q31.1, complete sequence.//2.6e-43:308:75//AC004745

F-THYRO1001721//, complete sequence.//9.9e-134:770:91//AC005500

F-THYRO1001738//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 355C18, WORKING DRAFT SEQUENCE.//0.99:163:61//AL022327

F-THYRO1001745

F-THYRO1001746

F-THYRO1001772//HS_3069_B1_C05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3069 Col=9 Row=F, genomic survey sequence.//1.5e-61:360:91//AQ171021

F-THYRO1001793//B.taurus mRNA for beta-subunit of rod photoreceptor CNG-channel.//0.028:446:58//X89626

F-THYRO1001809

F-THYRO1001828//Human DNA sequence *** SEQUENCING IN PROGRESS.*** from clone 110F11, WORKING DRAFT SEQUENCE.//1.3e-175:841:98//AL033526

F-THYRO1001854//Homo sapiens chromosome 17, clone hCIT54K19, complete sequence.//7.9e-07:445:59//AC003664

F-THYRO1001895

4.4e-13:248:68//AB012576

F-THYRO1001907//Homo sapiens BAC clone RG054D04 from 7q31, complete sequence.//2.9e-15:144:77//AC005058

F-VESEN1000122//HS_3075_B1_C09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=17 Row=F, genomic survey sequence.//1.1e-16:130:90//AQ143749

F-Y79AA1000013

F-Y79AA1000033//Homo sapiens BAC clone GS114I09 from 7p14-p15, complete sequence.//2.9e-95:300:94//AC006027

F-Y79AA1000037//Human prot-oncogene (BMI-1) mRNA, complete cds.//2.4e-19:230:66//L13689

F-Y79AA1000059//Homo sapiens immunophilin homolog ARA9 mRNA, complete cds.//2.2e-38:629:64//U78521

F-Y79AA1000065//Human DNA sequence from cosmid J256K24, between markers DXS6791 and DXS8038 on chromosome X contains EST.//5.3e-10:117:83//Z72005

F-Y79AA1000131//Homo sapiens LERK-6 (EPLG6) gene, exon 1.//7.6e-10:381:64//U92893

F-Y79AA1000181//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequ

ence.//1.4e-165:732:99//AL031864
 F-Y79AA1000202//Drosophila melanogaster DNA sequence (P1 DS06882 (D310))
 , complete sequence.//9.1e-20:339:65//AC005115
 F-Y79AA1000214//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33
 unordered pieces.//3.7e-72:397:93//AC004854
 F-Y79AA1000230
 F-Y79AA1000231//Mus musculus SIK similar protein mRNA, complete cds.//8.
 5e-151:833:90//AF053232
 F-Y79AA1000258//Leishmania donovani histidine secretory acid phosphatase
 (SACP-1) gene, complete cds.//0.0099:547:58//U78522
 F-Y79AA1000268//Mus musculus Nip2l mRNA, complete cds.//4.0e-11:424:62//
 AF035207
 F-Y79AA1000313
 F-Y79AA1000328//CIT-HSP-386A20.TF CIT-HSP Homo sapiens genomic clone 386
 A20, genomic survey sequence.//5.9e-07:173:69//B55085
 F-Y79AA1000342//RPCI11-57J6.TK.1 RPCI11 Homo sapiens genomic clone R-57J
 6, genomic survey sequence.//5.2e-27:151:99//AQ115511
 F-Y79AA1000346//B.primigenius mRNA for coat protein gamma-cop.//5.7e-69:
 694:71//X92987
 F-Y79AA1000349//M.musculus Spnr mRNA for RNA binding protein.//1.8e-98:5
 35:92//X84692
 F-Y79AA1000355//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3
 unordered pieces.//1.6e-21:129:85//AC005484
 F-Y79AA1000368//H.sapiens CpG island DNA genomic MseI fragment, clone 12
 f1, reverse read cpgl2f1.rtlc.//0.00016:53:98//Z56610
 F-Y79AA1000405//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
 from MAL1P4, WORKING DRAFT SEQUENCE.//0.069:366:59//AL031747
 F-Y79AA1000410//Human DNA sequence from PAC 117P19 on chromosome X.//1.0
 e-25:235:80//Z86061

F-Y79AA1000420//H.sapiens CpG island DNA genomic MseI fragment, clone 82 c3, forward read cpg82c3.ft1a.//2.0e-36:194:98//Z63378

F-Y79AA1000469//Mus musculus ancient ubiquitous 46 kDa protein AUP1 precursor (Aup1) mRNA, complete cds.//8.5e-121:696:89//U41736

F-Y79AA1000480//HS_2175_A2_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2175 Col=22 Row=0, genomic survey sequence.//2.5e-26:178:89//AQ307693

F-Y79AA1000538//Homo sapiens clone DJ1158B01, WORKING DRAFT SEQUENCE, 23 unordered pieces.//0.67:111:72//AC004980

F-Y79AA1000539//HS_2237_B2_F10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2237 Col=20 Row=L, genomic survey sequence.//1.2e-14:168:77//AQ153503

F-Y79AA1000540//Homo sapiens clone DJ0655N24, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.94:127:67//AC005193

F-Y79AA1000560//Mouse mRNA for alpha-adaptin (C).//1.7e-114:776:84//X14972

F-Y79AA1000574//M.musculus tex23 mRNA (5' region).//1.8e-23:291:75//X80424

F-Y79AA1000589//Homo sapiens clone 614 unknown mRNA, complete sequence.//8.6e-153:755:97//AF091080

F-Y79AA1000627//Homo sapiens zinc finger protein (ZF5128) mRNA, complete cds.//5.2e-135:644:98//AF060503

F-Y79AA1000705//M.musculus mRNA of enhancer-trap-locus 1.//6.9e-148:902:86//X69942

F-Y79AA1000734//Homo sapiens PEX11 beta mRNA for peroxisome assembly factor, complete cds.//4.8e-180:850:98//AB018080

F-Y79AA1000748//Caenorhabditis elegans cosmid F25B5.//0.00019:308:60//U23172

F-Y79AA1000752//Oryctolagus cuniculus mRNA for hnRNP-E1 protein.//1.7e-4

0:513:68//AJ003023
 F-Y79AA1000774
 F-Y79AA1000782
 F-Y79AA1000784//Homo sapiens RanBP7/importin 7 mRNA, complete cds.//3.5e-177:847:97//AF098799
 F-Y79AA1000794//H.sapiens CpG island DNA genomic MseI fragment, clone 45a4, forward read cpG45a4.ft1a.//2.5e-13:104:92//Z61120
 F-Y79AA1000800//Homo sapiens GABA-B receptor mRNA, complete cds.//0.98:244:60//AF056085
 F-Y79AA1000802
 F-Y79AA1000805//Human Chromosome 11 Cosmid cSRL30h11, complete sequence.//9.3e-76:528:85//U73642
 F-Y79AA1000824//RPCI11-26B4.TP RPCI-11 Homo sapiens genomic clone RPCI-11-26B4, genomic survey sequence.//4.4e-14:99:95//B84538
 F-Y79AA1000827//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1177I5, WORKING DRAFT SEQUENCE.//1.5e-08:249:69//AL022315
 F-Y79AA1000833//Macaca fascicularis mRNA for alpha-tubulin.//1.8e-103:603:89//X04757
 F-Y79AA1000850
 F-Y79AA1000962//Human DNA sequence from PAC 360E18 on chromosome X contains EST, CpG island and polymorphic CA repeat.//0.038:468:59//Z82203
 F-Y79AA1000966//Mus musculus COP9 complex subunit 4 (COPS4) mRNA, complete cds.//9.7e-150:865:89//AF071314
 F-Y79AA1000968//Rattus norvegicus initiation factor eIF-2B gamma subunit (eIF-2B gamma) mRNA, complete cds.//6.4e-122:717:88//U38253
 F-Y79AA1000969//Mouse chromosome 6 BAC-284H12 (Research Genetics mouse BAC library) complete sequence.//1.0:155:63//AC002397
 F-Y79AA1000976//Caenorhabditis elegans cosmid F54C1.//4.3e-06:130:73//U88165

F-Y79AA1000985//Mus musculus pericentrin mRNA, complete cds.//2.4e-44:42
8:77//U05823

F-Y79AA1001023

F-Y79AA1001041//Human mutY homolog (hMYH) gene, complete cds.//2.3e-13:9
0:100//U63329

F-Y79AA1001048//Human mRNA for very-long-chain acyl-CoA dehydrogenase (V
LCAD), complete cds.//2.6e-28:772:60//D43682

F-Y79AA1001061//Homo sapiens chromosome 4 clone B331M8 map 4q25, complet
e sequence.//9.4e-36:292:82//AC004701

F-Y79AA1001068//tipAL-AS complex: tipA=TipAL-AS [Streptomyces lividans,
Genomic, 1146 nt].//0.17:537:59//S64314

F-Y79AA1001077//Zea mays mRNA for aldehyde oxidase-2, complete cds.//0.1
7:231:64//D88452

F-Y79AA1001078

F-Y79AA1001105//Zebrafish otx2 mRNA for otx homeoprotein, complete cds./
/3.1e-63:529:77//D26173

F-Y79AA1001145//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 u
nordered pieces.//1.3e-23:228:76//AC005015

F-Y79AA1001167

F-Y79AA1001177//M.musculus mRNA for NfiX1-protein.//4.0e-10:398:64//Y076
88

F-Y79AA1001185//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 169I5, WORKING DRAFT SEQUENCE.//1.1e-113:666:90//Z93015

F-Y79AA1001211//HS_3124_B2_H08_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3124 Col=16 Row=P, genomic survey
sequence.//5.5e-12:87:96//AQ187492

F-Y79AA1001216

F-Y79AA1001228//Mycobacterium tuberculosis H37Rv complete genome; segmen
t 143/162.//0.028:188:67//AL021841

F-Y79AA1001233//Human placental 17-beta-hydroxysteroid dehydrogenase mRNA, complete cds.//3.5e-24:731:60//M36263

F-Y79AA1001236//Homo sapiens mRNA for JM23 protein, complete coding sequence (clone IMAGE 34581 and IMAGE 45355 and LLNLc110I133Q7 (RZPD Berlin)).//1.2e-133:441:97//AJ005892

F-Y79AA1001281//HS_2241_B2_F09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2241 Col=18 Row=L, genomic survey sequence.//5.0e-27:169:94//AQ217497

F-Y79AA1001299//Human In11 mRNA, complete cds.//6.7e-115:323:93//U04847

F-Y79AA1001312

F-Y79AA1001323

F-Y79AA1001384

F-Y79AA1001391//Mus musculus transcription factor HOXA13 (Hoxa13) gene, complete cds.//5.8e-42:245:74//U59322

F-Y79AA1001394//Caenorhabditis elegans cosmid F54B3, complete sequence.//7.8e-18:636:58//Z48583

F-Y79AA1001402//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.2e-110:738:85//AC005924

F-Y79AA1001493//H.sapiens DNA sequence.//2.0e-27:254:82//Z22497

F-Y79AA1001511//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs, complete sequence.//1.1e-158:804:95//AL034430

F-Y79AA1001533//Mouse mRNA for RNA polymerase I associated factor (PAF53), complete cds.//1.7e-100:820:78//D14336

F-Y79AA1001541//HS_3197_A2_G11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3197 Col=22 Row=M, genomic survey sequence.//5.1e-28:218:86//AQ150183

F-Y79AA1001548//Homo sapiens chromosome 19, cosmid R28738, complete sequence.//5.4e-21:167:86//AC004151

F-Y79AA1001555//R.norvegicus mRNA for drebrin A.//0.88:463:59//X59267
 F-Y79AA1001581//FMR1 {CGG repeats} [human, Fragile X syndrome patient, Genomic, 429 nt].//0.00051:252:65//S74494
 F-Y79AA1001585//Human hypoxanthine phosphoribosyltransferase (HPRT) gene, complete cds.//7.2e-33:375:76//M26434
 F-Y79AA1001594
 F-Y79AA1001603//Homo sapiens PAC 128M19 derived from chromosome 21q22.3, containing the HMG-14 and CHD5 genes, complete cds, complete sequence.//4.2e-06:338:66//AF064861
 F-Y79AA1001613//Homo sapiens mRNA for KIAA0683 protein, complete cds.//0.024:520:57//AB014583
 F-Y79AA1001647//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
 * from clone Y53F4, WORKING DRAFT SEQUENCE.//0.014:331:61//Z92860
 F-Y79AA1001665//Human DNA sequence from clone 299D3 on chromosome 22q13.3, complete sequence.//0.99:273:63//Z84468
 F-Y79AA1001679//O.cuniculus lambda-crystallin mRNA, complete cds.//1.2e-97:682:81//M22743
 F-Y79AA1001692//insulin-like growth factor binding protein-2 [human, placenta, Genomic, 1292 nt, segment 1 of 4].//5.6e-05:426:59//S37712
 F-Y79AA1001696//Rice endogenous double-stranded RNA encoding polyprotein (containing putative helicase and putative RNA-dependent RNA polymerase domains), complete cds.//1.0:437:60//D32136
 F-Y79AA1001705//M.musculus fkh-5 gene.//0.18:153:64//X71943
 F-Y79AA1001711//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 328E19, WORKING DRAFT SEQUENCE.//5.4e-76:191:98//AL022240
 F-Y79AA1001781//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 10/15, WORKING DRAFT SEQUENCE.//0.99:227:63//AP000017
 F-Y79AA1001805//H.sapiens CpG island DNA genomic MseI fragment, clone 13

d12, reverse read cpg13d12.rtlc.//2.6e-13:88:100//Z64565
 F-Y79AA1001827//Oryctolagus cuniculus PiUS mRNA, complete cds.//3.7e-130
 :775:88//U74297
 F-Y79AA1001846//CIT-HSP-2300M6.TR CIT-HSP Homo sapiens genomic clone 230
 0M6, genomic survey sequence.//8.3e-17:218:76//AQ012369
 F-Y79AA1001848//Human mRNA for KIAA0390 gene, complete cds.//4.2e-10:378
 :62//AB002388
 F-Y79AA1001866//Rattus norvegicus Cys2/His2 zinc finger protein (rKr1) m
 RNA, complete cds.//6.9e-41:441:71//U41164
 F-Y79AA1001874//Homo sapiens hJAG2.del-E6 (JAG2) mRNA, alternatively spl
 iced isoform of Jagged2, complete cds.//0.00017:412:62//AF029779
 F-Y79AA1001875//CIT-HSP-2317G18.TR CIT-HSP Homo sapiens genomic clone 23
 17G18, genomic survey sequence.//1.9e-09:271:67//AQ042654
 F-Y79AA1001923//H.sapiens CpG island DNA genomic MseI fragment, clone 19
 3c12, forward read cpg193c12.ft1a.//0.0031:108:75//Z60186
 F-Y79AA1001963//CITBI-E1-2510J4.TR CITBI-E1 Homo sapiens genomic clone 2
 510J4, genomic survey sequence.//1.8e-05:56:100//AQ261184
 F-Y79AA1002027//Arabidopsis thaliana ubiquitin-conjugating enzyme 17 (UB
 C17) mRNA, complete cds.//3.3e-13:451:62//AF028340
 F-Y79AA1002083//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 526I14, WORKING DRAFT SEQUENCE.//0.91:134:65//Z82214
 F-Y79AA1002089
 F-Y79AA1002093//Mus musculus transcription factor like protein 4 TCFL4 m
 RNA, partial cds.//1.2e-112:678:88//U43548
 F-Y79AA1002103//HS_3052_B1_H08_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3052 Col=15 Row=P, genomic survey
 sequence.//6.5e-18:238:72//AQ135014
 F-Y79AA1002115
 F-Y79AA1002125//H.sapiens (D8S135) DNA segment containing GT repeat.//1.

5e-14:99:96//X61693

F-Y79AA1002139//*Saccharomyces cerevisiae* dnaJ homolog Hlj1p (HLJ1) gene, complete cds.//2.5e-07:208:64//U19358

F-Y79AA1002204//HS_2235_B2_D12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2235 Col=24 Row=H, genomic survey sequence.//2.9e-13:89:98//AQ154260

F-Y79AA1002208//CIT-HSP-2006M21.TV CIT-HSP Homo sapiens genomic clone 2006M21, genomic survey sequence.//3.7e-27:154:98//B56397

F-Y79AA1002209//*E.coli* tyrS gene coding for tyrosyl-tRNA synthetase.//2.8e-05:143:70//J01719

F-Y79AA1002210//Homo sapiens chromosome 19, cosmid R28058, complete sequence.//8.3e-22:229:78//AC005615

F-Y79AA1002211//Homo sapiens chromosome 17, clone HRPC1067M6, complete sequence.//1.0e-06:241:67//AC003043

F-Y79AA1002220//CIT-HSP-2374P23.TR CIT-HSP Homo sapiens genomic clone 2374P23, genomic survey sequence.//1.3e-68:375:95//AQ109738

F-Y79AA1002229//Human mRNA for KIAA0086 gene, complete cds.//0.12:203:63//D42045

F-Y79AA1002234//Homo sapiens mRNA for KIAA0692 protein, partial cds.//1.3e-174:821:98//AB014592

F-Y79AA1002246//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.50:470:60//AC005015

F-Y79AA1002258//Homo sapiens mRNA for KIAA0655 protein, partial cds.//6.8e-159:748:98//AB014555

F-Y79AA1002298//Human density enhanced phosphatase-1 mRNA, complete cds.//0.036:278:62//U10886

F-Y79AA1002307//Homo sapiens mRNA for KIAA0634 protein, partial cds.//6.4e-129:622:97//AB014534

F-Y79AA1002311//*R.norvegicus* mRNA for cytosolic resiniferatoxin-binding

protein.//2.0e-116:693:82//X67877
 F-Y79AA1002351//S.clavuligerus pah and cas genes.//1.0:369:58//X84101
 F-Y79AA1002361//Rattus norvegicus mRNA for protein phosphatase 1 (GL-sub
 unit).//5.4e-105:762:80//Y18208.
 F-Y79AA1002399//Homo sapiens chromosome 17, clone hRPK.700_H_6, complete
 sequence.//1.0e-159:411:100//AC005920
 F-Y79AA1002407//Homo sapiens chromosome 17, clone hRPC.842_A_23, complet
 e sequence.//1.1e-118:609:84//AC004662
 F-Y79AA1002416//Mus musculus CTP synthetase homolog (CTPsh) mRNA, comple
 te cds.//4.4e-90:529:88//U49385
 F-Y79AA1002431//Chlamydomonas reinhardtii novel protein kinase mRNA, com
 plete cds.//1.0:166:66//U36196
 F-Y79AA1002433//CIT-HSP-384K8.TF CIT-HSP Homo sapiens genomic clone 384K
 8, genomic survey sequence.//0.24:85:72//B51917
 F-Y79AA1002472//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323),
 complete sequence.//1.9e-13:242:69//AC006116
 F-Y79AA1002482//Homo sapiens full length insert cDNA clone ZC18H06.//1.2
 e-35:462:71//AF088022
 F-Y79AA1002487//Bovine herpesvirus type 1 genes for UL [27,28,29,30,31]./
 /0.93:215:60//X94677

【 0 2 9 3 】

3' 末端クローン配列に対するESTとSTSを除いたGenBank相同性検索結果データ
 各データは、
 クローン配列名、
 トップヒットデータのDefinition、
 P値:比較配列の長さ (base):相同性(%)、
 トップヒットデータのAccession No.の順に//で区切って記載した。
 なお、同一クローンで5' 末端配列に対応する3' 末端配列が決定されていないもの
 は空欄とした。相同性のスコアのP値が1より大であった場合はデータは示さな

い。

R-HEMBA1000005//Mouse tumor cell dnaJ-like protein 1 mRNA, complete cds
./3.6e-60:504:78//L16953

R-HEMBA1000030//F.rubripes GSS sequence, clone 063K10bD3, genomic survey
sequence./0.28:117:68//Z88864

R-HEMBA1000042//RPCI11-77G23.TV RPCI11 Homo sapiens genomic clone R-77G2
3, genomic survey sequence./1.3e-56:292:97//AQ268240

R-HEMBA1000046//Homo sapiens chromosome X map Xq28, complete sequence.//
9.8e-56:401:82//U82696

R-HEMBA1000050//Human cosmid insert containing polymorphic marker DXS455
./0.0010:175:68//L31948

R-HEMBA1000076//Homo sapiens clone DJ1021I20, WORKING DRAFT SEQUENCE, 6
unordered pieces./4.9e-41:364:79//AC005520

R-HEMBA1000111//Homo sapiens Xp22 BAC GSHB-519E5 (Genome Systems Human B
AC library) complete sequence./4.7e-30:229:84//AC003684

R-HEMBA1000129//Homo sapiens chromosome 17, clone HCIT48C15, complete se
quence./2.4e-93:503:93//AC003104

R-HEMBA1000141//Homo sapiens mRNA for KIAA0797 protein, partial cds./6.
5e-99:514:94//AB018340

R-HEMBA1000150//Homo sapiens clone RG086D03, WORKING DRAFT SEQUENCE, 3 u
nordered pieces./2.7e-37:289:83//AC005060

R-HEMBA1000156//Homo sapiens scaffold attachment factor B (SAF-B) mRNA,
partial cds./3.1e-21:417:64//L43631

R-HEMBA1000158

R-HEMBA1000168

R-HEMBA1000180//Plasmodium falciparum encoding Pfg27/25./0.073:292:56//
X84904

R-HEMBA1000185//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7
unordered pieces./5.3e-40:286:85//AC006146

R-HEMBA1000193

R-HEMBA1000201//Homo sapiens SNF5/INI1 gene, exon 9.//2.0e-24:137:99//Y17126

R-HEMBA1000213//Caenorhabditis elegans cosmid C44C8.//0.025:192:68//AF100655

R-HEMBA1000216//Human Chromosome 16 BAC clone CIT987SK-A-815A9, complete sequence.//2.5e-31:269:79//AF001548

R-HEMBA1000227

R-HEMBA1000231//Human DNA sequence from PAC 212P9 on chromosome 1p34.1-1p35. Contains delta opiate receptor, CpG island, CA repeat.//4.3e-24:400:68//AL009181

R-HEMBA1000243//Homo sapiens chromosome 17, Neurofibromatosis 1 locus, complete sequence.//1.3e-19:319:69//AC004526

R-HEMBA1000244

R-HEMBA1000251//Meloidogyne hapla mitochondrial COII gene, 3' end of cds; transfer RNA-His gene; 16S ribosomal RNA gene; ND3 gene, complete cds; cytochrome b (cytb) gene, 5' end of cds.//0.16:338:60//L76262

R-HEMBA1000264//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 5/15, WORKING DRAFT SEQUENCE.//0.00093:300:66//AP000012

R-HEMBA1000280//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human BAC library) complete sequence.//3.5e-10:238:70//AC003037

R-HEMBA1000282//Arabidopsis thaliana BAC IG002P16.//0.71:344:60//AF007270

R-HEMBA1000288//Homo sapiens Xp22 PACs RPC11-263P4 and RPC11-164K3 complete sequence.//4.8e-33:267:82//AC003046

R-HEMBA1000290//Homo sapiens chromosome 17, clone HRPC837J1, complete sequence.//2.2e-15:249:69//AC004223

R-HEMBA1000302//CIT-HSP-2173N10.TF CIT-HSP Homo sapiens genomic clone 21

73N10, genomic survey sequence.//1.0:215:61//B95105
 R-HEMBA1000303//Mus musculus Plenty of SH3s (POSH) mRNA, complete cds.//
 1.0e-77:551:82//AF030131
 R-HEMBA1000304//Rattus norvegicus Ca²⁺-dependent activator protein (CAPS
) mRNA, complete cds.//2.0e-96:546:90//U16802
 R-HEMBA1000307//Mus musculus mRNA for CDV-1 protein.//3.8e-36:315:68//Y1
 0496
 R-HEMBA1000333//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic
 sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.078:379:59//AC
 005505
 R-HEMBA1000338//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 620E11, WORKING DRAFT SEQUENCE.//2.0e-33:399:72//AL031667
 R-HEMBA1000351//Homo sapiens complete genomic sequence between D16S3070
 and D16S3275, containing Familial Mediterranean Fever gene disease.//1.7
 e-39:272:87//AJ003147
 R-HEMBA1000355//Human primary Alu transcript.//0.0045:67:85//U67829
 R-HEMBA1000357//Homo sapiens (subclone 9_h8 from P1 H16) DNA sequence.//
 8.7e-93:426:88//L42086
 R-HEMBA1000366//Homo sapiens PAC clone DJ0942I16 from 7q11, complete seq
 uence.//1.7e-12:130:83//AC006012
 R-HEMBA1000369//Human DNA sequence from clone 1039K5 on chromosome 22q12
 .3-13.2 Contains gene similar to PICK1 perinuclear binding protein, gene
 similar to monocarboxylate transporter (MCT3), ESTs, STS, GSS and a CpG
 island, complete sequence.//1.9e-69:355:97//AL031587
 R-HEMBA1000376//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323),
 complete sequence.//3.7e-66:410:89//AC006116
 R-HEMBA1000387//Homo sapiens chromosome 17, clone HCIT169H9, WORKING DRA
 FT SEQUENCE, 6 unordered pieces.//2.0e-43:363:81//AC002993
 R-HEMBA1000390//Homo sapiens BAC clone RG041D11 from 7q21, complete sequ

ence.//4.6e-23:417:69//AC005053

R-HEMBA1000392//Human Chromosome 11p14.3 PAC clone pDJ59m18, complete sequence.//6.2e-05:174:68//AC004582

R-HEMBA1000396//Homo sapiens DNA sequence from PAC 159A15 on chromosome Xp11.21-p11.23. Contains inter-alpha-trypsin inhibitor heavy chain H3 precursor-like protein.//1.4e-62:564:77//AL022575

R-HEMBA1000411

R-HEMBA1000418//Liverwort Marchantia polymorpha chloroplast genome DNA./0.94:210:60//X04465

R-HEMBA1000422//CIT-HSP-2382A6.TR CIT-HSP Homo sapiens genomic clone 2382A6, genomic survey sequence.//4.4e-12:98:92//AQ078233

R-HEMBA1000428//Human DNA sequence from clone 393P23 on chromosome Xq21.1-21.33. Contains GSSs, complete sequence.//2.0e-93:526:90//Z95400

R-HEMBA1000434//Homo sapiens clone DJ0309D19, WORKING DRAFT SEQUENCE, 12 unordered pieces.//2.7e-07:452:60//AC004826

R-HEMBA1000442//E.caballus microsatellite DNA, clone HMB4.//0.39:135:62//Y07733

R-HEMBA1000456//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-52, complete sequence.//2.6e-05:174:70//AL010226

R-HEMBA1000459//Arabidopsis thaliana putative transmembrane protein Glp (AtG1), putative nuclear DNA-binding protein G2p (AtG2), Em1 protein (AT EM1), putative chlorophyll synthetase (AtG4), putative transmembrane protein G5p (AtG5), putative acyl-coA dehydrogenase (AtG6), and calcium dependent protein kinase genes, complete cds; and unknown genes.//0.013:212:63//AF049236

R-HEMBA1000460//Homo sapiens PAC clone DJ0593H12 from 7p31, complete sequence.//8.6e-114:556:98//AC004839

R-HEMBA1000464//Caenorhabditis elegans cosmid C34B7, complete sequence./0.086:334:61//Z83220

R-HEMBA1000469//Homo sapiens BAC clone RG442F18 from 2, complete sequence.//1.8e-52:472:79//AC005104

R-HEMBA1000488//, complete sequence.//3.3e-68:200:99//AC005500

R-HEMBA1000490//Caenorhabditis elegans cosmid Y53C12B, complete sequence.//0.97:233:61//Z99278

R-HEMBA1000491

R-HEMBA1000504//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-64, complete sequence.//1.7e-08:440:60//AL009014

R-HEMBA1000505//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer , segment 1/11.//0.37:189:62//AB020858

R-HEMBA1000508//Human DNA sequence from cosmid V210E9, between markers DXS366 and DXS87 on chromosome X.//1.1e-25:248:80//Z70280

R-HEMBA1000518//RPCI11-6022.TV RPCI-11 Homo sapiens genomic clone RPCI-11-6022, genomic survey sequence.//0.0035:293:61//B49544

R-HEMBA1000519

R-HEMBA1000520//Arabidopsis thaliana chromosome II BAC F10A12 genomic sequence, complete sequence.//0.30:255:63//AC006232

R-HEMBA1000523//Human cleavage stimulation factor 77kDa subunit mRNA, complete cds.//1.2e-53:203:92//U15782

R-HEMBA1000531//CIT-HSP-388J17.TR CIT-HSP Homo sapiens genomic clone 388J17, genomic survey sequence.//2.7e-24:137:99//B55638

R-HEMBA1000540//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 510D11, WORKING DRAFT SEQUENCE.//0.00014:329:60//Z98044

R-HEMBA1000545//Homo sapiens Xp22 BAC GS-619J3 (Genome Systems Human BAC library) complete sequence.//6.9e-87:552:87//AC004103

R-HEMBA1000555//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 134019, WORKING DRAFT SEQUENCE.//8.9e-121:584:98//AL034555

R-HEMBA1000557//Homo sapiens Chromosome 16 BAC clone CIT987SK-44M2, comp

lete sequence.//5.7e-45:307:87//AC004381
R-HEMBA1000561//Mus musculus clone OST20235, genomic survey sequence.//1.3e-43:279:90//AF046762
R-HEMBA1000563//Plasmodium falciparum chromosome 2, section 5 of 73 of the complete sequence.//3.8e-05:506:56//AE001368
R-HEMBA1000568//RPC111-49P8.TK.1 RPC111 Homo sapiens genomic clone R-49P8, genomic survey sequence.//1.7e-101:498:97//AQ116293
R-HEMBA1000569
R-HEMBA1000575//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 754E20, WORKING DRAFT SEQUENCE.//1.3e-47:458:75//AL022335
R-HEMBA1000588//Mus musculus FLI-LRR associated protein-1 mRNA, complete cds.//2.9e-62:447:81//AF045573
R-HEMBA1000591//Homo sapiens mRNA for E1B-55kDa-associated protein.//1.2e-111:591:94//AJ007509
R-HEMBA1000592//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-10, complete sequence.//3.5e-09:421:60//AL010216
R-HEMBA1000594//Homo sapiens clone RG004N09, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.1e-15:421:66//AC005044
R-HEMBA1000604//HS_2220_A1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2220 Col=19 Row=M, genomic survey sequence.//1.0e-51:306:92//AQ151991
R-HEMBA1000608
R-HEMBA1000622//H.sapiens CpG island DNA genomic MseI fragment, clone 155e4, reverse read cpg155e4.rt1a.//4.5e-16:105:98//Z56962
R-HEMBA1000636//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 1/15, WORKING DRAFT SEQUENCE.//4.8e-62:421:86//AP000008
R-HEMBA1000637//Homo sapiens mRNA for KIAA0690 protein, partial cds.//1.2e-97:443:97//AB014590

R-HEMBA1000655//Homo sapiens chromosome 19, cosmid R26349, complete sequence.//9.8e-61:311:90//AC005953

R-HEMBA1000657

R-HEMBA1000662

R-HEMBA1000673//Human DNA sequence from PAC 448E20 on chromosome Xq26.1 contains ESTs and STS.//1.0e-13:351:63//Z97196

R-HEMBA1000682//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.2e-50:298:79//AC005377

R-HEMBA1000686//HS_3018_B1_H10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3018 Col=19 Row=P, genomic survey sequence.//0.00048:210:62//AQ093513

R-HEMBA1000702//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//9.7e-54:317:88//AC005000

R-HEMBA1000705//Glossonotus univittatus 12S mitochondrial ribosomal RNA, small subunit, mitochondrial gene, partial sequence.//0.080:138:65//U77850

R-HEMBA1000719//Rattus norvegicus mRNA for TESK1, complete cds.//0.96:291:58//D50864

R-HEMBA1000722

R-HEMBA1000726//Homo sapiens PAC clone DJ0701016 from 7q33-q36, complete sequence.//4.4e-26:284:77//AC005531

R-HEMBA1000727//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-89, complete sequence.//9.1e-05:351:60//AL010266

R-HEMBA1000747//Homo sapiens DNA sequence from PAC 124C6 on chromosome 6 q21. Contains genomic marker D6S1603, ESTs, GSSs and a STS with a CA repeat polymorphism, complete sequence.//2.5e-16:123:93//AL021326

R-HEMBA1000749//Human Chromosome 16 BAC clone CIT987SK-327024, complete sequence.//2.8e-32:298:79//AC003108

R-HEMBA1000752//Human DNA sequence from PAC 50A13 on chromosome Xp11. Co

ntains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//2.8e-90:542:90//Z92545

R-HEMBA1000769//Homo sapiens P1 clone GSP13996 from 5q12, complete sequence.//2.7e-36:405:75//AC005031

R-HEMBA1000773//HS_3050_A2_B08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3050 Col=16 Row=C, genomic survey sequence.//0.00053:268:60//AQ105619

R-HEMBA1000774//Homo sapiens PAC clone DJ0630C24 from 7q31-q32, complete sequence.//4.7e-46:338:85//AC004690

R-HEMBA1000791//***ALU WARNING: Human Alu-Sc subfamily consensus sequence.//5.3e-47:279:91//U14571

R-HEMBA1000817//Sequence 1 from Patent WO 8904839.//0.86:148:67//I09339

R-HEMBA1000822//T.brucei kinetoplast maxicircle variable region DNA.//0.00061:246:61//Z15118

R-HEMBA1000827//Homo sapiens Ser/Arg-related nuclear matrix protein (SRM160) mRNA, complete cds.//6.9e-43:228:98//AF048977

R-HEMBA1000843//Homo sapiens DNA sequence from clone 511B24 on chromosome 20q11.2-12. Contains the TOP1 gene for Topoisomerase I, the PLCG1 gene for 1-Phosphatidylinositol-4,5-Bisphosphate Phosphodiesterase Gamma 1 (EC 3.1.4.11, PLC-Gamma-1, Phospholipase C-Gamma-1 PLC-II, PLC-148), the KIAA0395 gene for a probable Zinc Finger Homeobox protein and a 60S Ribosomal Protein L23 LIKE pseudogene. Contains a predicted CpG island, ESTs, STSs and GSSs, complete sequence.//1.7e-41:319:84//AL022394

R-HEMBA1000851//Arabidopsis thaliana chromosome I BAC T14N5 genomic sequence, complete sequence.//0.40:168:67//AC004260

R-HEMBA1000852//Homo sapiens Xp22 bins 3-5 PAC RPC14-617A9 (Roswell Park Cancer Institute Human PAC Library) containing Arylsulfatase D and E genes, complete sequence.//1.5e-112:572:96//AC005295

R-HEMBA1000867//Homo sapiens clone DJ0971C03, WORKING DRAFT SEQUENCE, 18 unordered pieces.//0.11:121:71//AC004938

R-HEMBA1000869//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-A-180 G2, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.2e-22:186:76//AC002042

R-HEMBA1000870//Human BAC clone GS542D18 from 7q31-q32, complete sequence.//0.0060:283:63//AC002528

R-HEMBA1000872//Rattus norvegicus polymorphic satellite repetitive elements.//3.8e-05:269:61//M98801

R-HEMBA1000876//Homo sapiens chromosome 12p13.3 clone RPCI1-96H9, WORKING DRAFT SEQUENCE, 66 unordered pieces.//6.5e-38:327:77//AC006057

R-HEMBA1000908//CIT-HSP-2373I4.TR CIT-HSP Homo sapiens genomic clone 2373I4, genomic survey sequence.//5.0e-34:221:90//AQ108658

R-HEMBA1000910//T.pigmentosa UM1060 macronuclear rDNA telomeric region 3' term.//0.19:280:61//X04205

R-HEMBA1000918//RPCI11-68E14.TK RPCI11 Homo sapiens genomic clone R-68E14, genomic survey sequence.//1.3e-32:172:100//AQ267293

R-HEMBA1000919

R-HEMBA1000934//Homo sapiens DNA sequence from PAC 874C20 on chromosome 6p22.1-22.3. Contains a Zinc Finger Protein ZFP47 LIKE gene, a Zinc Finger Protein pseudogene and a Zinc Finger Protein SRE-ZBP pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//2.6e-18:284:71//AL021997

R-HEMBA1000942//Homo sapiens clone RG350L10, WORKING DRAFT SEQUENCE, 15 unordered pieces.//1.4e-17:217:76//AC005098

R-HEMBA1000943//Homo sapiens chromosome 17, clone hRPK.640_I_15, complete sequence.//9.0e-113:586:95//AC005324

R-HEMBA1000946//T5N8TFB TAMU Arabidopsis thaliana genomic clone T5N8, genomic survey sequence.//0.030:369:59//B26224

R-HEMBA1000960//Homo sapiens clone RG339C12, WORKING DRAFT SEQUENCE, 10

unordered pieces.//2.5e-52:494:77//AC005096

R-HEMBA1000968//Homo sapiens P1 clone 797a11 containing MHC class II DQ-beta (HLA-DQB) and MHC class II DC-alpha (HLA-DCA) genes, complete cds.//3.5e-77:568:83//U92032

R-HEMBA1000971//RPCI11-54D1.TJ RPCI11 Homo sapiens genomic clone R-54D1, genomic survey sequence.//2.3e-27:153:98//AQ081552

R-HEMBA1000972//Human DNA sequence from clone 111F4 on chromosome Xq23 C contains GSSs, complete sequence.//7.3e-43:375:79//AL023876

R-HEMBA1000974//Homo sapiens clone DA0091H08, complete sequence.//2.8e-104:521:97//AC004817

R-HEMBA1000975//Human DNA sequence from clone 105D16 on chromosome Xp11.3-11.4 Contains pseudogene similar to laminin-binding protein, CA repeat, STS, complete sequence.//8.0e-22:352:68//AL031311

R-HEMBA1000985//Homo sapiens PAC clone DJ0797C05 from 7q31, complete sequence.//8.5e-05:306:63//AC004888

R-HEMBA1000986//Homo sapiens clone RG031N19, WORKING DRAFT SEQUENCE, 1 unordered pieces.//5.7e-37:296:83//AC005632

R-HEMBA1000991//RPCI11-22017.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-22017, genomic survey sequence.//6.5e-44:162:90//AQ008952

R-HEMBA1001007

R-HEMBA1001008//Homo sapiens chromosome 16, P1 clone 79-2A (LANL), complete sequence.//0.082:313:60//AC005365

R-HEMBA1001009//O.sativa osr40g2 gene.//0.99:203:62//Y08987

R-HEMBA1001017//Homo sapiens mRNA for KIAA0468 protein, complete cds.//1.0e-113:587:95//AB007937

R-HEMBA1001019//Bos taurus cyclin-dependent kinase 1 (cdk1/cdc2) mRNA, complete cds.//7.4e-24:215:82//L26547

R-HEMBA1001020//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 732E4, WORKING DRAFT SEQUENCE.//2.8e-18:449:64//AL008722

R-HEMBA1001022

R-HEMBA1001024//Homo sapiens BAC clone 393I22 from 8q21, complete sequence.//6.6e-48:536:74//AF070717

R-HEMBA1001026//T33H14TF TAMU Arabidopsis thaliana genomic clone T33H14, genomic survey sequence.//0.013:180:66//B97363

R-HEMBA1001043//Caenorhabditis elegans cosmid R10H10, complete sequence.//1.2e-25:438:65//Z70686

R-HEMBA1001051//Homo sapiens 12q24.1 PAC RPCI3-521E19 (Roswell Park Cancer Institute Human PAC library) complete sequence.//7.3e-38:188:89//AC004217

R-HEMBA1001052//Rabbit alpha-1-globin gene to theta-1-globin pseudogene region.//2.4e-24:279:74//X04751

R-HEMBA1001060//HS_2056_B1_C01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2056 Col=1 Row=F, genomic survey sequence.//4.1e-14:137:83//AQ245004

R-HEMBA1001071//M.musculus COL3A1 gene for collagen alpha-I.//6.9e-38:513:70//X52046

R-HEMBA1001077//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING DRAFT SEQUENCE.//1.9e-22:507:61//AL022318

R-HEMBA1001080

R-HEMBA1001085//Human Chromosome 15q26.1 PAC clone pDJ290i21 containing fur, fes, and alpha mannosidase IIx genes, WORKING DRAFT SEQUENCE, 9 unordered pieces.//2.2e-43:317:83//AC004586

R-HEMBA1001088//Caenorhabditis elegans cosmid C18H7.//0.46:301:60//AF067607

R-HEMBA1001094//Homo sapiens clone RG491N20, complete sequence.//5.3e-98:501:96//AC005105

R-HEMBA1001099

R-HEMBA1001109//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 118J21, WORKING DRAFT SEQUENCE.//3.1e-39:335:80//AL033527
R-HEMBA1001121//Human cosmid LL12NC01-132B11A, ETV6 gene, intron 2.//9.8
e-11:122:81//U81833
R-HEMBA1001122//Plasmodium falciparum MAL3P6, complete sequence.//0.0024
:284:63//Z98551
R-HEMBA1001123//Human NFE genomic fragment.//3.6e-26:318:72//M98511
R-HEMBA1001133
R-HEMBA1001137//Homo sapiens full length insert cDNA clone ZD29F04.//4.2
e-88:426:98//AF086241
R-HEMBA1001140//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 u
nordered pieces.//4.0e-41:304:84//AC005077
R-HEMBA1001172//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 54B20, WORKING DRAFT SEQUENCE.//3.7e-36:261:85//Z98304
R-HEMBA1001174//Plasmodium falciparum chromosome 2, section 35 of 73 of
the complete sequence.//1.0:219:58//AE001398
R-HEMBA1001197
R-HEMBA1001208//HS_2233_A1_G10_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2233 Col=19 Row=M, genomic survey
sequence.//0.083:174:68//AQ170789
R-HEMBA1001226//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4
unordered pieces.//5.1e-59:553:75//AC005377
R-HEMBA1001235//RPCI11-50E6.TJ RPCI11 Homo sapiens genomic clone R-50E6,
genomic survey sequence.//2.6e-08:97:76//AQ052666
R-HEMBA1001247//Caenorhabditis elegans cosmid C01F1.//2.4e-05:319:63//U5
8761
R-HEMBA1001257//Rattus norvegicus alpha-methylacyl-CoA racemase mRNA, co
mplete cds.//1.5e-24:439:66//U89905
R-HEMBA1001265//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete
sequence.//9.9e-21:537:63//AC004491

R-HEMBA1001281//Homo sapiens chromosome 17, clone HCIT75G16, complete sequence.//0.022:169:65//AC003042

R-HEMBA1001286

R-HEMBA1001289

R-HEMBA1001294//HS_3219_A2_G01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3219 Col=2 Row=M, genomic survey sequence.//0.24:251:63//AQ189882

R-HEMBA1001299//Homo sapiens, clone hRPK.12_A_1, complete sequence.//1.3e-38:381:76//AC006222

R-HEMBA1001302//cDNA encoding a human homologue of a mouse novel polypeptide derived from stromal cell.//4.1e-28:114:92//E12258

R-HEMBA1001303//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.00011:382:58//AL031744

R-HEMBA1001310

R-HEMBA1001319//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//4.2e-09:491:58//AC005504

R-HEMBA1001323//Drosophila yakuba mitochondrial DNA molecule.//8.3e-06:485:60//X03240

R-HEMBA1001326//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//2.2e-14:277:69//AL021368

R-HEMBA1001327//Human DNA sequence from clone 522P13 on chromosome 6p21.31-22.3. Contains a 60S Ribosomal Protein L21 pseudogene and an HNRNP A3 (Heterogenous Nuclear Riboprotein A3, FBRNP) pseudogene. Contains ESTs,

STSSs and GSSs, complete sequence.//0.15:360:61//AL024509

R-HEMBA1001330//Homo sapiens 12q24 PAC RPC11-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.3e-27:481:67//AC004216

R-HEMBA1001351//Homo sapiens chromosome 18, clone hRPK.474_N_24, complete sequence.//7.1e-45:252:94//AC006238

R-HEMBA1001361//Homo sapiens chromosome 9, clone hRPK.202_H_3, complete sequence.//1.4e-113:569:97//AC006241

R-HEMBA1001375//Homo sapiens full length insert cDNA clone ZE09H03.//2.8e-89:428:99//AF086542

R-HEMBA1001377//Homo sapiens PAC clone DJ0728D04, complete sequence.//2.3e-32:324:77//AC004865

R-HEMBA1001383

R-HEMBA1001387

R-HEMBA1001388//Homo sapiens clone RG189J21, WORKING DRAFT SEQUENCE, 15 unordered pieces.//8.9e-06:108:83//AC005073

R-HEMBA1001391//Yeast mitochondrial aapl gene for ATPase subunit 8.//7.3e-08:500:59//X00960

R-HEMBA1001398//Homo sapiens genomic DNA, chromosome 21q11.1, segment 21/28, WORKING DRAFT SEQUENCE.//2.3e-48:315:88//AP000050

R-HEMBA1001405//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 50024, WORKING DRAFT SEQUENCE.//5.5e-35:464:68//AL034380

R-HEMBA1001407

R-HEMBA1001411//Yeast (S.cerevisiae) mitochondria Ser-tRNA-UCN gene and flanks.//0.00029:301:62//K01981

R-HEMBA1001413

R-HEMBA1001415//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 41018, WORKING DRAFT SEQUENCE.//5.6e-101:512:96//AL031732

R-HEMBA1001432//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//6.3e-37:302:81//AC006146

R-HEMBA1001433//Human DNA sequence from PAC 339A18 on chromosome Xp11.2. Contains KIAA0178 gene, similar to mitosis-specific chromosome segregation protein SMC1 of *S.cerevisiae*, DNA binding protein similar to URE-B1, ESTs and STS.//1.9e-32:242:79//Z97054

R-HEMBA1001435//Homo sapiens chromosome 21, Neurofibromatosis 1 (NF1) related locus, complete sequence.//5.7e-59:457:82//AC004527

R-HEMBA1001442//Human DNA sequence from PAC 507I15 on chromosome Xq26.3-27.3. Contains 60S ribosomal protein L44 (L41, L36) like gene, ESTs, STSs and a polymorphic CA repeat.//0.051:276:63//Z98950

R-HEMBA1001446//HS_3207_A1_A08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3207 Col=15 Row=A, genomic survey sequence.//8.9e-06:119:73//AQ175385

R-HEMBA1001450//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//0.0043:266:63//AC005065

R-HEMBA1001454//Homo sapiens PAC clone DJ0673011 from 7q31, complete sequence.//7.1e-25:210:82//AC004855

R-HEMBA1001455//Homo sapiens chromosome 17, clone hRPK.640_I_15, complete sequence.//2.7e-08:316:62//AC005324

R-HEMBA1001463//Homo sapiens chromosome 17, clone hRPK.1064_E_11, complete sequence.//0.57:219:60//AC005208

R-HEMBA1001476//Homo sapiens clone DJ0607J02, WORKING DRAFT SEQUENCE, 12 unordered pieces.//9.3e-50:252:80//AC004840

R-HEMBA1001478

R-HEMBA1001497

R-HEMBA1001510//Human HLA class III region containing cAMP response element binding protein-related protein (CREB-RP) and tenascin X (tenascin-X) genes, complete cds, complete sequence.//3.5e-41:282:86//U89337

R-HEMBA1001515//Human DNA sequence from PAC 238J17 on chromosome 6q22. Contains EST and STS.//1.9e-79:529:86//Z98753

R-HEMBA1001517//Homo sapiens BAC clone RG459N13 from 7p15, complete sequence.//4.3e-18:335:71//AC004549

R-HEMBA1001522

R-HEMBA1001526//Human DNA sequence from cosmid 444G9 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3 Contigs ESTs and CpG islands,./5.6e-08:265:67//Z98258

R-HEMBA1001533//Human DNA sequence from PAC 179M20 on chromosome 20q12-13.1. Contains adenosine deaminase (ADA), placental protein Diff33, CA repeat, ESTs, STS.//7.8e-16:235:72//Z97053

R-HEMBA1001557

R-HEMBA1001566//Human Chromosome X clone bWXD187, complete sequence.//2.2e-44:416:78//AC004383

R-HEMBA1001569//Sequence 15 from patent US 5693476.//1.8e-59:389:88//I77040

R-HEMBA1001570//Homo sapiens PAC clone DJ0844F09 from 7p12-p13, complete sequence.//1.1e-44:316:87//AC004453

R-HEMBA1001579//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.0047:437:60//AC005506

R-HEMBA1001581//P.falciparum complete gene map of plastid-like DNA (IR-B).//2.3e-07:491:58//X95276

R-HEMBA1001585//Caenorhabditis elegans cosmid C06A6.//0.68:224:62//U41012

R-HEMBA1001589

R-HEMBA1001595//CIT-HSP-2349G19.TF CIT-HSP Homo sapiens genomic clone 2349G19, genomic survey sequence.//8.0e-69:337:99//AQ060483

R-HEMBA1001608//Homo sapiens chromosome 17, clone HCIT462L7, complete sequence.//9.5e-59:514:78//AC005177

R-HEMBA1001620//S.polyrrhiza mRNA for D-myo-inositol-3-phosphate synthase

e.//4.5e-12:289:65//Z11693

R-HEMBA1001635//HS_2195_A1_E09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2195 Col=17 Row=I, genomic survey sequence.//5.8e-09:358:58//AQ292688

R-HEMBA1001636//Human putative potassium channel subunit (h-erg) mRNA, complete cds.//0.77:225:59//U04270

R-HEMBA1001640//Human DNA sequence from PAC 50J22 on chromosome 6p21. Contains ETS related protein TEL like and GS2 like genes, ESTs and an STS. //6.0e-49:404:79//Z84484

R-HEMBA1001651

R-HEMBA1001655//Homo sapiens chromosome 5, BAC clone 194j18 (LBNL H158), complete sequence.//1.1e-103:532:95//AC005368

R-HEMBA1001658//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//1.0:197:64//AL023808

R-HEMBA1001661//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//1.5e-100:457:93//AC005740

R-HEMBA1001672//Homo sapiens methyl-CpG binding protein MBD3 (MBD3) mRNA, complete cds.//1.2e-90:496:91//AF072247

R-HEMBA1001675

R-HEMBA1001678//Homo sapiens voltage dependent anion channel protein mRNA, complete cds.//1.3e-101:534:94//AF038962

R-HEMBA1001681//CIT-HSP-2345M7.TF CIT-HSP Homo sapiens genomic clone 2345M7, genomic survey sequence.//0.21:124:68//AQ056593

R-HEMBA1001702//Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//8.3e-06:279:63//AC004801

R-HEMBA1001709//Homo sapiens mRNA for KIAA0698 protein, complete cds.//1.9e-96:483:96//AB014598

R-HEMBA1001711//Human HepG2 3' region cDNA, clone hmd2b02.//2.3e-31:169:

100//D16886

R-HEMBA1001712//HS-1015-B1-E01-MR.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 790 Col=1 Row=J, genomic survey sequence.
//0.0025:200:65//B32577

R-HEMBA1001714//Rattus norvegicus mitochondrial ATPase inhibitor gene, complete cds.
//6.6e-27:316:75//U12250

R-HEMBA1001718//CIT-HSP-2171J2.TR CIT-HSP Homo sapiens genomic clone 217
1J2, genomic survey sequence.
//3.1e-41:167:87//B89781

R-HEMBA1001723//Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds.
//0.53:275:61//AF018261

R-HEMBA1001731//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 322P7,
WORKING DRAFT SEQUENCE.
//2.9e-48:292:84//AL023799

R-HEMBA1001734//Homo sapiens Chromosome 15q22.3-23 PAC 88m3, WORKING DRAFT
SEQUENCE, 2 ordered pieces.
//3.2e-33:290:81//AC005959

R-HEMBA1001744//Human DNA sequence from clone 134E15 on chromosome 6q21
Contains Blimp-1, apoptosis specific protein similar to yeast APC5 ESTs, GSSs and
retroviral sequence, complete sequence.
//0.98:203:62//AL022067

R-HEMBA1001745//Homo sapiens BAC clone RG298G08 from 7p15-p21, complete
sequence.
//0.00019:312:59//AC005084

R-HEMBA1001746//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic
sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.
//0.045:457:61//AC004153

R-HEMBA1001761//Homo sapiens chromosome X, clone hCIT.200_L_4, complete
sequence.
//3.8e-39:331:80//AC006121

R-HEMBA1001781//Homo sapiens Xp22 BAC GSHB-590J6 (Genome Systems Human BAC
library) complete sequence.
//0.0062:245:60//AC004554

R-HEMBA1001784//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154),
complete sequence.
//2.1e-22:370:63//AC005740

R-HEMBA1001791//Human DNA sequence from clone 931E15 on chromosome Xq25.

Contains STSS, GSSs and genomic marker DXS8098, complete sequence.//3.0
e-50:408:80//AL023575

R-HEMBA1001800//CIT-HFP-2049N5.TF CIT-HSP Homo sapiens genomic clone 204
9N5, genomic survey sequence.//9.0e-37:335:77//AQ009222

R-HEMBA1001803//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic
sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.86:536:56//AC0
05506

R-HEMBA1001804//Mouse interleukin 2 receptor (p55 IL-2R) mRNA, 5' end.//
2.9e-93:553:89//M21977

R-HEMBA1001808//Homo sapiens mRNA, chromosome 1 specific transcript KIAA
0500.//2.8e-112:548:98//AB007969

R-HEMBA1001809

R-HEMBA1001815//Homo sapiens Xp22 BAC GS-321G17 (Genome Systems Human BA
C library) complete sequence.//2.6e-48:363:84//AC004025

R-HEMBA1001819//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC 157
7, WORKING DRAFT SEQUENCE.//1.1e-15:275:68//AJ009612

R-HEMBA1001820//HS_3022_B1_A09_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3022 Col=17 Row=B, genomic survey
sequence.//0.00054:335:59//AQ165107

R-HEMBA1001822//Xenopus laevis intersectin mRNA, complete cds.//1.4e-19:
533:63//AF032118

R-HEMBA1001824//S.clavuligerus linear plasmid pSCL (complete sequence)./
/0.62:189:65//X54107

R-HEMBA1001835//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 191J18, WORKING DRAFT SEQUENCE.//1.0:450:60//AL024507

R-HEMBA1001844//Human familial Alzheimer's disease (STM2) gene, complete
cds.//1.6e-07:170:68//U50871

R-HEMBA1001847

R-HEMBA1001861//Homo sapiens mRNA for KIAA0617 protein, complete cds.//3

.3e-108:553:96//AB014517

R-HEMBA1001864//Homo sapiens genomic DNA, 21q22.1 region, clone: Q82F5A16, genomic survey sequence.//1.7e-14:245:67//AG002463

R-HEMBA1001866//HS_2258_B2_D01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2258 Col=2 Row=H, genomic survey sequence.//2.8e-39:397:75//AQ221138

R-HEMBA1001869//Homo sapiens BAC clone RG114B19 from 7q31.1, complete sequence.//5.9e-56:303:94//AC005065

R-HEMBA1001888//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//1.7e-43:281:88//AC006210

R-HEMBA1001896

R-HEMBA1001910

R-HEMBA1001912//Homo sapiens chromosome 5, P1 clone 1308e5 (LBNL H13), complete sequence.//0.10:307:61//AC004775

R-HEMBA1001913

R-HEMBA1001915//HS_2037_A1_E12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2037 Col=23 Row=I, genomic survey sequence.//0.071:206:64//AQ233106

R-HEMBA1001918//Homo sapiens chromosome 5, P1 clone 1308e5 (LBNL H13), complete sequence.//0.97:449:59//AC004775

R-HEMBA1001921//Homo sapiens germinal center kinase related protein kinase mRNA, complete cds.//2.0e-105:534:96//AF000145

R-HEMBA1001939//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//4.6e-13:120:82//AL021707

R-HEMBA1001940//Homo sapiens clone DJ1093I16, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.2e-36:301:81//AC005629

R-HEMBA1001942//Human PAC clone DJ0205E24 from Xq23, complete sequence./1.9e-10:208:68//AC003013

R-HEMBA1001945//Plasmodium falciparum chromosome 2, section 70 of 73 of

the complete sequence.//1.2e-06:393:60//AE001433

R-HEMBA1001950//R.prowazekii genomic DNA fragment (clone A437R).//0.33:122:66//Z82646

R-HEMBA1001960//Borrelia afzelii VS461 outer surface protein D (ospD) gene, complete cds.//0.0086:427:59//U05329

R-HEMBA1001962//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//4.5e-07:176:70//AC004069

R-HEMBA1001964//HS_2215_B1_H01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2215 Col=1 Row=P, genomic survey sequence.//7.3e-25:215:74//AQ151931

R-HEMBA1001967//Human DNA sequence from clone 341E18 on chromosome 6p11.2-12.3. Contains a Serine/Threonine Protein Kinase gene (presumptive iso log of a Rat gene) and a novel alternatively spliced gene. Contains a putative CpG island, ESTs and GSSs, complete sequence.//1.7e-51:209:95//AL031178

R-HEMBA1001979//CIT-HSP-2387I12.TF.1 CIT-HSP Homo sapiens genomic clone 2387I12, genomic survey sequence.//4.9e-06:153:71//AQ240461

R-HEMBA1001987//Human DNA sequence from clone 444C7 on chromosome 6p22.3-23. Contains an EST, an STS and GSSs, complete sequence.//3.1e-46:437:77//AL033521

R-HEMBA1001991//Human DNA sequence from PAC 426I6 on chromosome 1p34.1-1p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatase-1, ESTs, and a CA repeat.//1.1e-48:446:78//AL020997

R-HEMBA1002003//Homo sapiens mRNA for protein phosphatase 2C (beta).//5.1e-90:448:97//AJ005801

R-HEMBA1002008//Homo sapiens DNA sequence from PAC 95C20 on chromosome Xp11.3-11.4. Contains STSs and the DXS7 locus with GT and GTG repeat polymorphisms, complete sequence.//3.2e-42:317:84//Z97181

R-HEMBA1002018//HS_3006_B1_D10_T7 CIT Approved Human Genomic Sperm Lib

ry D Homo sapiens genomic clone Plate=3006 Col=19 Row=H, genomic survey
sequence.//1.0:63:74//AQ089717

R-HEMBA1002022//Homo sapiens chromosome 18, clone hRPK.453_M_1, complete
sequence.//0.93:339:59//AC006203

R-HEMBA1002035//Mus musculus chromosome 19, clone CIT282B21, complete se
quence.//1.4e-11:285:67//AC003694

R-HEMBA1002039

R-HEMBA1002049//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1177I5, WORKING DRAFT SEQUENCE.//5.3e-52:266:84//AL022315

R-HEMBA1002084//CIT-HSP-2357L11.TR CIT-HSP Homo sapiens genomic clone 23
57L11, genomic survey sequence.//0.0013:185:66//AQ063078

R-HEMBA1002092//Mus musculus Olf-1/EBF-like-3 transcription factor (O/E-
3) mRNA, complete cds.//2.7e-70:479:86//U92703

R-HEMBA1002100//Homo sapiens thyroid receptor interactor (TRIP7) mRNA, 3
' end of cds.//8.5e-32:206:91//L40357

R-HEMBA1002102//Homo sapiens Chromosome 15q26.1 PAC clone pDJ427d15, com
plete sequence.//4.3e-42:302:85//AC005800

R-HEMBA1002113//Human chromosome 12p13 sequence, complete sequence.//1.6
e-64:550:80//U47924

R-HEMBA1002119//Human Chromosome 11 pac pDJ1173a5, complete sequence.//1
.2e-92:435:92//AC000378

R-HEMBA1002125

R-HEMBA1002139//Human nebulin mRNA, partial cds.//0.056:68:88//U35637

R-HEMBA1002144//Homo sapiens Chromosome 11p14.3 PAC clone 6-130a9 contai
ning tryptophan hydroxylase gene, complete sequence.//2.0e-26:323:70//AC
005728

R-HEMBA1002150//Human DNA sequence from clone 742C19 on chromosome 22q12
.3-13.1. Contains a pseudogene similar to Cytochrome C Oxidase Polypepti
de VB and (parts of) up to four novel genes, two with homology to Phorbo

lin genes and one a novel Chromobox protein gene. Contains ESTs, an STS, GSSs and putative CpG islands, complete sequence.//1.0:371:61//AL031846
R-HEMBA1002151
R-HEMBA1002153//Human BAC 367D17 from chromosome 18, complete sequence.//2.4e-21:322:70//AC003971
R-HEMBA1002160//Human DNA sequence from PAC 339A18 on chromosome Xp11.2. Contains KIAA0178 gene, similar to mitosis-specific chromosome segregation protein SMC1 of *S.cerevisiae*, DNA binding protein similar to URE-B1, ESTs and STS.//2.5e-38:216:84//Z97054
R-HEMBA1002161//CIT-HSP-2163F10.TF CIT-HSP Homo sapiens genomic clone 21.63F10, genomic survey sequence.//3.1e-58:284:80//B89969
R-HEMBA1002162//Caenorhabditis elegans cosmid F48C11, complete sequence.//0.0079:286:57//Z80789
R-HEMBA1002166//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//5.9e-53:326:80//AC002980
R-HEMBA1002177
R-HEMBA1002185//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745I14, WORKING DRAFT SEQUENCE.//9.5e-37:356:76//AL033532
R-HEMBA1002189//Homo sapiens Xp22 BAC GSHB-519E5 (Genome Systems Human BAC library) complete sequence.//3.4e-43:244:77//AC003684
R-HEMBA1002191//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//4.3e-37:323:78//AC005077
R-HEMBA1002199//Human Cosmid g5129g124 from 7q31.3, complete sequence.//1.4e-89:564:87//AC002498
R-HEMBA1002204//Homo sapiens Chromosome 22q11.2 Cosmid Clone 817g In IGL C Region, complete sequence.//1.5e-31:313:71//AC000053
R-HEMBA1002212//K.lactis mitochondrial COX1 and A8 genes for cytochrome oxidase subunit I and ATPase subunit 8.//0.0023:346:60//X57546
R-HEMBA1002215//M.musculus mRNA for testin.//4.7e-61:414:84//X78989

R-HEMBA1002226//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 2705, WORKING DRAFT SEQUENCE.//4.6e-46:375:77//AL033529

R-HEMBA1002229//Homo sapiens growth suppressor related (DOC-1R) mRNA, co
mplete cds.//4.6e-46:238:98//AF089814

R-HEMBA1002237//Homo sapiens 12q13 PAC RPCI1-316M24 (Roswell Park Cancer
Institute Human PAC library) complete sequence.//4.3e-26:469:67//AC0042
42

R-HEMBA1002253//Homo sapiens BAC clone GS180J15 from 7q31, complete sequ
ence.//5.1e-23:162:82//AC005016

R-HEMBA1002257

R-HEMBA1002267//Equus caballus dermatan sulfate proteoglycan II mRNA, co
mplete cds.//4.6e-44:300:88//AF038127

R-HEMBA1002270//Human BAC clone RG067M09 from 7q21-7q22, complete sequen
ce.//1.9e-19:176:85//AC000057

R-HEMBA1002321

R-HEMBA1002328//HS_3061_A1_D06_T7 CIT Approved Human Genomic Sperm Libra
ry D-Homo sapiens genomic clone Plate=3061 Col=11 Row=G, genomic survey
sequence.//1.0:151:65//AQ127617

R-HEMBA1002337//Saccharomyces cerevisiae RNA polymerase II holoenzyme co
mponent (SRB7) gene, complete cds.//3.7e-07:328:63//U23811

R-HEMBA1002341//Homo sapiens mRNA for KIAA0771 protein, partial cds.//2.
4e-128:642:96//AB018314

R-HEMBA1002348//Human DNA sequence from clone 409010 on chromosome 20q12
Contains CA repeat, GSS, STS, complete sequence.//3.7e-07:587:58//AL031
256

R-HEMBA1002349//Leishmania tarentolae maxicircle DNA fragment.//0.018:34
1:58//X02438

R-HEMBA1002363//Homo sapiens chromosome-associated protein-E (hCAP-E) mR
NA, complete cds.//1.2e-121:661:93//AF092563

R-HEMBA1002381//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer , segment 11/11 .//1.1e-70:559:79//AB020868

R-HEMBA1002389//HS_3218_B2_E08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3218 Col=16 Row=J, genomic survey sequence.//0.0011:122:72//AQ213602

R-HEMBA1002417//Homo sapiens chromosome 19, cosmid R28784, complete sequence.//4.2e-81:232:97//AC005954

R-HEMBA1002419//Homo sapiens PAC clone DJ0649P17 from 7q11.23-q21, complete sequence.//0.50:231:64//AC004848

R-HEMBA1002430//P.falciparum complete gene map of plastid-like DNA (IR-B).//0.0023:604:56//X95276

R-HEMBA1002439//Homo sapiens clone GS096J14, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.4e-23:183:80//AC006026

R-HEMBA1002458//Human DNA sequence from clone 146H21 on chromosome Xq22 Contains cleavage stimulation factor, 64 KD subunit, gene similar to CYT OCHROME B-245 HEAVY CHAIN. pseudogene similar to hnRNP A1 protein and ESTs, complete sequence.//7.7e-32:161:83//Z83819

R-HEMBA1002460//Homo sapiens clone DJ1137M13, complete sequence.//2.6e-100:305:100//AC005378

R-HEMBA1002462//Sequence 43 from patent US 5708157.//2.0e-10:131:77//I80068

R-HEMBA1002475

R-HEMBA1002477//Homo sapiens PAC clone DJ0607J23 from 7q21.2-q31.1, complete sequence.//6.6e-33:279:80//AC004841

R-HEMBA1002486//***ALU WARNING: Human Alu-Sq subfamily consensus sequence.//2.1e-50:290:92//U14573

R-HEMBA1002495//CITBI-E1-2515J10.TR CITBI-E1 Homo sapiens genomic clone 2515J10, genomic survey sequence.//1.0:122:68//AQ261762

R-HEMBA1002498//Homo sapiens clone DJ1102A12, WORKING DRAFT SEQUENCE, 15 unordered pieces.//2.8e-22:210:78//AC004963

R-HEMBA1002503//Homo sapiens chromosome 17, clone HRPC1067M6, complete sequence.//2.7e-17:435:58//AC003043

R-HEMBA1002508//Homo sapiens, clone hRPK.15_A_1, complete sequence.//3.7e-09:408:61//AC006213

R-HEMBA1002513//Homo sapiens mRNA for histone deacetylase-like protein (JM21).//7.1e-112:456:92//AJ011972

R-HEMBA1002515

R-HEMBA1002538//Homo sapiens mRNA for KIAA0454 protein, partial cds.//1.6e-104:564:93//AB007923

R-HEMBA1002542//HS_3197_B2_B10_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3197 Col=20 Row=D, genomic survey sequence.//2.8e-25:186:86//AQ188792

R-HEMBA1002547//Mus musculus agrin gene, exon 36.//0.0095:93:75//M92658

R-HEMBA1002552//Homo sapiens clone DJ1137M13, complete sequence.//4.0e-49:308:90//AC005378

R-HEMBA1002555//Homo sapiens full length insert cDNA clone YR87G10.//8.3e-65:318:99//AF085957

R-HEMBA1002558//, complete sequence.//2.3e-38:264:89//AC005409

R-HEMBA1002561//Human DNA sequence from clone 396D17 on chromosome 1p33-35.3 Contains EST, STS, GSS, complete sequence.//7.1e-44:192:80//AL008634

R-HEMBA1002569//Homo sapiens protein associated with Myc mRNA, complete cds.//4.5e-119:587:97//AF075587

R-HEMBA1002583

R-HEMBA1002590//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains the SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein CSBP2 and a MA

PK p38beta LIKE protein. Contains ESTs, STSs and two predicted CpG islands, complete sequence.//9.4e-42:248:88//Z95152

R-HEMBA1002592//Homo sapiens chromosome 19, cosmid R30385, complete sequence.//2.6e-56:302:84//AC004510

R-HEMBA1002621

R-HEMBA1002624//Homo sapiens mRNA for KIAA0808 protein, complete cds.//6.7e-76:380:97//AB018351

R-HEMBA1002628//P.falciparum complete gene map of plastid-like DNA (IR-A).//8.8e-05:327:60//X95275

R-HEMBA1002629//Mus musculus clone OST16705, genomic survey sequence.//4.3e-06:205:66//AF046247

R-HEMBA1002645//***ALU WARNING: Human Alu-J subfamily consensus sequence.//7.1e-39:281:84//U14567

R-HEMBA1002651//Homo sapiens PAC clone DJ0593H12 from 7p31, complete sequence.//1.1e-104:500:95//AC004839

R-HEMBA1002659//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs and GSSs, complete sequence.//1.2e-61:280:92//AL022323

R-HEMBA1002661//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 225E12, WORKING DRAFT SEQUENCE.//3.2e-41:325:81//AL031772

R-HEMBA1002666//Homo sapiens full length insert cDNA clone YY74A07.//0.00037:79:84//AF088008

R-HEMBA1002678//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1137F22, WORKING DRAFT SEQUENCE.//2.3e-107:561:94//AL034421

R-HEMBA1002679//CIT-HSP-2287E8.TF CIT-HSP Homo sapiens genomic clone 2287E8, genomic survey sequence.//5.4e-17:137:88//B99281

R-HEMBA1002688//Homo sapiens chromosome 5, P1 clone 1354A7 (LBNL H47), complete sequence.//0.033:146:70//AC004503

R-HEMBA1002696

R-HEMBA1002712//Homo sapiens PAC clone 166H1 from 12q, complete sequence
./6.2e-44:302:87//AC003982

R-HEMBA1002716//Mus musculus mRNA for ELM1, complete cds.//1.1e-31:332:7
6//AB004873

R-HEMBA1002728//Homo sapiens mRNA for KIAA0621 protein, partial cds.//1.
2e-35:287:81//AB014521

R-HEMBA1002730//D.discoideum actin M6 gene, 5' flank.//0.018:233:66//M29
109

R-HEMBA1002742//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1108H3, WORKING DRAFT SEQUENCE.//2.6e-13:419:62//AL033525

R-HEMBA1002746//Mus musculus chromosome 19, clone CIT282B21, complete se
quence.//0.019:202:65//AC003694

R-HEMBA1002748//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 404K8, WORKING DRAFT SEQUENCE.//0.046:263:60//AL023883

R-HEMBA1002750//Human DNA sequence from PAC 452H17 on chromosome X conta
ins sodium-and chloride-dependent glycine transporter 1 (GLYT-1) like, E
STs.//0.052:421:58//Z96810

R-HEMBA1002768//Homo sapiens mRNA for KIAA0554 protein, partial cds.//1.
2e-104:545:95//AB011126

R-HEMBA1002770//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 geno
mic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//3.0e-07:523:
59//AC005140

R-HEMBA1002777

R-HEMBA1002779//Human HepG2 3' region MboI cDNA, clone hmd1e03m3.//9.4e-
25:158:93//D17139

R-HEMBA1002780//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone Y214H10, WORKING DRAFT SEQUENCE.//1.6e-42:463:75//AL022344

R-HEMBA1002794//Plasmodium falciparum MAL3P8, complete sequence.//2.2e-0
5:417:59//AL034560

R-HEMBA1002801//Meloidogyne javanica mitochondrial transfer RNA His, 16S ribosomal RNA (16S rRNA) genes, ND3 gene, complete cds, and cytochrome b gene, 5' end of CDS.//0.00055:444:59//L76261

R-HEMBA1002810//Homo sapiens formin binding protein 21 mRNA, complete cds.//4.4e-115:559:97//AF071185

R-HEMBA1002816//Homo sapiens clone NH0576N21, WORKING DRAFT SEQUENCE, 5 unordered pieces.//4.3e-88:329:94//AC005043

R-HEMBA1002826//Homo sapiens genomic DNA, chromosome 21q11.1, segment 12 /28, WORKING DRAFT SEQUENCE.//1.9e-22:262:67//AP000041

R-HEMBA1002833//Homo sapiens chromosome 17, clone hRPC.117_B_12, complete sequence.//1.3e-79:396:97//AC004707

R-HEMBA1002850//Plasmodium falciparum 3D7 chromosome 12 PFYAC357 genomic sequence, WORKING DRAFT SEQUENCE, 7 unordered pieces.//0.013:393:61//AC005506

R-HEMBA1002863//Homo sapiens chromosome 17, clone hRPK.271_K_11, complete sequence.//4.1e-73:489:85//AC005562

R-HEMBA1002876//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL4P1, WORKING DRAFT SEQUENCE.//0.21:549:55//AL034557

R-HEMBA1002886//CIT-HSP-2013C4.TR CIT-HSP Homo sapiens genomic clone 2013C4, genomic survey sequence.//0.30:431:56//B53836

R-HEMBA1002896//Homo sapiens SH3-containing adaptor molecule-1 mRNA, complete cds.//3.9e-106:541:95//AF037261

R-HEMBA1002921

R-HEMBA1002924//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 7/10.//4.6e-19:139:78//AB020875

R-HEMBA1002934//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 862K6, WORKING DRAFT SEQUENCE.//7.5e-45:282:89//AL031681

R-HEMBA1002935//CIT-HSP-2282P14.TFB CIT-HSP Homo sapiens genomic clone 2282P14, genomic survey sequence.//1.5e-102:514:97//AQ008584

R-HEMBA1002937//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 745I14, WORKING DRAFT SEQUENCE.//3.3e-87:444:97//AL033532

R-HEMBA1002939

R-HEMBA1002944//HS_3107_A1_C05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3107 Col=9 Row=E, genomic survey sequence.//6.3e-21:250:73//AQ103952

R-HEMBA1002951//Xerolycosa miniata mitochondrial 12S rRNA gene.//0.013:228:63//AJ008020

R-HEMBA1002954//HS_3246_A2_G09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3246 Col=18 Row=M, genomic survey sequence.//5.8e-42:258:91//AQ218005

R-HEMBA1002968//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//4.2e-38:300:83//AC005553

R-HEMBA1002970//Slime mold (D.discoideum) prestalk D11 gene, complete cds.//5.0e-05:541:57//M11012

R-HEMBA1002971//Homo sapiens mRNA for KIAA0679 protein, partial cds.//7.2e-29:162:99//AB014579

R-HEMBA1002973//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//9.1e-36:520:69//AC006128

R-HEMBA1002997//Homo Sapiens Chromosome X clone bWXD691, complete sequence.//0.00040:504:59//AC004386

R-HEMBA1002999//Rattus norvegicus lamina-associated polypeptide 1C (LAP1C) mRNA, complete cds.//3.7e-66:556:79//U19614

R-HEMBA1003021//Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22, WORKING DRAFT SEQUENCE, 17 unordered pieces.//1.6e-44:530:70//AC004046

R-HEMBA1003033//Homo sapiens full length insert cDNA clone ZC34B10.//4.6e-78:414:94//AF086194

R-HEMBA1003034//Homo sapiens chromosome 19, cosmid R29351, complete sequ

ence.//9.0e-52:322:75//AC004026

R-HEMBA1003035//HS_2008_A2_G08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2008 Col=16 Row=M, genomic survey sequence.//4.0e-68:343:97//AQ269839

R-HEMBA1003037//347G15.TVB CIT978SKA1 Homo sapiens genomic clone A-347G15, genomic survey sequence.//0.57:188:58//B17694

R-HEMBA1003041//Homo sapiens PAC clone DJ1163J12 from 7q21.2-q31.1, complete sequence.//6.3e-30:350:72//AC004983

R-HEMBA1003046//Homo sapiens mitochondrial processing peptidase beta-subunit mRNA, complete cds.//4.1e-118:578:97//AF054182

R-HEMBA1003064//Human cosmid LL12NC01-N-136B11, located centromeric to the ETV6 gene, chromosome 12p12-13.//0.0018:271:60//U59962

R-HEMBA1003067//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 633019, WORKING DRAFT SEQUENCE.//5.3e-48:464:76//AL022302

R-HEMBA1003071//CIT-HSP-2370D6.TR CIT-HSP Homo sapiens genomic clone 2370D6, genomic survey sequence.//0.19:48:87//AQ110136

R-HEMBA1003077//Rattus norvegicus Shal-related potassium channel Kv4.3 mRNA, complete cds.//4.9e-69:494:84//U42975

R-HEMBA1003078//Human DNA sequence from PAC 339A18 on chromosome Xp11.2. Contains KIAA0178 gene, similar to mitosis-specific chromosome segregation protein SMC1 of S.cerevisiae, DNA binding protein similar to URE-B1, ESTs and STS.//1.1e-11:331:64//Z97054

R-HEMBA1003079//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//4.6e-116:576:98//AC004673

R-HEMBA1003083//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0442P12; HTGS phase 1, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.1e-43:280:83//AC005798

R-HEMBA1003086//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.2e-43:281:88//AC006039

R-HEMBA1003096//Human DNA sequence from clone J506G21, WORKING DRAFT SEQUENCE.//0.00037:421:59//Z82213

R-HEMBA1003098//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0024K08; HTGS phase 1, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.4e-30:303:78//AC005598

R-HEMBA1003117

R-HEMBA1003129//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 407F11, WORKING DRAFT SEQUENCE.//7.9e-11:109:85//AL022329

R-HEMBA1003133//Homo sapiens chromosome 9, P1 clone 11659, complete sequence.//3.9e-99:484:98//AC004472

R-HEMBA1003136//CIT-HSP-2281L22.TF CIT-HSP Homo sapiens genomic clone 2281L22, genomic survey sequence.//2.0e-10:93:92//B99861

R-HEMBA1003142//Homo sapiens 12q24.2 PAC RPCI1-128M12 (Roswell Park Cancer Institute Human PAC library) complete sequence.//9.8e-40:270:87//AC004024

R-HEMBA1003148//Homo sapiens mRNA for dachshund protein.//1.1e-116:586:96//AJ005670

R-HEMBA1003166//Human DNA sequence from PAC 306D1 on chromosome X contains ESTs.//6.4e-35:364:70//Z83822

R-HEMBA1003175//Human IFNAR gene for interferon alpha/beta receptor.//1.9e-30:282:77//X60459

R-HEMBA1003197

R-HEMBA1003199//HS_2166_A1_E12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2166 Col=23 Row=I, genomic survey sequence.//0.00026:271:61//AQ164162

R-HEMBA1003202//Homo sapiens clone DJ0592G07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//5.4e-44:291:83//AC005480

R-HEMBA1003204//Human BAC clone RG072E11 from 7q21-7q22, complete sequence.//3.1e-10:293:62//AC000118

R-HEMBA1003212//Homo sapiens clone DJ0902E20, WORKING DRAFT SEQUENCE, 1 unordered pieces.//1.0:118:69//AC006148

R-HEMBA1003220//HS_3092_B1_F09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3092 Col=17 Row=L, genomic survey sequence.//0.00014:59:91//AQ128202

R-HEMBA1003222//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y43F8, WORKING DRAFT SEQUENCE.//0.84:214:62//Z95393

R-HEMBA1003229//RPCI11-16F15.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-16F15, genomic survey sequence.//0.42:167:64//B83610

R-HEMBA1003235//CIT-HSP-2320G19.TF CIT-HSP Homo sapiens genomic clone 2320G19, genomic survey sequence.//3.6e-36:195:81//AQ037231

R-HEMBA1003250//HS_2168_A2_C09_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2168 Col=18 Row=E, genomic survey sequence.//1.4e-22:158:89//AQ125356

R-HEMBA1003257//Human PCP4 gene, exon 3 and complete cds.//0.96:268:61//U53709

R-HEMBA1003273//Homo sapiens Xp22 BAC GS-377014 (Genome Systems Human BAC library) complete sequence.//1.0e-32:255:84//AC002549

R-HEMBA1003276//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.0044:212:60//AC005308

R-HEMBA1003278//Homo sapiens 12q24.1 PAC RPCI1-315L5 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.1e-34:286:74//AC002395

R-HEMBA1003281//High throughput sequencing of human chromosome 12, WORKING DRAFT SEQUENCE, 1 ordered pieces.//1.8e-53:428:83//AC005840

R-HEMBA1003291//Homo sapiens mRNA for KIAA0537 protein, complete cds.//3.0e-115:551:99//AB011109

R-HEMBA1003296//CIT-HSP-2196L16.TR CIT-HSP Homo sapiens genomic clone 21

96L16, genomic survey sequence.//2.9e-20:337:65//AQ003073

R-HEMBA1003304//Sequence 23 from patent US 5552281.//1.8e-31:179:97//125662

R-HEMBA1003309//Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K19E20, complete sequence.//0.00019:334:60//AB017061

R-HEMBA1003314//Homo sapiens mRNA for leucine zipper bearing kinase, complete cds.//2.8e-111:545:97//AB001872

R-HEMBA1003322//Human DNA sequence from clone 23K20 on chromosome Xq25-26.2 Contains EST, STS, GSS, complete sequence.//0.60:274:61//AL022153

R-HEMBA1003327//Homo sapiens BAC clone RG351J01 from 7q22-q31, complete sequence.//0.00028:172:65//AC005099

R-HEMBA1003328//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//2.2e-44:268:90//AC005081

R-HEMBA1003330//Homo sapiens poly(A) binding protein II (PABP2) gene, complete cds.//2.7e-61:312:97//AF026029

R-HEMBA1003348//***ALU WARNING: Human Alu-J subfamily consensus sequence.//7.2e-38:186:83//U14567

R-HEMBA1003369//Caenorhabditis elegans cosmid F59C6, complete sequence.//0.00012:465:59//Z79600

R-HEMBA1003370//Homo sapiens chromosome 17, clone hRPC867C24, complete sequence.//3.2e-42:301:87//AC002558

R-HEMBA1003373//Human DNA sequence from clone 109F14 on chromosome 6p21.2-21.3. Contains the alternatively spliced gene for Transcriptional Enhancer Factor TEF-5, the 60S Ribosomal Protein RPL10A gene, a PUTATIVE ZNF127 LIKE gene, and the PPARD for Peroxisome Proliferator Activated Receptor Delta (PPAR-Delta, PPAR-Beta, Nuclear Hormone Receptor 1, NUC1, NUC1, PPARB). Contains three putative CpG islands, ESTs, STSs, GSSs and a ca repeat polymorphism, complete sequence.//7.4e-34:375:74//AL022721

R-HEMBA1003376//Homo sapiens chromosome 16, cosmid clone RT102 (LANL), c

complete sequence.//1.6e-46:309:88//AC004651

R-HEMBA1003380//HS_3184_B2_E06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3184 Col=12 Row=J, genomic survey sequence.//1.0e-35:237:88//AQ189144

R-HEMBA1003384//HS_2193_B2_H08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2193 Col=16 Row=P, genomic survey sequence.//0.00029:96:76//AQ032212

R-HEMBA1003395//Homo sapiens chromosome 17, clone HCIT169H9, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.6e-21:139:86//AC002993

R-HEMBA1003402//CIT-HSP-2166E19.TR CIT-HSP Homo sapiens genomic clone 2166E19, genomic survey sequence.//0.99:144:61//B91549

R-HEMBA1003408

R-HEMBA1003417//Human DNA sequence from clone 496N17 on chromosome 6p11.2-12.3 Contains EST, GSS, complete sequence.//2.5e-112:547:98//AL031321

R-HEMBA1003418//Homo sapiens PAC clone DJ0755G17 from 7p21-p22, complete sequence.//0.082:352:59//AC004879

R-HEMBA1003433//Homo sapiens cell cycle regulatory protein p95 (NBS1) mRNA, complete cds.//9.9e-114:544:98//AF058696

R-HEMBA1003461

R-HEMBA1003463

R-HEMBA1003480//Homo sapiens clone NH0523H20, complete sequence.//9.1e-106:533:96//AC005041

R-HEMBA1003528

R-HEMBA1003531//Human BAC clone GS552A01 from 7q21-q22, complete sequence.//3.4e-08:333:64//AC002454

R-HEMBA1003538//Human mRNA for complement component C1r.//1.4e-23:333:68//X04701

R-HEMBA1003545//Zebrafish mRNA for zfish-2 (insulin gene enhancer binding protein homolog), complete cds.//0.030:144:68//D38453

R-HEMBA1003548//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.0017:487:57//AC004153

R-HEMBA1003555//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 371H6, WORKING DRAFT SEQUENCE.//2.8e-99:503:96//AL031718

R-HEMBA1003556//Homo sapiens Xp22-175-176 BAC GSHB-484017 (Genome Systems Human BAC Library) complete sequence.//1.6e-114:574:97//AC005913

R-HEMBA1003560//Diplolepis rosae microsatellite clone DR04096.//0.24:116:67//AF034416

R-HEMBA1003568//Homo sapiens clone NH0215P16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.9e-05:422:63//AC006036

R-HEMBA1003569//Homo sapiens full length insert cDNA clone ZD82D06.//8.7e-108:545:95//AF086450

R-HEMBA1003571//Homo sapiens PAC clone DJ0886008 from 7q32-q35, complete sequence.//4.6e-51:570:71//AC004914

R-HEMBA1003579//HS_3237_B2_E05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3237 Col=10 Row=J, genomic survey sequence.//8.5e-97:495:95//AQ209302

R-HEMBA1003581//Mouse mRNA for talin.//8.3e-12:128:82//X56123

R-HEMBA1003591//Homo sapiens chromosome 16, BAC clone 2603 (LANL), complete sequence.//2.9e-87:251:95//AC005774

R-HEMBA1003595//Homo sapiens DNA sequence from BAC 1216H12 on chromosome 22q12. Contains a pseudogene with similarity to part of mouse Ninein and the KIAA0609 gene for a protein similar to C. elegans K09C8.4. Contains ESTs, GSSs and a gggt repeat polymorphism, complete sequence.//4.5e-52:384:83//AL008715

R-HEMBA1003597//Homo sapiens DNA sequence from PAC 418A9 on chromosome 6q21. Contains the first (5') two exons of a CDK8 (Cell Division Protein Kinase 8) LIKE gene, a Neutral Calponin LIKE pseudogene, ESTs and STSS,

complete sequence.//4.6e-41:442:74//Z84480

R-HEMBA1003598//Homo sapiens PAC clone DJ0537P09 from 7p11.2-p12, complete sequence.//1.8e-23:177:88//AC005153

R-HEMBA1003615

R-HEMBA1003617//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.039:494:57//AC005139

R-HEMBA1003621//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0052122; HTGS phase 1, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.3e-26:309:75//AC004599

R-HEMBA1003622//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//7.1e-56:545:75//AC002980

R-HEMBA1003630//Homo sapiens CC chemokine gene cluster, complete sequence.//2.8e-32:546:68//AF088219

R-HEMBA1003637//Human BAC clone GS552A01 from 7q21-q22, complete sequence.//8.0e-25:457:68//AC002454

R-HEMBA1003640//Homo sapiens chromosome X, PAC 671D9, complete sequence.//2.8e-40:280:86//AF031078

R-HEMBA1003645//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING DRAFT SEQUENCE.//1.7e-33:297:82//AL023693

R-HEMBA1003646//Plasmodium falciparum MAL3P7, complete sequence.//0.44:319:59//AL034559

R-HEMBA1003656//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//6.9e-36:242:80//AC004382

R-HEMBA1003662//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//8.6e-117:588:96//AC005746

R-HEMBA1003667//Sequence 8 from patent US 5420245.//1.8e-21:170:88//112222

R-HEMBA1003679//Homo sapiens BAC clone RG114B19 from 7q31.1, complete se

quence.//1.6e-22:180:87//AC005065

R-HEMBA1003680//C. elegans cosmid ZK353.//1.1e-06:270:61//L15313

R-HEMBA1003684//Colias alexandra alexandra cytochrome oxidase subunit I (cox1) gene, mitochondrial gene encoding mitochondrial protein, partial cds.//0.77:171:66//AF044872

R-HEMBA1003690//Homo sapiens 12q13.1 PAC RPCI5-1057120 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.6e-104:523:97//AC004466

R-HEMBA1003692//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//1.7e-41:414:77//AL021707

R-HEMBA1003711//Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22, WORKING DRAFT SEQUENCE, 17 unordered pieces.//1.6e-29:304:77//AC000406

R-HEMBA1003714

R-HEMBA1003715//Homo sapiens chromosome 16p11.2 BAC clone CIT987SK-A-685D8, WORKING DRAFT SEQUENCE, 16 unordered pieces.//1.4e-63:578:77//AC005136

R-HEMBA1003720//Homo sapiens, WORKING DRAFT SEQUENCE, 135 unordered pieces.//2.4e-36:350:78//AC002353

R-HEMBA1003725//Homo sapiens chromosome 19, cosmid R31973, complete sequence.//6.3e-42:250:75//AC004699

R-HEMBA1003729//RPCI11-22D14.TV RPCI-11 Homo sapiens genomic clone RPCI-11-22D14, genomic survey sequence.//1.0:234:62//B86158

R-HEMBA1003733//Human DNA sequence from clone 396D17 on chromosome 1p33-35.3 Contains EST, STS, GSS, complete sequence.//7.7e-80:558:83//AL008634

R-HEMBA1003742//HS_3080_B2_H06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3080 Col=12 Row=P, genomic survey sequence.//3.4e-55:331:91//AQ139179

R-HEMBA1003758//Human DNA sequence from PAC 295C6 on chromosome 1q24. Contains ESTs, CA repeat, STS and CpG island.//4.5e-59:521:75//Z97876

R-HEMBA1003760

R-HEMBA1003773//Mus musculus signal recognition particle receptor beta subunit mRNA, complete cds.//2.6e-72:467:86//U17343

R-HEMBA1003783//Mus musculus bromodomain-containing protein BP75 mRNA, complete cds.//1.0e-77:557:81//AF084259

R-HEMBA1003784

R-HEMBA1003799//Homo sapiens PAC clone DJ1032B10 from 7p15.3-p21, complete sequence.//2.1e-49:390:72//AC004455

R-HEMBA1003803

R-HEMBA1003804//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//9.4e-99:359:99//AC004596

R-HEMBA1003805//Human DNA sequence from clone 51J12 on chromosome 6q26-27. Contains the 3' part of the alternatively spliced gene for the human orthologs of mouse QKI-7 and QKI-7B (KH Domain RNA Binding proteins) and zebrafish ZKQ-1 (Quaking protein homolog). Contains ESTs, STSs and GSSs, complete sequence.//8.0e-113:567:96//AL031781

R-HEMBA1003807//Bovine dinucleotide microsatellite HUJII77.//5.4e-18:194:78//M96348

R-HEMBA1003836//Human DNA from overlapping chromosome 19 cosmids R31396, F25451, and R31076 containing COX6B and UPKA, genomic sequence, complete sequence.//3.4e-40:256:85//AC002115

R-HEMBA1003838//CIT-HSP-2380F18.TF CIT-HSP Homo sapiens genomic clone 2380F18, genomic survey sequence.//9.7e-25:150:96//AQ196624

R-HEMBA1003856//Human DNA sequence from clone 272E8 on chromosome Xp22.13-22.31. Contains a pseudogene similar to MDM2-Like P53-binding protein gene. Contains STSs, GSSs and a CA repeat polymorphism, complete sequence.//4.8e-33:486:68//Z93929

R-HEMBA1003864//, complete sequence.//4.4e-100:531:94//AC005300

R-HEMBA1003866//HS_3203_B2_C01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3203 Col=2 Row=F, genomic survey sequence.//2.6e-05:206:64//AQ180298

R-HEMBA1003879//Homo sapiens chromosome 10 clone CIT987SK-1119P3 map 10q25.1, WORKING DRAFT SEQUENCE, 1 ordered pieces.//4.7e-17:170:79//U82207

R-HEMBA1003880//Homo sapiens genomic DNA, chromosome 21q11.1, segment 7/28, WORKING DRAFT SEQUENCE.//7.8e-103:526:96//AP000036

R-HEMBA1003885//Human apolipoprotein apoC-IV (APOC4) gene, complete cds.//3.5e-45:299:87//U32576

R-HEMBA1003893//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1137F22, WORKING DRAFT SEQUENCE.//1.1e-41:386:77//AL034421

R-HEMBA1003902//HS_3031_B2_E07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3031 Col=14 Row=J, genomic survey sequence.//5.3e-50:293:93//AQ165549

R-HEMBA1003908//CIT-HSP-2367K7.TR CIT-HSP Homo sapiens genomic clone 2367K7, genomic survey sequence.//1.2e-32:220:92//AQ076795

R-HEMBA1003926//Homo sapiens chromosome 5, BAC clone 194j18 (LBNL H158), complete sequence.//3.1e-58:294:85//AC005368

R-HEMBA1003937//Homo sapiens chromosome 3 subtelomeric region.//8.0e-111:590:93//AF109718

R-HEMBA1003939

R-HEMBA1003942//Homo sapiens clone DJ0828F13, complete sequence.//2.2e-08:474:58//AC004904

R-HEMBA1003950//Plasmodium vivax from Brazil cytochrome b (cytb) gene, mitochondrial gene encoding mitochondrial protein, partial cds.//0.034:258:62//AF069619

R-HEMBA1003953//Plasmodium falciparum MAL3P8, complete sequence.//0.096:492:57//AL034560

R-HEMBA1003958//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 64K7, WORKING DRAFT SEQUENCE.//7.3e-40:382:78//AL031668

R-HEMBA1003959//Amaranthus hypochondriacus betaine aldehyde dehydrogenase (ahybadh4) gene, complete cds.//0.11:428:60//AF000132

R-HEMBA1003976//Homo sapiens PAC clone DJ0724E13 from 7p11.2-p12, complete sequence.//1.0:222:62//AC004414

R-HEMBA1003978//Sequence 31 from patent US 5708157.//1.9e-14:159:77//I80060

R-HEMBA1003985//Homo sapiens 12p13.3 PAC RPCI5-927J10 (Roswell Park Cancer Institute Human PAC library) complete sequence.//5.6e-14:136:83//AC004804

R-HEMBA1003987//Human chromosome 12p13 sequence, complete sequence.//3.2e-26:268:79//U47924

R-HEMBA1003989//RPCI11-52K22.TJ RPCI11 Homo sapiens genomic clone R-52K22, genomic survey sequence.//2.2e-86:443:95//AQ052484

R-HEMBA1004000

R-HEMBA1004011

R-HEMBA1004012//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//4.7e-38:284:85//AC005670

R-HEMBA1004015//Human DNA sequence from clone 931E15 on chromosome Xq25. Contains STSS, GSSs and genomic marker DXS8098, complete sequence.//0.48:460:58//AL023575

R-HEMBA1004024//Homo sapiens clone RG270D13, WORKING DRAFT SEQUENCE, 18 unordered pieces.//2.5e-21:159:80//AC005081

R-HEMBA1004038//Homo sapiens Xq28 BAC RPCI11-382P7 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//7.9e-10:231:66//AC006054

R-HEMBA1004042//Homo sapiens clone DJ0968I16, complete sequence.//0.00071:263:68//AC006016

R-HEMBA1004045//Homo sapiens PAC clone DJ0074M20 from X, complete sequence.//8.8e-23:196:69//AC006143

R-HEMBA1004048//CIT-HSP-2288N20.TF CIT-HSP Homo sapiens genomic clone 2288N20, genomic survey sequence.//0.013:162:67//AQ007283

R-HEMBA1004049//Human hsp 70 gene 3' region for 70 kDa heat shock protein.//7.7e-30:176:96//X04677

R-HEMBA1004055//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//8.4e-05:395:63//AC005504

R-HEMBA1004056//Homo sapiens clone DJ0847008, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.5e-61:551:77//AC005484

R-HEMBA1004074//Homo sapiens clone DJ1032D07, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.98:275:63//AC004952

R-HEMBA1004086//Sequence 65 from patent US 5691147.//2.8e-54:313:92//176237

R-HEMBA1004097//Mus musculus putative transcription factor mRNA, complete cds.//1.8e-11:323:63//AF091234

R-HEMBA1004131//Human mRNA for KIAA0128 gene, partial cds.//9.3e-42:534:69//D50918

R-HEMBA1004132//Homo sapiens chromosome 17, clone hCIT.211_P_7, complete sequence.//6.0e-49:491:76//AC003665

R-HEMBA1004133//HS_3229_B2_E09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3229 Col=18 Row=J, genomic survey sequence.//1.1e-72:374:97//AQ192003

R-HEMBA1004138//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 417M14, WORKING DRAFT SEQUENCE.//3.1e-09:277:66//AL024498

R-HEMBA1004143//Plasmodium falciparum MAL3P4, complete sequence.//0.53:239:61//AL008970

R-HEMBA1004146//Homo sapiens clone DJ0038I10, WORKING DRAFT SEQUENCE, 5

unordered pieces.//3.0e-35:165:88//AC004820

R-HEMBA1004150//CITBI-E1-2517I2.TR CITBI-E1 Homo sapiens genomic clone 2 517I2, genomic survey sequence.//0.56:379:59//AQ277616

R-HEMBA1004164//Human BAC clone GS200K05 from 7q21-q22, complete sequence.//4.6e-49:448:77//AC002429

R-HEMBA1004168//Homo sapiens geminin mRNA, complete cds.//2.4e-110:563:96//AF067855

R-HEMBA1004199//S.pombe chromosome I cosmid c8A4.//0.73:187:64//Z66569

R-HEMBA1004200//Homo sapiens Xp22 BAC GSHB-184P14 (Genome Systems Human BAC library) complete sequence.//6.3e-30:293:77//AC004552

R-HEMBA1004202//rah=ras-related homolog [mice, HT4 neural cell line, mRNA, 993 nt].//3.0e-64:517:80//S72304

R-HEMBA1004203//Homo sapiens clone NH0313P13, WORKING DRAFT SEQUENCE, 15 unordered pieces.//1.0e-97:303:98//AC005488

R-HEMBA1004207//Homo sapiens leptin receptor short form (db) mRNA, complete cds.//3.6e-116:573:97//U50748

R-HEMBA1004225//Drosophila melanogaster mitochondrial DNA with 12 tRNAs and 7 genes.//5.4e-11:493:60//M37275

R-HEMBA1004227//Rattus norvegicus protein phosphatase 2C mRNA, complete cds.//6.1e-76:443:86//AF095927

R-HEMBA1004238//Homo sapiens chromosome 19, cosmid R28341, complete sequence.//1.1e-42:330:83//AC005763

R-HEMBA1004241

R-HEMBA1004246//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 4/15, WORKING DRAFT SEQUENCE.//1.1e-45:288:85//AP000011

R-HEMBA1004248//Homo sapiens PAC clone DJ0828B12 from 7q11.23-q21.1, complete sequence.//5.2e-09:516:61//AC004903

R-HEMBA1004264

R-HEMBA1004267//HS_2255_A2_H12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2255 Col=24 Row=0, genomic survey sequence.//8.6e-59:318:95//AQ068854

R-HEMBA1004272//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.1e-113:576:96//AC005831

R-HEMBA1004275//Homo sapiens clone 617 unknown mRNA, complete sequence.//4.4e-110:553:96//AF091081

R-HEMBA1004276

R-HEMBA1004286//Homo sapiens TGF beta receptor associated protein-1 mRNA, complete cds.//1.9e-106:538:97//AF022795

R-HEMBA1004289//RPCI11-74010.TJ RPCI11 Homo sapiens genomic clone R-74010, genomic survey sequence.//2.3e-37:248:76//AQ266668

R-HEMBA1004295//Baboon apolipoprotein A-VI mRNA, 3' end.//0.0016:273:64//L13174

R-HEMBA1004306//HS_3175_B2_F01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3175 Col=2 Row=L, genomic survey sequence.//1.6e-28:190:77//AQ169206

R-HEMBA1004312//Human BAC clone RG119P24 from 7q31, complete sequence.//6.3e-36:267:82//AC003088

R-HEMBA1004321//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC 10155, WORKING DRAFT SEQUENCE.//4.1e-111:576:95//AJ009611

R-HEMBA1004323//CIT-HSP-2374C8.TR CIT-HSP Homo sapiens genomic clone 2374C8, genomic survey sequence.//2.7e-42:136:91//AQ114933

R-HEMBA1004327//CIT-HSP-2303L24.TF CIT-HSP Homo sapiens genomic clone 2303L24, genomic survey sequence.//1.0:78:67//AQ017600

R-HEMBA1004330//Homo sapiens clone DJ1173I20, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.3e-119:580:98//AC004987

R-HEMBA1004334//Pimpinella brachycarpa Phyb1 mRNA, complete cds.//3.3e-1

4:238:69//AF082024

R-HEMBA1004335//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-116A10, complete sequence.//1.8e-21:291:71//AC004638

R-HEMBA1004341

R-HEMBA1004353//Homo sapiens mRNA for c-myc binding protein, complete cds.//4.1e-74:444:90//D89667

R-HEMBA1004354//Human DNA from overlapping chromosome 19-specific cosmid s R29515 and R28253, genomic sequence, complete sequence.//7.0e-38:287:82//AC003002

R-HEMBA1004356//Sequence 2 from patent US 5652144.//3.7e-108:588:92//I58611

R-HEMBA1004366//WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.8e-14:446:63//AC005949

R-HEMBA1004372//CIT-HSP-2005C13.TF CIT-HSP Homo sapiens genomic clone 2005C13, genomic survey sequence.//0.010:334:61//B55811

R-HEMBA1004389//Homo sapiens full length insert cDNA clone ZE09A11.//1.5e-19:170:83//AF086540

R-HEMBA1004394//Human (D21S198) DNA segment containing (TG)23 repeat.//1.0:50:84//X58124

R-HEMBA1004396//Homo sapiens chromosome 4 clone B240N9 map 4q25, complete sequence.//8.2e-34:459:69//AC004057

R-HEMBA1004405//Homo sapiens BAC clone GS589P19 from 7p13-p14, complete sequence.//2.8e-42:314:84//AC005030

R-HEMBA1004408

R-HEMBA1004429//M.musculus of DNA encoding DNA-binding protein.//1.6e-66:449:82//Z54200

R-HEMBA1004433//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L15, BAC clone 7B7, complete sequence bases 1..333303.//7.2e-32:460:68//AJ011930

R-HEMBA1004460//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21 unordered pieces.//3.9e-113:581:96//AC004846

R-HEMBA1004461//HS_3244_A2_F12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3244 Col=24 Row=K, genomic survey sequence.//8.0e-83:397:99//AQ220876

R-HEMBA1004479//Homo sapiens PAC clone DJ0942I16 from 7q11, complete sequence.//1.7e-40:485:70//AC006012

R-HEMBA1004482//Plasmodium falciparum chromosome 2, section 7 of 73 of the complete sequence.//2.2e-11:513:59//AE001370

R-HEMBA1004502//Homo sapiens chromosome 17, clone hRPK.372_K_20, complete sequence.//2.0e-08:245:66//AC005951

R-HEMBA1004506//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34606, WORKING DRAFT SEQUENCE.//4.2e-81:582:83//Z84487

R-HEMBA1004507//Caenorhabditis elegans cosmid C40C9, complete sequence./0.56:235:64//Z70266

R-HEMBA1004509

R-HEMBA1004534//Sequence 58 from patent US 5691147.//1.9e-61:430:83//I76230

R-HEMBA1004538//HS_3189_B2_C03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3189 Col=6 Row=F, genomic survey sequence.//6.1e-21:140:92//AQ170330

R-HEMBA1004554//CIT-HSP-712K9.TP CIT-HSP Homo sapiens genomic clone 712K9, genomic survey sequence.//1.7e-16:116:93//B73329

R-HEMBA1004560//Human mRNA for KIAA0281 gene, complete cds.//2.2e-14:213:71//D87457

R-HEMBA1004573

R-HEMBA1004577//Human DNA sequence from cosmid L247F6, Huntington's Disease Region, chromosome 4p16.3 contains protein similar to Mouse SH3 binding protein 3BP2, multiple ESTs and a CpG island.//1.0:352:60//Z68279

R-HEMBA1004586

R-HEMBA1004596//*Plasmodium falciparum* MAL3P6, complete sequence.//0.0012:359:60//Z98551

R-HEMBA1004610//*S.pombe* chromosome II cosmid c354.//0.0011:362:62//AL022071

R-HEMBA1004617//*Homo sapiens* mRNA, chromosome 1 specific transcript KIAA0501.//1.4e-50:327:85//AB007970

R-HEMBA1004629//*Homo sapiens* Xp22 bins 16-17 BAC GSHB-531I17 (Genome Systems Human BAC Library) complete sequence.//4.4e-13:527:63//AC004805

R-HEMBA1004631//*Rattus norvegicus* Nclone10 mRNA.//2.9e-24:364:71//U31866

R-HEMBA1004632

R-HEMBA1004637//*Homo sapiens* clone DJ0982E09, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.7e-117:573:98//AC005534

R-HEMBA1004638//*H.sapiens* mRNA for DGCR2.//3.8e-19:118:99//X84076

R-HEMBA1004666//*Arabidopsis thaliana* chromosome II BAC T4E14 genomic sequence, complete sequence.//0.00013:501:58//AC005171

R-HEMBA1004669//Human DNA sequence from clone 465N24 on chromosome 1p35.1-36.13. Contains two novel genes, ESTs, GSSs and CpG islands, complete sequence.//1.5e-120:571:98//AL031432

R-HEMBA1004670//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 222E13, WORKING DRAFT SEQUENCE.//4.4e-12:110:88//Z93241

R-HEMBA1004672//Human DNA sequence from PAC 308I13 on chromosome 1p35-1p36.3.//3.4e-38:324:81//Z99291

R-HEMBA1004693//*Arabidopsis thaliana* genomic DNA, chromosome 5, P1 clone : MP012, complete sequence.//0.86:309:57//AB006702

R-HEMBA1004697//T33B22TF TAMU *Arabidopsis thaliana* genomic clone T33B22, genomic survey sequence.//0.29:331:61//B97342

R-HEMBA1004705//*Plasmodium falciparum* MAL3P7, complete sequence.//0.051:424:58//AL034559

R-HEMBA1004709//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-116A10, complete sequence.//1.7e-49:497:76//AC004638

R-HEMBA1004711//Homo sapiens chromosome 17, clone hRPK.271_K_11, complete sequence.//1.6e-38:362:79//AC005562

R-HEMBA1004725

R-HEMBA1004730//Homo sapiens Chromosome 17p13 Cosmid Clone cos26, complete sequence.//1.1e-58:489:79//AC002085

R-HEMBA1004733

R-HEMBA1004734//Human DNA sequence from clone 273N12 on chromosome 6q16.1-16.3. Contains the gene for the N-Oct5a (N-Oct3, N-Oct5b) POU domain proteins and an unknown gene. Contains a putative CpG island, ESTs, STS, and GSSs, complete sequence.//0.0030:362:61//AL022395

R-HEMBA1004736//Homo sapiens clone DJ0981007, complete sequence.//1.9e-58:282:87//AC006017

R-HEMBA1004748//Homo sapiens PAC clone DJ1059M17 from 7q21-q31.1, complete sequence.//3.6e-34:287:81//AC004953

R-HEMBA1004751//Human DNA sequence from PAC 507I15 on chromosome Xq26.3-27.3. Contains 60S ribosomal protein L44 (L41, L36) like gene, ESTs, STSs and a polymorphic CA repeat.//5.3e-40:266:89//Z98950

R-HEMBA1004752//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 495010, WORKING DRAFT SEQUENCE.//3.3e-39:281:85//AL031121

R-HEMBA1004753//Homo sapiens ribosomal protein S20 (RPS20) mRNA, complete cds.//2.6e-65:475:84//L06498

R-HEMBA1004756//Homo sapiens DNA sequence from PAC 86C11 on chromosome 6p21.31-22.1. Contains histone genes H2A/1, H2B.1A, H4, H2A.1b, H3 pseudogene, pheromone receptor pseudogene, ESTs, STS and CpG island.//1.8e-08:516:59//AL021807

R-HEMBA1004758//Homo sapiens chromosome 4 clone B240N9 map 4q25, complete sequence.//5.1e-45:577:72//AC004057

R-HEMBA1004763

R-HEMBA1004768//Human DNA sequence from clone 395P12 on chromosome 1q24-25. Contains the TXGP1 gene for tax-transcriptionally activated glycoprotein 1 (34kD) (OX40 ligand, OX40L) and a GOT2 (Aspartate Aminotransferase, mitochondrial precursor, EC 2.6.1.1, Transaminase A, Glutamate Oxaloacetate Transaminase-2) pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//4.1e-60:435:78//AL022310

R-HEMBA1004770//Plasmodium falciparum chromosome 2, section 8 of 73 of the complete sequence.//8.7e-05:476:61//AE001371

R-HEMBA1004771//Homo sapiens Xp22 Cosmid U152D7 (Lawrence Livermore human cosmid library) complete sequence.//5.0e-08:113:80//AC003047

R-HEMBA1004776

R-HEMBA1004778//***ALU WARNING: Human Alu-J subfamily consensus sequence.//1.1e-35:288:84//U14567

R-HEMBA1004795//HS_3192_B1_F09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3192 Col=17 Row=L, genomic survey sequence.//1.9e-44:233:98//AQ155855

R-HEMBA1004803//Homo sapiens minisatellite ms31 repeat region.//3.0e-67:318:87//AF048728

R-HEMBA1004806

R-HEMBA1004807//Homo sapiens clone GS166C05, WORKING DRAFT SEQUENCE, 7 unordered pieces.//3.6e-20:333:69//AC005015

R-HEMBA1004816//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//6.3e-13:148:77//Z92545

R-HEMBA1004820//Human arginine-rich nuclear protein mRNA, complete cds./1.5e-12:141:85//M74002

R-HEMBA1004847//Canine mRNA for 68kDA subunit of signal recognition part

icle (SRP68).//7.6e-80:297:85//X53744

R-HEMBA1004850

R-HEMBA1004863//Human DNA sequence from PAC 345P10 on chromosome 22q12-qter contains ESTs and STS and polymorphic CA repeat D22S927.//2.0e-14:159:79//Z82201

R-HEMBA1004864

R-HEMBA1004865//Homo sapiens Xp22-149 BAC RPC111-46604 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.90:76:76//AC005297

R-HEMBA1004880//Homo sapiens clone DJ0309D19, WORKING DRAFT SEQUENCE, 12 unordered pieces.//1.9e-49:551:73//AC004826

R-HEMBA1004889//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 223B1, WORKING DRAFT SEQUENCE.//0.0021:189:65//AL031943

R-HEMBA1004900//Homo sapiens chromosome 17, clone hRPK.180_P_8, complete sequence.//6.6e-11:144:77//AC005972

R-HEMBA1004909//Human DNA sequence from clone 505B13 on chromosome 1p36.2-36.3 Contains CA repeat and GSSs, complete sequence.//7.6e-46:341:83//Z98052

R-HEMBA1004918//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 994L9, WORKING DRAFT SEQUENCE.//1.6e-54:301:89//AL034554

R-HEMBA1004923//Homo sapiens 47kB DNA fragment from Xq28, proximal to MT M1 gene.//2.0e-07:182:69//Y15994

R-HEMBA1004929

R-HEMBA1004930//Homo sapiens chromosome 11 clone CIT987SK-1012F4, WORKING DRAFT SEQUENCE, 6 unordered pieces.//7.7e-66:547:79//AC005848

R-HEMBA1004933//H.sapiens Humig mRNA.//0.13:233:62//X72755

R-HEMBA1004934//CIT-HSP-2021I16.TF CIT-HSP Homo sapiens genomic clone 2021I16, genomic survey sequence.//0.66:268:62//B65345

R-HEMBA1004944//CIT-HSP-2281L12.TR CIT-HSP Homo sapiens genomic clone 22

81L12, genomic survey sequence.//3.8e-20:104:82//B99849

R-HEMBA1004954//Homo sapiens chromosome 17, clone hRPK.146_P_2, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.00082:385:60//AC005341

R-HEMBA1004956//CIT-HSP-2305H22.TF CIT-HSP Homo sapiens genomic clone 23 05H22, genomic survey sequence.//1.6e-84:411:99//AQ020408

R-HEMBA1004960//Human DNA sequence from PAC 358H7 on chromosome X.//3.3e-22:249:74//Z77249

R-HEMBA1004972//nbxb0003aF01f CUGI Rice BAC Library Oryza sativa genomic clone nbxb0003K01f, genomic survey sequence.//0.52:171:64//AQ049982

R-HEMBA1004973//*** SEQUENCING IN PROGRESS *** EPM1/APECED region of chromosome 21, clones A68E8, B127P21, B173L3, B23N8, C1242C9, C579E2, A70B6, B159G9, B175D10, B52C10, C124G1 Note: Sequencing in this region has been discontinued by the Stanford Human Genome Center, WORKING DRAFT SEQUENCE, 50 unordered pieces.//0.69:179:64//AC003656

R-HEMBA1004977//Caenorhabditis elegans cosmid F08G2, complete sequence.//7.6e-07:492:58//Z81495

R-HEMBA1004978//Human DNA sequence from clone 522P13 on chromosome 6p21.31-22.3. Contains a 60S Ribosomal Protein L21 pseudogene and an HNRNP A3 (Heterogenous Nuclear Riboprotein A3, FBRNP) pseudogene. Contains ESTs, STSS and GSSs, complete sequence.//0.20:427:60//AL024509

R-HEMBA1004980//CIT-HSP-2379K5.TF CIT-HSP Homo sapiens genomic clone 237 9K5, genomic survey sequence.//1.6e-53:331:88//AQ108614

R-HEMBA1004983//Genomic sequence from Human 17, complete sequence.//0.00061:473:58//AC000389

R-HEMBA1004995//Homo sapiens chromosome 16, cosmid clone 306E5 (LANL), complete sequence.//1.6e-90:527:89//AC004224

R-HEMBA1005008//Human DNA sequence from clone 461P17 on chromosome 20q12-13.2. Contains four novel (pseudo)genes for proteins with Kunitz/Bovine pancreatic trypsin inhibitor and/or WAP-type (Whey Acidic Protein) 'fou

r-disulfide core' domains, COX6C (Cytochrome C Oxidase Polypeptide VIC, EC 1.9.3.1) and RPL5 (60S Ribosomal Protein L5) pseudogenes, a pseudogene similar to part of the HSPD1 (HSP60, Mitochondrial Matrix Protein P1 precursor, Heat Shock Protein 60, GROEL protein, HUCHA60) gene, and the Major Epididymis-specific protein E4 precursor (HE4, Epididymis Secretory protein E4, WAP-type (Whey Acidic Protein) 'four-disulfide core' domain) gene. Contains ESTs, an STS, GSSs and a putative CpG island, complete sequence.//5.4e-65:357:83//AL031663

R-HEMBA1005009//Homo sapiens BAF53a (BAF53a) mRNA, complete cds.//5.6e-107:550:96//AF041474

R-HEMBA1005019//Homo sapiens mRNA for KIAA0648 protein, partial cds.//6.3e-104:542:94//AB014548

R-HEMBA1005029//Homo sapiens DNA sequence from PAC 97D16 on chromosome 6 p21.3-22.2. Contains an unknown pseudogene, a 60S Ribosomal protein L24 (L30) LIKE pseudogene and histone genes H2BFC (H2B/c), H4FFP (H4/f pseudogene), H2AFC (H2A/c), H3F1K (H3.1/k) and a tRNA-Val pseudogene and tRNA-Thr gene. Contains ESTs, STSs, GSSs and genomic marker D6S464, complete sequence.//3.1e-67:493:83//AL009179

R-HEMBA1005035//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete sequence.//7.4e-101:537:94//AC004596

R-HEMBA1005039//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//9.5e-30:446:68//AL031650

R-HEMBA1005047//Mus musculus mRNA for Rab24 protein.//1.4e-34:229:88//Z22819

R-HEMBA1005050//Human Chromosome X PAC RPCI1-290C9 from the Pieter de Jong Human PAC library; complete sequence.//4.0e-43:371:80//AC002404

R-HEMBA1005062//Homo sapiens chromosome 17, clone hCIT.186_H_2, complete sequence.//2.3e-15:269:66//AC004675

R-HEMBA1005066//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1

unordered pieces.//4.0e-30:305:74//AC006030

R-HEMBA1005075

R-HEMBA1005079//Homo sapiens clone HS19.11 Alu-Ya5 sequence.//6.5e-48:24
5:91//AF015156

R-HEMBA1005083//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1185N5, WORKING DRAFT SEQUENCE.//1.3e-15:142:83//AL034423

R-HEMBA1005101//Homo sapiens SYT interacting protein SIP mRNA, complete
cds.//5.3e-110:545:96//AF080561

R-HEMBA1005113//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y53C10, WORKING DRAFT SEQUENCE.//0.026:252:64//Z93340

R-HEMBA1005123//Homo sapiens DNA sequence from clone 78F24 on chromosome
22q12.1-12.3. Contains one exon of an Oxysterol-binding protein (OSBP)
LIKE gene. Contains GSSs and an STS, complete sequence.//7.1e-55:306:82/
/AL022336

R-HEMBA1005133//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone Y738F9, WORKING DRAFT SEQUENCE.//6.4e-45:309:87//AL022345

R-HEMBA1005149//Human cosmid LL12NC01-95H4, ETV6 gene, exon 2 and partia
l cds.//3.2e-31:310:76//U81834

R-HEMBA1005152//Homo sapiens DNA sequence from PAC 13D10 on chromosome 6
p22.3-23. Contains CpG island.//1.4e-33:361:79//AL021407

R-HEMBA1005159//Human DNA sequence from clone 163016 on chromosome 1p35.
1-36.13 Contains CA repeat, STS, complete sequence.//2.7e-22:440:66//AL0
31279

R-HEMBA1005185//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y105E8, WORKING DRAFT SEQUENCE.//0.0017:381:58//AL022594

R-HEMBA1005201//P.falciparum complete gene map of plastid-like DNA (IR-B
).//8.5e-05:457:57//X95276

R-HEMBA1005202//Human 18S ribosomal RNA.//4.7e-38:236:91//X03205

R-HEMBA1005219

R-HEMBA1005223//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//1.0:209:65//AC004854

R-HEMBA1005232//Homo sapiens chromosome Y, clone 264,M,20, complete sequence.//0.0040:439:58//AC004617

R-HEMBA1005241//Homo sapiens PAC clone DJ0777023 from 7p14-p15, complete sequence.//4.2e-111:568:96//AC005154

R-HEMBA1005244//HS_3092_B2_C11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3092 Col=22 Row=F, genomic survey sequence.//4.9e-12:116:84//AQ127947

R-HEMBA1005251//Homo sapiens PAC clone DJ1182N03 from 7q11.23-q21.1, complete sequence.//3.2e-27:210:84//AC004548

R-HEMBA1005252//Homo sapiens chromosome 17, clone hRPK.318_A_15, complete sequence.//4.6e-105:437:97//AC005837

R-HEMBA1005274//Slime mold mitochondrial DNA, binding region to the membrane system.//0.011:339:59//D86630

R-HEMBA1005275//Homo sapiens PAC clone DJ0886008 from 7q32-q35, complete sequence.//3.4e-17:269:71//AC004914

R-HEMBA1005293//Human DNA sequence from PAC 130N4, BRCA2 gene region chromosome 13q12-13 contains xs7 mRNA, ESTs.//6.9e-20:193:73//Z75887

R-HEMBA1005296//HS_3037_B1_D01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3037 Col=1 Row=H, genomic survey sequence.//0.26:184:64//AQ117120

R-HEMBA1005304//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.5e-58:445:78//AC006146

R-HEMBA1005311//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 796E4, WORKING DRAFT SEQUENCE.//9.3e-42:383:78//AL022337

R-HEMBA1005314//Caenorhabditis elegans cosmid F23H11.//0.80:179:65//AF003389

R-HEMBA1005315//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1

unordered pieces.//2.4e-40:409:71//AC006030

R-HEMBA1005318//S.pombe chromosome I cosmid c2E11.//0.97:370:61//AL03118

1

R-HEMBA1005331//Homo sapiens chromosome 17, clone hRPK.214_C_8, complete sequence.//1.9e-112:577:95//AC005803

R-HEMBA1005353//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 429E7, WORKING DRAFT SEQUENCE.//8.9e-80:406:97//AL031722

R-HEMBA1005359//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING DRAFT SEQUENCE, 2 ordered pieces.//3.2e-50:320:84//AC005412

R-HEMBA1005367//RPCI11-85E23.TV RPCI11 Homo sapiens genomic clone R-85E23, genomic survey sequence.//0.39:148:67//AQ281915

R-HEMBA1005372//Homo sapiens full length insert cDNA YH93B03.//2.6e-108:557:95//AF074997

R-HEMBA1005374//Homo sapiens full length insert cDNA clone ZA95D11.//1.9e-110:531:98//AF086142

R-HEMBA1005389//Human DNA sequence from clone 245G19 on chromosome Xp22.11-22.2 Contains serine-threonine kinase (Txp3) gene, a pseudogene similar to ALPHA-1 PROTEIN ((CONNEXIN 43, CX43, GAP JUNCTION 43 KD HEART PROTEIN)), and the 3' end of the RS1 (X-linked juvenile retinoschisis precursor protein) gene. Contains ESTs, STSs and GSSs, complete sequence.//6.0e-41:432:75//Z92542

R-HEMBA1005394//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 681N20, WORKING DRAFT SEQUENCE.//4.9e-107:585:93//AL031670

R-HEMBA1005403//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//5.1e-118:586:97//AL034379

R-HEMBA1005408//Bos taurus retina membrane guanylate cyclase ROS-GC2 mRNA, complete cds.//1.6e-06:204:68//U95958

R-HEMBA1005410//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 732E4, WORKING DRAFT SEQUENCE.//1.2e-23:452:66//AL008722

R-HEMBA1005411//RPCI11-66N19.TK RPCI11 Homo sapiens genomic clone R-66N19, genomic survey sequence.//2.2e-38:222:79//AQ237442

R-HEMBA1005423//Homo sapiens cyclin-dependent kinase inhibitor (CDKN2C) mRNA, complete cds.//5.6e-117:453:99//AF041248

R-HEMBA1005426//Human DNA sequence from PAC 448E20 on chromosome Xq26.1 contains ESTs and STS.//0.86:278:60//Z97196

R-HEMBA1005443//Homo sapiens (clone s153) mRNA fragment.//5.4e-46:305:87//L40391

R-HEMBA1005447//Human DNA sequence from clone 48G12 on chromosome Xq27.1-27.3. Contains STSs and GSSs, complete sequence.//3.3e-79:531:86//AL031054

R-HEMBA1005468//Homo sapiens PAC clone DJ0808G16 from 7q11.23-q21, complete sequence.//4.0e-27:469:66//AC004894

R-HEMBA1005469//Homo sapiens chromosome 16, P1 clone 96-4B (LANL), complete sequence.//7.2e-40:410:76//AC005212

R-HEMBA1005472//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1090E8, WORKING DRAFT SEQUENCE.//3.1e-40:296:85//AL033524

R-HEMBA1005475//HS_2266_B2_C04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2266 Col=8 Row=F, genomic survey sequence.//0.49:209:61//AQ069377

R-HEMBA1005497

R-HEMBA1005500//Homo sapiens PAC clone DJ1093017 from 7q11.23-q21, complete sequence.//4.5e-116:580:97//AC004957

R-HEMBA1005506//Arabidopsis thaliana BAC T26D22.//0.0050:442:59//AF058826

R-HEMBA1005508//Sigalphus sp. 16S ribosomal RNA gene, partial sequence.//0.020:391:59//AF003509

R-HEMBA1005511//Human DNA sequence from PAC 52D1 on chromosome Xq21. Contains CA repeats, STS.//0.44:195:63//Z96811

R-HEMBA1005517//Bovine herpesvirus type 1 early-intermediate transcripti
on control protein (BICP4) gene, complete cds.//0.44:470:57//L14320

R-HEMBA1005518//M.musculus mRNA for paladin gene.//6.2e-29:183:81//X9938
4

R-HEMBA1005520//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6
unordered pieces.//7.2e-40:281:86//AC004913

R-HEMBA1005526//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 341D10, WORKING DRAFT SEQUENCE.//3.9e-40:482:73//Z97985

R-HEMBA1005528//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of
hepatocellular colorectal and non-small cell lung cancer , segment 3/11.
//3.8e-84:309:99//AB020860

R-HEMBA1005530//Homo sapiens PAC clone 946B23 SCA2 region, SP6 end, geno
mic sequence, genomic survey sequence.//8.1e-25:154:94//U84091

R-HEMBA1005548//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 970A17, WORKING DRAFT SEQUENCE.//5.3e-105:534:96//AL034431

R-HEMBA1005552//Homo sapiens PAC clone DJ0807C15 from 7q34-q36, complete
sequence.//2.8e-69:432:88//AC004743

R-HEMBA1005558

R-HEMBA1005568//Homo sapiens Xp22 GSHB-314C4 (Genome Systems Human BAC l
ibrary) complete sequence.//5.9e-33:367:74//AC004087

R-HEMBA1005570//Human DNA sequence from clone 192P9 on chromosome Xp11.2
3-11.4. Contains a pseudogene similar to rat Plasmolipin, ESTs and GSSs,
complete sequence.//2.2e-67:399:91//AL020989

R-HEMBA1005576//Homo sapiens chromosome 16, BAC clone 97H22 (LANL), comp
lete sequence.//1.0:156:63//AC005737

R-HEMBA1005577

R-HEMBA1005581//Homo sapiens mRNA for MEGF5, partial cds.//9.7e-27:561:6
4//AB011538

R-HEMBA1005582//Torulopsis glabrata mitochondrial intergenic region ATPa

se 9 -cytochrome oxidase 2 genes.//2.3e-10:404:62//X02171

R-HEMBA1005583//HS_3014_B1_D05_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3014 Col=9 Row=H, genomic survey sequence.//3.0e-81:442:94//AQ154499

R-HEMBA1005588//Human DNA sequence from clone 1409 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. C ontains ESTs, STSS and genomic marker DXS8032, complete sequence.//1.8e-54:490:77//Z98046

R-HEMBA1005593//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//2.2e-28:262:79//AC005746

R-HEMBA1005595//HS_2224_A2_G03_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2224 Col=6 Row=M, genomic survey sequence.//3.6e-48:263:95//AQ033446

R-HEMBA1005606//Human PAC clone DJ0093I03 from Xq23, complete sequence.//2.5e-08:355:63//AC003983

R-HEMBA1005609//HS_2182_B1_H06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2182 Col=11 Row=P, genomic survey sequence.//2.2e-82:400:99//AQ023130

R-HEMBA1005616//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 124K22, WORKING DRAFT SEQUENCE.//0.80:308:60//AL031176

R-HEMBA1005621//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 330012, WORKING DRAFT SEQUENCE.//7.4e-76:338:98//AL031731

R-HEMBA1005627//Homo sapiens full length insert cDNA clone ZD53D02.//4.5e-72:398:93//AF086321

R-HEMBA1005631//Homo sapiens PAC clone DJ1086D14, complete sequence.//3.8e-17:548:60//AC004460

R-HEMBA1005632//Homo sapiens DNA sequence from PAC 168L15 on chromosome

6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS.

CpG island, complete sequence.//1.4e-13:172:75//AL022069

R-HEMBA1005634//RPCI11-13015.TVB RPCI-11 Homo sapiens genomic clone RPCI

-11-13015, genomic survey sequence.//1.0e-28:153:82//B73293

R-HEMBA1005666//Human DNA sequence from PAC 696H22 on chromosome Xq21.1-

21.2. Contains a mouse E25 like gene, a Kinesin like pseudogene and ESTs

./4.5e-51:343:87//AL021786

R-HEMBA1005670//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c.
lone 11703, WORKING DRAFT SEQUENCE.//2.5e-33:288:78//AL020995

R-HEMBA1005679//Human esterase D mRNA, 3' end.//4.2e-49:322:88//M13450

R-HEMBA1005680//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer
Institute Human PAC Library) complete sequence.//3.0e-36:285:83//AC0059

24

R-HEMBA1005685//H.sapiens (MAR8) chromosome 19 DNA, 343bp.//0.022:65:86/
/Z35281

R-HEMBA1005699//Human putative EPH-related PTK receptor ligand LERK-8 (E
plg8) mRNA, complete cds.//5.4e-46:376:84//U66406

R-HEMBA1005705//RPCI11-13014.TP RPCI-11 Homo sapiens genomic clone RPCI-
11-13014, genomic survey sequence.//0.071:182:59//B76186

R-HEMBA1005717//Human DNA sequence from PAC 50A13 on chromosome Xp11. Co
ntains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1,
ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA
repeat.//1.0:189:66//Z92545

R-HEMBA1005732//Human Chromosome 11q12 pac pDJ363p2, WORKING DRAFT SEQUE
NCE, 22 unordered pieces.//2.1e-47:449:75//AC003023

R-HEMBA1005737

R-HEMBA1005746//H.sapiens DNA for repeat unit locus D18S51 (285 bp).//0.
11:174:63//X91255

R-HEMBA1005755//Human DNA sequence from clone 396D17 on chromosome 1p33-

35.3 Contains EST, STS, GSS, complete sequence.//0.15:160:65//AL008634
R-HEMBA1005765//Human Xq28 cosmids U225B5 and U236A12, complete sequence
./5.2e-39:422:74//U71148

R-HEMBA1005780//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndr
ome region), segment 3/15, WORKING DRAFT SEQUENCE.//0.037:261:61//AP0000
10

R-HEMBA1005813//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone Y313F4, WORKING DRAFT SEQUENCE.//1.7e-26:242:80//AL023808

R-HEMBA1005815//Bufo boreas MVZ 145227 c-mos gene, partial cds.//0.17:19
9:62//U52805

R-HEMBA1005822//Plasmodium falciparum MAL3P7, complete sequence.//0.26:4
37:56//AL034559

R-HEMBA1005829//Human Cosmid g1572c035, complete sequence.//3.8e-05:366:
61//AC000124

R-HEMBA1005834//Human DNA sequence from clone 51J12 on chromosome 6q26-2
7. Contains the 3' part of the alternatively spliced gene for the human
orthologs of mouse QKI-7 and QKI-7B (KH Domain RNA Binding proteins) and
zebrafish ZKQ-1 (Quaking protein homolog). Contains ESTs, STSs and GSSs
, complete sequence.//8.2e-107:551:96//AL031781

R-HEMBA1005852//F.rubripes GSS sequence, clone 163A22aA4, genomic survey
sequence.//2.6e-17:225:72//AL018730

R-HEMBA1005853//Human Chromosome 15 pac pDJ24m8, complete sequence.//1.1
e-27:314:75//AC000379

R-HEMBA1005884//Homo sapiens 12p13.3 BAC RPCI3-488H23 (Roswell Park Canc
er Institute Human BAC Library) complete sequence.//2.6e-20:328:67//AC00
6207

R-HEMBA1005891//Homo sapiens PAC clone DJ0997N05 from 7q11.23-q21.1, com
plete sequence.//2.0e-102:543:95//AC004945

R-HEMBA1005894

R-HEMBA1005909

R-HEMBA1005911//CIT-HSP-2342E5.TR CIT-HSP Homo sapiens genomic clone 2342E5, genomic survey sequence.//0.0012:315:60//AQ058081

R-HEMBA1005921//P.chrysogenum mitochondrion genes for tRNA-Arg, tRNA-Asn, tRNA-Tyr, small subunit rRNA, and ATPase subunit 6.//0.0090:445:58//Z23072

R-HEMBA1005931//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//1.7e-46:351:83//Z98304

R-HEMBA1005934//Homo sapiens chromosome 17, clone hRPK.261_A_13, complete sequence.//0.0052:179:71//AC005138

R-HEMBA1005962//Homo sapiens clone RG012D21, complete sequence.//1.1e-11:149:74//AC005045

R-HEMBA1005963//HS_3055_A1_E08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3055 Col=15 Row=I, genomic survey sequence.//5.4e-79:403:97//AQ147357

R-HEMBA1005990//Homo sapiens I-1 receptor candidate protein mRNA, complete cds.//6.9e-112:580:95//AF082516

R-HEMBA1005991//Human DNA sequence from clone 58A9 on chromosome 1q24.1-24.3. Contains STSSs, GSSs, genomic marker DIS210 and a ca repeat polymorphism, complete sequence.//2.6e-39:299:82//AL031285

R-HEMBA1005999//Homo sapiens clone DJ0691F11, WORKING DRAFT SEQUENCE, 11 unordered pieces.//1.1e-29:260:70//AC004859

R-HEMBA1006002//Rattus norvegicus s-nexilin mRNA, complete cds.//6.3e-15:174:78//AF056035

R-HEMBA1006005//Homo sapiens MLL (MLL) gene, exons 1-3, and partial cds.//2.6e-112:574:95//AF036405

R-HEMBA1006031//Homo sapiens mRNA for KIAA0725 protein, partial cds.//7.6e-27:444:67//AB018268

R-HEMBA1006035//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic

sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.025:373:60//AC005139

R-HEMBA1006036//Homo sapiens Chromosome 16 BAC clone CIT987SK-625P11, complete sequence.//0.0056:535:59//AC004125

R-HEMBA1006042//HS_2169_A1_B11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2169 Col=21 Row=C, genomic survey sequence.//1.7e-73:390:95//AQ132995

R-HEMBA1006067

R-HEMBA1006081

R-HEMBA1006090//HS_2262_A2_A01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2262 Col=2 Row=A, genomic survey sequence.//2.1e-70:360:97//AQ216324

R-HEMBA1006091

R-HEMBA1006100//Homo sapiens DNA sequence from PAC 212G6 on chromosome X p11.3-p11.4. Contains synapsin 1, brain protein 4.1, properdin, tyrosine kinase (ELK1) oncogene, ESTs, STS, GSS, complete sequence.//1.6e-36:354:77//AL009172

R-HEMBA1006108

R-HEMBA1006121

R-HEMBA1006124//Human DNA sequence from BAC 175E3 on chromosome 22q11.2-qter. Contains ESTs, STSs and polymorphic CA repeat.//1.3e-12:327:64//Z95113

R-HEMBA1006130//WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.60:326:62//AC005948

R-HEMBA1006138//Homo sapiens chromosome 19, cosmid F16403, complete sequence.//4.3e-52:321:80//AC005777

R-HEMBA1006142//, complete sequence.//1.0e-13:160:78//AC005500

R-HEMBA1006155//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.0013:389:60//AC

004688

R-HEMBA1006158//Homo sapiens transcription factor forkhead-like 7 (FKHL7)
) gene, complete cds.//1.4e-119:574:98//AF048693

R-HEMBA1006173//Mus musculus protein tyrosine phosphatase STEP61 mRNA, c
omplete cds.//4.1e-43:307:86//U28217

R-HEMBA1006182//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete
sequence.//1.7e-30:300:71//AC004491

R-HEMBA1006198//***ALU WARNING: Human Alu-J subfamily consensus sequence
.//1.3e-36:284:85//U14567

R-HEMBA1006235//Homo sapiens clone 24422 mRNA sequence.//2.1e-110:545:97
//AF070557

R-HEMBA1006248//Homo sapiens mRNA for KIAA0667 protein, partial cds.//0.
46:365:58//AB014567

R-HEMBA1006252//Human Chromosome 16 BAC clone CIT987SK-A-972D3, complete
sequence.//2.8e-41:438:71//U91323

R-HEMBA1006253//Homo sapiens 45kDa splicing factor mRNA, complete cds.//
1.8e-28:179:91//AF083384

R-HEMBA1006259//RPCI11-44N14.TJ RPCI11 Homo sapiens genomic clone R-44N1
4, genomic survey sequence.//1.5e-48:348:85//AQ203161

R-HEMBA1006268

R-HEMBA1006272//Human DNA sequence from clone 1198H6 on chromosome 1p36.
11-36.31. Contains two Melanoma Preferentially Expressed Antigen PRAME L
IKE genes. Contains GSSs and ESTs, complete sequence.//2.8e-73:273:87//A
L023753

R-HEMBA1006278//H.sapiens PAP mRNA.//1.6e-54:585:71//X76770

R-HEMBA1006283//Sequence 7 from patent US 5776683.//9.7e-18:113:98//AR01
6240

R-HEMBA1006284//Homo sapiens chromosome 17, clone hRPC.1028_K_7, complet
e sequence.//0.97:447:59//AC004585

R-HEMBA1006291//Homo sapiens full length insert cDNA clone ZB76B10.7/2.9
e-94:454:98//AF086161

R-HEMBA1006293//Sequence 8 from patent US 5721351.//8.1e-10:111:72//I894
15

R-HEMBA1006309//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING
DRAFT SEQUENCE, 2 ordered pieces.//8.6e-37:288:84//AC005412

R-HEMBA1006310//Rattus norvegicus cytosolic sorting protein PACS-1a (PAC
S-1) mRNA, complete cds.//6.5e-29:132:81//AF076183

R-HEMBA1006328//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 894K16, WORKING DRAFT SEQUENCE.//3.3e-50:340:75//AL034429

R-HEMBA1006334

R-HEMBA1006344//Rattus norvegicus nitzin mRNA, partial cds.//8.7e-22:259
:72//AF087945

R-HEMBA1006347//Human prostatic gene, complete cds.//1.8e-78:170:100//U3
3446

R-HEMBA1006349//Rat brain calcium channel alpha-1 subunit mRNA, complete
cds.//0.00051:120:73//M57682

R-HEMBA1006359//CITBI-E1-2516C16.TR CITBI-E1 Homo sapiens genomic clone
2516C16, genomic survey sequence.//4.7e-74:576:82//AQ277951

R-HEMBA1006364//G.gallus gene for transforming growth factor-beta2, exon
s 5-7.//2.5e-21:118:85//X59080

R-HEMBA1006377//Homo sapiens chromosome 19, cosmid F23149, complete sequ
ence.//5.7e-68:367:85//AC005239

R-HEMBA1006380//Human BAC clone RG007J15 from 7q31, complete sequence.//
6.1e-47:300:83//AC003989

R-HEMBA1006381//Homo sapiens chromosome 5, Bac clone 189 (LBNL H135), co
mplete sequence.//1.5e-47:336:86//AC005914

R-HEMBA1006398//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155),
complete sequence.//1.5e-67:501:83//AC005609

R-HEMBA1006416//Homo sapiens chromosome 17, clone 347_H_5, complete sequence.//4.4e-37:319:76//AC002119

R-HEMBA1006419//Homo sapiens chromosome 17, clone HCIT542B22, complete sequence.//2.9e-50:502:75//AC004253

R-HEMBA1006421//Homo sapiens chromosome 14q24.3 clone BAC270M14 transforming growth factor-beta 3 (TGF-beta 3) gene, complete cds; and unknown genes.//4.1e-116:572:97//AF107885

R-HEMBA1006424//Human DNA sequence from clone 51J12 on chromosome 6q26-27. Contains the 3' part of the alternatively spliced gene for the human orthologs of mouse QKI-7 and QKI-7B (KH Domain RNA Binding proteins) and zebrafish ZKQ-1 (Quaking protein homolog). Contains ESTs, STSs and GSSs, complete sequence.//9.4e-117:578:97//AL031781

R-HEMBA1006426//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 291J10, WORKING DRAFT SEQUENCE.//2.2e-08:353:63//Z93017

R-HEMBA1006438//HS_2008_A1_D04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2008 Col=7 Row=G, genomic survey sequence.//1.2e-29:194:91//AQ245162

R-HEMBA1006445//Homo sapiens clone RG219E16, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.011:330:60//AC005075

R-HEMBA1006446//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//0.032:256:61//AE001398

R-HEMBA1006461//Homo sapiens Xp22 Cosmids U15E4, U115H5, U132E12, U115B9 (Lawrence Livermore human cosmid library) complete sequence.//5.6e-35:229:77//AC002364

R-HEMBA1006467//Homo sapiens Chromosome 9p22 Cosmid clone 34a5, complete sequence.//1.1e-14:354:63//AC002052

R-HEMBA1006471

R-HEMBA1006474//p40, p24 [Borna disease virus BDV, WT-1, Halle B1/91, horse brain, field isolate, Genomic RNA, 1138 nt, segment 1 of 3].//1.1e-1

4:442:60//S67502

R-HEMBA1006483//Human chromosome 16p13.1 BAC clone CIT987SK-551G9 complete sequence.//3.7e-37:290:82//U95742

R-HEMBA1006485//H.sapiens mRNA for aminopeptidase.//7.6e-91:517:91//Y07701

R-HEMBA1006486//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.1e-33:289:81//AC005089

R-HEMBA1006489//Human DNA sequence from clone 192P9 on chromosome Xp11.23-11.4. Contains a pseudogene similar to rat Plasmalipin, ESTs and GSSs, complete sequence.//6.0e-07:485:60//AL020989

R-HEMBA1006492//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//4.3e-112:572:95//AC005828

R-HEMBA1006494//Homo sapiens chromosome 17, clone HRPC987K16, complete sequence.//2.3e-10:186:67//AC002994

R-HEMBA1006497//RPCI11-16L10.TPB RPCI-11 Homo sapiens genomic clone RPCI-11-16L10, genomic survey sequence.//1.5e-10:75:100//B88015

R-HEMBA1006502//Human DNA sequence from clone 272E8 on chromosome Xp22.13-22.31. Contains a pseudogene similar to MDM2-Like P53-binding protein gene. Contains STSs, GSSs and a CA repeat polymorphism, complete sequence.//3.3e-36:516:70//Z93929

R-HEMBA1006507//Homo sapiens mRNA for KIAA0666 protein, partial cds.//1.2e-115:570:96//AB014566

R-HEMBA1006521//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 54B20, WORKING DRAFT SEQUENCE.//2.2e-20:266:71//Z98304

R-HEMBA1006530//RPCI11-52M1.TJ RPCI11 Homo sapiens genomic clone R-52M1, genomic survey sequence.//0.00015:227:64//AQ052526

R-HEMBA1006535//HS_2234_B1_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2234 Col=13 Row=D, genomic survey sequence.//7.5e-33:191:95//AQ129525

R-HEMBA1006540//Homo sapiens clone GS051M12, complete sequence.//0.026:4
97:58//AC005007

R-HEMBA1006546//Homo sapiens chromosome 19, cosmid R33496, complete sequ
ence.//5.2e-41:289:86//AC004603

R-HEMBA1006559//Mus musculus PRAJA1 (Prajai) mRNA, complete cds.//3.4e-6
4:551:78//U06944

R-HEMBA1006562//Human Chromosome 11p11.2 PAC clone pDJ404m15, complete s
equence.//5.7e-09:266:66//AC002554

R-HEMBA1006566//HS_2171_B1_B04_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2171 Col=7 Row=D, genomic survey s
equence.//0.012:306:61//AQ125421

R-HEMBA1006569//Ovis aries beta actin mRNA, complete cds.//3.8e-70:529:8
2//U39357

R-HEMBA1006579//Homo sapiens BAC clone NH0115E20 from Y, complete sequen
ce.//1.0:141:65//AC006032

R-HEMBA1006583//CIT-HSP-2377M16.TR CIT-HSP Homo sapiens genomic clone 23
77M16, genomic survey sequence.//1.7e-31:271:76//AQ111875

R-HEMBA1006595//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomi
c sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.093:270:61//A
C004709

R-HEMBA1006597//Homo sapiens P1 clone GSP13996 from 5q12, complete seque
nce.//2.7e-45:371:80//AC005031

R-HEMBA1006612

R-HEMBA1006617//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 8B22, WORKING DRAFT SEQUENCE.//2.1e-20:229:77//AL031737

R-HEMBA1006624//Human DNA sequence from clone 406A7 on chromosome 6q23-2
4. Contains three pseudogenes similar to Elongation Factor 1-Alpha (EF-1
-ALPHA, Statin S1), 60S Acidic Ribosomal Protein P1 and NADH-Ubiquinone
Oxidoreductase 15 kDa subunit, and part of the Microtubule Associated Pro

tein E-MAP-115 gene. Contains ESTs, STSS and GSSs, complete sequence.//4
 .8e-40:321:83//AL023284

R-HEMBA1006631//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 20208, WORKING DRAFT SEQUENCE.//1.5e-45:477:77//AL031848

R-HEMBA1006635//***ALU WARNING: Human Alu-Sp subfamily consensus sequenc
 e.//8.0e-40:245:91//U14572

R-HEMBA1006639

R-HEMBA1006643

R-HEMBA1006648//Homo sapiens integrin-linked kinase (ILK) mRNA, complete
 cds.//2.5e-106:567:94//U40282

R-HEMBA1006652//Human BAC clone RG308B22 from 7q22-q31, complete sequenc
 e.//8.7e-54:334:76//AC002089

R-HEMBA1006653//Homo sapiens 7q telomere, complete sequence.//5.0e-36:20
 7:89//AF027390

R-HEMBA1006665//HS_3213_B2_D04_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3213 Col=8 Row=H, genomic survey s
 equence.//1.2e-21:235:67//AQ175625

R-HEMBA1006674//H.sapiens telomeric DNA sequence, clone 9QTEL023, read 9
 QTEL00023.seq.//2.6e-32:212:83//Z96776

R-HEMBA1006676//Plasmodium falciparum MAL3P6, complete sequence.//1.9e-1
 0:436:60//Z98551

R-HEMBA1006682//Plasmodium falciparum (strain Dd2) variant-specific-surfa
 ce protein (var-1) gene, complete cds.//6.1e-06:477:59//L40608

R-HEMBA1006695//Homo sapiens clone RG339C12, WORKING DRAFT SEQUENCE, 10
 unordered pieces.//1.8e-30:266:80//AC005096

R-HEMBA1006696

R-HEMBA1006708

R-HEMBA1006709//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 715N11, WORKING DRAFT SEQUENCE.//6.8e-14:139:82//AL031674

R-HEMBA1006717

R-HEMBA1006737//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//9.9e-18:365:66//AC005828

R-HEMBA1006744//Human Chromosome 16 BAC clone CIT987SK-327024, complete sequence.//1.3e-37:380:75//AC003108

R-HEMBA1006754//Homo sapiens chromosome 5, P1 clone 962c5 (LBNL H87), complete sequence.//2.1e-75:338:85//AC003951

R-HEMBA1006758//Homo sapiens chromosome 5, BAC clone 182a8 (LBNL H161), complete sequence.//1.2e-112:579:95//AC005752

R-HEMBA1006767//Plasmodium falciparum MAL3P6, complete sequence.//0.00022:528:58//Z98551

R-HEMBA1006779//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//2.3e-46:305:87//AC005701

R-HEMBA1006780//Human DNA sequence from clone 243E7 on chromosome 22q12.1. Contains ESTs, STSs and GSSs, complete sequence.//7.2e-39:305:82//AL022323

R-HEMBA1006789//Streptomyces coelicolor cosmid 6G4.//0.0085:449:61//AL031317

R-HEMBA1006795//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//4.1e-43:355:80//AC006120

R-HEMBA1006796//HS_3038_B2_H11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3038 Col=22 Row=P, genomic survey sequence.//0.99:158:63//AQ102483

R-HEMBA1006807//Homo sapiens clone DJ0673M15, WORKING DRAFT SEQUENCE, 33 unordered pieces.//8.4e-47:481:75//AC004854

R-HEMBA1006821//Homo sapiens chromosome 17, clone hRPC.62_0_9, complete sequence.//3.0e-08:84:90//AC004797

R-HEMBA1006824//Homo sapiens DNA sequence from PAC 958B3 on chromosome X p22.11-Xp22.22. Contains ESTs STS and CpG island.//3.7e-54:496:76//Z9302

3

R-HEMBA1006832//Homo sapiens chromosome 17, clone hRPK.243_K_12, complete sequence.//0.70:206:65//AC005668

R-HEMBA1006849//Homo sapiens 12q24.1 PAC RPCI3-521E19 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.2e-46:281:91//AC004217

R-HEMBA1006865//Mus musculus clone 101 B1 repeat region sequence.//0.61:115:70//AF056074

R-HEMBA1006877//Mus musculus mRNA for oxysterol-binding protein, complete cds.//3.3e-102:618:87//AB017026

R-HEMBA1006885

4.2e-14:379:63//AG006839

R-HEMBA1006900//CIT-HSP-2006M20.TR CIT-HSP Homo sapiens genomic clone 2006M20, genomic survey sequence.//2.6e-07:230:66//B56395

R-HEMBA1006921//Homo sapiens PAC clone DJ0777023 from 7p14-p15, complete sequence.//2.1e-68:267:86//AC005154

R-HEMBA1006926

R-HEMBA1006929//HS_3244_A2_C01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3244 Col=2 Row=E, genomic survey sequence.//6.9e-21:191:83//AQ207500

R-HEMBA1006936

R-HEMBA1006938//Colias philodice eriphyle large subunit ribosomal RNA gene, partial sequence; tRNA-Val gene, complete sequence; and small subunit ribosomal RNA gene, partial sequence, mitochondrial genes for mitochondrial RNAs.//0.11:309:59//AF044853

R-HEMBA1006941//Homo sapiens mRNA for putative thioredoxin-like protein.//2.0e-75:371:98//AJ010841

R-HEMBA1006949//Homo sapiens PAC clone DJ0777G09 from 7q34-q36, complete sequence.//0.47:240:63//AC005518

R-HEMBA1006973//HS_2009_A2_A12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2009 Col=24 Row=A, genomic survey sequence.//9.6e-05:407:60//AQ232302

R-HEMBA1006976//RPCI11-49L11.TJ RPCI11 Homo sapiens genomic clone R-49L11, genomic survey sequence.//0.0018:184:63//AQ051701

R-HEMBA1006993//Human thymopoietin (TMP0) gene, partial exon 6, complete exon 7, partial exon 8, and partial cds for thymopoietin beta.//1.9e-47:394:79//U18271

R-HEMBA1006996//CIT-HSP-2172D17.TF CIT-HSP Homo sapiens genomic clone 2172D17, genomic survey sequence.//1.8e-07:365:62//B93406

R-HEMBA1007002//Plasmodium falciparum MAL3P2, complete sequence.//0.0012:505:56//AL034558

R-HEMBA1007017//Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.//5.6e-41:437:71//AC005277

R-HEMBA1007018//G.gallus mRNA for dynein light chain-A.//8.2e-73:556:80//X79088

R-HEMBA1007045

R-HEMBA1007051//Human DNA sequence from cosmid N69F4 on chromosome 22q11.2-qter contains EST.//9.9e-27:342:71//Z72006

R-HEMBA1007052//Homo sapiens FSHD-associated repeat DNA, proximal region.//5.4e-85:558:87//U85056

R-HEMBA1007062

R-HEMBA1007066

R-HEMBA1007073//Homo sapiens chromosome 17, clone hRPK.421_E_14, complete sequence.//2.0e-66:476:85//AC006141

R-HEMBA1007078//Homo sapiens chromosome 17, clone hRPK.60_A_24, complete sequence.//1.0e-38:179:82//AC005325

R-HEMBA1007085//Homo sapiens clone DJ0965K10, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.2e-49:551:73//AC006015

R-HEMBA1007087//Human Chromosome 11 pac pDJ392a17, complete sequence.//1.0:261:61//AC000385

R-HEMBA1007112//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE, 37 unordered pieces.//0.043:295:62//AC004803

R-HEMBA1007113//Homo sapiens (subclone 6_a8 from P1 H16) DNA sequence.//1.4e-52:307:87//L43392

R-HEMBA1007129//Human DNA sequence from PAC 863K19 on chromosome X. Contains STS.//1.2e-08:131:75//Z92547

R-HEMBA1007147//H.sapiens CpG island DNA genomic MseI fragment, clone 65f1, reverse read cpg65f1.rtl.a.//0.16:187:64//Z62246

R-HEMBA1007149//Homo sapiens chromosome 19, cosmid F23149, complete sequence.//7.6e-108:543:96//AC005239

R-HEMBA1007151//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//0.14:323:58//AC004875

R-HEMBA1007174//Homo sapiens epsin 2a mRNA, complete cds.//5.1e-103:529:94//AF062085

R-HEMBA1007178//Homo sapiens chromosome 12p13.3 clone RPC111-372B4, WORKING DRAFT SEQUENCE, 129 ordered pieces.//5.4e-106:537:96//AC005911

R-HEMBA1007194//Homo sapiens Xp22 bins 87-93 PAC RPC11-122K4 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//4.1e-39:262:80//AC003035

R-HEMBA1007203//Homo sapiens mRNA for KIAA0214 protein, complete cds.//5.3e-61:332:95//D86987

R-HEMBA1007206//Homo sapiens DNA sequence from PAC 958B3 on chromosome X p22.11-Xp22.22. Contains ESTs STS and CpG island.//1.9e-50:436:81//Z93023

R-HEMBA1007224//Homo sapiens mRNA for KIAA0797 protein, partial cds.//2.3e-96:471:97//AB018340

R-HEMBA1007251//Homo sapiens chromosome 5, PAC clone 247f3 (LBNL H85), c

complete sequence.//0.011:349:62//AC004777

R-HEMBA1007256//Homo sapiens PAC clone DJ0676L20 from 7q35-q36, complete sequence.//2.8e-10:224:70//AC004856

R-HEMBA1007267//Homo sapiens Chr.14 PAC RPCI4-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//3.4e-53:362:86//AC005924

R-HEMBA1007273

R-HEMBA1007279//Rickettsia prowazekii strain Madrid E, complete genome; segment 4/4.//0.042:454:57//AJ235273

R-HEMBA1007281//Rickettsia prowazekii strain Madrid E, complete genome; segment 3/4.//0.99:288:60//AJ235272

R-HEMBA1007288//Human DNA sequence from clone 422G23 on chromosome 6q24 Contains EST, STS, GSS, CpG island, complete sequence.//7.4e-107:554:95//AL031003

R-HEMBA1007300//Caenorhabditis elegans cosmid C48C5.//0.22:474:59//U39994

R-HEMBA1007301

R-HEMBA1007319//Campylobacter jejuni repetitive DNA, clone pINT.//4.9e-08:524:58//Y14425

R-HEMBA1007320//Homo sapiens genomic DNA, chromosome 21q11.1, segment 14/28, WORKING DRAFT SEQUENCE.//3.4e-16:244:71//AP000043

R-HEMBA1007322//Homo sapiens BAC clone RG324D18 from 7p15-p21, complete sequence.//3.9e-83:383:85//AC005251

R-HEMBA1007327//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 7706, WORKING DRAFT SEQUENCE.//1.6e-38:533:71//Z96804

R-HEMBA1007341//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 268D13, WORKING DRAFT SEQUENCE.//3.6e-21:394:66//AL023513

R-HEMBA1007342//Human BAC clone GS368F15 from 7q31, complete sequence.//1.7e-15:190:73//AC003080

R-HEMBA1007347//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone N38G6, WORKING DRAFT SEQUENCE.//2.2e-47:455:77//Z96802

R-HEMBB1000005//Homo sapiens 3p21.1-9 PAC RPCI4-793P23 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.1e-62:539:79//AC006208

R-HEMBB1000008//Homo sapiens chromosome 17, clone hCIT.211_P_7, complete sequence.//1.2e-36:285:83//AC003665

R-HEMBB1000018//Homo sapiens clone DJ0038I10, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.2e-51:416:79//AC004820

R-HEMBB1000024//Human DNA sequence from BAC 175E3 on chromosome 22q11.2-pter. Contains ESTs, STSs and polymorphic CA repeat.//3.9e-18:211:79//Z95113

R-HEMBB1000025//HS_3064_B2_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3064 Col=14 Row=D, genomic survey sequence.//5.9e-40:254:90//AQ132765

R-HEMBB1000030//Human DNA sequence from clone 108K11 on chromosome 6p21 Contains SRP20 (SR protein family member), Ndr protein kinase gene similar to yeast suppressor protein SRP40, EST and GSS, complete sequence.//1.5e-32:452:70//Z85986

R-HEMBB1000036//CIT-HSP-2024L15.TF CIT-HSP Homo sapiens genomic clone 2024L15, genomic survey sequence.//9.3e-63:541:77//B66264

R-HEMBB1000037//Homo sapiens erythroblast macrophage protein EMP mRNA, complete cds.//7.6e-91:467:97//AF084928

R-HEMBB1000039//Homo sapiens chromosome 17, clone hRPK.401_0_9, complete sequence.//2.4e-44:456:68//AC005291

R-HEMBB1000044//Human BAC clone RG016J04 from 7q21, complete sequence.//1.4e-54:307:80//AC002064

R-HEMBB1000048//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-279B10, complete sequence.//3.8e-09:330:63//AC002300

R-HEM BB1000050//Human DNA sequence from PAC 436M11 on chromosome Xp22.11-22.2. Contains the serine threonine protein phosphatase gene PPEF1, and the first coding exon of the RSL gene for retinosis (X-linked, juvenile) 1 (XLRSL). Contains ESTs, an STS and GSSs, complete sequence.//6.7e-12:225:65//Z94056

R-HEM BB1000054//Human DNA sequence from clone 444C7 on chromosome 6p22.3-23. Contains an EST, an STS and GSSs, complete sequence.//8.9e-76:557:82//AL033521

R-HEM BB1000055//Human housekeeping (Q1Z 7F5) gene, exons 2 through 7, complete cds.//1.6e-88:350:86//M81806

R-HEM BB1000059//Homo sapiens clone DJ0850101, WORKING DRAFT SEQUENCE, 1 unordered pieces.//4.9e-12:356:65//AC006009

R-HEM BB1000083//Homo sapiens clone DJ0607J02, WORKING DRAFT SEQUENCE, 12 unordered pieces.//3.7e-41:311:82//AC004840

R-HEM BB1000089//Homo sapiens clone DJ1021I20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.6e-34:314:78//AC005520

R-HEM BB1000099//Homo sapiens DNA sequence from BAC 1216H12 on chromosome 22q12. Contains a pseudogene with similarity to part of mouse Ninein and the KIAA0609 gene for a protein similar to C. elegans K09C8.4. Contains ESTs, GSSs and a gggt repeat polymorphism, complete sequence.//8.8e-32:434:71//AL008715

R-HEM BB1000103//Human DNA sequence from BAC 445C9 on chromosome 22q12.1. Contains CRYBB1, beta B1 crystallin, CRYBA4, beta A4 crystallin, high mobility group-1 protein (HMG-1), ESTs.//2.5e-16:207:74//Z95115

R-HEM BB1000113//HS_3013_A1_B08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3013 Col=15 Row=C, genomic survey sequence.//0.94:211:63//AQ118730

R-HEM BB1000119//Homo sapiens ASMTL gene.//1.9e-106:531:96//Y15521

R-HEM BB1000136//Human Chromosome X, complete sequence.//0.00073:359:59//

AC002407

R-HEM BB1000141//Homo sapiens chromosome 21q22.3 PAC 39C17, complete sequence.//6.8e-41:280:74//AF043945

R-HEM BB1000144//Homo sapiens chromosome 17, clone hCIT.507_E_2, complete sequence.//0.00083:206:66//AC004134

R-HEM BB1000173//Homo sapiens, WORKING DRAFT SEQUENCE, 97 unordered pieces.//2.5e-82:401:90//AC004085

R-HEM BB1000175

R-HEM BB1000198//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6. Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//0.91:428:56//AL021368

R-HEM BB1000215//Homo sapiens DNA sequence from PAC 69E11 on chromosome 1 q23-24. Contains a NADH-Ubiquinone Oxidoreductase MLRQ subunit (EC 1.6.5.3, EC 1.6.99.3, CI-MLRQ) LIKE pseudogene, a 60S Ribosomal protein L34 LIKE pseudogene, an unknown gene similar to yeast YPR037W and worm C02C2.6 predicted genes, a predicted CpG island, ESTs and an STS, complete sequence.//4.4e-54:298:91//AL021397

R-HEM BB1000217

R-HEM BB1000218//Homo sapiens 12q24 PAC RPCI1-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//5.8e-32:517:70//AC004216

R-HEM BB1000226//Human DNA sequence from cosmid COS12 from a contig from the tip of the short arm of chromosome 16, spanning 2Mb of 16p13.3. Contains ESTs, Flanking sequences of 3' alpha globin HVR and CpG island.//2.5e-77:450:92//Z69706

R-HEM BB1000240//Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and trypsinogen gene families.//4.1e-05:310:62//AF029308

R-HEM BB1000244//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1112F19, WORKING DRAFT SEQUENCE.//1.3e-43:278:85//AL034420

R-HEM BB1000250//Human DNA sequence from clone 34B20 on chromosome 6p21.3 1-22.2. Contains seventeen Histone (pseudo)genes and a 40S Ribosomal protein S10 pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//3.8e-16:484:64//AL031777

R-HEM BB1000258//Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds.//4.3e-11:286:67//U91328

R-HEM BB1000264//Mus musculus enhancer of polycomb (Epc1) mRNA, complete cds.//1.2e-42:406:79//AF079765

R-HEM BB1000266//RPCI11-76C20.TV RPCI11 Homo sapiens genomic clone R-76C20, genomic survey sequence.//1.0:232:59//AQ265533

R-HEM BB1000272//HS_3032_B1_H06_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3032 Col=11 Row=P, genomic survey sequence.//0.0082:209:62//AQ096702

R-HEM BB1000274//Homo sapiens Chromosome 22q11.2 Cosmid Clone 817g In IGL C Region, complete sequence.//1.6e-45:277:72//AC000053

R-HEM BB1000284//Homo sapiens full length insert cDNA clone YY88A05.//6.9e-112:572:96//AF088018

R-HEM BB1000307//Homo sapiens chromosome 17, clone hRPK.471_L_13, complete sequence.//5.7e-96:523:93//AC005244

R-HEM BB1000312//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING DRAFT SEQUENCE.//7.5e-21:218:67//AL023693

R-HEM BB1000317//Toxoplasma gondii chloroplast, complete genome.//0.062:354:58//U87145

R-HEM BB1000318//Human DNA sequence from PAC 292H14 on chromosome Xp21. Contains STS and CA repeat polymorphism.//4.5e-52:302:81//AL008710

R-HEM BB1000335//Homo sapiens chromosome 5, P1 clone 1041F10 (LBNL H88), complete sequence.//1.9e-16:139:84//AC005179

R-HEM BB1000336//Homo sapiens complete genomic sequence between D16S3070 and D16S3275, containing Familial Mediterranean Fever gene disease.//0.0 062:231:64//AJ003147

R-HEM BB1000337//CIT-HSP-2329010.TF CIT-HSP Homo sapiens genomic clone 23 29010, genomic survey sequence.//1.2e-31:192:92//AQ035976

R-HEM BB1000338//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, c omplete sequence.//1.9e-39:477:71//AC004605

R-HEM BB1000339//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c lone 862K6, WORKING DRAFT SEQUENCE.//4.1e-54:357:76//AL031681

R-HEM BB1000341//Homo sapiens 12q24 PAC RPC13-424M6 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.8e-19:501:63//AC00235 0

R-HEM BB1000343//Homo sapiens chromosome 16, cosmid clone 367E12 (LANL), complete sequence.//3.6e-41:457:72//AC004644

R-HEM BB1000354//Human DNA sequence from PAC 560B9 on chromosome 1q24-1q2 5. Contains profilin-like pseudogene, 60S ribosomal protein L4 pseudogen e RNA binding protein, ESTs, GSS.//7.2e-36:325:74//Z98751

R-HEM BB1000369//Homo sapiens chromosome 4 clone B366024 map 4q25, comple te sequence.//9.0e-25:179:79//AC004067

R-HEM BB1000374//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c lone 75N14, WORKING DRAFT SEQUENCE.//8.4e-58:332:79//Z97199

R-HEM BB1000376//Homo sapiens DNA for amyloid precursor protein, complete cds.//2.1e-47:309:88//D87675

R-HEM BB1000391//Homo sapiens clone RG269P13, WORKING DRAFT SEQUENCE, 6 u nordered pieces.//5.7e-46:302:85//AC005080

R-HEM BB1000399//Homo sapiens Rad17-like protein (RAD17) mRNA, complete c ds.//1.0e-107:531:97//AF076838

R-HEMBB1000402//Human DNA sequence from clone 505B13 on chromosome 1p36. 2-36.3 Contains CA repeat and GSSs, complete sequence.//1.1e-25:441:67//Z98052

R-HEMBB1000404//HS_2246_A2_D01_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2246 Col=2 Row=G, genomic survey sequence.//0.0025:196:63//AQ084251

R-HEMBB1000420//Homo sapiens Chromosome 22q11.2 Cosmid Clone 817g In IGL C Region, complete sequence.//1.2e-29:358:72//AC000053

R-HEMBB1000434//Homo sapiens chromosome 4 clone B71M12 map 4q25, complete sequence.//2.8e-51:299:89//AC004069

R-HEMBB1000438//HS_2239_B2_E08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2239 Col=16 Row=J, genomic survey sequence.//1.3e-10:76:100//AQ067700

R-HEMBB1000441//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//4.4e-60:281:90//Z82207

R-HEMBB1000449//Homo sapiens clone DJ0898018, WORKING DRAFT SEQUENCE, 8 unordered pieces.//4.8e-11:228:68//AC004920

R-HEMBB1000455//Homo sapiens clone GS051M12, complete sequence.//3.1e-14:388:65//AC005007

R-HEMBB1000472//Homo sapiens chromosome 17, clone HCIT48C15, complete sequence.//4.9e-34:320:79//AC003104

R-HEMBB1000480//Human DNA sequence from Fosmid 65B7 on chromosome 22q11.2-qter. Contains exons 6-12 of the SLC5A1 (SGLT1) gene for solute carrier family 5 (sodium/glucose cotransporter) member 1 (High Affinity Sodium-Glucose Cotransporter), complete sequence.//3.4e-36:285:82//Z83849

R-HEMBB1000487

R-HEMBB1000490//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1185N5, WORKING DRAFT SEQUENCE.//1.5e-34:281:81//AL034423

R-HEMBB1000491//Homo sapiens DNA sequence from PAC 958B3 on chromosome X

p22.11-Xp22.22. Contains ESTs STS and CpG island.//8.5e-37:483:72//Z9302
3

R-HEM BB1000493//Human DNA sequence from clone 109F14 on chromosome 6p21.
2-21.3. Contains the alternatively spliced gene for Transcriptional Enhancer Factor TEF-5, the 60S Ribosomal Protein RPL10A gene, a PUTATIVE ZNF 127 LIKE gene, and the PPARD for Peroxisome Proliferator Activated Receptor Delta (PPAR-Delta, PPAR-Beta, Nuclear Hormone Receptor 1, NUC1, NUCI, PPARB). Contains three putative CpG islands, ESTs, STSs, GSSs and a ca repeat polymorphism, complete sequence.//7.6e-14:217:71//AL022721

R-HEM BB1000510//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 27K12, WORKING DRAFT SEQUENCE.//7.1e-44:221:80//AL033397

R-HEM BB1000518//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//3.5e-51:280:90//AC002477

R-HEM BB1000523//Homo sapiens PAC clone DJ0167F23 from 7p15, complete sequence.//1.7e-53:304:82//AC004079

R-HEM BB1000530//Homo sapiens chromosome 17, clone hCIT.162_E_12, complete sequence.//4.2e-74:428:92//AC006236

R-HEM BB1000550//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//5.6e-13:112:80//U91321

R-HEM BB1000554//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 409J21, WORKING DRAFT SEQUENCE.//5.1e-14:239:63//Z83824

R-HEM BB1000556//Homo sapiens envoplakin (EVPL) mRNA, complete cds.//0.031:275:60//U53786

R-HEM BB1000564//Homo sapiens chromosome 5, Bac clone 189 (LBNL H135), complete sequence.//3.1e-17:227:76//AC005914

R-HEM BB1000573//Borrelia afzelii (strain NT28) DNA, internal transcribed spacer.//0.078:161:63//D84405

R-HEM BB1000575//Homo sapiens chromosome 17, clone hRPC.859_0_20, complete sequence.//7.2e-52:260:80//AC003695

R-HEM BB1000586//Human DNA sequence from cosmid V210E9, between markers D XS366 and DXS87 on chromosome X.//2.0e-33:305:79//Z70280

R-HEM BB1000589//Homo sapiens chromosome 17, clone hRPK.1064_E_11, complete sequence.//1.3e-14:409:65//AC005208

R-HEM BB1000591//Homo sapiens Xp22 bins 45-47 BAC GSHB-665N22 (Genome Systems Human BAC Library) complete sequence.//6.2e-39:493:71//AC005184

R-HEM BB1000592//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.6e-08:254:64//AC005831

R-HEM BB1000598//Homo sapiens chromosome 11 pac pDJ159o1, complete sequence.//3.3e-38:407:76//AC000381

R-HEM BB1000623//CIT-HSP-2374P17.TR CIT-HSP Homo sapiens genomic clone 2374P17, genomic survey sequence.//1.3e-41:212:100//AQ109717

R-HEM BB1000630//Human DNA sequence from clone 413H6 on chromosome 6p22.3-24.3. Contains a hamster Androgen-dependent Expressed Protein like protein gene, ESTs and GSSs, complete sequence.//5.2e-31:319:78//AL022724

R-HEM BB1000631//Sequence 28 from patent US 5708157.//6.8e-20:208:80//180058

R-HEM BB1000632//Homo sapiens Cosmid C4, WORKING DRAFT SEQUENCE, 1 ordered pieces.//7.4e-47:457:75//AC004176

R-HEM BB1000637//Human BAC clone RG094H21 from 7q21-q22, complete sequence.//2.9e-45:263:87//AC003085

R-HEM BB1000638//Genomic sequence from Human 6, complete sequence.//9.1e-34:375:73//AC002112

R-HEM BB1000643//HS_2242_A2_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2242 Col=14 Row=C, genomic survey sequence.//0.010:239:60//AQ065993

R-HEM BB1000649//Homo sapiens RBP56/hTAFII68 gene, exon 7.//8.3e-63:306:100//AB010061

R-HEM BB1000652//Human DNA sequence from PAC 467D16 on chromosome 6p22.3-24.1. Contains the 3' part of the SCA1 (ataxin-1) gene with a poly-glutamine (CAG repeat) polymorphism, the 3' part of the GMPR (GMP reductase, Guanosine 5'-monophosphate oxidoreductase) gene, ESTs and an STS with a polymorphic CA repeat.//3.3e-14:450:64//AL009031

R-HEM BB1000665//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MXA21, complete sequence.//0.98:251:63//AB005247

R-HEM BB1000671//Human DNA sequence from PAC 106C24, between markers DXS294 and DXS730 on chromosome X.//6.8e-58:296:85//Z83313

R-HEM BB1000673//CITBI-E1-2506F20.TR CITBI-E1 Homo sapiens genomic clone 2506F20, genomic survey sequence.//0.98:71:76//AQ264731

R-HEM BB1000684//Human DNA sequence from clone 1158E12 on chromosome Xp11.23-11.4 Contains EST, STS, GSS, CpG island, complete sequence.//2.6e-11:153:77//AL031584

R-HEM BB1000693//Homo sapiens neuroan1 mRNA, complete cds.//2.0e-50:287:93//AF040723

R-HEM BB1000705//Homo sapiens chromosome 19, cosmid R30538, complete sequence.//3.4e-18:340:65//AC005943

R-HEM BB1000706//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 462C17, WORKING DRAFT SEQUENCE.//4.7e-10:358:64//AL033380

R-HEM BB1000709//RPCI11-79A8.TV RPCI11 Homo sapiens genomic clone R-79A8, genomic survey sequence.//1.4e-40:262:89//AQ282374

R-HEM BB1000725//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MGN6, complete sequence.//0.00018:386:60//AB017066

R-HEM BB1000726//Homo sapiens PAC clone DJ1185I07 from 7q11.23-q21, complete sequence.//1.5e-48:316:88//AC004990

R-HEM BB1000738//Homo sapiens PAC clone DJ0745K06 from 7q31, complete sequence.//7.1e-53:382:85//AC004875

R-HEM BB1000749//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 u

nordered pieces.//6.5e-51:438:80//AC005069
 R-HEM BB1000763//Plasmid Col Ib-P9 (from E.coli K12) colicin Ib promoter
 region and 5' coding region.//1.0:115:63//K02071
 R-HEM BB1000770//Human Rhesus blood group antigen (RHCE) gene, intron 6,
 partial sequence.//5.6e-24:183:86//U83205
 R-HEM BB1000781//Homo. sapiens Xp22 PACs RPC11-263P4 and RPC11-164K3 compl
 ete sequence.//0.00054:154:67//AC003046
 R-HEM BB1000789//RPCI11-2I14.TVB RPCI-11 Homo sapiens genomic clone RPCI-
 11-2I14, genomic survey sequence.//3.0e-09:299:64//B63628
 R-HEM BB1000790//Human Chromosome 16 BAC clone CIT987SK-A-362G6, complete
 sequence.//4.5e-46:185:85//U95740
 R-HEM BB1000794//HS_3253_A1_G06_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3253 Col=11 Row=M, genomic survey
 sequence.//5.7e-13:172:65//AQ216291
 R-HEM BB1000807
 R-HEM BB1000810//Human BAC clone RG114A06 from 7q31, complete sequence.//
 1.3e-24:385:71//AC002542
 R-HEM BB1000821
 R-HEM BB1000822//CITBI-E1-2517E13.TF CITBI-E1 Homo sapiens genomic clone
 2517E13, genomic survey sequence.//4.5e-08:278:64//AQ279944
 R-HEM BB1000826//Homo sapiens genomic DNA, chromosome 21q11.1, segment 14
 /28, WORKING DRAFT SEQUENCE.//1.2e-44:521:72//AP000043
 R-HEM BB1000827//Homo sapiens clone DJ0981007, complete sequence.//6.8e-4
 3:319:84//AC006017
 R-HEM BB1000831//HS_3247_B2_A09_T7 CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3247 Col=18 Row=B, genomic survey
 sequence.//5.5e-74:381:96//AQ223850
 R-HEM BB1000835//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6
 . Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a

beta-glucoronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//4.2e-17:167:80//AL021368

R-HEMBB1000840//Homo sapiens clone DJ1039L24, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.9e-26:220:73//AC005283

R-HEMBB1000848//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//7.8e-39:356:79//AC004086

R-HEMBB1000852//HS_3075_A2_B07_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3075 Col=14 Row=C, genomic survey sequence.//3.4e-11:151:75//AQ138816

R-HEMBB1000870//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 72E17, WORKING DRAFT SEQUENCE.//1.8e-44:454:75//AL033523

R-HEMBB1000876//Human DNA sequence from clone 91J24 on chromosome 6q24 C contains part of utrophin Gene, part of cytochrome C oxidase gene, EST, CpG island, complete sequence.//0.0016:227:65//AL024474

R-HEMBB1000883//Homo sapiens chromosome 19, cosmid F19678, complete sequence.//0.62:238:62//AC005621

R-HEMBB1000887//Synthetic human/adenovirus type 5 recombination junction.//9.9e-24:275:76//M34061

R-HEMBB1000888//CIT-HSP-2282A13.TR CIT-HSP Homo sapiens genomic clone 2282A13, genomic survey sequence.//2.4e-05:310:60//AQ000826

R-HEMBB1000890//Homo sapiens clone DJ0042M02, WORKING DRAFT SEQUENCE, 20 unordered pieces.//6.5e-44:305:84//AC005995

R-HEMBB1000893//Homo sapiens BAC clone RG363E19 from 7q31.1, complete sequence.//3.7e-30:265:80//AC004492

R-HEMBB1000908//RPCI11-13P12.TV RPCI-11 Homo sapiens genomic clone RPCI-11-13P12, genomic survey sequence.//0.98:183:61//B76199

R-HEM BB1000910//Homo sapiens Chromosome 22q11.2 Cosmid Clone 50d10 In IG
LC Region, complete sequence.//1.7e-28:302:76//AC000024

R-HEM BB1000913//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human
BAC library) complete sequence.//4.1e-34:314:76//AC003037

R-HEM BB1000915//Human chromosome 16p11.2-p12 BAC clone CIT987SK-224D6 co
mplete sequence.//6.3e-09:536:59//U95739

R-HEM BB1000917//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 16915, WORKING DRAFT SEQUENCE.//1.6e-47:234:86//Z93015

R-HEM BB1000927

R-HEM BB1000947//CIT-HSP-2287M13.TF CIT-HSP Homo sapiens genomic clone 22
87M13, genomic survey sequence.//0.090:115:69//B99228

R-HEM BB1000959//Homo sapiens chromosome 17, clone HRPC905N1, complete se
quence.//5.7e-89:544:90//AC003098

R-HEM BB1000973//Arabidopsis thaliana chromosome II BAC F2I9 genomic sequ
ence, complete sequence.//0.038:377:58//AC005560

R-HEM BB1000975//Arabidopsis thaliana chromosome II BAC F5H14 genomic seq
uence, complete sequence.//1.0e-05:342:62//AC006234

R-HEM BB1000981//CIT-HSP-2386J13.TF.1 CIT-HSP Homo sapiens genomic clone
2386J13, genomic survey sequence.//1.1e-18:231:74//AQ239443

R-HEM BB1000985//HS_3184_A1_D12_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3184 Col=23 Row=G, genomic survey
sequence.//6.3e-52:286:95//AQ150008

R-HEM BB1000991

R-HEM BB1000996//Homo sapiens Xq28 BAC PAC and cosmid clones containing F
MR2 gene exons 1,2, and 3, complete sequence.//1.4e-42:343:81//AC002368

R-HEM BB1001004

R-HEM BB1001008//CITBI-E1-2504L23.TF CITBI-E1 Homo sapiens genomic clone
2504L23, genomic survey sequence.//3.1e-57:317:94//AQ262056

R-HEM BB1001011//HS_3017_B1_G03_T7 CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=3017 Col=5 Row=N, genomic survey s
 equence.//7.3e-34:237:86//AQ101944

R-HEM BB1001014//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 460J8, WORKING DRAFT SEQUENCE.//2.4e-49:417:80//AL031662

R-HEM BB1001020//Homo sapiens Xp22 BAC GS-377014 (Genome Systems Human BA
 C library) complete sequence.//7.6e-41:303:76//AC002549

R-HEM BB1001024//Homo sapiens (subclone 2_g5 from P1 H16) DNA sequence.//
 7.4e-48:341:85//L48475.

R-HEM BB1001037//Homo sapiens 22q11 BAC Clone 489d1 In MDR Region, comple
 te sequence.//2.0e-50:416:82//AC005527

R-HEM BB1001047//Homo sapiens chromosome 19, cosmid R31973, complete sequ
 ence.//8.4e-22:288:71//AC004699

R-HEM BB1001051//H.sapiens mRNA for FAN protein.//7.1e-18:114:98//X96586

R-HEM BB1001056//Homo sapiens clone DJ0953A04, WORKING DRAFT SEQUENCE, 5
 unordered pieces.//6.1e-94:520:93//AC006014

R-HEM BB1001058//Homo sapiens clone UWGC:y17c131 from 6p21, complete sequ
 ence.//1.1e-56:242:82//AC004187

R-HEM BB1001060//Human Tigger1 transposable element, complete consensus s
 equence.//4.2e-66:323:81//U49973

R-HEM BB1001063//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 523G1, WORKING DRAFT SEQUENCE.//4.0e-114:556:98//AL034375

R-HEM BB1001068//Homo sapiens liprin-beta2 mRNA, partial cds.//2.8e-105:5
 12:97//AF034803

R-HEM BB1001096//Human DNA sequence from PAC 24608, between markers DXS67
 91 and DXS8038 on chromosome X contains ESTs.//2.4e-13:225:69//Z76735

R-HEM BB1001102//Human DNA sequence from clone 353H6 on chromosome Xq25-2
 6.2. Contains the alternatively spliced SMARCA1 gene for SW1/SNF related
 , matrix associated, actin dependent regulator of chromatin, subfamily a
 , member 1 (SNF2L1) and a 40S Ribosomal Protein S26 pseudogene. Contains

ESTs, STSs and GSSs, complete sequence.//2.4e-35:295:80//AL022577
R-HEM BB1001105//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 462023, WORKING DRAFT SEQUENCE.//7.9e-46:380:80//AL031431
R-HEM BB1001114//Homo sapiens DNA sequence from PAC 119E23 on chromosome
Xq25-q27.1. Contains glypican-3 precursor (intestinal protein OCI-5) (GT
R2-2), 5' UTR. ESTs, STS.//1.1e-38:306:84//Z99570
R-HEM BB1001117//RPCI11-35I8.TK RPCI-11 Homo sapiens genomic clone RPCI-1
1-35I8, genomic survey sequence.//1.5e-08:67:100//AQ047113
R-HEM BB1001119//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, compl
ete sequence.//9.0e-26:481:67//AC003071
R-HEM BB1001126//Human DNA sequence from clone 441J1 on chromosome 6p24 C
ontains STS, GSS, complete sequence.//0.045:127:69//Z99495
R-HEM BB1001133//Human SS-A/Ro ribonucleoprotein autoantigen 60 kd subuni
t mRNA, complete cds.//5.0e-23:285:73//M25077
R-HEM BB1001137//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 4-09, complete sequence.//2.5e-07:334:62//AL010222
R-HEM BB1001142//Human BAC clone RG164L14 from 7q21-q22, complete sequenc
e.//2.5e-46:412:79//AC002564
R-HEM BB1001151//Mus musculus IFN alpha-treated embryonic fibroblast mRNA
.//1.8e-11:148:77//U51904
R-HEM BB1001153//RPCI11-10L7.TP RPCI-11 Homo sapiens genomic clone RPCI-1
1-10L7, genomic survey sequence.//2.3e-34:213:82//B71766
R-HEM BB1001169//Homo sapiens chromosome 17, clone HCIT39G8, complete seq
uence.//0.040:465:56//AC003070
R-HEM BB1001175//Sequence 1 from patent US 5618695.//2.8e-15:176:80//I400
55
R-HEM BB1001177
R-HEM BB1001182//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 4-52, complete sequence.//1.9e-05:174:70//AL010226

R-HEMBB1001199

R-HEMBB1001208

R-HEMBB1001209//RPCI11-41E13.TP RPCI-11 Homo sapiens genomic clone RPCI-11-41E13, genomic survey sequence.//1.1e-95:473:97//AQ029098

R-HEMBB1001210//Homo sapiens chromosome 16, cosmid clone 330D11 (LANL), complete sequence.//6.2e-08:412:61//AC005199

R-HEMBB1001218//RPCI11-13L8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-13L8, genomic survey sequence.//1.0e-46:498:74//B75158

R-HEMBB1001221//RPCI11-62024.TJ RPCI11 Homo sapiens genomic clone R-62024, genomic survey sequence.//3.2e-09:215:68//AQ200950

R-HEMBB1001234

R-HEMBB1001242

R-HEMBB1001249//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.4e-33:361:72//AC005377

R-HEMBB1001253//Homo sapiens chromosome 3, olfactory receptor pseudogene cluster 1, complete sequence, and myosin light chain kinase (MLCK) pseudogene, partial sequence.//3.8e-105:517:98//AF042089

R-HEMBB1001254//Methanococcus jannaschii section 3 of 150 of the complete genome.//0.96:203:61//U67461

R-HEMBB1001267//Human DNA sequence from clone 1409 on chromosome Xp11.1-11.4. Contains a Inter-Alpha-Trypsin Inhibitor Heavy Chain LIKE gene, a alternatively spliced Melanoma-Associated Antigen MAGE LIKE gene and a 6-Phosphofructo-2-kinase (Fructose-2,6-bisphosphatase) LIKE pseudogene. Contains ESTs, STSs and genomic marker DXS8032, complete sequence.//2.8e-39:320:80//Z98046

R-HEMBB1001271//Homo sapiens chromosome 17, clone hRPK.349_A_8, complete sequence.//3.9e-47:494:75//AC005544

R-HEMBB1001282//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 184J9, WORKING DRAFT SEQUENCE.//0.0011:97:79//AL031428

R-HEM BB1001288

R-HEM BB1001289//Homo sapiens chromosome 5, BAC clone 343g16 (LBNL H180), complete sequence.//2.0e-31:301:78//AC005601

R-HEM BB1001294//Homo sapiens BAC clone RG060N22 from 7q21, complete sequence.//0.053:283:60//AC003083

R-HEM BB1001302

R-HEM BB1001304//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 27K12, WORKING DRAFT SEQUENCE.//6.3e-15:396:64//AL033397

R-HEM BB1001314//Homo sapiens genomic DNA, 21q region, clone: f30F8SpN6, genomic survey sequence.//3.4e-42:293:86//AG013777

R-HEM BB1001315//Human NFE genomic fragment.//7.5e-30:243:78//M98511

R-HEM BB1001317//Homo sapiens chromosome 17, clone hRPC.1028_K_7, complete sequence.//2.3e-39:301:82//AC004585

R-HEM BB1001326//HS_3054_A1_F12_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3054 Col=23 Row=K, genomic survey sequence.//0.90:117:63//AQ106096

R-HEM BB1001331//Mus musculus mRNA for hepatoma-derived growth factor, complete cds, strain: BALB/c.//0.037:103:77//D63850

R-HEM BB1001335//Homo sapiens Xp22 BAC GSHB 526D21 (Genome Systems Human BAC library) complete sequence.//9.1e-19:229:77//AC003037

R-HEM BB1001337

R-HEM BB1001339//Homo sapiens FSHD-associated repeat DNA, proximal region.//2.9e-45:551:72//U85056

R-HEM BB1001346//Homo sapiens phenylalanine-tRNA synthetase (FARS1) mRNA, nuclear gene encoding mitochondrial protein, complete cds.//2.7e-59:292:99//AF097441

R-HEM BB1001348//Homo sapiens clone DJ0691F11, WORKING DRAFT SEQUENCE, 11 unordered pieces.//9.1e-41:326:82//AC004859

R-HEM BB1001356//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 424J12, WORKING DRAFT SEQUENCE.//1.8e-11:213:67//Z82207
R-HEM BB1001364//HS_3050_A2_F05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3050 Col=10 Row=K, genomic survey sequence.//1.8e-21:158:91//AQ133940
R-HEM BB1001366//Homo sapiens chromosome 10 clone CIT987SK-1188I5 map 10p11.2-10p12.1, complete sequence.//4.1e-37:419:73//AC005876
R-HEM BB1001367//Human Chromosome 16 BAC clone CIT987SK-A-234F9, complete sequence.//9.5e-15:201:75//U91326
R-HEM BB1001369//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 477J10, WORKING DRAFT SEQUENCE.//1.8e-28:224:83//AL021686
R-HEM BB1001380//HS_2267_B1_F11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2267 Col=21 Row=L, genomic survey sequence.//4.0e-14:100:95//AQ084896
R-HEM BB1001384//Mus musculus COP9 complex subunit 4 (COPS4) mRNA, complete cds.//9.6e-55:312:81//AF071314
R-HEM BB1001387//Homo sapiens chromosome 9, P1 clone 8660 (LBNL H105), complete sequence.//1.0:166:63//AC003953
R-HEM BB1001394//Homo sapiens chromosome 17, clone hRPK.215_E_13, complete sequence.//1.4e-55:494:76//AC005549
R-HEM BB1001410//Homo sapiens PAC clone DJ1102B04 from 7q11.23-7q21, complete sequence.//0.011:208:63//AC006204
R-HEM BB1001424//Homo sapiens, WORKING DRAFT SEQUENCE, 76 unordered pieces.//1.5e-22:325:69//AC002370
R-HEM BB1001426//Homo sapiens 12q24 PAC RPCI3-424M6 (Roswell Park Cancer Institute Human PAC library) complete sequence.//1.3e-46:328:84//AC002350
R-HEM BB1001429//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0481P14; HTGS phase 1, WORKING DRAFT SEQUENCE, 7 unordered pieces.//6.6e-105:550:95//AC006160

R-HEM BB1001436

R-HEM BB1001443//HS_2228_A1_B05_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2228 Col=9 Row=C, genomic survey sequence.//0.37:173:62//AQ066934

R-HEM BB1001449//Homo sapiens clone DJ1129E22, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.7e-23:339:69//AC005522

R-HEM BB1001454//Homo sapiens chromosome 5, P1 clone 1307e8 (LBNL H60), complete sequence.//1.1e-39:299:84//AC005355

R-HEM BB1001458//Plasmodium falciparum chromosome 2, section 67 of 73 of the complete sequence.//6.0e-05:486:59//AE001430

R-HEM BB1001463//Homo sapiens PAC clone DJ0777023 from 7p14-p15, complete sequence.//1.2e-50:317:89//AC005154

R-HEM BB1001464//CIT-HSP-2370C10.TF CIT-HSP Homo sapiens genomic clone 2370C10, genomic survey sequence.//0.20:95:71//AQ107941

R-HEM BB1001482//Mus musculus clone OST20235, genomic survey sequence.//4.3e-09:192:70//AF046762

R-HEM BB1001500//Human DNA sequence from PAC 465G10 on chromosome X contains Menkes Disease (ATP7A) putative Cu⁺⁺-transporting P-type ATPase exons 2 to 21, PGAM-B, ESTs.//1.9e-21:253:70//Z94801

R-HEM BB1001521//Mus musculus clone OST1209, genomic survey sequence.//7.5e-30:332:75//AF046642

R-HEM BB1001527//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//9.5e-55:483:76//AC005000

R-HEM BB1001531//Human BAC clone 7E17 from 12q, complete sequence.//1.3e-08:159:71//AC002070

R-HEM BB1001535//Human DNA sequence from cosmid E127C11 on chromosome 22q11.2-qter contains STS.//4.0e-30:286:79//Z74581

R-HEM BB1001536//Homo sapiens cosmid clone LUCA16 from 3p21.3, complete sequence.//1.6e-39:342:80//U73169

R-HEM BB1001537//Genomic sequence from Human 9q34, complete sequence.//3.7e-41:361:77//AC000394

R-HEM BB1001555//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-485G10, complete sequence.//0.34:212:61//AC003049

R-HEM BB1001562//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-328A3, complete sequence.//8.0e-40:267:88//AC002301

R-HEM BB1001564//Homo sapiens clone DJ0414A15, WORKING DRAFT SEQUENCE, 9 unordered pieces.//5.1e-30:286:76//AC005225

R-HEM BB1001565//Homo sapiens clone DJ0607J02, WORKING DRAFT SEQUENCE, 12 unordered pieces.//2.5e-15:194:75//AC004840

R-HEM BB1001585//Human DNA sequence from clone 790B6 on chromosome 20p11.22-12.2. Contains STSs and GSSs, complete sequence.//2.6e-33:234:79//AL031677

R-HEM BB1001586//Homo sapiens clone NH0479C13, WORKING DRAFT SEQUENCE, 12 unordered pieces.//2.7e-30:371:74//AC005236

R-HEM BB1001588//Homo sapiens Xp22 GS-524I1 (Genome Systems Human BAC library), complete sequence.//8.0e-32:323:73//AC003106

R-HEM BB1001603//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-59, complete sequence.//0.034:302:59//AL010235

R-HEM BB1001618//Homo sapiens DNA sequence from PAC 958B3 on chromosome X p22.11-Xp22.22. Contains ESTs STS and CpG island.//7.1e-31:503:68//Z93023

R-HEM BB1001619//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//3.7e-50:539:72//AC002368

R-HEM BB1001630//Human DNA sequence from PAC 121G13 on chromosome 6 contains flow sorted chromosome 6 HindIII fragment ESTs. polymorphic CA repeat, CpG island, CpG island genomic fragments.//1.3e-27:228:82//Z86062

R-HEM BB1001635//Homo Sapiens Chromosome X clone bW XD90, complete sequence.//1.5e-23:407:69//AC004075

R-HEM BB1001637//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//3.9e-54:519:74//AC002368

R-HEM BB1001641//Human DNA sequence from clone 133H11 on chromosome 6p24. Contains STSs, GSSs and genomic marker D6S410, complete sequence.//1.9e-08:464:60//AL024506

R-HEM BB1001653//Homo sapiens chromosome 17, clone HCIT3L16, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.8e-39:318:82//AC002344

R-HEM BB1001665//***ALU WARNING: Human Alu-Sp subfamily consensus sequence.//3.8e-47:283:90//U14572

R-HEM BB1001668

R-HEM BB1001673//Homo sapiens mRNA for KIAA0646 protein, complete cds.//1.8e-115:573:97//AB014546

R-HEM BB1001684//Sequence 1 from patent US 5700927.//1.9e-40:343:77//I86429

R-HEM BB1001685//Homo sapiens chromosome 17, clone hRPK.721_K_1, complete sequence.//2.6e-43:311:83//AC005411

R-HEM BB1001695

R-HEM BB1001704//CIT-HSP-2324C15.TR CIT-HSP Homo sapiens genomic clone 2324C15, genomic survey sequence.//0.0074:259:58//AQ028704

R-HEM BB1001706//Homo sapiens clone DJ0665P05, WORKING DRAFT SEQUENCE, 5 unordered pieces.//9.1e-34:296:80//AC004851

R-HEM BB1001707//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-319E8, complete sequence.//7.7e-32:241:76//AC004020

R-HEM BB1001717//CIT-HSP-2378C19.TF CIT-HSP Homo sapiens genomic clone 2378C19, genomic survey sequence.//4.8e-35:228:89//AQ108992

R-HEM BB1001735//Homo sapiens chromosome 5, BAC clone 114k9 (LBNL H94), complete sequence.//1.8e-10:80:90//AC005613

R-HEM BB1001736//CIT-HSP-2369K6.TF CIT-HSP Homo sapiens genomic clone 2369K6, genomic survey sequence.//9.9e-38:242:90//AQ075221

R-HEM BB1001747//Homo sapiens cosmids Qc14E2, Qc12H12, Qc11F9, Qc10G9, LA 1733 and Qc17B8 from Xq28, complete sequence.//3.3e-60:366:80//U82671

R-HEM BB1001749//Homo sapiens chromosome 17, clone hRPK.259_G_18, complete sequence.//1.4e-60:242:92//AC005829

R-HEM BB1001753//RPCI11-59J22.TK RPCI11 Homo sapiens genomic clone R-59J22, genomic survey sequence.//6.2e-08:281:64//AQ200046

R-HEM BB1001756//Homo sapiens BAC clone RG293F17 from 7p15-p21, complete sequence.//3.1e-18:395:67//AC004130

R-HEM BB1001760//Homo sapiens genomic DNA, chromosome 21q11.1, segment 21/28, WORKING DRAFT SEQUENCE.//9.9e-18:416:64//AP000050

R-HEM BB1001762//Mus musculus major histocompatibility locus class II region: major histocompatibility protein class II alpha chain (IAalpha) and major histocompatibility protein class II beta chain (IEbeta) genes, complete cds; butyrophilin-like (NG9), butyrophilin-like (NG10), hypothetical protein (NG8), and butyrophilin-like (NG11) genes, partial cds; NG12 pseudogene, partial sequence; and hypothetical butyrophilin-like protein (NG13) gene, partial cds.//0.21:521:57//AF050157

R-HEM BB1001785//Torulopsis glabrata mitochondrial intergenic region ATPase 6 -ATPase 9 genes.//0.00073:189:65//X02170

R-HEM BB1001797//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.0049:322:62//AC005140

R-HEM BB1001802//Human desmin gene, complete cds.//8.1e-95:510:93//M63391

R-HEM BB1001812//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 356B8, WORKING DRAFT SEQUENCE.//1.3e-71:368:96//Z98882

R-HEM BB1001816//Homo sapiens chromosome 21 PAC LLNLP704G1150Q13.//8.4e-21:164:76//AJ006996

R-HEM BB1001831//Homo sapiens PAM COOH-terminal interactor protein 1 (PCI P1) mRNA, complete cds.//1.7e-104:498:98//AF056209

R-HEMBB1001836//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//9.2e-44:388:71//AC005328

R-HEMBB1001839

R-HEMBB1001850//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MOP10, complete sequence.//0.00093:488:60//AB005241

R-HEMBB1001863//Human poly(ADP-ribose) polymerase gene, 5' end.//1.2e-16:458:65//M60436

R-HEMBB1001867//Human DNA sequence from cosmid U25D11, between markers D XS366 and DXS87 on chromosome X.//5.0e-31:399:74//Z68327

R-HEMBB1001868//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MYN8, complete sequence.//0.26:303:59//AB020754

R-HEMBB1001869//Homo sapiens chromosome 17, clone hCIT529I10, complete sequence.//7.0e-37:285:85//AC002553

R-HEMBB1001872//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y44F5, WORKING DRAFT SEQUENCE.//0.093:367:58//AL009027

R-HEMBB1001874

R-HEMBB1001875//Lactococcus lactis DPC3147 plasmid pMRC01, complete plasmid sequence.//0.037:406:60//AE001272

R-HEMBB1001880//Homo sapiens chromosome 17, clone hRPK.235_I_10, complete sequence.//1.3e-49:461:77//AC005922

R-HEMBB1001899//Caenorhabditis elegans DNA *** SEQUENCING IN PROGRESS **
* from clone Y116A8, WORKING DRAFT SEQUENCE.//0.56:295:60//Z98858

R-HEMBB1001905//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING DRAFT SEQUENCE.//1.9e-28:181:75//AL022345

R-HEMBB1001906

R-HEMBB1001908//Genomic sequence from Human 17, complete sequence.//2.9e-36:274:76//AC001231

R-HEMBB1001910//Homo sapiens chromosome 17, clone hCIT39G8, complete sequence.//3.5e-41:408:76//AC003070

R-HEM BB1001911//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//6.1e-64:310:89//AJ011929

R-HEM BB1001915//Mouse mRNA for arylhydrocarbon receptor, complete cds.//2.0e-20:220:78//D38417

R-HEM BB1001921//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1141E15, WORKING DRAFT SEQUENCE.//1.9e-47:410:80//AL034422

R-HEM BB1001922//Homo sapiens chromosome 17, clone HCIT421K24, complete sequence.//6.2e-32:378:74//AC004099

R-HEM BB1001925//Human Chromosome 11 overlapping pacs pDJ235k10 and pDJ239b22, WORKING DRAFT SEQUENCE, 17 unordered pieces.//8.2e-41:304:84//AC000406

R-HEM BB1001930//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of hepatocellular colorectal and non-small cell lung cancer , segment 10/11.//8.3e-12:202:69//AB020867

R-HEM BB1001944//P.falciparum gene for beta subunit RNA polymerase.//0.00090:264:62//X75544

R-HEM BB1001945//Swietenia humilis DNA for simple tandem repeat (242bp).//0.056:224:62//AJ000408

R-HEM BB1001947//RPCI11-60L13.TJ RPCI11 Homo sapiens genomic clone R-60L13, genomic survey sequence.//7.4e-23:146:94//AQ202335

R-HEM BB1001950//Human DNA sequence from clone 415G2 on chromosome 22 Contains synapsin IIIa exon 1, EST and GSS, complete sequence.//0.57:115:68//Z83846

R-HEM BB1001952//Homo Sapiens Chromosome X clone bWXD171, WORKING DRAFT SEQUENCE, 1 ordered pieces.//5.6e-36:283:84//AC004676

R-HEM BB1001953//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7 unordered pieces.//8.9e-60:334:82//AC005037

R-HEM BB1001957//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//1.9e-56:518:77//AC005077

R-HEMBB1001962//Homo sapiens chromosome 16, BAC clone 462G18 (LANL), complete sequence.//3.2e-19:157:86//AC005736

R-HEMBB1001967//Homo sapiens DNA for amyloid precursor protein, complete cds.//5.7e-68:314:89//D87675

R-HEMBB1001973//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC E7. 1 / cosmid 40M1, WORKING DRAFT SEQUENCE.//1.4e-37:484:70//AJ009617

R-HEMBB1001983//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 215D11, WORKING DRAFT SEQUENCE.//2.1e-28:286:75//AL034417

R-HEMBB1001988//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1112F19, WORKING DRAFT SEQUENCE.//6.9e-29:203:88//AL034420

R-HEMBB1001990//Homo sapiens full length insert cDNA clone ZC33G03.//7.8e-95:456:99//AF086192

R-HEMBB1001996

R-HEMBB1001997//Homo sapiens clone RG050N15, WORKING DRAFT SEQUENCE, 26 unordered pieces.//6.4e-26:162:83//AC005055

R-HEMBB1002002//Human DNA sequence from PAC 2A2 on chromosome X contains ESTs.//8.2e-83:362:93//Z84816

R-HEMBB1002005//Homo sapiens chromosome 3p clone RPCI5-1034C16, WORKING DRAFT SEQUENCE, 45 unordered pieces.//8.5e-36:291:83//AC005903

R-HEMBB1002009//Homo sapiens clone DJ0828F13, complete sequence.//5.6e-08:307:65//AC004904

R-HEMBB1002015//HS-1039-A1-C10-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 821.Col=19 Row=E, genomic survey sequence.//1.9e-05:375:62//B36336

R-HEMBB1002042//CIT-HSP-2313E13.TF CIT-HSP Homo sapiens genomic clone 2313E13, genomic survey sequence.//0.34:241:62//AQ028389

R-HEMBB1002043//Homo sapiens chromosome 21, P1 clone LBL#8 (LBNL H8), complete sequence.//7.4e-35:297:82//AC005612

R-HEMBB1002044//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154),

complete sequence.//5.8e-96:582:90//AC005740

R-HEM BB1002045//Homo sapiens chromosome 19, cosmid F22676, complete sequence.//4.7e-63:575:77//AC005778

R-HEM BB1002049//Human Chromosome X clone bW XD187, complete sequence.//1.9e-21:384:64//AC004383

R-HEM BB1002050//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//2.5e-37:368:76//AC005553

R-HEM BB1002068//Homo sapiens chromosome 5, BAC clone 205e20 (LBNL H170), complete sequence.//0.30:167:65//AC004782

R-HEM BB1002069//Homo sapiens chromosome 19, cosmid R33516, complete sequence.//2.3e-73:449:84//AC004799

R-HEM BB1002092//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//3.8e-45:307:87//AC005828

R-HEM BB1002094//Homo sapiens chromosome 19, cosmid R30538, complete sequence.//3.1e-47:457:76//AC005943

R-HEM BB1002115//HS_2223_B1_G10_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2223 Col=19 Row=N, genomic survey sequence.//3.0e-58:295:98//AQ152279

R-HEM BB1002139//***ALU WARNING: Human Alu-Sq subfamily consensus sequence.//6.6e-49:283:93//U14573

R-HEM BB1002142//Homo sapiens clone DJ0813F11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//1.1e-45:451:76//AC006006

R-HEM BB1002152//Homo sapiens chromosome 10 clone CIT987SK-1079E16 map 10 q25, complete sequence.//1.3e-57:359:81//AC005881

R-HEM BB1002189//Human Chromosome 11 pac pDJ392a17, complete sequence.//4.5e-43:420:77//AC000385

R-HEM BB1002190//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//8.2e-33:340:64//AC004913

R-HEM BB1002193//Sequence 5 from patent US 5709858.//3.2e-23:154:92//I808

46

R-HEM BB1002217//Homo sapiens clone HS19.2 Alu-Ya5 sequence.//2.6e-52:415:81//AF015148

R-HEM BB1002218//, complete sequence.//3.4e-17:178:82//AC005300

R-HEM BB1002232//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0052122; HTGS phase 1, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.6e-55:292:88//AC004599

R-HEM BB1002247//Homo sapiens chromosome 17, clone hRPK.259_G_18, complete sequence.//2.9e-13:227:70//AC005829

R-HEM BB1002249//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 455J7, WORKING DRAFT SEQUENCE.//1.1e-06:284:64//AL031733

R-HEM BB1002254//Human Chromosome X, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.3e-104:593:91//AC002415

R-HEM BB1002255//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 292E10, WORKING DRAFT SEQUENCE.//2.1e-40:284:85//Z93930

R-HEM BB1002266//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 4-10, complete sequence.//1.3e-09:371:63//AL010216

R-HEM BB1002280//Homo sapiens PAC clone DJ0545C24 from 7q21-q22, complete sequence.//1.3e-39:247:86//AC004534

R-HEM BB1002300//Human Chromosome 11 Cosmid cSRL30h11, complete sequence.//4.1e-84:549:86//U73642

R-HEM BB1002306//Homo sapiens BAC clone RG136N17 from 7p15-p21, complete sequence.//2.5e-10:164:71//AC004129

R-HEM BB1002327//Homo sapiens BAC clone GS539F22 from 7p12-p14, complete sequence.//0.39:365:59//AC005028

R-HEM BB1002329//HS-1049-B1-D05-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 771 Col=9 Row=H, genomic survey sequence.//0.96:180:58//B39313

R-HEM BB1002340//Homo sapiens PAC clone DJ0659J06 from 7q33-q35, complete

sequence.//7.9e-17:258:73//AC004849

R-HEMBB1002342//Homo sapiens mRNA for putative thioredoxin-like protein.
//6.9e-96:479:97//AJ010841

R-HEMBB1002358//Human Xp22 BAC CT-285I15 (from CalTech/Research Genetics
) , PAC RPCI1-27C22 (from Roswell Park Cancer Center), and Cosmid U35B5
(from Lawrence Livermore), complete sequence.//2.3e-53:309:83//AC002366

R-HEMBB1002359//Homo sapiens clone NH0486I22, WORKING DRAFT SEQUENCE, 5
unordered pieces.//4.9e-27:350:74//AC005038

R-HEMBB1002364//Homo sapiens Xp22 PAC RPCI1-108M6 (Roswell Park Cancer C
enter PAC library) complete sequence.//8.6e-53:302:79//AC003036

R-HEMBB1002371//Human gene for catalase (EC 1.11.1.6) exon 11 mapping to
chromosome 11, band p13.//3.2e-38:199:100//X04094

R-HEMBB1002381//Homo sapiens (JH8) mRNA, partial cds.//3.2e-07:120:78//A
F072467

R-HEMBB1002383//Human DNA sequence from cosmid U19H10 on chromosome X. C
ontains ESTs and CA repeat.//0.98:351:58//AL021182

R-HEMBB1002387//HS-1052-B2-G10-MR.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 774 Col=20 Row=N, genomic survey seq
uence.//2.0e-07:276:67//B41091

R-HEMBB1002415//Homo sapiens chromosome 17, clone hRPK.209_D_14, comple
te sequence.//1.4e-25:202:79//AC005730

R-HEMBB1002425//Homo sapiens chromosome 19, cosmid R33516, complete sequ
ence.//3.6e-60:401:87//AC004799

R-HEMBB1002442//Homo sapiens clone UWGC:r9a from 6p21, complete sequence
.//3.1e-51:358:81//AC006046

R-HEMBB1002453//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 86D1, WORKING DRAFT SEQUENCE.//1.4e-115:557:98//AL034349

R-HEMBB1002457//Human DNA sequence from clone 364I22 on chromosome Xq21.
31-22.3. Contains an STS and GSSs, complete sequence.//6.3e-37:338:80//A

L031012

R-HEM BB1002458//Homo sapiens T-cell receptor alpha delta locus from base s 250472 to 501670 (section 2 of 5) of the Complete Nucleotide Sequence. //9.7e-09:314:64//AE000659

R-HEM BB1002477//Arabidopsis thaliana DNA chromosome 4, BAC clone T12H17 (ESSAII project).//0.42:110:74//AL021635

R-HEM BB1002489//Salvelinus fontinalis microsatellite sequence SF0-12.//6 .6e-06:167:71//U50302

R-HEM BB1002492//RPCI11-74F21.TK RPCI11 Homo sapiens genomic clone R-74F2 1, genomic survey sequence.//3.1e-14:410:63//AQ238960

R-HEM BB1002495//HS_3220_A2_F07_T7 CIT Approved Human Genomic Sperm Libr ary D Homo sapiens genomic clone Plate=3220 Col=14 Row=K, genomic survey sequence.//1.3e-24:137:100//AQ180762

R-HEM BB1002502//Homo sapiens chromosome 17, clone hRPK.346_K_10, complet e sequence.//9.6e-81:538:86//AC006120

R-HEM BB1002509//Human DNA sequence from clone 581F12 on chromosome Xq21. Contains Eukaryotic Translation Initiation Factor EIF3 P35 Subunit and 60S Ribosomal protein L22 pseudogenes. Contains ESTs, complete sequence. //0.0061:482:57//AL031313

R-HEM BB1002510//HS_2179_A1_F03_MR CIT Approved Human Genomic Sperm Libr ary D Homo sapiens genomic clone Plate=2179 Col=5 Row=K, genomic survey s equence.//6.9e-35:423:72//AQ298309

R-HEM BB1002520//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c lone 27K12, WORKING DRAFT SEQUENCE.//2.0e-62:201:85//AL033397

R-HEM BB1002522//Homo sapiens chromosome 5, Pac clone 61c2 (LBNL H139), c omplete sequence.//0.99:323:58//AC004225

R-HEM BB1002531

R-HEM BB1002534//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndr ome region), segment 2/15, WORKING DRAFT SEQUENCE.//1.0e-61:380:79//AP00

0009

R-HEM BB1002545//RPCI11-2F3.TVB RPCI-11 Homo sapiens genomic clone RPCI-11-2F3, genomic survey sequence.//3.5e-12:414:63//B63283

R-HEM BB1002550

R-HEM BB1002556//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0481P14; HTGS phase 1, WORKING DRAFT SEQUENCE, 7 unordered pieces.//2.6e-62:299:85//AC006160

R-HEM BB1002579//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1141E15, WORKING DRAFT SEQUENCE.//1.7e-42:286:88//AL034422

R-HEM BB1002582//Homo sapiens clone DJ1119N05, complete sequence.//3.0e-14:426:60//AC004968

R-HEM BB1002590//Homo sapiens clone RG132J19, complete sequence.//1.1e-30:392:74//AC005163

R-HEM BB1002596//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508115, WORKING DRAFT SEQUENCE.//8.5e-44:335:83//AL021707

R-HEM BB1002600//Homo sapiens 12p13.3 PAC RPCI5-1063M23 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.0e-105:470:96//AC005865

R-HEM BB1002601//Homo sapiens chromosome 17, clone HRPC837J1, complete sequence.//1.3e-44:445:77//AC004223

R-HEM BB1002603//Homo sapiens clone UWGC:y23c049 from 6p21, complete sequence.//7.0e-40:321:82//AC006162

R-HEM BB1002607//CIT-HSP-2347D7.TF CIT-HSP Homo sapiens genomic clone 2347D7, genomic survey sequence.//1.1e-44:234:98//AQ060197

R-HEM BB1002610//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//7.0e-22:455:65//U91321

R-HEM BB1002613//Homo sapiens 12p13.3 BAC RPCI11-476M19 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//3.0e-72:302:85//AC005908

R-HEM BB1002614//Homo sapiens 12q13.1 PAC RPCI1-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//3.8e-10:512:60//AC004801

R-HEM BB1002617//Homo sapiens clone DJ1021I20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.8e-24:486:63//AC005520

R-HEM BB1002623//Homo sapiens PAC clone DJ1059M17 from 7q21-q31.1, complete sequence.//2.4e-41:326:83//AC004953

R-HEM BB1002635//Homo sapiens chromosome 12p13.3 clone RPCI11-189M20, WORKING DRAFT SEQUENCE, 39 unordered pieces.//2.6e-42:360:80//AC005910

R-HEM BB1002664//Homo sapiens chromosome 21q22.3 PAC 171F15, complete sequence.//9.1e-51:335:87//AF042090

R-HEM BB1002677//Plasmodium falciparum strain Dd2 heat shock protein 86 (HSP86), O1 (o1), O3 (o3), O2 (o2), CG8 (cg8), CG4 (cg4), CG3 (cg3), CG9 (cg9), CG1 (cg1), CG6 (cg6), chloroquine resistance candidate protein (cg2), and CG7 (cg7) genes, complete cds.//0.0011:399:59//AF030694

R-HEM BB1002683//Homo sapiens chromosome 21q22.3 PAC 171F15, complete sequence.//4.1e-55:515:76//AF042090

R-HEM BB1002684//Human BAC clone RG066D11 from 7q22, complete sequence.//1.7e-18:504:62//AC002430

R-HEM BB1002686//Homo sapiens full length insert cDNA clone ZC65D06.//7.0e-85:413:99//AF086217

R-HEM BB1002692//Homo sapiens 12p13.3 BAC RPCI11-319E16 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//9.8e-69:505:82//AC006206

R-HEM BB1002697//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.26:390:58//AC004153

R-HEM BB1002699//Human NFE genomic fragment.//8.0e-32:226:79//M98511

R-HEM BB1002702//CIT-HSP-344K23.TVC CIT-HSP Homo sapiens genomic clone 34

4K23, genomic survey sequence.//8.6e-43:351:80//B59764

R-HEM BB1002705//Plasmodium yoelii rhoptry protein, complete cds.//0.0064
:454:59//L27838

R-HEM BB1002712//Human DNA sequence from clone 505B13 on chromosome 1p36.
2-36.3 Contains CA repeat and GSSs, complete sequence.//9.6e-09:187:67//
Z98052

R-MAMMA1000009//Homo sapiens clone NH0469M07, WORKING DRAFT SEQUENCE, 7
unordered pieces.//4.1e-21:201:80//AC005037

R-MAMMA1000019//Homo sapiens chromosome 21q22.2 PAC clone P169K17, complete
sequence.//4.2e-48:306:82//AF015720

R-MAMMA1000020//Human DNA sequence from clone 551E13 on chromosome Xp11.
2-11.3 Contains farnesyl pyrophosphate synthetase pseudogene, VT4 protein
pseudogene, EST, GSS, complete sequence.//1.4e-41:306:86//AL022163

R-MAMMA1000025//Human DNA sequence from clone 512B11 on chromosome 6p24-
25. Contains the Desmoplakin I (DPI) gene, ESTs, STSs and GSSs, complete
sequence.//6.1e-36:281:83//AL031058

R-MAMMA1000043//Homo sapiens Chromosome 22q11.2 Cosmid Clone 8c In DGCR
Region, complete sequence.//1.3e-67:321:88//AC000090

R-MAMMA1000045//Homo sapiens chromosome 4 clone B220G8 map 4q21, complete
sequence.//6.7e-86:559:86//AC004054

R-MAMMA1000055//Branta canadensis CA dinucleotide repeat locus Bcamicro1
.//0.79:63:77//AF025889

R-MAMMA1000057//Homo sapiens DNA sequence from cosmid ICK0721Q on chromosome
6. Contains a 60S Ribosomal Protein L35A LIKE pseudogene, a gene coding
for a 60S Ribosomal Protein L12 LIKE protein in an intron of the HSET
gene coding for a Kinesin related protein, the PHF1 (PHF2) gene coding
for alternative splice products PHD finger proteins 1 and 2, the gene
coding for five different alternatively spliced mRNAs coding for a protein
in similar to CYTA (CYCY) and identical to a polypeptide coded for by a

known patented cDNA, and the first two exons of the gene coding for the human homolog of the rat synaptic ras GTPase-activating protein p135 Syn GAP. Contains three predicted CpG islands, ESTs and an STS, complete sequence.//1.6e-53:397:83//AL021366

R-MAMMA1000069//Homo sapiens clone RG052H06, WORKING DRAFT SEQUENCE; 11 unordered pieces.//2.0e-37:295:83//AC005057

R-MAMMA1000084//Homo sapiens chromosome Xp22-135-136 clone GSHB-567I1, WORKING DRAFT SEQUENCE, 35 unordered pieces.//7.1e-45:296:88//AC005867

R-MAMMA1000085

R-MAMMA1000092//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 774G10, WORKING DRAFT SEQUENCE.//8.2e-34:539:69//AL034410

R-MAMMA1000103//Homo sapiens chromosome 17, clone hCIT.91_J_4, complete sequence.//3.4e-39:297:85//AC003976

R-MAMMA1000117//Homo sapiens p47-phox (NCF1) pseudogene, clone P38, exon 5.//2.6e-07:162:67//U69641

R-MAMMA1000129//Homo sapiens clone DJ076B20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.1e-13:141:80//AC004882

R-MAMMA1000133

R-MAMMA1000134//Homo sapiens chromosome 19, cosmid R26660, complete sequence.//9.7e-18:171:80//AC005328

R-MAMMA1000139//Homo sapiens clone DJ241P17, WORKING DRAFT SEQUENCE, 7 unordered pieces.//1.2e-49:366:75//AC005000

R-MAMMA1000143//Homo sapiens *** SEQUENCING IN PROGRESS *** from PAC D9.2, WORKING DRAFT SEQUENCE.//3.9e-56:318:89//AJ009615

R-MAMMA1000155//Human DNA sequence from clone 323M22 on chromosome 22q13.1-13.2. Contains the 5' part of the human ortholog of chicken P52 and mouse H74, and a novel gene coding for a protein similar to KIAA0173 and worm Tubulin Tyrosine Ligase. Contains ESTS, STSS, GSSs, genomic marker D22S418 and putative CpG islands, complete sequence.//2.1e-68:562:78//AL

022476

R-MAMMA1000163//Homo sapiens clone RG315H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//5.3e-06:408:58//AC005089.

R-MAMMA1000171//CIT-HSP-2335L20.TR CIT-HSP Homo sapiens genomic clone 2335L20, genomic survey sequence.//1.5e-42:173:89//AQ037381

R-MAMMA1000173.

R-MAMMA1000175//H.sapiens CpG island DNA genomic MseI fragment, clone 186c5, reverse read cpg186c5.rtlb.//0.072:90:72//Z57594

R-MAMMA1000183//Homo sapiens Xp22 BAC GSHB-184P14 (Genome Systems Human BAC library) complete sequence.//1.5e-44:445:75//AC004552

R-MAMMA1000198//Homo sapiens clone c102D0968, complete sequence.//1.9e-23:135:85//AF038667

R-MAMMA1000221//HS_3242_B2_H02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3242 Col=4 Row=P, genomic survey sequence.//0.031:167:67//AQ220385

R-MAMMA1000227//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1071N3, WORKING DRAFT SEQUENCE.//4.5e-36:487:71//AL031728

R-MAMMA1000241//Homo sapiens DNA sequence from PAC 93L7 on chromosome Xq21. Contains part of the CHM (TCD, REP1) gene coding for RAB Escort protein 1 (REP-1, RAB proteins geranylgeranyltransferase component A 1, Choroideaemia protein, Tapetochoroidal Dystrophy (TCD) protein). Contains ESTs and an STS, complete sequence.//6.2e-07:445:59//AL022401

R-MAMMA1000251//Homo sapiens chromosome 19, cosmid F23465, complete sequence.//1.6e-25:390:69//AC005266

R-MAMMA1000254//Homo sapiens DNA sequence from BAC 1216H12 on chromosome 22q12. Contains a pseudogene with similarity to part of mouse Ninein and the KIAA0609 gene for a protein similar to C. elegans K09C8.4. Contains ESTs, GSSs and a gggt repeat polymorphism, complete sequence.//1.1e-37:327:80//AL008715

R-MAMMA1000257//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORKING DRAFT SEQUENCE.//1.3e-22:281:74//AL034549

R-MAMMA1000264//*** SEQUENCING IN PROGRESS *** EPM1/APECED region of chromosome 21, clones A68E8, B127P21, B173L3, B23N8, C1242C9, C579E2, A70B6, B159G9, B175D10, B52C10, C124G1 Note: Sequencing in this region has been discontinued by the Stanford Human Genome Center, WORKING DRAFT SEQUENCE, 50 unordered pieces.//1.7e-29:337:67//AC003656

R-MAMMA1000266//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 681N20, WORKING DRAFT SEQUENCE.//7.7e-37:339:80//AL031670

R-MAMMA1000270//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//1.2e-40:283:86//AF001549

R-MAMMA1000277//CIT-HSP-516K6.TP CIT-HSP Homo sapiens genomic clone 516K6, genomic survey sequence.//3.0e-29:265:80//B49900

R-MAMMA1000278//Sequence 25 from patent US 5708157.//2.6e-39:282:82//180056

R-MAMMA1000279//Homo sapiens chromosome 16, cosmid clone 390H2 (LANL), complete sequence.//1.6e-52:295:84//AC004494

R-MAMMA1000284//CITBI-E1-2522B20.TF CITBI-E1 Homo sapiens genomic clone 2522B20, genomic survey sequence.//1.8e-11:288:61//AQ280722

R-MAMMA1000287

R-MAMMA1000302//Homo sapiens chromosome 17, clone hRPK.112_J_9, complete sequence.//4.1e-16:169:77//AC005553

R-MAMMA1000307//RPCI11-89L1.TV RPCI11 Homo sapiens genomic clone R-89L1, genomic survey sequence.//1.3e-86:429:97//AQ284795

R-MAMMA1000309//Homo sapiens hJAG2.del-E6 (JAG2) mRNA, alternatively spliced isoform of Jagged2, complete cds.//0.00020:384:60//AF029779

R-MAMMA1000312//Ichneutes sp. 16S ribosomal RNA gene, partial sequence.//0.0026:310:60//AF003518

R-MAMMA1000313//Human cosmid Xq28_IA649, complete sequence.//1.5e-26:317

:67//U82694

R-MAMMA1000331//Homo sapiens clone DJ1007F24, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.1e-39:277:86//AC004947

R-MAMMA1000339//Homo sapiens clone HS19.1 Alu-Ya5 sequence.//3.2e-44:180:89//AF015147

R-MAMMA1000340//Plasmodium falciparum chromosome 2, section 25 of 73 of the complete sequence.//0.97:293:64//AE001388

R-MAMMA1000348//Homo sapiens BAC129, complete sequence.//4.4e-27:365:72//U85195

R-MAMMA1000356//Drosophila melanogaster DNA sequence (P1 DS02252 (D97)), complete sequence.//0.73:332:61//AC002493

R-MAMMA1000360//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//4.6e-80:279:89//AC005189

R-MAMMA1000361//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 753D4, WORKING DRAFT SEQUENCE.//7.8e-18:346:63//AL031676

R-MAMMA1000372//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y214H10, WORKING DRAFT SEQUENCE.//5.3e-40:299:83//AL022344

R-MAMMA1000385//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 310013, WORKING DRAFT SEQUENCE.//1.0e-28:225:84//AL031658

R-MAMMA1000388//CIT-HSP-2321D3.TR CIT-HSP Homo sapiens genomic clone 2321D3, genomic survey sequence.//4.7e-60:298:99//AQ038102

R-MAMMA1000395

R-MAMMA1000402//Homo sapiens PAC clone DJ1107K12 from 7p12-p14, complete sequence.//1.4e-84:276:88//AC004692

R-MAMMA1000410//Human Chromosome 16 BAC clone CIT987SK-A-211C6, complete sequence.//6.7e-35:360:76//AC002394

R-MAMMA1000413//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//3.1e-69:327:79//AC004662

R-MAMMA1000414//Homo sapiens DNA sequence from PAC 164L12 on chromosome

Xq13.1-Xq21.2. Contains GSS (BAC end sequence), STS.//3.6e-41:180:87//AL009028

R-MAMMA1000416//Homo sapiens clone DJ1136G02, WORKING DRAFT SEQUENCE, 4 unordered pieces.//3.1e-59:478:77//AC005377

R-MAMMA1000421//Human coxVib gene, last exon and flanking sequence.//5.3e-53:294:82//X58139

R-MAMMA1000422//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 8B22, WORKING DRAFT SEQUENCE.//1.0:252:59//AL031737

R-MAMMA1000423//Homo sapiens clone DA0065G23, complete sequence.//2.0e-50:491:76//AC004816

R-MAMMA1000424//Human DNA sequence from PAC 507I15 on chromosome Xq26.3-27.3. Contains 60S ribosomal protein L44 (L41, L36) like gene, ESTs, STSs and a polymorphic CA repeat.//3.5e-40:340:80//Z98950

R-MAMMA1000429//Mus musculus SDP8 mRNA, complete cds.//0.0019:87:79//AF062484

R-MAMMA1000431//Homo sapiens clone DJ0098022, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.0e-58:564:77//AC004821

R-MAMMA1000444//Human BAC clone RG126M09 from 7q21-q22, complete sequence.//3.0e-43:328:83//AC002067

R-MAMMA1000446//Human chromosome X clone Qc15B1, complete sequence.//0.95:209:65//U82672

R-MAMMA1000458//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MXK3, complete sequence.//0.99:182:61//AB019236

R-MAMMA1000468

R-MAMMA1000472//Homo sapiens genomic DNA, 21q region, clone: 655M9N34, genomic survey sequence.//1.0e-38:142:88//AG010148

R-MAMMA1000478//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 169I5, WORKING DRAFT SEQUENCE.//1.3e-37:286:83//Z93015

R-MAMMA1000483//CIT-HSP-384B14.TR CIT-HSP Homo sapiens genomic clone 384

B14, genomic survey sequence.//4.3e-34:158:86//B54637

R-MAMMA1000490//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete sequence.//4.2e-98:569:90//AC006130

R-MAMMA1000500//Human BRCA1, Rho7 and vatI genes, complete cds, and ipf3 5 gene, partial cds.//1.2e-41:334:79//L78833

R-MAMMA1000501//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 153G14, WORKING DRAFT SEQUENCE.//1.4e-38:250:84//AL031118

R-MAMMA1000516//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 424J12, WORKING DRAFT SEQUENCE.//1.3e-43:318:83//Z82207

R-MAMMA1000522//Human DNA sequence from clone 739H11 on chromosome 1p33-34.2 Contains KIAA0237 gene, EST, STS, GSS, complete sequence.//4.4e-13:202:73//AL031289

R-MAMMA1000559//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 169I5, WORKING DRAFT SEQUENCE.//2.2e-30:245:83//Z93015

R-MAMMA1000565//Homo sapiens chromosome 10 clone LA10NC01_183_B_7 map 10 q24, WORKING DRAFT SEQUENCE, 1 ordered pieces.//3.6e-39:281:80//U82205

R-MAMMA1000567//Rattus norvegicus nonmuscle caldesmon mRNA, complete cds.//9.2e-19:216:76//U18419

R-MAMMA1000576

R-MAMMA1000583//Homo sapiens chromosome 17, clone hRPK.112_H_10, complete sequence.//5.4e-53:297:85//AC005666

R-MAMMA1000585//Homo sapiens clone DJ1015P16, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.2e-35:450:71//AC006018

R-MAMMA1000594//Homo sapiens *** SEQUENCING IN PROGRESS *** from cosmid 5L5, WORKING DRAFT SEQUENCE.//4.3e-26:293:75//AJ009613

R-MAMMA1000597//CIT-HSP-2341F4.TF CIT-HSP Homo sapiens genomic clone 2341F4, genomic survey sequence.//0.83:110:70//AQ057131

R-MAMMA1000605//Homo sapiens clone DJ1090E20, WORKING DRAFT SEQUENCE, 4 unordered pieces.//2.6e-50:290:86//AC004956

R-MAMMA1000612//CIT-HSP-2334J18.TF CIT-HSP Homo sapiens genomic clone 23
34J18, genomic survey sequence.//0.76:132:65//AQ038364

R-MAMMA1000616//Ibalia leucospoides mitochondrion 16S rRNA gene, partial
sequence.//6.8e-06:431:59//U06970

R-MAMMA1000621//Human NBR2 mRNA, complete cds.//5.3e-27:258:80//U88573

R-MAMMA1000623

R-MAMMA1000625//Homo sapiens chromosome 19, cosmid R31665, complete sequ
ence.//3.3e-07:325:63//AC005498

R-MAMMA1000643//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 39B17, WORKING DRAFT SEQUENCE.//1.4e-06:236:68//AL023656

R-MAMMA1000664//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4
, BAC clone C0326F06; HTGS phase 1, WORKING DRAFT SEQUENCE, 16 unordered
pieces.//1.4e-40:338:81//AC004555

R-MAMMA1000669//Human DNA sequence from clone 453C12 on chromosome 20q12
-13.12 Contains SDC4 (syndecan 4 (amphiglycan, ryudocan)) predicts a gen
e like the mouse transcription factor RBP-L, MATN4 (matrilin-4) STS, GS
S, CpG island, complete sequence.//1.2e-46:327:86//AL021578

R-MAMMA1000670

R-MAMMA1000672//Human DNA sequence from clone 478D8 on chromosome 6p24.
Contains STSs and GSSs, complete sequence.//2.2e-29:328:76//AL031785

R-MAMMA1000684//Mus musculus frizzled-1 mRNA, complete cds.//0.21:247:63
//AF054623

R-MAMMA1000696//Human Chromosome X clone bWXD173, WORKING DRAFT SEQUENCE
, 2 ordered pieces.//2.7e-46:464:71//AC004387

R-MAMMA1000707//Homo sapiens clone RG219E16, WORKING DRAFT SEQUENCE, 3 u
nordered pieces.//3.4e-09:244:66//AC005075

R-MAMMA1000713//Homo sapiens clone DJ0425I02, WORKING DRAFT SEQUENCE, 5
unordered pieces.//3.7e-51:439:74//AC005478

R-MAMMA1000714//Homo sapiens BAC clone RG152H24 from 7p15-p21, complete

sequence.//2.8e-29:288:75//AC004694

R-MAMMA1000718//Human Xp22 BAC CT-285I15 (from CalTech/Research Genetics) , PAC RPCI1-27C22 (from Roswell Park Cancer Center), and Cosmid U35B5 (from Lawrence Livermore), complete sequence.//3.0e-37:231:91//AC002366

R-MAMMA1000720//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//1.4e-35:299:81//AC005781

R-MAMMA1000723//Human DNA sequence from clone 551E13 on chromosome Xp11.2-11.3 Contains farnesyl pyrophosphate synthetase pseudogene, VT4 protein pseudogene, EST, GSS, complete sequence.//3.9e-59:409:79//AL022163

R-MAMMA1000731//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//9.4e-29:560:66//AC005077

R-MAMMA1000732//Homo sapiens clone DJ0539M06, WORKING DRAFT SEQUENCE, 10 unordered pieces.//2.4e-14:309:68//AC004832

R-MAMMA1000733//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 732E4, WORKING DRAFT SEQUENCE.//4.1e-29:377:71//AL008722

R-MAMMA1000734//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 191J18, WORKING DRAFT SEQUENCE.//2.0e-108:420:99//AL024507

R-MAMMA1000738//Human V beta T-cell receptor (TCRBV) gene locus.//6.6e-41:347:82//U03115

R-MAMMA1000744//T2708-T7 TAMU Arabidopsis thaliana genomic clone T2708, genomic survey sequence.//0.095:367:60//B20150

R-MAMMA1000746//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4 , BAC clone C0135005; HTGS phase 1, WORKING DRAFT SEQUENCE, 23 unordered pieces.//7.4e-95:569:87//AC004661

R-MAMMA1000752//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//1.3e-48:295:84//AC003071

R-MAMMA1000760//Human DNA sequence from clone B79B4 on chromosome 22 Contains CA repeat and GSS, complete sequence.//5.7e-45:347:82//Z82178

R-MAMMA1000761//Homo sapiens cosmid clone LUCA16 from 3p21.3, complete s

sequence.//1.1e-32:292:80//U73169

R-MAMMA1000775//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING
DRAFT SEQUENCE, 2 ordered pieces.//2.5e-50:467:79//AC005412

R-MAMMA1000776//Human BAC clone GS552A01 from 7q21-q22, complete sequence.//1.0e-63:429:79//AC002454

R-MAMMA1000778//Human DNA sequence from 4PTel, Huntington's Disease Region, chromosome 4p16.3.//3.5e-25:234:81//Z95704

R-MAMMA1000782//Human DNA sequence from clone 459L4 on chromosome 6p22.3-24.1 Contains EST, STS, GSS, complete sequence.//0.0021:119:74//AL031120

R-MAMMA1000798//Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 2/3.//6.3e-08:269:64//AJ229042

R-MAMMA1000802//Homo sapiens chromosome 19, cosmid R33729, complete sequence.//1.1e-36:261:80//AC005339

R-MAMMA1000831//CIT-HSP-2387J3.TF.1 CIT-HSP Homo sapiens genomic clone 2387J3, genomic survey sequence.//0.68:156:65//AQ240807

R-MAMMA1000839//Homo sapiens chromosome 17, clone hRPK.726_O_12, WORKING
DRAFT SEQUENCE, 6 unordered pieces.//4.6e-50:335:86//AC005517

R-MAMMA1000841//Human Chromosome 16 BAC clone CIT987SK-A-972D3, complete sequence.//1.3e-40:322:77//U91323

R-MAMMA1000842//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 341D10, WORKING DRAFT SEQUENCE.//4.1e-44:471:74//Z97985

R-MAMMA1000843//Homo sapiens clone 82F9, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.85:394:60//AC004815

R-MAMMA1000845//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P1, WORKING DRAFT SEQUENCE.//0.54:303:63//AL031744

R-MAMMA1000851//Homo sapiens chromosome X, MeCP2 locus, complete sequence.//1.7e-10:115:83//AF030876

R-MAMMA1000855//Homo sapiens PAC clone 278C19 from 12q, complete sequence

e.//5.0e-44:352:83//AC004263

R-MAMMA1000856//Homo sapiens chromosome 19, cosmid F24200, complete sequence.//1.8e-10:149:74//AC004611

R-MAMMA1000862//Hepatitis C virus genomic RNA, 3' nontranslated region, partial sequence. clone #16.//8.1e-05:205:66//AF009075

R-MAMMA1000863//Homo sapiens Xp22 Cosmids U15E4, U115H5, U132E12, U115B9 (Lawrence Livermore human cosmid library) complete sequence.//2.9e-49:421:80//AC002364

R-MAMMA1000865//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-328A3, complete sequence.//9.1e-41:302:83//AC002301

R-MAMMA1000867//Human BRCA1, Rho7 and vatI genes, complete cds, and ipf3 5 gene, partial cds.//1.9e-17:500:61//L78833

R-MAMMA1000875//Homo sapiens chromosome 16, cosmid clone RT99 (LANL), complete sequence.//1.2e-17:211:74//AC004653

R-MAMMA1000876//Homo sapiens Xp22 BAC GS-607H18 (Genome Systems Human BAC library) complete sequence.//4.7e-09:160:65//AC003658

R-MAMMA1000877//Homo sapiens DNA sequence from PAC 958B3 on chromosome X p22.11-Xp22.22. Contains ESTs STS and CpG island.//3.2e-34:354:75//Z93023

R-MAMMA1000880//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-575C2, complete sequence.//1.4e-41:411:74//AC002425

R-MAMMA1000883

R-MAMMA1000897

R-MAMMA1000905//Homo sapiens chromosome 5, P1 clone 274A11 (LBNL H66), complete sequence.//1.3e-73:304:91//AC004506

R-MAMMA1000906//Human DNA from chromosome 19-specific cosmid F14150, genomic sequence, complete sequence.//8.4e-23:194:83//AC003110

R-MAMMA1000908//Human Chromosome 15q26.1 PAC clone pDJ416i6, complete sequence.//1.5e-09:170:71//AC003024

R-MAMMA1000914//Homo sapiens PAC clone DJ0740L10 from 7p13-p14, complete sequence.//8.3e-13:323:67//AC005247

R-MAMMA1000921//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//6.8e-28:333:72//AL034379

R-MAMMA1000931//HS_3227_B1_B03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3227 Col=5 Row=D, genomic survey sequence.//1.4e-55:443:79//AQ191777

R-MAMMA1000940//Homo sapiens clone RG013F03, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.0e-43:340:84//AC005046

R-MAMMA1000941//Homo sapiens chromosome 17, clone 297N7, complete sequence.//1.8e-53:330:84//AC002347

R-MAMMA1000942//Human Chromosome X clone bWXd187, complete sequence.//1.2e-39:391:74//AC004383

R-MAMMA1000943//Human PAC clone DJ327A19 from Xq25-q26, complete sequence.//4.6e-75:566:81//AC002477

R-MAMMA1000956//Plasmodium falciparum MAL3P7, complete sequence.//0.013:285:59//AL034559

R-MAMMA1000957//Homo sapiens clone RG339C12, WORKING DRAFT SEQUENCE, 10 unordered pieces.//5.2e-45:288:90//AC005096

R-MAMMA1000962//Homo sapiens clone DJ0756H11, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.9e-108:561:96//AC006001

R-MAMMA1000968//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//3.9e-41:287:87//AC004263

R-MAMMA1000975//Homo sapiens DNA sequence from PAC 179N16 on chromosome 6p21.1-21.33. Contains the SAPK4 (MAPK p38delta) gene, and the alternatively spliced SAPK2 gene coding for CSaids binding protein CSBP2 and a MAPK p38beta LIKE protein. Contains ESTs, STSs and two predicted CpG islands, complete sequence.//9.4e-65:542:79//Z95152

R-MAMMA1000979//Homo sapiens chromosome 21q22.3, PAC clones 314N7, 225L1

5, BAC clone 7B7, complete sequence bases 1..333303.//3.2e-34:296:80//AJ011930

R-MAMMA1000987//Homo sapiens CC chemokine gene cluster, complete sequence.//1.7e-40:255:87//AF088219

R-MAMMA1000998//Homo sapiens PAC clone DJ1152D16 from Xq23, complete sequence.//2.5e-39:315:73//AC005190

R-MAMMA1001003//Homo sapiens chromosome 10 clone CIT-HSP-1338F24 map 10p11.2-10p12.1, complete sequence.//2.4e-52:296:84//AC006101

R-MAMMA1001008//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//7.9e-88:432:98//AJ011929

R-MAMMA1001021//Homo sapiens PAC clone DJ0859M06 from 7q11, complete sequence.//3.8e-39:286:87//AC004910

R-MAMMA1001024//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//2.0e-31:274:80//AC004913

R-MAMMA1001030//Homo sapiens full length insert cDNA clone ZD96C01.//3.2e-99:469:99//AF088074

R-MAMMA1001035//RPCI-1-46G8Sp6 RPCI-1 Homo sapiens genomic clone RPCI-1-46G8Sp6, genomic survey sequence.//3.5e-49:270:90//AQ275285

R-MAMMA1001038//Homo sapiens chromosome 3, olfactory receptor pseudogene cluster 1, complete sequence, and myosin light chain kinase (MLCK) pseudogene, partial sequence.//1.1e-41:285:87//AF042089

R-MAMMA1001041

R-MAMMA1001050//Homo sapiens genomic DNA, 237 kb segment from 6p21.3 region including HLA genes, WORKING DRAFT SEQUENCE.//1.3e-55:334:91//D84394

R-MAMMA1001059//Mouse RNA helicase and RNA-dependent ATPase from the DEAD box family mRNA, complete cds.//1.7e-51:481:77//L25125

R-MAMMA1001067//CIT-HSP-2371K20.TF CIT-HSP Homo sapiens genomic clone 2371K20, genomic survey sequence.//7.2e-65:346:95//AQ111326

R-MAMMA1001073

R-MAMMA1001074//Homo sapiens BAC clone NH0400010 from Y, complete sequence.//8.6e-33:457:69//AC006040

R-MAMMA1001075//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//0.15:325:62//AC004605

R-MAMMA1001078//Homo sapiens chromosome 5, BAC clone 203o13 (LBNL H155), complete sequence.//1.6e-45:344:84//AC005609

R-MAMMA1001082//Human genomic DNA sequence from clone 30801 on chromosome Xp11.3-11.4. Contains EST, CA repeat, STS, GSS, CpG island.//8.5e-15:413:64//Z93403

R-MAMMA1001091//Sequence 7 from patent US 5468610.//0.0027:159:64//I15499

R-MAMMA1001092//Homo sapiens chromosome 17, clone hRPK.372_K_20, complete sequence.//2.0e-51:267:82//AC005951

R-MAMMA1001105//Homo sapiens DNA sequence from PAC 119E23 on chromosome Xq25-q27.1. Contains glypican-3 precursor (intestinal protein OCI-5) (GT R2-2), 5' UTR. ESTs, STS.//6.9e-22:178:85//Z99570

R-MAMMA1001110//Homo sapiens chromosome 17, clone HRPC1169K15, complete sequence.//3.0e-19:141:81//AC003963

R-MAMMA1001126//Human DNA from overlapping chromosome 7 PAC and P1 clones containing the XRCC2 gene, genomic sequence, complete sequence.//2.2e-46:462:75//AC003109

R-MAMMA1001133//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 120G22, WORKING DRAFT SEQUENCE.//1.8e-68:455:86//AL031847

R-MAMMA1001139//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y738F9, WORKING DRAFT SEQUENCE.//7.1e-09:100:84//AL022345

R-MAMMA1001143//Papio hamadryas lipoprotein lipase (LPL) gene, intron 7.//1.9e-49:362:85//U73684

R-MAMMA1001145//Homo sapiens chromosome 17, clone hRPK.235_I_10, complete sequence.//9.5e-49:512:74//AC005922

R-MAMMA1001154//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-88D1 -c
omplete genomic sequence, complete sequence.//1.5e-29:305:76//AC002289
R-MAMMA1001161//Human DNA sequence from clone 681J21 on chromosome 1q23.
2-24.3 Contains CpG island, complete sequence.//1.1e-64:339:90//AL031286
R-MAMMA1001162//Human DNA from cosmid DNA MMDB (f10080) and MMDC (f13544
) from chromosome 19q13.3 (obtained by automated sequence analysis).//3.
4e-09:243:64//M89651
R-MAMMA1001181//Human Chromosome X clone bWXD173, WORKING DRAFT SEQUENCE
, 2 ordered pieces.//3.7e-29:351:74//AC004387
R-MAMMA1001186//Homo sapiens chromosome 19, cosmid R28778, complete sequ
ence.//2.2e-25:415:68//AC006125
R-MAMMA1001191//Homo sapiens T-cell receptor alpha delta locus from base
s 1000498 to 1071650 (section 5 of 5) of the Complete Nucleotide Sequenc
e.//0.99:243:61//AE000662
R-MAMMA1001198//Mus musculus eps15R mRNA, complete cds.//8.0e-57:223:86/
/U29156
R-MAMMA1001202//Mus musculus clone OST13722, genomic survey sequence.//1
.0e-30:220:85//AF046748
R-MAMMA1001203//Homo sapiens chromosome 17, clone hRPK.22_N_12, WORKING
DRAFT SEQUENCE, 2 ordered pieces.//8.9e-61:567:78//AC005412
R-MAMMA1001206//Homo sapiens chromosome 5, P1 clone 854b11 (LBNL H44), c
omplete sequence.//4.6e-08:442:61//AC004763
R-MAMMA1001215//Homo sapiens chromosome 19, CIT-HSP BAC 470n8, complete
sequence.//1.3e-117:564:97//AC005393
R-MAMMA1001220//HS-1023-A1-G10-MR.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 802 Col=19 Row=M, genomic survey seq
uence.//6.0e-16:276:68//B33708
R-MAMMA1001222//F17E12TFB IGF Arabidopsis thaliana genomic clone F17E12,
genomic survey sequence.//0.041:277:61//B97762

R-MAMMA1001243

R-MAMMA1001244//HS-1058-A2-G01-MF.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 780 Col=2 Row=M, genomic survey sequ
ence.//3.5e-05:104:74//B43862

R-MAMMA1001249//H.sapiens DNA for matrix attachment region.//0.0013:95:7
5//Z54221

R-MAMMA1001256//Human BAC clone GS188P18, complete sequence.//3.4e-32:35
6:74//AC000115

R-MAMMA1001259

R-MAMMA1001260//Homo sapiens mRNA for KIAA0661 protein, complete cds.//6
.3e-20:226:75//AB014561

R-MAMMA1001268//Human DNA sequence from PAC 225D2 on chromosome Xq21. Co
ntains ESTs, CA repeat.//1.1e-47:352:85//Z95124

R-MAMMA1001271

R-MAMMA1001274//H.sapiens DNA for trapped exon (ID HMC07C06), genomic su
rvey sequence.//3.1e-40:232:93//X88457

R-MAMMA1001280//Homo sapiens full length insert cDNA clone YW26C09.//1.9
e-112:574:95//AF087976

R-MAMMA1001292//Human DNA sequence from clone 1170K4 on chromosome 22q12
.2-13.1. Contains three novel genes, one of which codes for a Trypsin fa
mily protein with class A LDL receptor domains, and the IL2RB gene for I
nterleukin 2 Receptor, Beta (IL-2 Receptor, CD122 antigen). Contains a p
utative CpG island, ESTs, and GSSs, complete sequence.//2.9e-114:582:96/
/AL022314

R-MAMMA1001296//Human DNA sequence from PAC 487J7 on chromosome 6q21-22.
1. Contains an unknown gene coding for three alternative mRNAs. Contains
ESTs, STSSs, a BAC end-sequence (GSS) and a CA repeat polymorphism.//1.9
e-64:268:88//AL008730

R-MAMMA1001298//Homo sapiens chromosome 17, clone hRPK.849_N_15, complet

e sequence.//1.5e-38:306:83//AC005703

R-MAMMA1001305//Human DNA sequence from PAC 127B20 on chromosome 22q11.2-qter, contains gene for GTPase-activating protein similar to rhoGAP protein. ribosomal protein L6 pseudogene, ESTs and CA repeat.//1.5e-37:306:82//Z83838

R-MAMMA1001322//Homo sapiens DNA sequence from PAC 434014 on chromosome 1q32.3.-41. Contains the HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs, complete sequence.//2.4e-15:260:71//AL022398

R-MAMMA1001324//Homo sapiens chromosome 19, cosmid F23269, complete sequence.//4.0e-06:90:83//AC005614

R-MAMMA1001330//Human BAC clone RG066D11 from 7q22, complete sequence.//1.4e-45:439:74//AC002430

R-MAMMA1001341//Human DNA sequence from PAC 211D12 on chromosome 20q12-13.2. Contains Krs-2, K+ channel protein, stress responsive.//1.3e-24:137:81//Z93016

R-MAMMA1001343//Human Chromosome 16 BAC clone CIT987SK-A-17E1, complete sequence.//5.4e-51:197:89//AC002041

R-MAMMA1001346//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-233A8, complete sequence.//0.99:182:64//AC004685

R-MAMMA1001383//Homo sapiens clone 82F9, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.9e-42:303:86//AC004815

R-MAMMA1001388//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 508I15, WORKING DRAFT SEQUENCE.//1.5e-44:324:83//AL021707

R-MAMMA1001397//Homo sapiens genomic DNA, chromosome 21q11.1, segment 15/28, WORKING DRAFT SEQUENCE.//2.0e-39:254:89//AP000044

R-MAMMA1001408//Homo sapiens chromosome 12q24.1, WORKING DRAFT SEQUENCE, 33 unordered pieces.//9.4e-36:251:88//AC005805

R-MAMMA1001411//T15F1-T7.1 TAMU Arabidopsis thaliana genomic clone T15F1
 , genomic survey sequence.//1.0:98:71//AQ248928

R-MAMMA1001419//Homo sapiens translation initiation factor 4e mRNA, complete cds.//4.8e-18:117:96//AF038957

R-MAMMA1001420//Homo sapiens chromosome 5, P1 clone 1041F10 (LBNL H88), complete sequence.//2.8e-09:377:63//AC005179

R-MAMMA1001435//S.pombe chromosome I cosmid c26H5.//1.0:356:59//Z99126

R-MAMMA1001442//Homo sapiens chromosome 4 clone B150J4 map 4q25, complete sequence.//3.4e-17:259:72//AC004047

R-MAMMA1001446//Homo sapiens BAC clone RG139P11 from 7q11-q21, complete sequence.//2.9e-17:231:71//AC004491

R-MAMMA1001452//Human DNA sequence from clone 452M16 on chromosome Xq21.1-21.33 Contains capping protein alpha subunit isoform 1 pseudogene, STS, GSS, and CA repeat, complete sequence.//6.1e-50:558:73//AL024493

R-MAMMA1001465//cSRL-2F3-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-2F3, genomic survey sequence.//3.0e-23:141:96//B04295

R-MAMMA1001476//Mus musculus uridine kinase mRNA, partial cds.//3.4e-09:309:64//L31783

R-MAMMA1001487//Homo sapiens chromosome 17, clone hRPC.1108_L_11, complete sequence.//5.1e-30:286:79//AC005206

R-MAMMA1001501

R-MAMMA1001502//Human DNA sequence.*** SEQUENCING IN PROGRESS *** from clone 356B7, WORKING DRAFT SEQUENCE.//4.3e-19:349:64//AL031714

R-MAMMA1001510

R-MAMMA1001522//Homo sapiens chromosome 5, BAC clone 24h24 (LBNL H194), complete sequence.//1.5e-09:136:75//AC005352

R-MAMMA1001547//Human Chromosome X, complete sequence.//3.5e-40:300:84//AC002418

R-MAMMA1001551//Human DNA sequence from PAC 42616 on chromosome 1p34.1-1p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatase-1, ESTs, and a CA repeat.//1.1e-57:282:89//AL020997

R-MAMMA1001575

R-MAMMA1001576//Human gamma-tubulin mRNA, complete cds.//7.6e-60:530:78//M61764

R-MAMMA1001590//Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds.//1.3e-29:161:86//U78027

R-MAMMA1001600//Homo sapiens 12q24 PAC RPC11-66E7 (Roswell Park Cancer Institute Human PAC library) complete sequence.//2.1e-18:390:66//AC004216

R-MAMMA1001604//Human DNA sequence from clone 1042K10 on chromosome 22q13.1-13.2. Contains the ADSL gene for Adenylosuccinate lyase (EC 4.3.2.2, Adenylosuccinase, ASL) and 4 novel genes (one with probable rabGAP domains and Src homology domain 3). Contains ESTs, STSSs, GSSs and a putative CpG island, complete sequence.//1.0:227:62//AL022238

R-MAMMA1001606//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//1.3e-17:219:69//AL031985

R-MAMMA1001620//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1018D12, WORKING DRAFT SEQUENCE.//2.1e-51:298:84//AL031650

R-MAMMA1001627//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 229A8, WORKING DRAFT SEQUENCE.//7.8e-45:328:85//Z86090

R-MAMMA1001630//, complete sequence.//2.5e-08:170:72//AC005399

R-MAMMA1001633//Homo sapiens chromosome 10 clone CIT987SK-1057L21 map 10q25, complete sequence.//2.2e-21:241:70//AC005386

R-MAMMA1001635//Homo sapiens DNA sequence from PAC 230G1 on chromosome Xp11.3. Contains EST, STS and GSS, complete sequence.//1.1e-32:346:74//Z84466

R-MAMMA1001649

R-MAMMA1001663//Homo sapiens clone 162B15, complete sequence.//9.4e-68:2
67:89//AC004811

R-MAMMA1001670//Human DNA sequence from PAC 75N13 on chromosome Xq21.1.
Contains ZNF6 like gene, ESTs, STSs and CpG islands.//1.7e-49:322:88//Z8
2216

R-MAMMA1001671//Homo sapiens chromosome 19, cosmid F23269, complete sequ
ence.//2.4e-114:575:96//AC005614

R-MAMMA1001679//CIT-HSP-2335N4.TF CIT-HSP Homo sapiens genomic clone 233
5N4, genomic survey sequence.//2.4e-82:400:99//AQ037393

R-MAMMA1001683//Homo sapiens Chromosome 7 BAC Clone 239c10, WORKING DRAF
T SEQUENCE, 9 unordered pieces.//5.7e-47:533:72//AC004166

R-MAMMA1001686//Homo sapiens chromosome 19, CIT-HSP-444n24, complete seq
uence.//6.6e-12:194:72//AC005261

R-MAMMA1001692//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone Y738F9, WORKING DRAFT SEQUENCE.//9.6e-44:414:77//AL022345

R-MAMMA1001711//Homo sapiens clone BAC 9H13 chromosome 8 map 8q21, compl
ete sequence.//3.1e-31:436:70//AF110324

R-MAMMA1001715//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 73E16, WORKING DRAFT SEQUENCE.//8.8e-76:524:84//Z95330

R-MAMMA1001730

R-MAMMA1001735//Cricetulus griseus (chinese hamster) mRNA for beta tubul
in (clone B9T), partial.//2.7e-13:382:63//X60786

R-MAMMA1001740//Homo sapiens genomic DNA, chromosome 21q11.1, segment 21
/28, WORKING DRAFT SEQUENCE.//3.9e-47:318:87//AP000050

R-MAMMA1001743//Homo sapiens clone DJ0981007, complete sequence.//4.0e-1
08:566:95//AC006017

R-MAMMA1001744

R-MAMMA1001745//Homo sapiens BAC clone 529F11 from 8q21, complete sequen
ce.//3.5e-113:564:97//AF070718

R-MAMMA1001751//Homo sapiens chromosome 19, cosmid R27328, complete sequence.//3.6e-30:312:75//AC005625

R-MAMMA1001754//Bos taurus vacuolar proton pump subunit SFD alpha isoform (SFD) mRNA, complete cds.//4.7e-34:320:77//AF041338

R-MAMMA1001757//Homo sapiens chromosome 17, clone hRPC.4_G_17, complete sequence.//4.7e-10:244:67//AC003688

R-MAMMA1001760//RPCI11-38L16.TV RPCI-11 Homo sapiens genomic clone RPCI-11-38L16, genomic survey sequence.//1.3e-10:236:64//AQ029432

R-MAMMA1001764//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.74:361:60//AC005140

R-MAMMA1001768//Homo sapiens chromosome 17, clone hRPK.147_L_13, complete sequence.//1.6e-42:416:76//AC005332

R-MAMMA1001769//Homo sapiens chromosome 17, clone hRPC.1073_F_15, complete sequence.//1.4e-13:129:83//AC004686

R-MAMMA1001771//M.musculus mRNA for semaphorin B.//1.1e-34:530:69//X85991

R-MAMMA1001783//Homo sapiens Chromosome 2 BAC Clone 376a1, WORKING DRAFT SEQUENCE, 17 unordered pieces.//1.1e-42:282:85//AC000360

R-MAMMA1001785//Human chromosome 16p13.11 BAC clone CIT987SK-98H8 complete sequence.//3.0e-49:282:86//U91319

R-MAMMA1001788

R-MAMMA1001790//Homo sapiens clone DJ0876A24, WORKING DRAFT SEQUENCE, 6 unordered pieces.//9.8e-43:530:71//AC004913

R-MAMMA1001806//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-319E8, complete sequence.//1.8e-43:324:79//AC004020

R-MAMMA1001812//Plasmodium falciparum chromosome 2, section 69 of 73 of the complete sequence.//0.65:183:63//AE001432

R-MAMMA1001815//Homo sapiens clone GS223D04, WORKING DRAFT SEQUENCE, 3 u

nordered pieces.//1.1e-10:417:62//AC005018
 R-MAMMA1001817//Homo sapiens Xp22-83 BAC GSHB-324M7 (Genome Systems Human BAC Library) complete sequence.//2.6e-40:313:84//AC005859
 R-MAMMA1001818
 R-MAMMA1001820//Homo sapiens, WORKING DRAFT SEQUENCE, 52 unordered pieces.//2.2e-45:340:82//AC004086
 R-MAMMA1001824//Homo sapiens clone DJ1107K15, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.9e-53:291:85//AC004966
 R-MAMMA1001836//HS_3164_B1_A02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3164 Col=3 Row=B, genomic survey sequence.//6.5e-08:79:89//AQ185484
 R-MAMMA1001837//Homo sapiens chromosome 19, overlapping cosmids F18547, F11133, R27945, R28830 and R32804, complete sequence.//8.4e-55:309:85//AC003682
 R-MAMMA1001848//Homo sapiens PAC clone DJ0296G17 from Xq23, complete sequence.//1.6e-16:125:90//AC006144
 R-MAMMA1001851//Genomic sequence from Human 9q34, WORKING DRAFT SEQUENCE, 2 unordered pieces.//2.4e-50:516:74//AC002099
 R-MAMMA1001854//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-575C2, complete sequence.//1.7e-38:308:82//AC002425
 R-MAMMA1001858//Human Xq13 3' end of PAC 92E23 containing the X inactivation transcript (XIST) gene, complete sequence.//6.5e-50:283:86//U80460
 R-MAMMA1001864//Human Chromosome 15q26.1 PAC clone pDJ398g19, WORKING DRAFT SEQUENCE, 21 unordered pieces.//3.4e-36:224:86//AC005143
 R-MAMMA1001868//Plasmodium falciparum chromosome 2, section 54 of 73 of the complete sequence.//1.4e-11:495:63//AE001417
 R-MAMMA1001874//Human chromosome 1 BAC 308G1 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//3.2e-42:446:76//AC003117
 R-MAMMA1001878//Human DNA sequence from PAC 431A14 on chromosome 6p21. C

ontains CYCLOPHILIN (PEPTIDYLPROLYL ISOMERASE) like and CIP1 (WAF1, CDKN A1, CDKN1, MDA-6, SDI1, PIC1, CAP20) genes. Contains probable GTPase and receptor genes and ESTs, STSS and CpG islands.//6.9e-44:391:78//Z85996

R-MAMMA1001880//Human DNA sequence from fosmid F77D12 on chromosome 22q1 2-qter contains ESTs, tRNA.//1.3e-15:181:76//Z82097

R-MAMMA1001890//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-670B5 complete genomic sequence, complete sequence.//1.7e-43:283:86//AC002303

R-MAMMA1001907//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c lone 385E7, WORKING DRAFT SEQUENCE.//1.4e-48:420:79//AL031720

R-MAMMA1001908//Saccharomyces cerevisiae chromosome IV cosmid 9481.//2.9 e-14:505:60//U28373

R-MAMMA1001931//Homo sapiens NACP/alpha-synuclein gene, allele A0, intro n 4, partial sequence.//0.51:162:63//AF041008

R-MAMMA1001956//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c lone 50024, WORKING DRAFT SEQUENCE.//1.4e-51:422:79//AL034380

R-MAMMA1001963//Homo sapiens clone HS19.3 Alu-Ya5 sequence.//1.9e-31:163 :91//AF015149

R-MAMMA1001969//Human DNA from chromosome 19 cosmid F19410, genomic sequ ence, complete sequence.//8.7e-10:186:76//AC002128

R-MAMMA1001970//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, compl ete sequence.//1.0e-62:298:86//AC003071

R-MAMMA1001992//Human Chromosome 15q26.1 PAC clone pDJ460g16, WORKING DR AFT SEQUENCE, 3 unordered pieces.//1.8e-44:525:72//AC004581

R-MAMMA1002009//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c lone 109G6, WORKING DRAFT SEQUENCE.//1.4e-43:282:79//AL023879

R-MAMMA1002011

R-MAMMA1002032//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c lone 469D22, WORKING DRAFT SEQUENCE.//1.1e-39:310:84//AL031284

R-MAMMA1002033//Homo sapiens chromosome 5, Pac clone 162o17 (LBNL H147),

complete sequence.//2.5e-17:170:81//AC003954
R-MAMMA1002041//Homo sapiens PAC clone DJ0728D04, complete sequence.//8.7e-79:296:85//AC004865
R-MAMMA1002042//Human chromosome 16 BAC clone CIT987SK-A-962B4, complete sequence.//8.8e-46:386:80//U91318
R-MAMMA1002047//Human chromosome 16 BAC clone CIT987SK-A-962B4, complete sequence.//1.9e-32:326:75//U91318
R-MAMMA1002056//Homo sapiens chromosome 17, clone hRPK.506_H_21, complete sequence.//6.6e-48:367:82//AC005962
R-MAMMA1002058//Homo sapiens clone RG038K21, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.25:139:69//AC005052
R-MAMMA1002068//Homo Sapiens Chromosome X clone bWXD171, WORKING DRAFT SEQUENCE, 1 ordered pieces.//2.2e-45:406:78//AC004676
R-MAMMA1002078//Homo sapiens chromosome 17, clone hRPK.401_0_9, complete sequence.//2.3e-22:357:64//AC005291
R-MAMMA1002082//Homo sapiens PAC clone 278C19 from 12q, complete sequence.//2.5e-38:304:82//AC004263
R-MAMMA1002084//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1174N9, WORKING DRAFT SEQUENCE.//8.9e-41:319:83//AL031602
R-MAMMA1002093//CIT-HSP-2060J9.TF CIT-HSP Homo sapiens genomic clone 2060J9, genomic survey sequence.//9.7e-17:129:88//B69983
R-MAMMA1002108
R-MAMMA1002118//Human DNA sequence from cosmid E116C6, on chromosome 22 Contains ESTs, complete sequence.//0.94:168:64//Z73495
R-MAMMA1002125//Homo sapiens chromosome 17, clone hRPK.63_A_1, complete sequence.//4.8e-40:313:83//AC005670
R-MAMMA1002132//Homo sapiens PAC clone DJ1059M17 from 7q21-q31.1, complete sequence.//2.0e-70:461:83//AC004953
R-MAMMA1002140//Human DNA sequence from PAC 465G10 on chromosome X conta

ins Menkes Disease (ATP7A) putative Cu⁺⁺-transporting P-type ATPase exons 2 to 21, PGAM-B, ESTs.//1.1e-32:477:73//Z94801

R-MAMMA1002143//Homo sapiens platelet-activating factor acetylhydrolase gene, promoter region and exon 1.//6.6e-06:130:73//AF027357

R-MAMMA1002145//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//6.0e-19:242:73//AL031447

R-MAMMA1002153//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0281M17; HTGS phase 1, WORKING DRAFT SEQUENCE, 3 unordered pieces.//2.1e-51:291:75//AC006052

R-MAMMA1002155//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 608E8, WORKING DRAFT SEQUENCE.//1.2e-53:461:79//AL022343

R-MAMMA1002156//Homo sapiens PAC clone DJ130H16 from 22q12.1-qter, complete sequence.//5.1e-37:305:82//AC004997

R-MAMMA1002158//Human DNA sequence from clone 1049G16 on chromosome 20q12-13.2 Contains gene similar to GLUCOSAMINE-6-SULFATASE, a nuclear receptor coactivator gene, ESTs, STSs, GSSs, complete sequence.//8.1e-34:296:81//AL034418

R-MAMMA1002170//Human DNA sequence from clone 1163J1 on chromosome 22q13.2-13.33. Contains the 3' part of a gene for the ortholog of mouse transmembrane receptor Celsr1, a novel gene for a protein similar to C. elegans B0035.16 and bacterial tRNA (5-Methylaminomethyl-2-thiouridylate)-Methyltransferases, and the 3' part of a novel gene for a protein similar to mouse B99. Contains ESTs, GSSs and putative CpG islands, complete sequence.//7.9e-39:332:82//AL031588

R-MAMMA1002174//Homo sapiens chromosome 10 clone CIT987SK-1109P11, complete sequence.//4.4e-12:189:72//AC005871

R-MAMMA1002198//Homo sapiens clone DJ0800G07, complete sequence.//1.1e-48:338:81//AC004890

R-MAMMA1002209//Homo sapiens chromosome 17, clone hRPK.156_L_14, complet

e sequence.//1.2e-23:269:74//AC005821

R-MAMMA1002215//Homo sapiens clone GS250N06, WORKING DRAFT SEQUENCE, 5 u
nordered pieces.//3.2e-12:243:68//AC005158

R-MAMMA1002219//Homo sapiens 12p13.3 RPCI4-773N5 (Roswell Park Cancer In
stitute Human PAC library) complete sequence.//3.3e-45:295:88//AC004802

R-MAMMA1002230//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 423B22, WORKING DRAFT SEQUENCE.//7.3e-41:385:78//AL034379

R-MAMMA1002236//Rattus norvegicus initiation factor eIF-2B gamma subunit
(eIF-2B gamma) mRNA, complete cds.//7.3e-45:363:79//U38253

R-MAMMA1002243//Homo sapiens chromosome 17, clone hRPK.112_H_10, complet
e sequence.//2.8e-119:582:98//AC005666

R-MAMMA1002250//Homo sapiens chromosome 16, P1 clone 109-9G (LANL), comp
lete sequence.//4.7e-42:319:84//AC005600

R-MAMMA1002267//Homo sapiens chromosome 17, clone hRPK.346_K_10, complet
e sequence.//1.5e-33:571:67//AC006120

R-MAMMA1002268//Mus musculus sphingosine kinase (SPHK1b) mRNA, complete
cds.//2.3e-35:462:70//AF068749

R-MAMMA1002269//345I17.TV CIT978SKA1 Homo sapiens genomic clone A-345I17
, genomic survey sequence.//4.7e-05:153:69//B15590

R-MAMMA1002282//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 112K5, WORKING DRAFT SEQUENCE.//8.5e-37:467:71//Z85987

R-MAMMA1002292//Hordeum vulgare lipoxygenase 2 (LoxC) mRNA, complete cds
./0.074:178:61//L37358

R-MAMMA1002293//Homo sapiens chromosome 16, cosmid clone RT167 (LANL), c
omplete sequence.//5.8e-26:355:71//AC005568

R-MAMMA1002294//Homo sapiens chromosome 17, clone hRPC.1110_E_20, comple
te sequence.//1.2e-35:281:82//AC004231

R-MAMMA1002297//Human DNA sequence from cosmid L174G8, Huntington's Dise
ase Region, chromosome 4p16.3.//6.7e-48:381:80//Z69375

R-MAMMA1002298//Homo sapiens BAC clone RG208H19 from 7q11.23, complete sequence.//1.8e-17:296:70//AC005074

R-MAMMA1002299//HS_3116_A2_F07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3116 Col=14 Row=K, genomic survey sequence.//4.1e-60:354:91//AQ140526

R-MAMMA1002308

R-MAMMA1002310//Human DNA sequence from cosmid B10B1 on chromosome 22 Contains ESTs, CA repeat and STS, complete sequence.//9.9e-35:283:83//Z73979

R-MAMMA1002311//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//1.3e-86:503:90//AC006210

R-MAMMA1002312//H.sapiens gene encoding La autoantigen.//1.3e-23:382:67//X97869

R-MAMMA1002317//Human DNA sequence from clone 48G12 on chromosome Xq27.1-27.3. Contains STSs and GSSs, complete sequence.//1.3e-59:323:87//AL031054

R-MAMMA1002319//Homo sapiens chromosome 19, fosmid 39347, complete sequence.//2.2e-106:522:98//AC005756

R-MAMMA1002322//Homo sapiens genomic DNA, chromosome 21q11.1, segment 13/28, WORKING DRAFT SEQUENCE.//2.3e-48:452:76//AP000042

R-MAMMA1002329//M.musculus mRNA for semaphorin B.//2.0e-12:210:73//X85991

R-MAMMA1002332//Homo sapiens PAC clone DJ1139I01 from Xq23, complete sequence.//3.4e-46:393:71//AC004973

R-MAMMA1002333//HS_3245_A1_B04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3245 Col=7 Row=C, genomic survey sequence.//3.1e-21:146:92//AQ205759

R-MAMMA1002339//Human Chromosome 16 BAC clone CIT987SK-A-270G1, complete sequence.//9.7e-39:310:79//AF001549

R-MAMMA1002347//Homo sapiens 12q24.1 PAC RPCI3-305I20 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.2e-46:443:76//AC006088

R-MAMMA1002351//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1059H15, WORKING DRAFT SEQUENCE.//1.1e-90:553:89//AL022100

R-MAMMA1002352//Homo sapiens mRNA for leukemia associated gene 2.//8.8e-81:388:92//Y15228

R-MAMMA1002353//Homo sapiens 12q24 BAC RPCI11-162P23 (Roswell Park Cancer Institute Human BAC library) complete sequence.//5.5e-35:302:80//AC002996

R-MAMMA1002355//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 222E13, WORKING DRAFT SEQUENCE.//5.4e-52:361:76//Z93241

R-MAMMA1002356//Homo sapiens chromosome 17, clone hRPC.842_A_23, complete sequence.//8.3e-28:187:91//AC004662

R-MAMMA1002359//Human DNA sequence from cosmid L118D5, Huntington's Disease Region, chromosome 4p16.3 contains CpG islands.//6.3e-47:297:85//Z68869

R-MAMMA1002360//HS_2163_B2_C08_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2163 Col=16 Row=F, genomic survey sequence.//1.5e-20:374:66//AQ125213

R-MAMMA1002361//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 349A12, WORKING DRAFT SEQUENCE.//2.2e-35:264:85//AL033520

R-MAMMA1002362//H.sapiens PEX gene.//1.8e-40:243:86//Y10196

R-MAMMA1002380//RPCI11-73J4.TJ RPCI11 Homo sapiens genomic clone R-73J4, genomic survey sequence.//1.7e-38:295:77//AQ268168

R-MAMMA1002384//Homo sapiens 12q13.1 PAC RPCI1-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.5e-37:311:81//AC004801

R-MAMMA1002385

R-MAMMA1002392//Human BAC clone RG066D11 from 7q22, complete sequence.//
2.0e-37:365:77//AC002430

R-MAMMA1002411//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 64K7, WORKING DRAFT SEQUENCE.//9.4e-22:496:65//AL031668

R-MAMMA1002413//Homo sapiens 12q24.2 PAC RPC11-157K6 (Roswell Park Cance
r Institute Human PAC library) complete sequence.//2.3e-15:153:77//AC005
146

R-MAMMA1002417//Human DNA sequence from PAC 426I6 on chromosome 1p34.1-1
p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatas
e-1, ESTs, and a CA repeat.//1.8e-23:508:62//AL020997

R-MAMMA1002427//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete
sequence.//2.5e-37:288:84//U91321

R-MAMMA1002428//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1185N5, WORKING DRAFT SEQUENCE.//6.0e-05:130:75//AL034423

R-MAMMA1002434//Homo sapiens DNA sequence from PAC 380E11 on chromosome
6p22.3-p24. Contains HB15 gene, ESTs, CA repeat, STS and GSS.//4.8e-18:2
05:78//AL022396

R-MAMMA1002446//CIT-HSP-2021L14.TR CIT-HSP Homo sapiens genomic clone 20
21L14, genomic survey sequence.//4.6e-41:387:72//B65379

R-MAMMA1002454//Homo sapiens chromosome 19, cosmid F23259, complete sequ
ence.//1.2e-67:491:82//AC005512

R-MAMMA1002461//Homo sapiens PAC clone 166H1 from 12q, complete sequence
.//1.4e-28:188:85//AC003982

R-MAMMA1002470//Saccharomyces cerevisiae chromosome VIII cosmid 9205.//6
.3e-09:280:61//U10556

R-MAMMA1002475//Human DNA sequence from PAC 306D1 on chromosome X contai
ns ESTs.//1.5e-25:310:74//Z83822

R-MAMMA1002480//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 u
nordered pieces.//1.2e-98:533:93//AC005077

R-MAMMA1002485//Homo sapiens stanniocalcin-2 (STC-2) mRNA, complete cds.
//2.7e-114:560:97//AF055460

R-MAMMA1002494//Human DNA sequence from cosmid L174G8, Huntington's Disease Region, chromosome 4p16.3.//2.1e-46:329:84//Z69375

R-MAMMA1002498//Rat mRNA.//0.0068:223:64//M59859

R-MAMMA1002524//Plasmodium falciparum 3D7 chromosome 12 PFYAC336 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.012:460:60//AC005139

R-MAMMA1002530//Homo sapiens cytosolic phospholipase A2 gamma (cPLA2 gamma) mRNA, complete cds.//1.2e-101:529:95//AF065214

R-MAMMA1002545//Homo sapiens ribosomal protein s4 Y isoform gene, complete cds.//6.6e-50:471:77//AF041427

R-MAMMA1002554//Homo sapiens chromosome 4 clone B227H22 map 4q25, complete sequence.//5.7e-38:279:84//AC004056

R-MAMMA1002556//Homo sapiens chromosome 10 clone CIT-HSP-1255F20 map 10p11.2-10p12.1, complete sequence.//9.6e-13:237:67//AC005878

R-MAMMA1002566//CITBI-E1-2509P21.TR CITBI-E1 Homo sapiens genomic clone 2509P21, genomic survey sequence.//9.7e-14:216:73//AQ261427

R-MAMMA1002571//CITBI-E1-2516L21.TF CITBI-E1 Homo sapiens genomic clone 2516L21, genomic survey sequence.//4.6e-25:142:99//AQ279542

R-MAMMA1002573//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 811H13, WORKING DRAFT SEQUENCE.//1.1e-30:250:82//AL023805

R-MAMMA1002585//Rabbit angiotensin-converting enzyme (ACE) gene, 5' end.//1.0:196:61//M58580

R-MAMMA1002590//H.sapiens CpG island DNA genomic MseI fragment, clone 8d5, forward read cpg8d5.flg.//1.0:114:64//Z63758

R-MAMMA1002597//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1103G7, WORKING DRAFT SEQUENCE.//9.0e-96:459:98//AL034548

R-MAMMA1002598//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 120G22, WORKING DRAFT SEQUENCE.//0.79:362:58//AL031847
R-MAMMA1002603//Homo sapiens chromosome 17, clone hRPK.214_C_8, complete
sequence.//1.3e-46:333:80//AC005803
R-MAMMA1002612//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 269M15, WORKING DRAFT SEQUENCE.//7.4e-41:283:86//AL021395
R-MAMMA1002617//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 591N18, WORKING DRAFT SEQUENCE.//1.7e-20:308:71//AL031594
R-MAMMA1002618//Homo sapiens clone RG122E10, complete sequence.//1.2e-31
:230:76//AC005067
R-MAMMA1002619//Homo sapiens chromosome 21 PAC RPCIP704E14135Q2.//9.0e-1
13:551:98//AJ010598
R-MAMMA1002622//Homo sapiens chromosome 4 clone B207D4 map 4q25, complet
e sequence.//2.8e-43:324:83//AC004050
R-MAMMA1002623//Homo sapiens chromosome 17, clone hRPC.1171_I_10, comple
te sequence.//2.7e-80:344:84//AC004687
R-MAMMA1002625//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1056L3, WORKING DRAFT SEQUENCE.//2.6e-34:391:72//AL031727
R-MAMMA1002629//Human DNA from overlapping chromosome 19-specific cosmid
s R32543, , and F15613 containing ZNF gene family member, genomic sequen
ce, complete sequence.//5.5e-58:346:81//AC003006
R-MAMMA1002636//Homo sapiens clone DJ0810E06, WORKING DRAFT SEQUENCE, 8
unordered pieces.//1.1e-52:285:92//AC004895
R-MAMMA1002637//Mus musculus kinesin light chain 2 (Klc2) mRNA, complete
cds.//2.1e-13:359:64//AF055666
R-MAMMA1002646//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 394I7, WORKING DRAFT SEQUENCE.//2.5e-24:285:68//AL023585
R-MAMMA1002650//Human IGF-II gene exon 2 for insulin-like growth factor
II located on chromosome 11.//0.64:237:61//X03424
R-MAMMA1002655//Homo sapiens minisatellite ceb1 repeat region.//0.18:152

:65//AF048727

R-MAMMA1002662//Homo sapiens clone DJ0739M23, complete sequence.//2.5e-4
6:370:82//AC004870

R-MAMMA1002665//Human DNA sequence from PAC 435C23 on chromosome X. Cont
ains ESTs.//7.4e-55:298:92//Z92844

R-MAMMA1002671//RPCI11-45M10.TK RPCI11 Homo sapiens genomic clone R-45M1
0, genomic survey sequence.//0.99:151:66//AQ194411

R-MAMMA1002673//Homo sapiens DNA sequence from PAC 454M7 on chromosome X
q25-26.3. Contains the OCRL1 gene for Lowe Oculocerebrorenal Syndrome pr
oteins OCRL-1. Contains ESTs, STSs and GSSs, complete sequence.//3.1e-38:
410:76//AL022162

R-MAMMA1002684//Homo sapiens mRNA for KIAA0214 protein, complete cds.//1
.4e-107:544:96//D86987

R-MAMMA1002685//HS_2052_A1_H02_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2052 Col=3 Row=0, genomic survey s
equence.//1.2e-23:255:75//AQ231087

R-MAMMA1002698//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome System
s Human BAC library) complete sequence.//1.1e-38:299:83//AC004673

R-MAMMA1002699//Mus musculus intersectin-EH binding protein Ibp1 mRNA, p
artial cds.//3.3e-05:61:93//AF057285

R-MAMMA1002701//Homo sapiens gene for AF-6, complete cds.//3.5e-39:317:8
1//AB011399

R-MAMMA1002708//Homo sapiens 12p13.3 PAC RPCI5-977L1 (Roswell Park Cance
r Institute Human PAC library) complete sequence.//0.26:365:62//AC005293

R-MAMMA1002711//Homo sapiens chromosome 21 PAC LLNLP704F18108Q13.//2.5e-
31:304:77//AJ006995

R-MAMMA1002721//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 473B4, WORKING DRAFT SEQUENCE.//2.3e-40:279:87//Z83826

R-MAMMA1002727//Plasmodium falciparum 3D7 chromosome 12 PFYAC588 genomic

sequence, WORKING DRAFT SEQUENCE, 2 unordered pieces.//0.45:183:64//AC004710

R-MAMMA1002728//Human Chromosome 11 Overlapping Cosmids cSRL72g7 and cSRL140b8, complete sequence.//1.1e-42:410:74//AC002037

R-MAMMA1002744//Human chromosome 8 BAC clone CIT987SK-2A8 complete sequence.//1.6e-19:473:63//U96629

R-MAMMA1002746//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//2.2e-108:544:97//AC005856

R-MAMMA1002748//Homo sapiens 3p22 Contig 7 PAC RPC14-672N11 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//5.9e-106:551:95//AC006055

R-MAMMA1002754//Homo sapiens clone GS259H13, WORKING DRAFT SEQUENCE, 4 unordered pieces.//1.7e-34:305:79//AC005020

R-MAMMA1002758//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//0.00014:130:74//U95626

R-MAMMA1002764//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//8.7e-10:118:81//AC005781

R-MAMMA1002765//Homo sapiens chromosome 19, cosmid F20900, complete sequence.//1.2e-31:290:78//AC006128

R-MAMMA1002769//Human DNA sequence from PAC 36J3, between markers DXS1192 and DXS102 on chromosome X.//0.94:260:62//Z82975

R-MAMMA1002780//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 620E11, WORKING DRAFT SEQUENCE.//2.6e-21:529:62//AL031667

R-MAMMA1002782//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 199H16, WORKING DRAFT SEQUENCE.//2.8e-30:234:72//AL022320

R-MAMMA1002796//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 237J2, WORKING DRAFT SEQUENCE.//1.0:155:66//AL021394

R-MAMMA1002807//Human DNA sequence from BAC 941F9 on chromosome 22q11.2-

qter. Contains ESTs, STSs and 3' part of FIBULIN-1 D PRECURSOR like gene , part of a Brain Protein E46 like gene and a CpG island, complete sequence.//5.0e-42:443:75//Z95331

R-MAMMA1002820//345M16.TVB CIT978SKA1 Homo sapiens genomic clone A-345M16, genomic survey sequence.//1.3e-14:95:87//B17487

R-MAMMA1002830//Human PAC clone DJ515N1 from 22q11.2-q22, complete sequence.//4.1e-20:223:74//AC002073.

R-MAMMA1002833//Homo sapiens Xp22 bins 3-5 PAC RPCI4-617A9 (Roswell Park Cancer Institute Human PAC Library) containing Arylsulfatase D and E genes, complete sequence.//1.8e-37:295:84//AC005295

R-MAMMA1002835

R-MAMMA1002838//Human gene hY3 encoding a cytoplasmic Ro RNA.//4.4e-14:108:92//V00585

R-MAMMA1002842//CIT-HSP-2017022.TRB CIT-HSP Homo sapiens genomic clone 2017022, genomic survey sequence.//5.2e-43:168:85//B67141

R-MAMMA1002843//Homo sapiens clone GS051M12, complete sequence.//8.7e-44:525:71//AC005007

R-MAMMA1002844

R-MAMMA1002858//H.sapiens ERF-1 mRNA 3' end.//2.8e-99:361:91//X79067

R-MAMMA1002868//Homo sapiens clone DJ0852024, WORKING DRAFT SEQUENCE, 2 unordered pieces.//9.6e-39:288:81//AC004906

R-MAMMA1002871//Homo sapiens BAC clone NH0539B24 from 7p15.1-p14, complete sequence.//0.0022:490:57//AC006044

R-MAMMA1002880//Homo sapiens Xp22 Bins 35-37 BAC GSHB-214D18 (Genome Systems Human BAC Library) complete sequence.//1.3e-09:143:76//AC005296

R-MAMMA1002881//Human thymopoietin (TMP0) gene, partial exon 6, complete exon 7, partial exon 8, and partial cds for thymopoietin beta.//5.1e-41:264:87//U18271

R-MAMMA1002886//Homo sapiens DNA sequence from PAC 168L15 on chromosome

6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS.
 CpG island, complete sequence.//4.7e-32:216:90//AL022069
 R-MAMMA1002887
 R-MAMMA1002890
 3.4e-49:376:81//AG006257
 R-MAMMA1002892//Homo sapiens PAC clone DJ0765G07 from 7q11, complete sequence.//6.0e-60:344:79//AC004881
 R-MAMMA1002895//RPCI11-90K13.TV RPCI11 Homo sapiens genomic clone R-90K13, genomic survey sequence.//2.1e-34:300:77//AQ283502
 R-MAMMA1002908//Human Chromosome X, complete sequence.//4.2e-39:297:85//AC004070
 R-MAMMA1002909//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone C0442P12; HTGS phase 1, WORKING DRAFT SEQUENCE, 5 unordered pieces.//3.4e-23:344:74//AC005798
 R-MAMMA1002930//Homo sapiens PAC clone DJ1048B16 from 7q34-q36, complete sequence.//5.2e-39:261:88//AC006019
 R-MAMMA1002938//C.pasteurianum gap gene.//1.0:343:59//X72219
 R-MAMMA1002941//Homo sapiens chromosome 17, clone hRPK.346_K_10, complete sequence.//6.3e-88:556:87//AC006120
 R-MAMMA1002947
 0.48:156:69//AC005469
 R-MAMMA1002964//Human DNA sequence from PAC 426I6 on chromosome 1p34.1-1p35. Contains NIPP-1-like gene a nuclear inhibitor of protein phosphatase-1, ESTs, and a CA repeat.//1.2e-39:473:73//AL020997
 R-MAMMA1002970//Homo sapiens chromosome 5, P1 clone 793c5 (LBNL H57), complete sequence.//4.7e-47:420:77//AC005200
 R-MAMMA1002972//alpha 1 syntrophin [human, mRNA Partial, 1771 nt].//0.97:305:62//S81737
 R-MAMMA1002973//Human DNA sequence from cosmid V210E9, between markers D

XS366 and DXS87 on chromosome X.//2.6e-35:256:85//Z70280
R-MAMMA1002982
1.0e-27:110:85//AG005524
R-MAMMA1002987//Homo sapiens PAC clone DJ1086D14, complete sequence.//1.4e-28:527:66//AC004460
R-MAMMA1003003//Homo sapiens chromosome 10 clone CRI-JC2059 map 10q24.1-10q24.2, WORKING DRAFT SEQUENCE, 1 ordered pieces.//7.9e-48:418:78//AC006109
R-MAMMA1003004//, complete sequence.//2.0e-12:442:61//AC005406
R-MAMMA1003007//Homo sapiens chromosome 10 clone CRI-JC2059 map 10q24.1-10q24.2, WORKING DRAFT SEQUENCE, 1 ordered pieces.//1.7e-48:293:91//AC006109
R-MAMMA1003011//A-306G8.TP CIT978SK Homo sapiens genomic clone A-306G8, genomic survey sequence.//0.45:168:64//B18092
R-MAMMA1003015//Homo sapiens chromosome 5p, BAC clone 50g21 (LBNL H154), complete sequence.//2.9e-44:399:77//AC005740
R-MAMMA1003019//RPCI11-9J9.TV RPCI-11 Homo sapiens genomic clone RPCI-11-9J9, genomic survey sequence.//2.7e-14:294:68//B71583
R-MAMMA1003026//HS_2166_B2_C12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2166 Col=24 Row=F, genomic survey sequence.//0.021:189:64//AQ125639
R-MAMMA1003031//Homo sapiens chromosome 5, BAC clone 319C17 (LBNL H159), complete sequence.//1.8e-98:525:95//AC005214
R-MAMMA1003035//Homo sapiens 12q13.1 Cosmid C174F5 (Lawrence Livermore L L12NC01 or LL12NC02 human cosmid libraries) complete sequence.//6.7e-06:297:63//AC004550
R-MAMMA1003039//RPCI11-56J17.TJ RPCI11 Homo sapiens genomic clone R-56J17, genomic survey sequence.//0.21:375:59//AQ081889
R-MAMMA1003040//Human DNA sequence from cosmid L108f12, Huntington's Dis

ease Region, chromosome 4p16.3.//2.7e-29:298:67//Z49235
R-MAMMA1003044//Homo sapiens chromosome 19, cosmid R30676, complete sequence.//2.9e-14:113:91//AC004560
R-MAMMA1003047
R-MAMMA1003049
R-MAMMA1003055//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 377F16, WORKING DRAFT SEQUENCE.//2.3e-45:317:86//Z93783
R-MAMMA1003056//Homo sapiens chromosome 19, cosmid R34275, complete sequence.//1.0:229:63//AC005305
R-MAMMA1003057//M.domesticus MD6 mRNA.//6.2e-42:326:82//X54352
R-MAMMA1003066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 473B4, WORKING DRAFT SEQUENCE.//3.1e-49:299:87//Z83826
R-MAMMA1003089//Homo sapiens BAC clone RG298G08 from 7p15-p21, complete sequence.//2.7e-30:520:67//AC005084
R-MAMMA1003099//RPCI11-8N9.TP RPCI-11 Homo sapiens genomic clone RPCI-11-8N9, genomic survey sequence.//4.2e-44:338:82//B71494
R-MAMMA1003104//Mus musculus rostral cerebellar malformation protein (rcm) mRNA, complete cds.//3.4e-48:423:79//U72634
R-MAMMA1003113//Homo sapiens chromosome 12p13.3 clone RPCI11-433J6, WORKING DRAFT SEQUENCE, 100 unordered pieces.//4.8e-114:567:97//AC006087
R-MAMMA1003127//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 250D10, WORKING DRAFT SEQUENCE.//1.4e-34:283:83//Z99716
R-MAMMA1003135//P.knowlesi Mbn-cutting sites in lambda KBS50.//0.010:243:62//M38776
R-MAMMA1003140//Homo sapiens chromosome 17, clone HCIT87G17, complete sequence.//6.7e-34:288:81//AC003663
R-MAMMA1003146//Saccharomyces douglasii mitochondrial cytochrome c oxidase subunit I (COXI) gene, complete cds.//4.8e-08:438:59//M97514
R-MAMMA1003150//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 598F2, WORKING DRAFT SEQUENCE.//1.7e-63:149:94//AL021579
 R-MAMMA1003166//HS_3128_A1_B01_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3128 Col=1 Row=C, genomic survey sequence.//3.0e-17:261:70//AQ140766
 R-NT2RM2002580//Homo sapiens clone 24781 mRNA sequence.//2.6e-111:593:94//AF070640
 R-NT2RM4000024
 R-NT2RM4000027//Homo sapiens PAC clone DJ1194E14 from 7p21, complete sequence.//0.026:476:56//AC004993
 R-NT2RM4000030//Mus musculus musculus sex determining protein (Sry) gene, complete cds.//0.00044:378:59//U70653
 R-NT2RM4000046//M.mulatta MHC DR beta 6 gene encoding major histocompatibility complex.//0.27:130:64//Z26239
 R-NT2RM4000061
 R-NT2RM4000085//Homo sapiens clone 24700 unknown mRNA, partial cds.//7.2e-112:550:97//AF070639
 R-NT2RM4000086//RPCI11-6J23.TV RPCI-11 Homo sapiens genomic clone RPCI-11-6J23, genomic survey sequence.//7.2e-18:277:71//B49463
 R-NT2RM4000104//F.rubripes GSS sequence, clone 063K10aG5, genomic survey sequence.//3.6e-08:287:61//Z88817
 R-NT2RM4000139//Homo sapiens chromosome 16, cosmid clone 330D11 (LANL), complete sequence.//9.4e-08:336:65//AC005199
 R-NT2RM4000155
 R-NT2RM4000156//Homo sapiens chromosome 17, clone hRPK.136_H_19, complete sequence.//3.4e-23:335:72//AC005856
 R-NT2RM4000167//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//1.6e-87:551:87//D12646
 R-NT2RM4000169//Human ribosomal protein L37a mRNA sequence.//5.9e-14:122:88//L22154

R-NT2RM4000191

R-NT2RM4000197//HS_3241_A2_H05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3241 Col=10 Row=0, genomic survey sequence.//2.8e-86:430:97//AQ206812

R-NT2RM4000199//Mus musculus Yp BAC GSMB-368G7 (Genome Systems Mouse BAC Library) complete sequence.//0.0047:193:63//AC006056

R-NT2RM4000200

R-NT2RM4000202//Homo sapiens chromosome 16, cosmid clone 378E2 (LANL), complete sequence.//2.1e-40:334:76//AC004035

R-NT2RM4000210//Homo sapiens mRNA for KIAA0712 protein, complete cds.//5.2e-102:546:94//AB018255

R-NT2RM4000215

R-NT2RM4000229//Homo sapiens chromosome 10 clone CIT987SK-1144G6 map 10q25.1, complete sequence.//2.1e-55:303:86//AC005383

R-NT2RM4000233//Struthio camelus microsatellite sequence OSM 7.//1.2e-07:198:67//AF003735

R-NT2RM4000244//Homo sapiens chromosome 19, BAC CIT-B-393i15 (BC301323), complete sequence.//1.7e-49:322:88//AC006116

R-NT2RM4000251//Homo sapiens Chromosome 22q11.2 BAC Clone 72f8 In DGCR Region, complete sequence.//0.97:184:66//AC000085

R-NT2RM4000265//Human PAC clone DJ073F11 from Xq23, complete sequence.//6.2e-66:552:78//AC000055

R-NT2RM4000290//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 394I7, WORKING DRAFT SEQUENCE.//1.4e-05:229:65//AL023585

R-NT2RM4000324

R-NT2RM4000327//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 75N14, WORKING DRAFT SEQUENCE.//3.3e-42:443:75//Z97199

R-NT2RM4000344//Homo sapiens clone DJ0309D19, WORKING DRAFT SEQUENCE, 12 unordered pieces.//6.4e-64:433:84//AC004826

R-NT2RM4000349//Human mRNA for KIAA0005 gene, complete cds.//7.7e-11:210
:69//D13630

R-NT2RM4000354//Caenorhabditis elegans cosmid T14A8.//0.084:257:60//U500
66

R-NT2RM4000356

R-NT2RM4000366//Homo sapiens mRNA for KIAA0642 protein, partial cds.//8.
7e-112:577:95//AB014542

R-NT2RM4000368

1.6e-48:348:85//AG006257

R-NT2RM4000386//Rat mRNA for growth potentiating factor, complete cds.//
4.4e-35:141:87//D42148

R-NT2RM4000395//RPCI11-8N9.TP RPCI-11 Homo sapiens genomic clone RPCI-11
-8N9, genomic survey sequence.//1.4e-25:207:75//B71494

R-NT2RM4000414//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 228H13, WORKING DRAFT SEQUENCE.//7.1e-17:492:64//AL031985

R-NT2RM4000421//RPCI11-66B1.TK RPCI11 Homo sapiens genomic clone R-66B1,
genomic survey sequence.//1.8e-40:311:82//AQ241167

R-NT2RM4000425//Homo sapiens chromosome Xp22-135-136 clone GSHB-567I1, W
ORKING DRAFT SEQUENCE, 35 unordered pieces.//2.5e-47:316:87//AC005867

R-NT2RM4000433//Mus musculus retinoic acid-responsive protein (Stra6) mR
NA, complete cds.//1.6e-17:133:78//AF062476

R-NT2RM4000457

R-NT2RM4000471//Homo sapiens mRNA for putative tRNA splicing protein, pa
rtial.//4.6e-113:559:96//AJ010952

R-NT2RM4000486//Homo sapiens mRNA, complete cds, clone:RES4-22C.//0.0001
5:170:67//AB000461

R-NT2RM4000496

R-NT2RM4000511//Rat troponin T cardiac isoform gene, complete cds.//0.21
:290:58//M80829

R-NT2RM4000514//CIT-HSP-2169K4.TR CIT-HSP Homo sapiens genomic clone 216
9K4, genomic survey sequence.//1.5e-20:150:89//B95717

R-NT2RM4000515//HS-1024-B2-G01-MR.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 803 Col=2 Row=N, genomic survey sequ
ence.//6.3e-10:74:98//B34556

R-NT2RM4000520//Caenorhabditis elegans cosmid F36H12.//0.15:406:61//AF07
8790

R-NT2RM4000531

R-NT2RM4000532//Plasmodium falciparum chromosome 2, section 28 of 73 of
the complete sequence.//1.0:119:66//AE001391

R-NT2RM4000534//paramecium species 4.51er mt dna dimer: replication init
. region, clone 2.//9.8e-05:326:60//K00909

R-NT2RM4000585//HS_3252_A2_G08_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3252 Col=16 Row=M, genomic survey
sequence.//1.9e-69:376:93//AQ219890

R-NT2RM4000590//CIT-HSP-539024.TV CIT-HSP Homo sapiens genomic clone 539
024, genomic survey sequence.//1.7e-38:226:93//B50657

R-NT2RM4000595//Human Chromosome X clone bWXD342, complete sequence.//1.
0:239:61//AC004072

R-NT2RM4000603//RPCI11-49P13.TK RPCI11 Homo sapiens genomic clone R-49P1
3, genomic survey sequence.//0.77:139:64//AQ051950

R-NT2RM4000611

R-NT2RM4000616//HS_3107_A2_B03_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3107 Col=6 Row=C, genomic survey s
equence.//1.3e-54:272:99//AQ210034

R-NT2RM4000674

R-NT2RM4000689//Mus musculus pericentrin mRNA, complete cds.//3.5e-70:55
1:80//U05823

R-NT2RM4000698

R-NT2RM4000700

R-NT2RM4000712//Homo sapiens clone NH0512E16, complete sequence.//0.54:294:58//AC005039

R-NT2RM4000717//Plasmodium falciparum MAL3P8, complete sequence.//0.050:387:58//AL034560

R-NT2RM4000733//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//1.0e-107:566:95//AL034379

R-NT2RM4000734//Homo sapiens mRNA for KIAA0760 protein, partial cds.//1.1e-103:536:95//AB018303

R-NT2RM4000741//CIT-HSP-2294N4.TR CIT-HSP Homo sapiens genomic clone 2294N4, genomic survey sequence.//5.2e-41:244:93//AQ006361

R-NT2RM4000751//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 537K23, WORKING DRAFT SEQUENCE.//2.7e-28:416:67//AL034405

R-NT2RM4000764//Human HepG2 3' region MboI cDNA, clone hmd3g01m3.//2.1e-33:199:96//D17217

R-NT2RM4000778//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//0.00060:241:62//AC002980

R-NT2RM4000779//Homo sapiens mRNA for KIAA0451 protein, complete cds.//2.9e-104:546:94//AB007920

R-NT2RM4000787//Homo sapiens, clone hRPK.3_A_1, complete sequence.//5.3e-32:321:77//AC006198

R-NT2RM4000790//Homo sapiens chromosome 19, cosmid R27216, complete sequence.//1.9e-111:552:97//AC005306

R-NT2RM4000795//Homo sapiens Chromosome 17p13 Cosmid Clone cos39, complete sequence.//0.74:364:57//U58675

R-NT2RM4000796//Homo sapiens full length insert cDNA clone ZD62D10.//2.7e-105:510:98//AF086348

R-NT2RM4000798//Human polymorphic epithelial mucin core protein mRNA, 3' end.//7.7e-27:158:96//M21868

R-NT2RM4000813

R-NT2RM4000820//, complete sequence.//2.0e-104:432:97//AC005406

R-NT2RM4000833//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone

: MX122, complete sequence.//2.0e-07:166:68//AB012248

R-NT2RM4000848//Rabies virus matrix (M) protein mRNA, complete cds.//0.0

73:70:84//M22013

R-NT2RM4000852//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomi

c sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.0:237:62//ACO

04709

R-NT2RM4000855

R-NT2RM4000887//HS_3189_B2_B08_T7 CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=3189 Col=16 Row=D, genomic survey

sequence.//2.1e-06:114:73//AQ300597

R-NT2RM4000895//Pan troglodytes HS19.8-similar locus and Y Alu element,

genomic survey sequence.//3.8e-46:207:91//AF077058

R-NT2RM4000950//Human BAC clone RG341D10 from 7p15-p21, complete sequenc

e.//1.0:336:60//AC002530

R-NT2RM4000971//Human Xq28 cosmids U126G1, U142F2, U69B6, U145C10, U169A

5, U84H1, U24D12, U80A7, U153E6, L35485, and R7-163A8 containing idurona

te 2-sulfatase gene and pseudogene, complete sequence.//7.1e-09:259:64//

AF011889

R-NT2RM4000979

R-NT2RM4000996//HS_3164_A1_E02_T7 CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=3164 Col=3 Row=I, genomic survey s

equence.//2.0e-82:443:94//AQ141622

R-NT2RM4001002//Homo sapiens mRNA for KIAA0729 protein, partial cds.//1.

2e-112:545:97//AB018272

R-NT2RM4001016//Homo sapiens mRNA for KIAA0639 protein, partial cds.//7.

9e-113:556:97//AB014539

R-NT2RM4001032//Homo sapiens Surf-5 and Surf-6 genes.//1.2e-10:120:82//A
J224639

R-NT2RM4001047//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 163G9, WORKING DRAFT SEQUENCE.//1.0:158:67//AL008733

R-NT2RM4001054//CIT-HSP-2292N8.TR CIT-HSP Homo sapiens genomic clone 229
2N8, genomic survey sequence.//5.8e-19:118:97//AQ004096

R-NT2RM4001084//Mouse DNA with homology to EBV IR3 repeat, segment 1, cl
one Mu2.//1.0e-05:271:64//M10296

R-NT2RM4001092//CITBI-E1-2524J20.TR CITBI-E1 Homo sapiens genomic clone
2524J20, genomic survey sequence.//1.0:186:63//AQ277294

R-NT2RM4001116

R-NT2RM4001140//Homo sapiens PAC clone DJ0964C11 from 7p14-p15, complete
sequence.//3.6e-79:468:90//AC004593

R-NT2RM4001151//HS_2270_B1_E05_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2270 Col=9 Row=J, genomic survey s
equence.//5.5e-62:312:98//AQ163739

R-NT2RM4001155//Homo sapiens chromosome 12p13.3 clone RPCI4-816N1, WORKI
NG DRAFT SEQUENCE, 31 unordered pieces.//1.4e-107:536:97//AC005841

R-NT2RM4001160//HS_3015_B1_H10_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3015 Col=19 Row=P, genomic survey
sequence.//7.1e-35:201:95//AQ118712

R-NT2RM4001187//X.laevis xUBFbeta2 mRNA for upstream binding factor 1.//
0.019:177:63//X57201

R-NT2RM4001191//HS_3002_A1_F05_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3002 Col=9 Row=K, genomic survey s
equence.//3.9e-33:230:75//AQ088791

R-NT2RM4001200//Homo sapiens full length insert cDNA clone YL35H03.//7.5
e-69:335:99//AF085857

R-NT2RM4001203

R-NT2RM4001204
R-NT2RM4001217
R-NT2RM4001256
R-NT2RM4001258
R-NT2RM4001309
R-NT2RM4001313//Homo sapiens 12q24.1 PAC RPCI1-71H24 (Roswell Park Cancer Institute Human PAC library) complete sequence.//0.00055:183:63//AC004551
R-NT2RM4001316//Homo sapiens chromosome 17, clone hCIT.117_K_16, complete sequence.//4.5e-21:212:79//AC004757
R-NT2RM4001320//CIT-HSP-2303E22.TR CIT-HSP Homo sapiens genomic clone 2303E22, genomic survey sequence.//3.8e-30:86:89//AQ021084
R-NT2RM4001340
0.0027:493:60//AC005133
R-NT2RM4001344
R-NT2RM4001347//CITBI-E1-2506I20.TR CITBI-E1 Homo sapiens genomic clone 2506I20, genomic survey sequence.//6.5e-16:101:99//AQ262797
R-NT2RM4001371//CITBI-E1-2503G21.TR CITBI-E1 Homo sapiens genomic clone 2503G21, genomic survey sequence.//0.063:140:65//AQ265776
R-NT2RM4001382//HS_3044_A1_F02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3044 Col=3 Row=K, genomic survey sequence.//0.96:103:66//AQ098668
R-NT2RM4001384//R.norvegicus mRNA for dendrin.//8.5e-07:120:75//Y09000
R-NT2RM4001410//Bovine cytochrome P450-scc mRNA fragment.//2.3e-15:199:75//M25920
R-NT2RM4001411//Rattus norvegicus FcεRI gamma-chain interacting protein SH2-B (SH2-B) mRNA, complete cds.//1.7e-55:235:83//U57391
R-NT2RM4001412
R-NT2RM4001414//Homo sapiens Xp22 Cosmids U98B4 and U24F2 (Lawrence Live

rmore human cosmid library) complete sequence.//1.7e-80:489:89//U69730
R-NT2RM4001437//RPCI11-56D2.TJ RPCI11 Homo sapiens genomic clone R-56D2,
genomic survey sequence.//3.8e-43:250:93//AQ081969
R-NT2RM4001444//Homo sapiens Xp22-171-173 BAC GSHB-312I4 (Genome Systems
Human BAC Library) complete sequence.//0.0034:224:63//AC005926
R-NT2RM4001454//Homo Sapiens Chromosome X clone bWXD90, complete sequenc
e.//2.4e-33:360:68//AC004075
R-NT2RM4001455//HS_3229_B1_E04_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3229 Col=7 Row=J, genomic survey s
equence.//1.0:183:61//AQ191289
R-NT2RM4001483//Homo sapiens clone DJ0826E18, WORKING DRAFT SEQUENCE, 4
unordered pieces.//2.2e-51:451:79//AC005282
R-NT2RM4001489//Homo sapiens mRNA for KIAA0685 protein, complete cds.//2
.2e-102:547:93//AB014585
R-NT2RM4001519//HS_2208_A1_F07_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2208 Col=13 Row=K, genomic survey
sequence.//0.25:214:63//AQ091836
R-NT2RM4001522//H.sapiens gene for Cu/Zn-superoxide dismutase.//3.6e-13:
246:70//Z29336
R-NT2RM4001557//Plasmodium falciparum MAL3P4, complete sequence.//0.055:
320:58//AL008970
R-NT2RM4001565//Homo sapiens chromosome 12p13.3 clone RPCI11-189M20, WOR
KING DRAFT SEQUENCE, 39 unordered pieces.//3.9e-26:329:72//AC005910
R-NT2RM4001566//Human trophinin mRNA, complete cds.//6.3e-38:296:86//U04
811
R-NT2RM4001569//Human DNA sequence from clone 461P17 on chromosome 20q12
-13.2. Contains four novel (pseudo)genes for 'proteins with Kunitz/Bovine
pancreatic trypsin inhibitor and/or WAP-type (Whey Acidic Protein) 'fou
r-disulfide core' domains, COX6C (Cytochrome C Oxidase Polypeptide VIC,

EC 1.9.3.1) and RPL5 (60S Ribosomal Protein L5) pseudogenes, a pseudogene similar to part of the HSPD1 (HSP60, Mitochondrial Matrix Protein P1 precursor, Heat Shock Protein 60, GROEL protein, HUCHA60) gene, and the Major Epididymis-specific protein E4 precursor (HE4, Epididymis Secretory protein E4, WAP-type (Whey Acidic Protein) 'four-disulfide core' domain) gene. Contains ESTs, an STS, GSSs and a putative CpG island, complete sequence.//2.0e-35:213:89//AL031663

R-NT2RM4001582//Mus musculus COP9 complex subunit 7b (COPS7b) mRNA, complete cds.//5.4e-60:558:77//AF071317

R-NT2RM4001592//M.musculus mRNA of enhancer-trap-locus 1.//4.8e-86:565:85//X69942

R-NT2RM4001594//Human interleukin-13 (IL-13) precursor gene, complete cds.//0.083:283:61//U31120

R-NT2RM4001597//HS_2059_A1_G11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2059 Col=21 Row=M, genomic survey sequence.//4.4e-09:105:83//AQ245136

R-NT2RM4001605//Homo sapiens mRNA for KIAA0791 protein, complete cds.//6.7e-111:565:95//AB018334

R-NT2RM4001611//Homarus americanus ryanodine receptor (RyR) mRNA, partial cds.//1.0:364:61//AF051936

R-NT2RM4001629//RPCI11-54G14.TJ RPCI11 Homo sapiens genomic clone R-54G14, genomic survey sequence.//0.0018:347:61//AQ083173

R-NT2RM4001650

R-NT2RM4001662//Homo sapiens DNA sequence from PAC 159A15 on chromosome Xp11.21-p11.23. Contains inter-alpha-trypsin inhibitor heavy chain H3 precursor-like protein.//0.75:212:62//AL022575

R-NT2RM4001666//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-233A8, complete sequence.//2.6e-26:461:65//AC004685

R-NT2RM4001682//Human DNA sequence from clone 30M3 on chromosome 6p22.1-

22.3. Contains three novel genes, one similar to *C. elegans* Y63D3A.4 and one similar to (predicted) plant, worm, yeast and archaea bacterial genes, and the first exon of the KIAA0319 gene. Contains ESTs, GSSs and putative CpG islands, complete sequence.//1.5e-107:544:96//AL031775

R-NT2RM4001710//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126A5, WORKING DRAFT SEQUENCE.//1.8e-110:580:95//AL031447

R-NT2RM4001714//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//3.1e-10:543:59//AC004153

R-NT2RM4001715//Human DNA sequence from clone 931K24 on chromosome 20p12 Contains ESTs and GSSs, complete sequence.//8.7e-111:577:94//AL034430

R-NT2RM4001731//Ovis aries dinucleotide repeat polymorphism at MAF92 locus.//0.017:93:73//M80527

R-NT2RM4001741//Mouse mRNA for talin.//2.4e-34:273:83//X56123

R-NT2RM4001746//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 316G12, WORKING DRAFT SEQUENCE.//1.7e-112:567:96//AL031709

R-NT2RM4001754//Homo sapiens PAC clone 248015 from 13q12-q13, complete sequence.//1.4e-64:475:83//AC002483

R-NT2RM4001758//R.norvegicus mRNA for serine/threonine kinase MARK1.//1.9e-18:202:78//Z83868

R-NT2RM4001776//Homo sapiens mRNA for KIAA0727 protein, partial cds.//2.0e-22:236:80//AB018270

R-NT2RM4001783//Homo sapiens clone DJ0981007, complete sequence.//4.4e-106:551:95//AC006017

R-NT2RM4001810//T28D3TF TAMU Arabidopsis thaliana genomic clone T28D3, genomic survey sequence.//0.76:279:60//B27099

R-NT2RM4001813

R-NT2RM4001823

R-NT2RM4001828//HS_3073_A2_E01_MF CIT Approved Human Genomic Sperm Libra

ry D Homo sapiens genomic clone Plate=3073 Col=2 Row=I, genomic survey s
equence.//1.6e-46:255:96//AQ121030
R-NT2RM4001836//Sus scrofa microsatellite S0398 sequence.//9.4e-06:141:6
9//U78024
R-NT2RM4001841//Salmo salar microsatellite Ssa65 DNA.//1.5e-06:175:65//A
F019184
R-NT2RM4001842//Homo sapiens clone RG228D17, WORKING DRAFT SEQUENCE, 2 u
nordered pieces.//5.0e-07:332:61//AC005077
R-NT2RM4001856//Mus musculus clone OST16642, genomic survey sequence.//4
.8e-30:235:85//AF046633
R-NT2RM4001858//HS_3244_B1_F10_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3244 Col=19 Row=L, genomic survey
sequence.//3.0e-40:263:89//AQ252798
R-NT2RM4001865//Homo sapiens mRNA for atopy related autoantigen CALC.//5
.0e-119:592:97//Y17711
R-NT2RM4001876//Megastigmus wachtli dinucleotide microsatellite, clone M
WA47CT.//0.13:134:64//AJ001069
R-NT2RM4001880
R-NT2RM4001905//HS_2016_B1_H11_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2016 Col=21 Row=P, genomic survey
sequence.//0.0066:264:59//AQ226877
R-NT2RM4001922//HS_2228_B2_B07_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2228 Col=14 Row=D, genomic survey
sequence.//2.5e-35:205:96//AQ065498
R-NT2RM4001930//Homo sapiens chromosome 17, clone hRPC.34_M_24, complete
sequence.//0.26:325:63//AC004562
R-NT2RM4001938//Homo sapiens chromosome 17, clone hRPC.1081_P_3, complet
e sequence.//2.9e-85:421:98//AC005207
R-NT2RM4001940//Homo sapiens timeless homolog mRNA, complete cds.//6.2e-

109:556:95//AF098162

R-NT2RM4001953//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 473B4, WORKING DRAFT SEQUENCE.//1.3e-08:175:70//Z83826

R-NT2RM4001965//CIT-HSP-385N14.TR CIT-HSP Homo sapiens genomic clone 385 N14, genomic survey sequence.//5.7e-69:532:81//B55044

R-NT2RM4001969//R.norvegicus mRNA for IP63 protein.//1.9e-61:352:83//X99330

R-NT2RM4001979//Homo sapiens full length insert cDNA clone ZD29F04.//1.1e-98:465:100//AF086241

R-NT2RM4001984//Borrelia burgdorferi (section 47 of 70) of the complete genome.//0.14:461:60//AE001161

R-NT2RM4001987

R-NT2RM4002013

R-NT2RM4002018

R-NT2RM4002034//Homo sapiens chromosome 5, BAC clone 24p24 (LBNL H195), complete sequence.//3.6e-42:277:89//AC005353

R-NT2RM4002044//Homo sapiens PAC clone DJ1102B04 from 7q11.23-7q21, complete sequence.//0.83:476:57//AC006204

R-NT2RM4002054

R-NT2RM4002062//Human microsomal epoxide hydrolase gene, exons 5 and 6.//0.11:136:67//U06659

R-NT2RM4002063//Oryctolagus cuniculus sarcosine oxidase (SOX) mRNA, complete cds.//2.9e-99:503:96//U82267

R-NT2RM4002066//Homo sapiens CAGH45 mRNA, complete cds.//9.6e-41:554:68//U80742

R-NT2RM4002067//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 329A5, WORKING DRAFT SEQUENCE.//7.7e-64:476:81//Z97832

R-NT2RM4002073//Mus musculus fatty acid transport protein 3 mRNA, partial cds.//1.1e-33:238:85//AF072758

R-NT2RM4002075//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.0031:403:57//AC005504

R-NT2RM4002093//Human Chromosome 11 pac pDJ227b23, WORKING DRAFT SEQUENCE, 19 unordered pieces.//9.4e-07:322:62//AC000383

R-NT2RM4002109//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//5.6e-44:432:74//D12646

R-NT2RM4002128//Human HepG2 partial cDNA, clone hmd2e12m5.//2.0e-26:186:90//D17000

R-NT2RM4002140

R-NT2RM4002145//Homo sapiens full length insert cDNA clone ZD38E12.//1.4e-15:193:76//AF086247

R-NT2RM4002146//Human ABL gene, intron 1b, partial sequence.//0.66:170:63//U07562

R-NT2RM4002161//Homo sapiens laforin (EPM2A) mRNA, partial cds.//4.5e-110:560:96//AF084535

R-NT2RM4002174//Homo sapiens chromosome 17, clone hRPK.74_E_22, complete sequence.//8.0e-43:302:85//AC005696

R-NT2RM4002189

R-NT2RM4002194//Human Cosmid g5129g129 from 7q31.3, complete sequence.//0.29:382:60//AC003960

R-NT2RM4002205//Spiroplasma virus (SpV1-R8A2 B) complete genome.//3.5e-05:432:56//X51344

R-NT2RM4002213

R-NT2RM4002226//Homo sapiens chromosome 17, clone HCIT187M2, complete sequence.//0.94:198:61//AC004448

R-NT2RM4002251

R-NT2RM4002256//Homo sapiens PAC clone DJ0570D02 from 7p13-p14, complete sequence.//2.3e-58:299:85//AC004837

R-NT2RM4002266//H.sapiens CpG-island DNA genomic MseI fragment, clone 17
9f11, forward read cpg179f11.ft1a.//0.72:97:69//Z57487

R-NT2RM4002278//Homo sapiens clone RG140B11, WORKING DRAFT SEQUENCE, 1 u
nordered pieces.//7.5e-49:405:84//AC005069

R-NT2RM4002281//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 702J19, WORKING DRAFT SEQUENCE.//1.7e-13:168:77//AL033531

R-NT2RM4002287

R-NT2RM4002294//Homo Sapiens Chromosome X clone bWxD171, WORKING DRAFT S
EQUENCE, 1 ordered pieces.//0.98:208:65//AC004676

R-NT2RM4002301//HS_2028_A1_E10_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2028 Col=19 Row=I, genomic survey
sequence.//0.94:321:57//AQ233262

R-NT2RM4002323//Human DNA sequence from clone 59B16 on chromosome 6p22.1
-22.3. Contains a pseudogene similar to GPISG20 and other exonucleases).
Contains ESTs, STSs, GSSs, genomic markers D6S1691 and D6S299 and a ca
repeat polymorphism, complete sequence.//1.9e-35:265:84//AL032822

R-NT2RM4002339//Human mRNA for KIAA0319 gene, complete cds.//2.4e-42:569
:68//AB002317

R-NT2RM4002344//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomi
c sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.013:391:59//A
C004709

R-NT2RM4002373//Homo sapiens mRNA for KIAA0649 protein, complete cds.//8
.6e-121:593:97//AB014549

R-NT2RM4002374//Human DNA sequence from cosmid U131B10, between markers
DXS366 and DXS87 on chromosome X contains XK membrane transport protein,
ESTs and STS.//3.8e-44:258:86//Z73417

R-NT2RM4002383//Human Chromosome 15q26.1 PAC clone pDJ10k5 containing hu
man DNA polymerase gamma (polg) gene, complete sequence.//0.00084:345:60
//AC005316

R-NT2RM4002390

R-NT2RM4002409//RPC111-45M10.TK RPC111 Homo sapiens genomic clone R-45M10, genomic survey sequence.//0.99:151:66//AQ194411

R-NT2RM4002438

R-NT2RM4002446//Human DNA sequence from clone 360A4 on chromosome 16. Contains ESTs, complete sequence.//2.8e-103:533:95//AL031008

R-NT2RM4002452

R-NT2RM4002457//Homo sapiens chromosome 16, cosmid clone 321D4 (LANL), complete sequence.//0.99:171:64//AC004034

R-NT2RM4002460//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//0.96:94:71//Z92545

R-NT2RM4002479//Homo sapiens RNA helicase-related protein mRNA, complete cds.//2.9e-102:508:97//AF083255

R-NT2RM4002482//Homo sapiens mRNA for KIAA0691 protein, complete cds.//7.0e-31:172:98//AB014591

R-NT2RM4002493//CIT-HSP-2296C24.TF CIT-HSP Homo sapiens genomic clone 2296C24, genomic survey sequence.//0.46:182:62//AQ006882

R-NT2RM4002499//Human v-fos transformation effector protein (Fte-1), mRNA complete cds.//7.3e-24:134:99//M84711

R-NT2RM4002504//Homo sapiens Xq28 BAC PAC and cosmid clones containing FMR2 gene exons 1,2, and 3, complete sequence.//3.9e-11:334:63//AC002368

R-NT2RM4002527

R-NT2RM4002532//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 341D10, WORKING DRAFT SEQUENCE.//3.4e-17:171:79//Z97985

R-NT2RM4002534

R-NT2RM4002567//Homo sapiens chromosome 7 clone UWGC:g1564a040 from 7p14-15, complete sequence.//2.2e-26:181:76//AC005271

R-NT2RM4002571

R-NT2RM4002593//CIT-HSP-2303L15.TF CIT-HSP Homo sapiens genomic clone 23 03L15, genomic survey sequence.//0.034:73:82//AQ015579.

R-NT2RM4002623//Homo sapiens clone UWGC:g1564a209 from 7p14-15, complete sequence.//0.0014:670:55//AC005862

R-NT2RP2000001//Plasmodium falciparum chromosome 2, section 59 of 73 of the complete sequence.//0.00087:251:59//AE001422

R-NT2RP2000006//Human DNA sequence from PAC 155D22 on chromosome 6q27. C ontains EST, STSS and a GSS.//2.7e-37:259:86//Z97205

R-NT2RP2000008//RPCI11-41G16.TP RPCI-11 Homo sapiens genomic clone RPCI-11-41G16, genomic survey sequence.//4.1e-25:365:70//AQ029090

R-NT2RP2000027//Homo sapiens chromosome 17, clone HCIT305D20, complete s equence.//6.0e-05:307:62//AC004098

R-NT2RP2000040//Homo sapiens mRNA for KIAA0747 protein, partial cds.//8. 4e-41:223:96//AB018290

R-NT2RP2000045//Homo sapiens tumorous imaginal discs protein Tid56 homol og (TID1) mRNA, complete cds.//5.8e-63:325:96//AF061749

R-NT2RP2000054//Human tyrosinase gene, 5'-flanking region (containing en hancer element responsible for pigment cell-specific transcription).//0.8 8:210:60//D26163

R-NT2RP2000056//Mus musculus epsilon tyrosine phosphatase cytoplasmic is oform (Ptpre) mRNA, complete cds.//4.7e-38:377:78//U36758

R-NT2RP2000067//Rat mRNA for growth potentiating factor, complete cds.// 6.0e-10:137:79//D42148

R-NT2RP2000070//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//3.1e-76:381:98//AC005754

R-NT2RP2000076//Plasmodium falciparum chromosome 2, section 9 of 73 of t he complete sequence.//2.3e-06:380:60//AE001372

R-NT2RP2000077//Homo sapiens growth arrest specific 11 (GAS11) mRNA, com

plete cds.//3.5e-77:379:97//AF050079

R-NT2RP2000079//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORKING DRAFT SEQUENCE.//6.5e-32:314:78//AL034549

R-NT2RP2000088//Homo sapiens mRNA for KIAA0795 protein, partial cds.//5.6e-74:378:96//AB018338

R-NT2RP2000091//Homo sapiens clone RG015P03, complete sequence.//9.3e-21:226:76//AC005048

R-NT2RP2000097//Human DNA sequence from cosmid U209G1 on chromosome X.//9.2e-40:278:81//Z68873

R-NT2RP2000098//Human BAC clone RG333F24 from 7q11.2-q21, complete sequence.//0.34:132:65//AC004015

R-NT2RP2000108//Homo sapiens DNA from chromosome 19, BAC 33152, complete sequence.//3.1e-09:259:67//AC003973

R-NT2RP2000114//Homo sapiens mRNA for GM3 synthase, complete cds.//1.8e-74:386:95//AB018356

R-NT2RP2000120//CITBI-E1-2503M8.TR CITBI-E1 Homo sapiens genomic clone 2503M8, genomic survey sequence.//5.1e-05:87:77//AQ263909

R-NT2RP2000126

R-NT2RP2000133//Homo sapiens PAC clone DJ044L15 from Xq23, complete sequence.//4.9e-11:153:69//AC004827

R-NT2RP2000147

R-NT2RP2000153//Homo sapiens ccr2b (ccr2), ccr2a (ccr2), ccr5 (ccr5) and ccr6 (ccr6) genes, complete cds, and lactoferrin (lactoferrin) gene, partial cds, complete sequence.//0.0058:261:57//U95626

R-NT2RP2000157//Homo sapiens Chr.14 PAC RPC14-794B2 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//2.5e-119:603:96//AC005924

R-NT2RP2000161//CIT-HSP-2045P7.TR CIT-HSP Homo sapiens genomic clone 2045P7, genomic survey sequence.//0.89:173:63//B79728

R-NT2RP2000175

R-NT2RP2000183

R-NT2RP2000195//Homo sapiens chromosome 17, clone hRPK.60_A_24, complete sequence.//4.3e-39:306:83//AC005325

R-NT2RP2000205//Human DNA sequence from clone 302L24 on chromosome Xq21-22, complete sequence.//7.5e-05:101:78//AL022155

R-NT2RP2000224//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-152E5, complete sequence.//7.3e-55:306:94//AC004382

R-NT2RP2000232

R-NT2RP2000233//Mus musculus tumor metastasis associated gene product (MAG) mRNA, complete cds.//7.6e-13:144:75//U88401

R-NT2RP2000239//Homo sapiens chromosome 4 clone B353C18 map 4q25, complete sequence.//9.6e-63:410:86//AC004066

R-NT2RP2000248//Caenorhabditis elegans cosmid T01C8.//1.0:282:58//U58726

R-NT2RP2000257//Homo sapiens PAC clone DJ0808G16 from 7q11.23-q21, complete sequence.//2.5e-11:163:72//AC004894

R-NT2RP2000258//Arabidopsis thaliana chromosome II BAC T31E10 genomic sequence, complete sequence.//0.58:442:58//AC004077

R-NT2RP2000270//Homo sapiens DNA sequence from PAC 97D16 on chromosome 6 p21.3-22.2. Contains an unknown pseudogene, a 60S Ribosomal protein L24 (L30) LIKE pseudogene and histone genes H2BFC (H2B/c), H4FFP (H4/f pseudogene), H2AFC (H2A/c), H3F1K (H3.1/k) and a tRNA-Val pseudogene and tRNA-Thr gene. Contains ESTs, STSs, GSSs and genomic marker D6S464, complete sequence.//1.1e-39:292:84//AL009179

R-NT2RP2000274//CIT-HSP-237901.TR CIT-HSP Homo sapiens genomic clone 237901, genomic survey sequence.//6.9e-10:121:81//AQ109409

R-NT2RP2000288

R-NT2RP2000289

R-NT2RP2000297//Homo sapiens full length insert cDNA clone ZB81C03.//7.7

e-109:519:99//AF086165

R-NT2RP2000298

R-NT2RP2000310//Homo sapiens p53 induced protein mRNA, partial cds.//1.5

e-38:224:93//AF010310

R-NT2RP2000327//Homo sapiens DNA sequence from PAC 434014 on chromosome 1q32.3.-41. Contains the HSD11B1 gene for Hydroxysteroid (11-beta) Dehydrogenase 1, the ADORA2BP adenosine A2b receptor LIKE pseudogene, the IRF6 gene for Interferon Regulatory Factor 6 and two novel genes. Contains ESTs and GSSs, complete sequence.//4.3e-113:580:96//AL022398

R-NT2RP2000329//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3 unordered pieces.//7.4e-47:367:77//AC006039

R-NT2RP2000337//Anopheles quadrimaculatus NADH dehydrogenase subunits (1-4, 4L, 5-6); cytochrome oxidase subunits (1-3); adenosine triphosphatase subunits (6,8); cytochrome b; transfer RNA; ribosomal RNA (large and small subunits).//4.9e-08:494:58//L04272

R-NT2RP2000346//Homo sapiens apoptosis associated protein (GADD34) mRNA, complete cds.//3.4e-46:262:94//U83981

R-NT2RP2000369//Homo sapiens chromosome 17, clone HCIT169H9, WORKING DRAFT SEQUENCE, 6 unordered pieces.//3.0e-07:334:61//AC002993

R-NT2RP2000414//Mouse DNA sequence *** SEQUENCING IN PROGRESS *** from clone BAC394, WORKING DRAFT SEQUENCE.//7.0e-08:98:83//AJ004828

R-NT2RP2000420//Homo sapiens chromosome 17, clone hRPK.640_I_15, complete sequence.//0.99:150:62//AC005324

R-NT2RP2000422//Homo sapiens N-acetylglucosamine-phosphate mutase mRNA, complete cds.//4.6e-19:142:90//AF102265

R-NT2RP2000438//RPCI11-62I13.TK RPCI11 Homo sapiens genomic clone R-62I13, genomic survey sequence.//3.1e-06:103:79//AQ199572

R-NT2RP2000448//Homo sapiens PAC clone DJ0740D02 from 7p14-p15, complete sequence.//2.0e-22:276:73//AC004691

R-NT2RP2000459//CIT-HSP-2013N9.TR CIT-HSP Homo sapiens genomic clone 2013N9, genomic survey sequence.//5.5e-27:205:87//B53940

R-NT2RP2000498//Homo sapiens Chromosome 11q23 PAC clone pDJ149k2 containing PLZF gene encoding kruppel-like zinc finger protein, complete sequence.//6.0e-12:119:84//AC001234

R-NT2RP2000503//Human CYP11B2 gene for steroid 18-hydroxylase (P-450 C18), 5'-flanking region and exon 1.//0.48:201:64//D10170

R-NT2RP2000510//Bactrocera dorsalis strain Tahiti mitochondrial D-loop region, complete sequence.//3.6e-07:472:59//AF033929

R-NT2RP2000516

R-NT2RP2000523//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING DRAFT SEQUENCE.//2.3e-61:317:97//AL022318

R-NT2RP2000603//Homo sapiens mRNA for MCM3 import factor, complete cds.//6.6e-29:167:97//AB005543

R-NT2RP2000617

R-NT2RP2000634//Homo sapiens mRNA for KIAA0614 protein, partial cds.//2.5e-64:335:96//AB014514

R-NT2RP2000644//Human DNA sequence from PAC 50A13 on chromosome Xp11. Contains ATP SYNTHASE LIPID BINDING PROTEIN P1 (P2, P3) precursor (ATP5G1, ATP5G2, ATP5G3) like pseudogene, ESTs and STSs. Contains polymorphic CA repeat.//1.8e-28:383:70//Z92545

R-NT2RP2000656//Homo sapiens DNA sequence from PAC 874C20 on chromosome 6p22.1-22.3. Contains a Zinc Finger Protein ZFP47 LIKE gene, a Zinc Finger Protein pseudogene and a Zinc Finger Protein SRE-ZBP pseudogene. Contains ESTs, STSs and GSSs, complete sequence.//0.0093:110:70//AL021997

R-NT2RP2000658//Bacillus thuringiensis chitinase (chi) gene, complete cds.//0.73:301:60//U89796

R-NT2RP2000668

R-NT2RP2000678//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndr

ome region), segment 8/15, WORKING DRAFT SEQUENCE.//2.8e-11:256:66//AP000015

R-NT2RP2000710//Genomic sequence from Human 17, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.036:176:69//AC002346

R-NT2RP2000715//Homo sapiens PAC clone DJ1066K24 from 7p15, complete sequence.//2.7e-110:555:96//AC004540

R-NT2RP2000731//Human DNA sequence from clone 497J21 on chromosome 6q26-27. Contains a KOC (KH-domain containg transcript overexpressed in cancer) pseudogene, genomic marker D6S193, ESTs, STSs and GSSs, and a ca repe at polymorphism, complete sequence.//2.6e-18:319:68//AL023775

R-NT2RP2000758//CIT-HSP-507A14.TP CIT-HSP Homo sapiens genomic clone 507A14, genomic survey sequence.//1.0:189:60//B50590

R-NT2RP2000764

R-NT2RP2000809//Human BAC clone RG356F09 from 7p21, complete sequence.//1.7e-24:215:81//AC004002

R-NT2RP2000812//CIT-HSP-2281C3.TR CIT-HSP Homo sapiens genomic clone 2281C3, genomic survey sequence.//9.5e-32:176:97//B99575

R-NT2RP2000814//paramecium species 5,87 mt dna dimer: replication init. region.//0.0077:418:57//K00916

R-NT2RP2000816//F.rubripes GSS sequence, clone 011H02aA6, genomic survey sequence.//0.61:52:73//AL011013

R-NT2RP2000819

R-NT2RP2000841//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 43408, WORKING DRAFT SEQUENCE.//0.00012:181:70//AL033504

R-NT2RP2000842//Mus musculus (C57BL/10 X C3H)F2 clone 4.9 novel mRNA from renin-expressing kidney tumor cell line, partial sequence.//3.7e-27:388:72//U13370 .

R-NT2RP2000845//Homo sapiens chromosome 17, clone hRPK.849_N_15, complete sequence.//0.0022:200:68//AC005703

R-NT2RP2000863

R-NT2RP2000880//Homo sapiens mRNA for putative GTP-binding protein, partial.//2.3e-43:279:89//AJ006412

R-NT2RP2000892//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 7/10.//0.0028:221:62//AB020875

R-NT2RP2000931//Homo sapiens mRNA for KIAA0723 protein, complete cds.//2.2e-55:290:96//AB018266

R-NT2RP2000938//Homo sapiens full length insert cDNA clone ZD55G12.//2.1e-37:215:93//AF086336

R-NT2RP2000943//Homo sapiens mRNA for KIAA0755 protein, complete cds.//3.0e-96:494:96//AB018298

R-NT2RP2000965

R-NT2RP2000970//Homo sapiens DNA sequence from BAC 747E2 on chromosome 2 2q12.1. Contains ESTs, STSs and GSSs and genomic marker D22S56, complete sequence.//4.5e-87:440:97//AL021393

R-NT2RP2000985//Homo sapiens chromosome 17, clone hRPK.597_M_12, complete sequence.//5.4e-93:484:95//AC005277

R-NT2RP2000987//Plasmodium falciparum chromosome 2, section 9 of 73 of the complete sequence.//2.1e-06:318:62//AE001372

R-NT2RP2001036//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 410I8, WORKING DRAFT SEQUENCE.//2.0e-24:273:73//AL031732

R-NT2RP2001044//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//3.3e-07:365:65//AC005140

R-NT2RP2001065//Caenorhabditis elegans cosmid F10G7.//9.2e-06:273:59//U40029

R-NT2RP2001070//CITBI-E1-2503F4.TF CITBI-E1 Homo sapiens genomic clone 2 503F4, genomic survey sequence.//0.13:97:72//AQ265973

R-NT2RP2001094//Mycoplasma mycoides mycoides SC immunodominant protein P

72 (p72) gene, complete cds, mannitol-1-phosphate dehydrogenase (mt1D) gene, partial cds and insertion sequence IS1296, complete sequence.//0.018:373:57//U61140

R-NT2RP2001119

R-NT2RP2001127//Homo sapiens HRIHFB2060 mRNA, partial cds.//4.5e-55:304:94//AB015348

R-NT2RP2001137//Homo sapiens DNA sequence from clone 511B24 on chromosome 20q11.2-12. Contains the TOP1 gene for Topoisomerase I, the PLCG1 gene for 1-Phosphatidylinositol-4,5-Bisphosphate Phosphodiesterase Gamma 1 (EC 3.1.4.11, PLC-Gamma-1, Phospholipase C-Gamma-1 PLC-II, PLC-148), the KIAA0395 gene for a probable Zinc Finger Homeobox protein and a 60S Ribosomal Protein L23 LIKE pseudogene. Contains a predicted CpG island, ESTs, STSs and GSSs, complete sequence.//0.69:129:65//AL022394

R-NT2RP2001149//Sequence 5 from Patent US 4798885.//8.5e-28:322:77//I01838

R-NT2RP2001168

R-NT2RP2001173//Homo sapiens mRNA for KIAA0480 protein, complete cds.//4.8e-95:490:96//AB007949

R-NT2RP2001174//CIT-HSP-2170B18.TR CIT-HSP Homo sapiens genomic clone 2170B18, genomic survey sequence.//1.3e-33:204:93//B89680

R-NT2RP2001196//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-65, complete sequence.//1.7e-06:413:61//AL010134

R-NT2RP2001218//Human DNA sequence from clone 23K20 on chromosome Xq25-6.2 Contains EST, STS, GSS, complete sequence.//8.5e-15:278:68//AL022153

R-NT2RP2001226//Human DNA sequence from clone 1170D6 on chromosome Xq22.3-23. Contains a pseudogene similar to U-SNRNP-associated Cyclophilin (U-SA-CYP, EC 5.2.1.8), ESTs, an STS and a GSS, complete sequence.//0.0020:462:57//AL030995

R-NT2RP2001233//CIT-HSP-2356P23.TR CIT-HSP Homo sapiens genomic clone 23

56P23, genomic survey sequence.//8.0e-108:547:96//AQ081110

R-NT2RP2001245//*Spodoptera frugiperda* 16S rRNA gene, Val-tRNA, and Leu-tRNA genes, and ND-1 protein gene, 5' end.//0.0052:350:58//M76713

R-NT2RP2001268//*Homo sapiens* mRNA for KIAA0810 protein, partial cds.//4.6e-111:544:97//AB018353

R-NT2RP2001277//*Caenorhabditis elegans* DNA *** SEQUENCING IN PROGRESS **
* from clone Y59A8, WORKING DRAFT SEQUENCE.//0.0058:327:59//Z98870

R-NT2RP2001290//*Plasmodium falciparum* 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.96:187:65//AC004709

R-NT2RP2001295//*Homo sapiens* BAC clone NH0491B03 from 7p21-p15, complete sequence.//0.59:218:62//AC006041

R-NT2RP2001312//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 349A12, WORKING DRAFT SEQUENCE.//0.12:117:64//AL033520

R-NT2RP2001327//*Caenorhabditis elegans* cosmid R04D3, complete sequence.//0.31:119:66//Z70212

R-NT2RP2001328//HS_2213_A1_D07_MF CIT Approved Human Genomic Sperm Library D *Homo sapiens* genomic clone Plate=2213 Col=13 Row=G, genomic survey sequence.//1.7e-22:200:83//AQ136874

R-NT2RP2001347//*Plasmodium falciparum* MAL3P8, complete sequence.//0.81:509:56//AL034560

R-NT2RP2001378//*H. sapiens* DNA sequence.//0.94:147:63//Z22404

R-NT2RP2001381//*Homo sapiens* cyclin E2 mRNA, complete cds.//3.2e-09:75:97//AF091433

R-NT2RP2001392//*Myxococcus xanthus* ATP-dependent protease (bsga) gene, complete cds.//0.079:178:62//L19301

R-NT2RP2001394//Human DNA sequence from PAC 389A20 on chromosome X contains ESTs STS, CpG islands and polymorphic CA repeat.//3.4e-60:351:90//Z93242

R-NT2RP2001397//Hamster mRNA for cyclinB2, complete cds.//5.4e-55:320:83
//D17294

R-NT2RP2001420//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1108D11, WORKING DRAFT SEQUENCE.//1.0e-44:246:85//AL034419

R-NT2RP2001423//Human DNA sequence from clone 726F20 on chromosome 1p36.
11-36.23. Contains ESTs and a GSS, complete sequence.//3.7e-05:417:61//A
L031273

R-NT2RP2001427//Human Chromosome 11 Cosmid cSRL34e5, complete sequence./
/0.94:287:59//U73643

R-NT2RP2001436//Mus musculus clone OST1784, genomic survey sequence.//5.
2e-31:299:77//AF046702

R-NT2RP2001440//Rattus norvegicus mRNA for 14-3-3 protein gamma-subtype,
complete cds.//7.8e-75:548:83//D17447

R-NT2RP2001445//Homo sapiens 12q13.1 PAC RPCI1-228P16 (Roswell Park Canc
er Institute Human PAC Library) complete sequence.//1.0e-06:452:59//AC00
4801

R-NT2RP2001449//Homo sapiens clone DJ0647C14, WORKING DRAFT SEQUENCE, 21
unordered pieces.//5.1e-08:218:67//AC004846

R-NT2RP2001450

R-NT2RP2001467//Human BAC clone RG343P13 from 7q31, complete sequence.//
3.8e-31:254:83//AC002465

R-NT2RP2001506//C.barati p-47, ntnh, bonT genes.//1.2e-06:415:60//Y12091

R-NT2RP2001511//Plasmodium falciparum MAL3P7, complete sequence.//0.11:1
55:63//AL034559

R-NT2RP2001520//Homo sapiens mRNA for mitochondrial carrier protein ARAL
AR1.//2.1e-104:545:95//Y14494

R-NT2RP2001526//Homo sapiens chromosome 17, clone hCIT.175_E_5, complete
sequence.//7.0e-16:283:68//AC004596

R-NT2RP2001536//Human DNA from chromosome 14-specific cosmid containing

XRCC3 DNA repair gene, genomic sequence, complete sequence.//7.7e-16:108
:96//AF037222

R-NT2RP2001560//CIT978SK-A-56H4.TP CIT978SK Homo sapiens genomic clone A
-56H4, genomic survey sequence.//0.052:112:66//B73597

R-NT2RP2001569//CIT-HSP-2335F8.TF CIT-HSP Homo sapiens genomic clone 233
5F8, genomic survey sequence.//6.0e-78:383:98//AQ042029

R-NT2RP2001576//Homo sapiens sulfonylurea receptor (SUR2) gene, exon 37.
//0.33:135:66//AF061322

R-NT2RP2001581//Homo sapiens (clone MFD220) PCR primer.//2.7e-07:240:63/
/L15407

R-NT2RP2001597//HS_3016_B2_F06_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3016 Col=12 Row=L, genomic survey
sequence.//5.3e-45:310:87//AQ118854

R-NT2RP2001601//Homo sapiens chromosome 17, clone hRPK.855_D_21, complet
e sequence.//0.015:445:58//AC006079

R-NT2RP2001613//Mus musculus orphan nuclear hormone receptor (CAR) gene,
complete sequence.//3.5e-16:413:63//AF009326

R-NT2RP2001628//Phytomonas serpens kinetoplast maxicircle ribosomal prot
ein S12 (G6) edited mRNA, complete cds.//0.11:190:63//AF034626

R-NT2RP2001663//Homo sapiens Chromosome 16 BAC clone CIT987SK-625P11, co
mplete sequence.//3.0e-26:157:81//AC004125

R-NT2RP2001677//Homo sapiens chromosome 9, P1 clone 11659, complete sequ
ence.//3.0e-58:305:96//AC004472

R-NT2RP2001678//Human BAC clone RG222A16 from 7q31, complete sequence.//
0.95:107:66//AC002385

R-NT2RP2001699//Mus musculus erythroid ankyrin and two alternatively spl
iced erythroid ankyrins (Ank1) gene, putative exon 41 and partial cds.//
8.8e-05:211:63//U76758

R-NT2RP2001720//Homo sapiens PAC clone DJ0167F23 from 7p15, complete seq

uence.//4.7e-68:352:97//AC004079

R-NT2RP2001721//HS-1052-B1-G06-MF.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 774 Col=11 Row=N, genomic survey sequence.//7.7e-05:346:59//B40914

R-NT2RP2001740//HS_3213_A2_D02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3213 Col=4 Row=G, genomic survey sequence.//1.1e-16:162:82//AQ175104

R-NT2RP2001748//Human gene for L-histidine decarboxylase, complete cds./2.0e-33:312:77//D16583

R-NT2RP2001762//Homo sapiens chromosome 1, BAC CIT-HSP-292g8 (BC262482), complete sequence.//2.3e-100:435:97//AC004783

R-NT2RP2001813//Human leukocyte common antigen T200 (CD45, LCA) gene, exon 9.//0.031:261:60//M23468

R-NT2RP2001861

R-NT2RP2001869//Sequence 5 from patent US 5595900.//4.2e-21:194:77//I34189

R-NT2RP2001876

R-NT2RP2001883//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//5.0e-111:485:97//AL031864

R-NT2RP2001900

R-NT2RP2001907//Human proto-oncogene tyrosine-protein kinase (ABL) gene, exon 1a and exons 2-10, complete cds.//5.4e-42:382:77//U07563

R-NT2RP2001926//HS_3180_B2_F02_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3180 Col=4 Row=L, genomic survey sequence.//2.8e-25:138:80//AQ185415

R-NT2RP2001936//Plasmodium falciparum 3D7 chromosome 12 PFYAC1383 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.0:320:60//AC0

05504

R-NT2RP2001943//Dictyostelium discoideum PkgA (pkgA) gene, partial cds./
/1.4e-08:378:59//AF020280

R-NT2RP2001946//Homo sapiens clone NH0140K04, complete sequence.//3.6e-8
5:409:100//AC005033

R-NT2RP2001947//Human mRNA for KIAA0390 gene, complete cds.//0.85:140:64
//AB002388

R-NT2RP2001969

R-NT2RP2001976//CIT-HSP-2281C3.TR CIT-HSP Homo sapiens genomic clone 228
1C3, genomic survey sequence.//2.0e-60:307:98//B99575

R-NT2RP2001985//Arabidopsis thaliana DNA chromosome 4, BAC clone F1N20.(
ESSAII project).//0.031:282:61//AL022140

R-NT2RP2002025

R-NT2RP2002032//CITBI-E1-2502C19.TF CITBI-E1 Homo sapiens genomic clone
2502C19, genomic survey sequence.//1.2e-52:285:95//AQ264715

R-NT2RP2002033//Human (lambda) DNA for immunoglobulin light chain.//1.1e-0
8:389:61//D88270

R-NT2RP2002041//Homo sapiens 12p13.3 BAC RPCI11-319E16 (Roswell Park Can
cer Institute Human BAC Library) complete sequence.//1.1e-49:264:97//AC0
06206

R-NT2RP2002046//Human BAC clone GS119P05 from 7q21, complete sequence.//
0.0023:429:61//AC004011

R-NT2RP2002047//P.falciparum PK1 gene.//0.00015:239:62//X83707

R-NT2RP2002058//HS_2183_A1_G01_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2183 Col=1 Row=M, genomic survey s
equence.//1.2e-21:185:84//AQ022560

R-NT2RP2002066//G.gallus microsatellite DNA (LEI0222 (=T15ivD04)).//0.18
:102:70//Z83792

R-NT2RP2002070//P.falciparum major merozoite surface antigen (PMMSA) mRN

A, complete cds, isolate FC27.//0.95:192:61//M19143
R-NT2RP2002076//Homo sapiens clone 24804 mRNA sequence.//3.8e-25:182:86/
/AF052183
R-NT2RP2002079//Human DNA sequence from clone 431P23 on chromosome 6q27.
Contains the first coding exon of the MLLT4 gene for myeloid/lymphoid o
r mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated
to, 4 (AF-6, Afadin, MLLT-4, ALL-1 fusion partner), and a Serine Palmito
yltransferase 2 (EC 2.3.1.50, Long Chain Base Biosynthesis protein 2, LC
B-2, SPT-2) pseudogene. Contains ESTs, STss, GSSs, and a putative CpG is
land, complete sequence.//1.7e-10:97:90//AL009178
R-NT2RP2002099//Homo sapiens mRNA for E1B-55kDa-associated protein.//4.6
e-59:376:89//AJ007509
R-NT2RP2002105
R-NT2RP2002124//RPCI11-75J16.TJ RPCI11 Homo sapiens genomic clone R-75J1
6, genomic survey sequence.//0.58:191:64//AQ266779
R-NT2RP2002137//Homo sapiens Xp22-175-176 BAC GSHB-484017 (Genome System
s Human BAC Library) complete sequence.//0.0065:294:61//AC005913
R-NT2RP2002154
R-NT2RP2002172//RPCI11-90C20.TJ RPCI11 Homo sapiens genomic clone R-90C2
0, genomic survey sequence.//0.049:160:65//AQ282591
R-NT2RP2002185//CIT-HSP-2341I15.TF CIT-HSP Homo sapiens genomic clone 23
41I15, genomic survey sequence.//6.0e-36:230:90//AQ053355
R-NT2RP2002192//HS_2222_B1_F08_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2222 Col=15 Row=L, genomic survey
sequence.//1.9e-15:249:71//AQ178491
R-NT2RP2002193//Rattus norvegicus potassium channel regulatory protein K
ChAP mRNA, complete cds.//4.7e-35:438:73//AF032872
R-NT2RP2002208//Hansenula wingei mitochondrial DNA, complete sequence.//
0.00057:468:57//D31785

R-NT2RP2002219//HS_2058_A1_C09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=17 Row=E, genomic survey sequence.//3.4e-55:512:77//AQ234380

R-NT2RP2002231//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-31, complete sequence.//1.5e-06:398:61//Z98557

R-NT2RP2002252//Sequence 11 from patent US 5624818.//3.3e-91:553:87//I41141

R-NT2RP2002256//Homo sapiens retinoic acid hydroxylase mRNA, complete cds.//3.0e-14:132:84//AF005418

R-NT2RP2002259//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 118J21, WORKING DRAFT SEQUENCE.//1.6e-96:548:91//AL033527

R-NT2RP2002270//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, complete sequence.//5.1e-06:391:60//AC004605

R-NT2RP2002292//Genomic sequence from Human 13, complete sequence.//0.91:159:64//AC001226

R-NT2RP2002312//Homo sapiens CDP-diacylglycerol synthase 2 (CDS2) mRNA, partial cds.//1.3e-101:527:94//AF069532

R-NT2RP2002316//Plasmodium falciparum chromosome 2, section 45 of 73 of the complete sequence.//0.00052:389:59//AE001408

R-NT2RP2002325//Homo sapiens peroxisomal biogenesis factor (PEX11a) mRNA, complete cds.//2.3e-112:567:95//AF093668

R-NT2RP2002333//Rat POU domain factor (Brn-5) mRNA.//1.5e-22:323:73//L23204

R-NT2RP2002385//Homo sapiens synaptic glycoprotein SC2 spliced variant mRNA, complete cds.//3.7e-102:600:89//AF038958

R-NT2RP2002394//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.039:399:59//AC005308

R-NT2RP2002408//HS_2212_A1_E09_MR CIT Approved Human Genomic Sperm Library

ry D Homo sapiens genomic clone Plate=2212 Col=17 Row=I, genomic survey sequence.//9.6e-35:231:88//AQ184632

R-NT2RP2002426//Human DNA sequence from clone 101G11 on chromosome 22q12 . Contains an ACO2 (Mitochondrial Aconitate Hydratase (Aconitase, Citrate Hydro-Lyase, EC 4.2.1.3)) pseudogene, ESTs, STSs, GSSs and a putative CpG island, complete sequence.//2.8e-39:308:82//AL021877

R-NT2RP2002439//Leishmania tarentolae mitochondrial electron transport chain component mRNA.//0.022:102:71//M74225

R-NT2RP2002457//Homo sapiens DNA sequence from PAC 142L7 on chromosome 6 q21. Contains a Laminin Alpha 4 (LAMA4) LIKE gene coding for two alternatively spliced transcripts, a Tubulin Beta LIKE pseudogene, a Connective tissue growth factor (NOV, GIG) LIKE gene, A predicted CpG island, ESTs , STSs and genomic marker D6S416, complete sequence.//0.00099:354:59//Z99289

R-NT2RP2002464//Homo sapiens genomic DNA, chromosome 21q22.2 (Down Syndrome region), segment 6/15, WORKING DRAFT SEQUENCE.//0.0015:219:67//AP000013

R-NT2RP2002475

R-NT2RP2002479//Homo sapiens mRNA for ABC transporter 7 protein, complete cds.//3.1e-113:605:92//AB005289

R-NT2RP2002498//Human DNA sequence from PAC 162H14 on chromosome 22. Contains 3' part of a FIBULIN 1 like gene and ESTs, complete sequence.//0.32:210:64//Z98047

R-NT2RP2002503//Homo sapiens, clone hRPK.15_A_1, complete sequence.//4.0e-86:429:98//AC006213

R-NT2RP2002504//Homo sapiens mRNA for KIAA0791 protein, complete cds.//2.7e-105:583:91//AB018334

R-NT2RP2002520//Saccharomyces cerevisiae mitochondrial tRNA-Tyr, tRNA-Asn, & tRNA-Met genes.//0.14:406:58//AJ223323

R-NT2RP2002537//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 500L14, WORKING DRAFT SEQUENCE.//2.8e-16:188:78//AL023583

R-NT2RP2002546//Homo sapiens clone TUA8 Cri-du-chat region mRNA.//4.7e-1
08:571:93//AF009314

R-NT2RP2002549//Human Chromosome 15q26.1 PAC clone pDJ10k5 containing hu
man DNA polymerase gamma (polg) gene, complete sequence.//1.1e-103:422:9
5//AC005316

R-NT2RP2002591//Human DNA binding protein (HPF2) mRNA, complete cds.//1.
8e-36:526:67//M27878

R-NT2RP2002595

R-NT2RP2002606//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 2705, WORKING DRAFT SEQUENCE.//7.2e-10:211:71//AL033529

R-NT2RP2002609

R-NT2RP2002618//Plasmodium falciparum MAL3P6, complete sequence.//2.9e-0
5:566:60//Z98551

R-NT2RP2002621//Human DNA sequence from PAC 341I10 on chromosome 6q22.2-
22.33. Contains 60S ribosomal protein L5 like (pseudo)gene, ESTs and STS
s.//1.1e-38:348:78//Z97352

R-NT2RP2002643//Homo sapiens chromosome 11 clone pTWB15.28 map 11p15.4-p
15.5, genomic survey sequence.//1.2e-35:414:66//AF074030

R-NT2RP2002672//Homo sapiens chromosome 10 clone CIT-HSP-1326H7. map 10q2
4.3-10q25.1, complete sequence.//1.3e-77:403:95//AC005384

R-NT2RP2002701

R-NT2RP2002706//Homo sapiens chromosome 19, cosmid F22676, complete sequ
ence.//4.0e-42:147:90//AC005778

R-NT2RP2002710//P.falciparum serine rich protein (SERP I) gene.//0.84:13
5:67//J03983

R-NT2RP2002727//, complete sequence.//1.0:363:59//AC005815

R-NT2RP2002736//Arabidopsis thaliana chromosome II BAC T17M13 genomic se

quence, complete sequence.//0.44:267:60//AC004138

R-NT2RP2002740//Homo sapiens Xp22 BAC GSHB-600G8 (Genome Systems Human BAC library) complete sequence.//0.0016:474:60//AC004674

R-NT2RP2002741//HS_3051_B1_H11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3051 Col=21 Row=P, genomic survey sequence.//1.1e-38:217:86//AQ106283

R-NT2RP2002750//Homo sapiens 12q24.1 PAC RPCI1-315L5 (Roswell Park Cancer Institute Human PAC library) complete sequence.//5.0e-36:430:75//AC002395

R-NT2RP2002752//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 366L4, WORKING DRAFT SEQUENCE.//8.2e-41:437:76//AL023494

R-NT2RP2002753//Homo sapiens clone DJ076B20, WORKING DRAFT SEQUENCE, 6 unordered pieces.//6.8e-100:496:97//AC004882

R-NT2RP2002769//paramecium species 5,311 mt dna dimer: replication init. region.//7.4e-10:404:60//K00917

R-NT2RP2002778//Homo sapiens clone 24606 mRNA sequence.//1.2e-63:341:94//AF070537

R-NT2RP2002800//RPCI11-37G8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-37G8, genomic survey sequence.//4.9e-60:321:95//AQ029850

R-NT2RP2002839//Homo sapiens Chromosome 11q12.2 PAC clone pDJ688p12 containing uteroglobin gene, WORKING DRAFT SEQUENCE, 11 unordered pieces.//2.9e-100:492:98//AC006078

R-NT2RP2002857//HS_3026_B2_H07_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3026 Col=14 Row=P, genomic survey sequence.//8.9e-06:242:62//AQ128697

R-NT2RP2002862//RPCI11-42I15.TJ RPCI11 Homo sapiens genomic clone R-42I15, genomic survey sequence.//1.5e-44:270:85//AQ052700

R-NT2RP2002880//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 150C2, WORKING DRAFT SEQUENCE.//1.0:295:58//AL022318

R-NT2RP2002891

R-NT2RP2002925//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 243L18, WORKING DRAFT SEQUENCE.//2.0e-24:395:67//AL034395

R-NT2RP2002928//Plasmodium falciparum MAL3P5, complete sequence.//0.044:461:55//AL034556

R-NT2RP2002929//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.35:491:56//AC005140

R-NT2RP2002954//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//1.0:275:61//AC005701

R-NT2RP2002959//Mus musculus ubiquitin conjugating enzyme (ubc4) mRNA, complete cds.//2.7e-61:508:79//U62483

R-NT2RP2002979//RPCI11-20F13.TPK RPCI-11 Homo sapiens genomic clone RPCI-11-20F13, genomic survey sequence.//0.88:110:72//AQ008132

R-NT2RP2002980//Homo sapiens PAC clone DJ0841B21 from 7q21.1-q31.1, complete sequence.//1.1e-102:433:95//AC004140

R-NT2RP2002986//Human DNA sequence from clone 1147016 on chromosome Xp21.1-21.3. Contains 13 exons of the DMD muscular dystrophy gene. Contains an STS and GSSs, complete sequence.//0.31:219:62//AL031542

R-NT2RP2002987//Homo sapiens chromosome 18, clone hRPK.24_A_23, complete sequence.//1.3e-51:283:88//AC005968

R-NT2RP2002993//Human DNA sequence from PAC 106B9 on chromosome Xq21.//4.3e-11:430:63//AL021307

R-NT2RP2003000//Saccharomyces cerevisiae mitochondrion transfer RNA- Leu, Gln, Lys, Arg, Gly, Asp, Ser2, Arg2, Ala, Ile, Tyr, Asn genes.//0.00088:347:62//L36887

R-NT2RP2003034//Homo sapiens genomic DNA of 9q32 anti-oncogene of flat epithelium cancer, segment 2/10.//3.5e-33:271:82//AB020870

R-NT2RP2003073

R-NT2RP2003099//Homo sapiens PAC clone DJ0886008 from 7q32-q35, complete sequence.//1.5e-45:548:69//AC004914

R-NT2RP2003108

R-NT2RP2003117//Homo sapiens clone DJ1137M13, complete sequence.//2.0e-51:323:88//AC005378

R-NT2RP2003121//HS_2238_A1_E08_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2238 Col=15 Row=I, genomic survey sequence.//0.00055:324:61//AQ293058

R-NT2RP2003125

R-NT2RP2003129

R-NT2RP2003137//Human BAC clone RG084D04 from 7q31, complete sequence.//1.1e-46:521:74//AC003084

R-NT2RP2003161//Homo sapiens chromosome 10 clone CIT-HSP-1287C20, complete sequence.//1.0:368:59//AC005879

R-NT2RP2003164//Dictyostelium discoideum actin 4 gene, 3' UTR.//1.0:120:64//M25581

R-NT2RP2003165//Homo sapiens chromosome 17, clone hRPK.1018_N_14, complete sequence.//2.2e-71:467:86//AC005823

R-NT2RP2003177

R-NT2RP2003194//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 996D20, WORKING DRAFT SEQUENCE.//1.1e-95:585:88//AL031597

R-NT2RP2003206//P.falciparum interspersed repeat antigen (FIRA) gene.//0.039:338:60//M17877

R-NT2RP2003230//Plasmodium falciparum MAL3P6, complete sequence.//1.9e-11:542:60//Z98551

R-NT2RP2003237//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone : MDH9, complete sequence.//1.0:311:60//AB016888

R-NT2RP2003243//CIT-HSP-2368D12.TR CIT-HSP Homo sapiens genomic clone 23 68D12, genomic survey sequence.//0.39:112:66//AQ077738

R-NT2RP2003265//Muridae sp. (mouse-rat, neuroblastoma-glioma hybrid cell line NGD5) mRNA, complete cds.//1.3e-38:273:83//L38481

R-NT2RP2003272//Homo sapiens clone UWGC:y17c131 from 6p21, complete sequence.//4.4e-15:181:66//AC004187

R-NT2RP2003277//Homo sapiens mRNA for KIAA0625 protein, partial cds.//4.2e-110:565:95//AB014525

R-NT2RP2003280//Homo sapiens 12p13.3 PAC RPCI5-1180D12 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//3.2e-12:221:70//AC005831

R-NT2RP2003286//Homo sapiens chromosome 19, CIT-HSP-444n24, complete sequence.//0.86:379:60//AC005261

R-NT2RP2003293//Homo sapiens clone RG252P22, WORKING DRAFT SEQUENCE, 3 unordered pieces.//1.0e-39:418:74//AC005079

R-NT2RP2003295//HS_2053_B1_A10_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2053 Col=19 Row=B, genomic survey sequence.//0.0016:346:61//AQ235251

R-NT2RP2003297//Arabidopsis thaliana chromosome II BAC F4P9 genomic sequence, complete sequence.//0.74:397:56//AC002332

R-NT2RP2003308//Homo sapiens PAC clone DJ1098B01 from 7q11.23-q21, complete sequence.//0.99:447:60//AC004960

R-NT2RP2003329//C.reinhardtii psbB 5' flanking region.//0.79:161:59//X59731

R-NT2RP2003339//RPCI11-57H15.TK RPCI11 Homo sapiens genomic clone R-57H15, genomic survey sequence.//0.13:184:64//AQ116039

R-NT2RP2003347//RPCI11-15B19.TV RPCI-11 Homo sapiens genomic clone RPCI-11-15B19, genomic survey sequence.//6.4e-31:218:89//B76357

R-NT2RP2003367//Human Chromosome 16 BAC clone CIT987SK-A-363E6, complete sequence.//9.0e-11:101:84//U91321

R-NT2RP2003391//HS_2255_B2_B04_MF CIT Approved Human Genomic Sperm Library

ry D Homo sapiens genomic clone Plate=2255 Col=8 Row=D, genomic survey s
equence.//1.6e-38:247:90//AQ068937

R-NT2RP2003393//RPCI11-44K6.TJ RPCI11 Homo sapiens genomic clone R-44K6,
genomic survey sequence.//3.9e-31:290:79//AQ202481

R-NT2RP2003394//Yeast mitochondrial oxi3 gene exon 1 for cytochrome c ox
idase subunit I.//5.1e-14:579:61//X14910

R-NT2RP2003401//Caprine arthritis-encephalitis virus tat protein (tat) a
nd envelope glycoprotein (env) gene, partial cds.//0.32:174:66//U81429

R-NT2RP2003433//Ascidian mRNA for HRSec61, complete cds.//1.5e-10:193:69
//D25536

R-NT2RP2003445//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone Y313F4, WORKING DRAFT SEQUENCE.//4.4e-99:585:89//AL023808

R-NT2RP2003446

R-NT2RP2003456//Plasmodium falciparum MAL3P7, complete sequence.//0.98:3
99:57//AL034559

R-NT2RP2003480//Homo sapiens full length insert cDNA clone ZE09A11.//4.7
e-111:540:98//AF086540

R-NT2RP2003499

R-NT2RP2003506

R-NT2RP2003511

R-NT2RP2003513//Human mRNA for KIAA0270 gene, partial cds.//4.1e-107:566
:93//D87460

R-NT2RP2003517//Human c-sis/platelet-derived growth factor 2 (SIS/PDGF2)
mRNA, complete cds.//1.5e-60:518:79//M12783

R-NT2RP2003522//HS_2182_A1_D05_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2182 Col=9 Row=G, genomic survey s
equence.//0.053:251:60//AQ024304

R-NT2RP2003533//Homo sapiens chromosome 12p13.3 clone RPCI4-816N1, WORKI
NG DRAFT SEQUENCE, 31 unordered pieces.//1.5e-37:328:80//AC005841

R-NT2RP2003543//HS_3028_A2_C12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3028 Col=24 Row=E, genomic survey sequence.//2.0e-39:203:100//AQ094957

R-NT2RP2003559//Homo sapiens full length insert cDNA clone ZD65E09.//2.3e-59:325:95//AF088055

R-NT2RP2003564

R-NT2RP2003581

R-NT2RP2003596//HS_2163_B1_D11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2163 Col=21 Row=H, genomic survey sequence.//0.0011:212:67//AQ125143

R-NT2RP2003604//Homo sapiens alpha-catenin-like protein mRNA, complete cds.//5.4e-102:501:97//U97067

R-NT2RP2003629//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-628 genomic sequence, WORKING DRAFT SEQUENCE, 9 unordered pieces.//0.0012:363:61//AC005507

R-NT2RP2003643//Mus musculus mRNA for CMP-N-acetylneuraminic acid synthetase.//5.1e-37:561:68//AJ006215

R-NT2RP2003668//Human DNA sequence from PAC 24608, between markers DXS6791 and DXS8038 on chromosome X contains ESTs.//0.0053:395:58//Z76735

R-NT2RP2003687//Human BAC clone RG222A16 from 7q31, complete sequence.//8.0e-10:205:67//AC002385

R-NT2RP2003691//HS_3252_A2_A11_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3252 Col=22 Row=A, genomic survey sequence.//5.3e-05:332:60//AQ219783

R-NT2RP2003702//CIT-HSP-2333P5.TF CIT-HSP Homo sapiens genomic clone 2333P5, genomic survey sequence.//3.9e-43:431:75//AQ035000

R-NT2RP2003704

R-NT2RP2003706//Homo sapiens mRNA for KIAA0525 protein, partial cds.//2.6e-45:265:93//AB011097

R-NT2RP2003713//Human DNA sequence from PAC 411B6 on chromosome X *./0.64:169:67//Z84470

R-NT2RP2003714//Human DNA sequence from 4PTel, Huntington's Disease Region, chromosome 4p16.3./4.6e-11:152:73//Z95704

R-NT2RP2003727//H.sapiens mRNA for PIBF1 protein, complete./0.94:443:59//Y09631

R-NT2RP2003737//Homo sapiens clone DJ1022I14, WORKING DRAFT SEQUENCE, 14 unordered pieces./2.2e-109:547:96//AC004951

R-NT2RP2003751//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-427H10, complete sequence./4.1e-109:545:97//AC004626

R-NT2RP2003760//B. taurus mRNA for gamma-COP./6.3e-28:400:69//X70019

R-NT2RP2003764//Mouse preprosomatostatin gene./0.90:285:62//X51468

R-NT2RP2003769//Schizosaccharomyces pombe gene for protein involved in sexual development, complete cds./0.96:446:58//D87956

R-NT2RP2003770//Homo sapiens sperm acrosomal protein mRNA, complete cds./1.8e-104:531:96//AF047437

R-NT2RP2003777

R-NT2RP2003781//HS_3109_B1_B04_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3109 Col=7 Row=D, genomic survey sequence./1.3e-60:346:92//AQ186749

R-NT2RP2003793

R-NT2RP2003840

R-NT2RP2003857//HS_2205_A2_H12_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2205 Col=24 Row=0, genomic survey sequence./8.1e-22:127:99//AQ151299

R-NT2RP2003859//RPCI11-37G8.TV RPCI-11 Homo sapiens genomic clone RPCI-11-37G8, genomic survey sequence./8.3e-60:320:95//AQ029850

R-NT2RP2003871//HS_3210_A1_C08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3210 Col=15 Row=E, genomic survey

sequence.//8.6e-09:322:61//AQ175028

R-NT2RP2003885//RPCI11-7M10.TP RPCI-11 Homo sapiens genomic clone RPCI-11-7M10, genomic survey sequence.//4.7e-67:380:92//B72214

R-NT2RP2003912//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 32B1, WORKING DRAFT SEQUENCE.//1.2e-33:379:75//AL023693

R-NT2RP2003952

R-NT2RP2003968//Homo sapiens hUBP mRNA for ubiquitin specific protease, complete cds.//2.3e-114:568:97//AB014458

R-NT2RP2003976//Homo sapiens mRNA for KIAA0447 protein, complete cds.//1.1e-107:540:97//AB007916

R-NT2RP2003981//Homo sapiens mRNA for KIAA0804 protein, partial cds.//7.7e-114:568:96//AB018347

R-NT2RP2003984

R-NT2RP2003986//Human Chromosome 11 pac pDJ197h17, WORKING DRAFT SEQUENCE, 11 unordered pieces.//6.6e-99:551:92//AC000382

R-NT2RP2003988

R-NT2RP2004014

R-NT2RP2004041//Homo sapiens chromosome 19, cosmid F17127, complete sequence.//4.9e-114:568:97//AC004780

R-NT2RP2004042//nbxb0020F03r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0020F03r, genomic survey sequence.//0.11:195:64//AQ258389

R-NT2RP2004066//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 134019, WORKING DRAFT SEQUENCE.//7.6e-110:564:95//AL034555

R-NT2RP2004081//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//0.012:503:57//AC005308

R-NT2RP2004098//H.sapiens CpG island DNA genomic MseI fragment, clone 133h3, reverse read cpg133h3.rt1a.//7.9e-25:140:100//Z64530

R-NT2RP2004124

R-NT2RP2004142//CIT-HSP-2316F21.TR CIT-HSP Homo sapiens genomic clone 2316F21, genomic survey sequence.//2.8e-83:409:98//AQ034964

R-NT2RP2004152//HS_3065_A2_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3065 Col=8 Row=G, genomic survey sequence.//2.5e-62:304:100//AQ137776

R-NT2RP2004165//Anthocidaris crassispina mRNA for dynein beta-heavy chain, complete cds.//3.4e-20:343:65//D01021

R-NT2RP2004170//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4, BAC clone B33108; HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pieces.//2.5e-89:587:86//AC004064

R-NT2RP2004172//Dictyostelium discoideum LTR-retrotransposon Skipper, partial genomic sequence, 3' end.//0.24:440:60//AF017047

R-NT2RP2004187//RPCI11-59E12.TK RPCI11 Homo sapiens genomic clone R-59E12, genomic survey sequence.//3.1e-05:175:66//AQ198120

R-NT2RP2004194

R-NT2RP2004196//Fugu rubripes GSS sequence, clone 076D01bE2, genomic survey sequence.//1.6e-22:178:71//AL026601

R-NT2RP2004207//Homo sapiens BAC clone GS421I03 from Xq25-q26, complete sequence.//0.19:175:64//AC005023

R-NT2RP2004226//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y313F4, WORKING DRAFT SEQUENCE.//6.1e-17:445:64//AL023808

R-NT2RP2004232//M.musculus (Balb/c) mRNA for serine/threonine protein kinase.//3.2e-25:326:71//Z34524

R-NT2RP2004239//Homo sapiens lok mRNA for protein kinase, complete cds.//8.7e-108:563:94//AB015718

R-NT2RP2004240//Homo sapiens antigen NY-CO-1 (NY-CO-1) mRNA, complete cds.//1.1e-101:530:93//AF039687

R-NT2RP2004242

R-NT2RP2004245//Homo sapiens DNA sequence from PAC 455H14 on chromosome

Xq21.3-22.3. Contains genomic marker DXS1203 with a CA repeat polymorphism, STSs and GSSs, complete sequence.//5.1e-08:236:65//AL023280

R-NT2RP2004270//Lycopersicon esculentum ldh2 gene.//0.98:259:61//Y10603

R-NT2RP2004300//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1068F16, WORKING DRAFT SEQUENCE.//5.0e-14:396:65//AL023913

R-NT2RP2004316//Homo sapiens EXT-like protein 2 (EXTL2) mRNA, complete cds.//1.5e-108:544:96//AF000416

R-NT2RP2004321//Caenorhabditis elegans cosmid F47B8, complete sequence.//0.0078:333:61//Z77662

R-NT2RP2004339//Homo sapiens PAC clone DJ1136G13 from 7q35-q36, complete sequence.//1.4e-75:306:86//AC005229

R-NT2RP2004347//RPCI11-90N11.TJ RPCI11 Homo sapiens genomic clone R-90N11, genomic survey sequence.//2.9e-87:494:92//AQ284548

R-NT2RP2004364//Human DNA sequence from clone 422F24 on chromosome 6q24.1-25.2. Contains a novel gene similar to C. elegans C02C2.5. Contains ESTs, STSs and GSSs, complete sequence.//4.2e-10:161:76//AL031010

R-NT2RP2004365//Plasmodium falciparum chromosome 2, section 70 of 73 of the complete sequence.//3.6e-08:483:57//AE001433

R-NT2RP2004366//F.rubripes GSS sequence, clone 013B16aF3, genomic survey sequence.//2.1e-05:128:67//AL000528

R-NT2RP2004373//Homo sapiens 12q24.2 BAC RPCI11-407A16 (Roswell Park Cancer Institute Human BAC Library) complete sequence.//0.81:205:62//AC006065

R-NT2RP2004389//HS_2183_B2_H04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2183 Col=8 Row=P, genomic survey sequence.//3.9e-06:82:84//AQ063969

R-NT2RP2004392//Ceratovacuna sp. mitochondrial cytochrome oxidase I (3' end), cytochrome oxidase II (complete cds) and transfer RNA-Leu gene.//2.7e-06:495:58//L39993

R-NT2RP2004396//Homo sapiens BAC clone RG135C18 from 7q21, complete sequence.//6.4e-111:572:96//AC005164

R-NT2RP2004399//Arabidopsis thaliana chromosome I BAC F11M15 genomic sequence, complete sequence.//0.13:253:64//AC006085

R-NT2RP2004400//HS_3238_A2_H11_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3238 Col=22 Row=0, genomic survey sequence.//5.1e-23:162:89//AQ211412

R-NT2RP2004412//Saccharomyces douglasii mitochondrial cytochrome c oxidase subunit I (COXI) gene, complete cds.//2.6e-09:458:60//M97514

R-NT2RP2004425//Human DNA sequence from clone 1052M9 on chromosome Xq25. Contains the SH2D1A gene for SH2 domain protein 1A, Duncan's disease (lymphoproliferative syndrome) (DSHP), part of a 60S Acidic Ribosomal protein 1 (RPLP1) LIKE gene and part of a mouse DOC4 LIKE gene. Contains ESTs and GSSs, complete sequence.//0.99:481:56//AL022718

R-NT2RP2004476//Rattus norvegicus activity and neurotransmitter-induced early gene 6 (ania-6) mRNA, 3' UTR.//5.3e-99:600:90//AF030091

R-NT2RP2004490//Homo sapiens chromosome 16, P1 clone 94-10H (LANL), complete sequence.//3.9e-115:575:97//AC005591

R-NT2RP2004512//Plasmodium falciparum MAL3P3, complete sequence.//0.00034:517:58//Z98547

R-NT2RP2004523//Homo sapiens clone DJ0800G07, complete sequence.//1.8e-115:571:97//AC004890

R-NT2RP2004538//Homo sapiens BAC clone RG318C11 from 7p14-p15, complete sequence.//1.7e-47:322:87//AC005091

R-NT2RP2004551//Homo sapiens Xp22 bins 45-47 BAC GSHB-665N22 (Genome Systems Human BAC Library) complete sequence.//0.035:511:58//AC005184

R-NT2RP2004568//T7C20-Sp6 TAMU Arabidopsis thaliana genomic clone T7C20, genomic survey sequence.//0.70:446:54//B08766

R-NT2RP2004580//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 136B1, WORKING DRAFT SEQUENCE.//2.2e-53:397:74//AL031768
R-NT2RP2004587//CIT-HSP-2376P22.TF CIT-HSP Homo sapiens genomic clone 23
76P22, genomic survey sequence.//0.0079:223:63//AQ108976
R-NT2RP2004594//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-248F7, c
omplete sequence.//5.3e-10:493:62//AC004605
R-NT2RP2004600//Homo sapiens full length insert cDNA clone ZE04E06.//2.1
e-70:343:99//AF086522
R-NT2RP2004602//Homo sapiens full length insert cDNA clone YW26E09.//2.0
e-96:528:93//AF086033
R-NT2RP2004614
R-NT2RP2004655//Homo sapiens mRNA for leucine rich protein.//7.3e-117:58
7:96//AJ006291
R-NT2RP2004664//Homo sapiens mRNA for KIAA0460 protein, partial cds.//1.
8e-105:520:96//AB007929
R-NT2RP2004675//Human elastin (ELN) gene, partial cds, and LIM-kinase (L
IMK1) gene, complete cds.//3.4e-22:197:79//U63721
R-NT2RP2004681//Rat notch 2 mRNA.//8.0e-30:276:78//M93661
R-NT2RP2004689//Homo sapiens mRNA for KIAA0625 protein, partial cds.//1.
6e-118:600:96//AB014525
R-NT2RP2004709//Homo sapiens full length insert cDNA clone ZD42A08.//3.5
e-14:139:86//AF086259
R-NT2RP2004710//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 126A5, WORKING DRAFT SEQUENCE.//6.9e-117:592:96//AL031447
R-NT2RP2004736//Homo sapiens mRNA for KIAA0478 protein, complete cds.//4
.2e-117:594:96//AB007947
R-NT2RP2004743//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic
sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.53:403:59//AC0
05505
R-NT2RP2004767//Human DNA sequence from PAC 491M17 on chromosome 1p36.2-

1p36.3.//2.0e-81:568:84//Z97988

R-NT2RP2004775//*Anopheles quadrimaculatus* NADH dehydrogenase subunits (1-4, 4L, 5-6); cytochrome oxidase subunits (1-3); adenosine triphosphatase subunits (6,8); cytochrome b; transfer RNA; ribosomal RNA (large and small subunits).//4.0e-08:365:62//L04272

R-NT2RP2004791//*Homo sapiens* chromosome 5, BAC clone 282B7 (LBNL H192), complete sequence.//7.8e-111:541:98//AC005216

R-NT2RP2004799//*Homo sapiens* ATP-specific succinyl-CoA synthetase beta subunit (SCS) mRNA, partial cds.//2.5e-114:564:96//AF058953

R-NT2RP2004802

R-NT2RP2004816//*Homo sapiens* H beta 58 homolog mRNA, complete cds.//2.7e-118:584:97//AF054179

R-NT2RP2004841//Human BAC clone RG308B22 from 7q22-q31, complete sequence.//4.0e-46:447:72//AC002089

R-NT2RP2004861//*Plasmodium falciparum* MAL3P5, complete sequence.//0.19:189:66//AL034556

R-NT2RP2004897//Human Chromosome X clone bWXd187, complete sequence.//1.1e-08:330:61//AC004383

R-NT2RP2004936//CIT-HSP-2374L4.TF CIT-HSP *Homo sapiens* genomic clone 2374L4, genomic survey sequence.//0.99:129:65//AQ110571

R-NT2RP2004959//*Plasmodium falciparum* MAL3P6, complete sequence.//0.014:402:61//Z98551

R-NT2RP2004961//RPCI11-45P2.TK RPCI11 *Homo sapiens* genomic clone R-45P2, genomic survey sequence.//9.3e-90:453:97//AQ202282

R-NT2RP2004962//*Caenorhabditis elegans* DNA *** SEQUENCING IN PROGRESS **
* from clone Y40H4, WORKING DRAFT SEQUENCE.//0.017:291:61//AL022573

R-NT2RP2004967//*Homo sapiens* clone RG228D17, WORKING DRAFT SEQUENCE, 2 unordered pieces.//4.6e-52:496:77//AC005077

R-NT2RP2004978//*Homo sapiens* chromosome 19, cosmid F23269, complete sequ

ence.//0.088:322:63//AC005614

R-NT2RP2004982//Homo sapiens BAC clone BK085E05 from 22q12.1-qter, complete sequence.//0.025:339:61//AC003071

R-NT2RP2004985//T31H24TF TAMU Arabidopsis thaliana genomic clone T31H24, genomic survey sequence.//0.40:111:70//B78148

R-NT2RP2004999//Homo sapiens clone NH0084K19, WORKING DRAFT SEQUENCE, 30 unordered pieces.//0.23:157:68//AC005682

R-NT2RP2005000

R-NT2RP2005001//Homo sapiens mRNA for KIAA0615 protein, complete cds.//3.0e-111:577:95//AB014515

R-NT2RP2005003//Homo sapiens Xp22-132-134 BAC GSHB-590J15 (Genome Systems Human BAC library) complete sequence.//2.4e-21:246:77//AC004673

R-NT2RP2005012//Homo sapiens SEC63 (SEC63) mRNA, complete cds.//9.5e-115:568:97//AF100141

R-NT2RP2005018//HS_3108_B1_E09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3108 Col=17 Row=J, genomic survey sequence.//1.9e-31:222:89//AQ104050

R-NT2RP2005020//Rattus norvegicus cationic amino acid transporter-1 (CAT-1) mRNA, complete cds.//6.6e-41:566:73//U70476

R-NT2RP2005031//CIT-HSP-516A2.TV CIT-HSP Homo sapiens genomic clone 516A2, genomic survey sequence.//4.1e-31:357:75//B49897

R-NT2RP2005037

R-NT2RP2005038//Sequence 5 from patent US 5552281.//2.2e-32:178:98//I25644

R-NT2RP2005108//Mus musculus orphan nuclear hormone receptor (CAR) gene, complete sequence.//3.7e-23:475:67//AF009326

R-NT2RP2005116//Homo sapiens mRNA for KIAA0664 protein, partial cds.//8.4e-104:518:97//AB014564

R-NT2RP2005126//H.sapiens mRNA for RNA helicase (Myc-regulated dead box

protein).//1.4e-67:464:85//X98743

R-NT2RP2005139

R-NT2RP2005140//Leishmania mexicana amazonensis kinetoplast (clone 29) maxicircle A+T-rich repetitive DNA sequence.//7.9e-08:460:60//U00101

R-NT2RP2005144//Homo sapiens chromosome 12p13.3 clone RPC111-372B4, WORKING DRAFT SEQUENCE, 129 ordered pieces.//2.5e-103:519:96//AC005911

R-NT2RP2005147//Homo sapiens clone DJ1125K23, WORKING DRAFT SEQUENCE, 21 unordered pieces.//0.068:100:75//AC004971

R-NT2RP2005159//CITBI-E1-2506A8.TF CITBI-E1 Homo sapiens genomic clone 2506A8, genomic survey sequence.//0.90:113:71//AQ262104

R-NT2RP2005162//Homo sapiens chromosome 17, clone HCIT307A16, complete sequence.//5.0e-14:183:75//AC003041

R-NT2RP2005168//Homo sapiens mRNA for E1B-55kDa-associated protein.//7.5e-100:513:95//AJ007509

R-NT2RP2005204

R-NT2RP2005227//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//7.2e-119:583:97//AC005189

R-NT2RP2005239//Homo sapiens mRNA for putative tRNA splicing protein, partial.//8.4e-62:312:98//AJ010952

R-NT2RP2005254//Homo sapiens DNA sequence from PAC 262D12 on chromosome 1q23.3-24.3. Contains a Tenascin (Hexabrachion, Cytotactin, Neuroneurin, Myotendinous antigen)-LIKE gene and a mitochondrial/chloroplast 30S ribosomal protein S14-LIKE gene preceded by a CpG island. Contains ESTs, genomic marker D1S2691 and STSS.//5.7e-09:328:62//Z99297

R-NT2RP2005270//Plasmodium falciparum MAL3P8, complete sequence.//2.3e-05:355:61//AL034560

R-NT2RP2005276//Genomic sequence for Arabidopsis thaliana BAC F17F8, complete sequence.//0.0014:541:58//AC000107

R-NT2RP2005287//Cavia porcellus zinc finger protein (zfoC1) mRNA, complete

te cds.//4.4e-69:459:86//L26335

R-NT2RP2005288//Homo sapiens RCC1-like G exchanging factor RLG mRNA, complete cds.//7.4e-124:594:98//AF060219

R-NT2RP2005289//Homo sapiens mRNA for XRP2 protein.//1.5e-110:545:96//AJ007590

R-NT2RP2005293//Leishmania mexicana amazonensis kinetoplast (clone 29) maxicircle A+T-rich repetitive DNA sequence.//1.1e-12:554:61//U00101

R-NT2RP2005315//Homo sapiens DNA sequence from PAC 168L15 on chromosome 6q26-27. Contains RSK3 gene, ribosomal protein S6 kinase, EST, GSS, STS. CpG island, complete sequence.//9.5e-15:218:77//AL022069

R-NT2RP2005325//Rattus norvegicus LIM homeodomain protein (LH-2) mRNA sequence.//2.0e-72:478:88//L06804

R-NT2RP2005336//***ALU WARNING: Human Alu-J subfamily consensus sequence.//7.3e-33:139:82//U14567

R-NT2RP2005344//Human DNA sequence from PAC 128N22 on chromosome Xq25-Xq26.3. contains STS.//0.094:451:60//Z97629

R-NT2RP2005354//Homo sapiens mRNA for putative thioredoxin-like protein.//1.3e-11:89:96//AJ010841

R-NT2RP2005360//Homo sapiens clone RG023I15, WORKING DRAFT SEQUENCE, 1 unordered pieces.//0.046:266:60//AC005049

R-NT2RP2005393//Homo sapiens chromosome 17, clone hRPK.85_B_7, complete sequence.//6.0e-41:226:86//AC005695

R-NT2RP2005407

R-NT2RP2005436//Polistes annularis (clone pan117AAT) tandem repeat region.//0.039:169:63//L10835

R-NT2RP2005441//CIT-HSP-2338P5.TR CIT-HSP Homo sapiens genomic clone 2338P5, genomic survey sequence.//3.0e-38:263:88//AQ055548

R-NT2RP2005453//CIT-HSP-2367N1.TR CIT-HSP Homo sapiens genomic clone 2367N1, genomic survey sequence.//0.67:409:59//AQ079845

R-NT2RP2005457//Homo sapiens partial XPGC gene, exon 2.//2.0e-42:315:82/
/X71342

R-NT2RP2005464//CIT-HSP-2359C16.TF CIT-HSP Homo sapiens genomic clone 23
59C16, genomic survey sequence.//1.0:251:60//AQ075816

R-NT2RP2005465//Drosophila melanogaster, chromosome 2R, region 44D1-44D2
, P1 clone DS08616, complete sequence.//0.25:288:62//AC005457

R-NT2RP2005472//Chlorarachnion CCMP621 small subunit ribosomal RNA, 5.8S
ribosomal RNA, large subunit ribosomal RNA, U6 small nuclear RNA, small
subunit ribosomal protein S13 (RPS13), pre-mRNA splicing factor PRP 6 h
omolog, small subunit ribosomal protein 4 (RPS4), small nucleolar ribonu
cleoprotein E homolog (snRNP), ATP-dependent clp protease proteolytic s
ubunit homolog (CLPP), putative RNA polymerase II subunit (RNA POLII), a
nd RNA helicase homolog (RNAHEL) genes, complete cds.//1.0:356:59//U5851
0

R-NT2RP2005476//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from MAL1P3, WORKING DRAFT SEQUENCE.//0.00092:421:60//AL031746

R-NT2RP2005490//Homo sapiens clone NH0001P09, WORKING DRAFT SEQUENCE, 1
unordered pieces.//6.2e-71:187:100//AC006030

R-NT2RP2005491//paramecium species 5,311 mt dna dimer: replication init.
region.//1.6e-10:403:62//K00917

R-NT2RP2005495//Homo sapiens clone RG037F03, WORKING DRAFT SEQUENCE, 12
unordered pieces.//1.3e-25:208:82//AC005051

R-NT2RP2005496//Human DNA sequence from clone 354N19 on chromosome 6q22.
Contains the 3' part of the gene for Mannosyl-Oligosaccharide Alpha-1,2
-Mannosidase (Man9)-alpha-mannosidase, EC 3.2.1.113), a Cytochrome C Ox
idase Polypeptide I (EC 1.9.3.1) pseudogene and a pseudogene similar to
60S Ribosomal Protein L13A. Contains genomic markers D6S287 and D6S1696,
ESTs, STSS, GSSs and two CA repeat polymorphisms, complete sequence.//1
.5e-22:196:84//AL022722

R-NT2RP2005498

R-NT2RP2005501//Homo sapiens chromosome 17, clone hRPK.269_G_24, complete sequence.//1.7e-29:252:76//AC005828

R-NT2RP2005509//CIT-HSP-2060J6.TR CIT-HSP Homo sapiens genomic clone 2060J6, genomic survey sequence.//3.1e-53:402:84//B69979

R-NT2RP2005520//Homo sapiens chromosome-associated protein-E (hCAP-E) mRNA, complete cds.//9.9e-109:570:94//AF092563

R-NT2RP2005525//Human clone JkA2 mRNA induced upon T-cell activation, 3' end.//5.1e-32:175:98//U38432

R-NT2RP2005531//Homo sapiens PAC clone DJ0870F17 from 7q33-q36, complete sequence.//0.94:288:61//AC004911

R-NT2RP2005539//Homo sapiens mRNA for NS1-binding protein (NS1-BP).//2.7e-106:560:94//AJ012449

R-NT2RP2005540//Homo sapiens mRNA for KIAA0494 protein, complete cds.//5.3e-114:583:96//AB007963

R-NT2RP2005549//Homo sapiens *** SEQUENCING IN PROGRESS ***, WORKING DRAFT SEQUENCE.//0.91:287:58//AJ011929

R-NT2RP2005555//Homo sapiens 12p13.3 PAC RPCI5-927J10 (Roswell Park Cancer Institute Human PAC library) complete sequence.//3.6e-05:222:66//AC004804

R-NT2RP2005557//Homo sapiens PAC clone DJ1200I23 from 7p15, complete sequence.//8.2e-22:236:76//AC004996

R-NT2RP2005581//Homo sapiens clone DJ0693M11, WORKING DRAFT SEQUENCE, 7 unordered pieces.//7.2e-45:286:85//AC006146

R-NT2RP2005600//Human polymorphic microsatellite DNA.//0.043:304:58//M99148

R-NT2RP2005605//Human Cosmid g1572c190, complete sequence.//2.4e-17:163:77//AC000126

R-NT2RP2005620

R-NT2RP2005622//jd432 Trypanosome Shotgun M13 genomic Trypanosoma brucei
brucei genomic clone 11B7, genomic survey sequence.//0.010:308:58//B135
38

R-NT2RP2005637//Homo sapiens PAC clone DJ0555L14 from 7q34-q36, complete
sequence.//2.5e-26:322:72//AC005996

R-NT2RP2005640//Mus musculus squamous cell carcinoma antigen 2 (Scca2) g
ene, complete cds.//0.030:370:60//AF063937

R-NT2RP2005645//Plasmodium falciparum chromosome 2, section 35 of 73 of
the complete sequence.//3.2e-08:355:62//AE001398

R-NT2RP2005651

R-NT2RP2005654//Leishmania major Friedlin cosmid L5769, complete sequenc
e.//0.96:216:66//AL031908

R-NT2RP2005669//Homo sapiens nitrilase homolog 1 (NIT1) gene, alternativ
ely spliced product, complete cds.//6.7e-117:594:95//AF069984

R-NT2RP2005675//Homo sapiens growth suppressor related (DOC-1R) mRNA, co
mplete cds.//1.8e-89:434:98//AF089814

R-NT2RP2005683//jd432 Trypanosome Shotgun M13 genomic Trypanosoma brucei
brucei genomic clone 11B7, genomic survey sequence.//0.037:283:58//B135
38

R-NT2RP2005690//Homo sapiens clone DJ0425I02, WORKING DRAFT SEQUENCE, 5
unordered pieces.//1.5e-38:295:83//AC005478

R-NT2RP2005694//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 3-106, complete sequence.//0.0026:414:57//AL010210

R-NT2RP2005701

R-NT2RP2005712//Homo sapiens mRNA for KIAA0799 protein, partial cds.//4.
1e-104:503:98//AB018342

R-NT2RP2005719//Caenorhabditis elegans cosmid LLC1, complete sequence.//
0.83:275:61//Z82277

R-NT2RP2005722//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 228H13, WORKING DRAFT SEQUENCE.//1.2e-21:199:75//AL031985
R-NT2RP2005723
R-NT2RP2005726//Homo sapiens clone DJ0609N19, WORKING DRAFT SEQUENCE, 3
unordered pieces.//2.6e-64:503:82//AC004842
R-NT2RP2005741//Human Chromosome 11 pac pDJ393o15, WORKING DRAFT SEQUENC
E, 8 unordered pieces.//2.5e-09:261:64//AC000384
R-NT2RP2005748//RPCI11-64K11.TK RPCI11 Homo sapiens genomic clone R-64K1
1, genomic survey sequence.//0.00039:215:66//AQ239313
R-NT2RP2005752//Homo sapiens TNFR-related death receptor-6 (DR6) mRNA, c
omplete cds.//1.3e-40:223:96//AF068868
R-NT2RP2005753//Homo sapiens I-1 receptor candidate protein mRNA, comple
te cds.//3.7e-103:494:98//AF082516
R-NT2RP2005763//Homo sapiens DNA sequence from PAC 510L9 on chromosome 6
p24.1-p25.3.//9.7e-34:172:86//AL022098
R-NT2RP2005767//Human clone H3 mRNA.//2.5e-21:179:87//U03672
R-NT2RP2005773//HS_2168_B1_G12_MF CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2168 Col=23 Row=N, genomic survey
sequence.//0.99:212:63//AQ086414
R-NT2RP2005775//Rabbit mRNA for endopeptidase, complete cds.//4.8e-98:59
1:88//D13310
R-NT2RP2005781//Streptomyces sp. genomic DNA for sarcosine oxidase.//0.0
19:384:59//D10623
R-NT2RP2005784//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1185N5, WORKING DRAFT SEQUENCE.//1.8e-102:490:99//AL034423
R-NT2RP2005804//Homo sapiens chromosome 17, clone hRPK.147_L_13, complet
e sequence.//6.3e-16:481:63//AC005332
R-NT2RP2005812//Caenorhabditis elegans cosmid F15B10.//0.81:147:63//AF03
6696
R-NT2RP2005815

R-NT2RP2005835

R-NT2RP2005841//Human DNA sequence from cosmid U209G1 on chromosome X.//
1.5e-26:512:64//Z68873

R-NT2RP2005853//Human DNA sequence from clone 1156N12 on chromosome X. C
ontains an STS and GSSs, complete sequence.//3.7e-16:340:64//AL009047

R-NT2RP2005857//Human DNA sequence from cosmid U246D9 on chromosome X. C
ontains a histone H2B like pseudogene.//1.3e-09:331:65//AL021308

R-NT2RP2005859//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 3-83, complete sequence.//0.0097:363:59//AL010152

R-NT2RP2005868//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 3-18, complete sequence.//1.1e-07:508:60//AL008971

R-NT2RP2005890//Mouse oncogene (ect2) mRNA, complete cds.//2.7e-31:500:6
7//L11316

R-NT2RP2005901//Homo sapiens T-cell receptor alpha delta locus from base
s 752679 to 1000555 (section 4 of 5) of the Complete Nucleotide Sequence
.//0.89:276:60//AE000661

R-NT2RP2005908

R-NT2RP2005933//Rattus norvegicus nucleoporin p54 mRNA, complete cds.//1
.2e-40:285:80//U63840

R-NT2RP2005942//Homo sapiens DNA sequence from PAC 142L7 on chromosome 6
q21. Contains a Laminin Alpha 4 (LAMA4) LIKE gene coding for two alterna
tively spliced transcripts, a Tubulin Beta LIKE pseudogene, a Connective
tissue growth factor (NOV, GIG) LIKE gene, A predicted CpG island, ESTs
, STSs and genomic marker D6S416, complete sequence.//0.0011:480:58//Z99
289

R-NT2RP2005980//Homo sapiens Xp22 BAC GSHB-536K7 (Genome Systems Human B
AC library) complete sequence.//8.9e-21:136:78//AC004616

R-NT2RP2006023//HS_2176_B1_C10_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2176 Col=19 Row=F, genomic survey

sequence.//2.5e-66:369:95//AQ023148

R-NT2RP2006038//Plasmodium falciparum chromosome 2, section 6 of 73 of the complete sequence.//0.00029:408:58//AE001369

R-NT2RP2006043//Polistes annularis (clone pan117AAT) tandem repeat region.//0.032:195:62//L10835

R-NT2RP2006052//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 genomic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.11:263:61//AC005140

R-NT2RP2006069

R-NT2RP2006071//Plasmodium falciparum 3D7 chromosome 12 PFYAC1122 genomic sequence, WORKING DRAFT SEQUENCE, 3 unordered pieces.//0.00044:333:61//AC004709

R-NT2RP2006098//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-77, complete sequence.//4.1e-09:393:62//AL010151

R-NT2RP2006100//HS_2020_A2_H02_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2020 Col=4 Row=0, genomic survey sequence.//8.3e-53:304:92//AQ228761

R-NT2RP2006103//Rat sodium-hydrogen exchange protein-isoform 3 (NHE-3) mRNA, complete cds.//1.5e-16:199:79//M85300

R-NT2RP2006141

R-NT2RP2006166//Human Chromosome 16 BAC clone CIT987SK-A-589H1, complete sequence.//8.2e-48:329:76//AC002045

R-NT2RP2006184//RPCI11-6016.TP RPCI-11 Homo sapiens genomic clone RPCI-11-6016, genomic survey sequence.//0.52:273:61//B49539

R-NT2RP2006186//Homo sapiens mRNA for KIAA0654 protein, partial cds.//1.9e-108:553:95//AB014554

R-NT2RP2006196//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-57, complete sequence.//4.2e-05:420:59//AL008981

R-NT2RP2006200//Homo sapiens chromosome 12p13.3 clone RPCI1-96H9, WORKIN

G DRAFT SEQUENCE, 66 unordered pieces.//2.1e-100:409:96//AC006057
R-NT2RP2006219//H.sapiens mRNA for DGCR6 protein.//3.8e-93:532:90//X9648
4
R-NT2RP2006237//P.falciparum PK1 gene.//2.9e-08:481:59//X83707
R-NT2RP2006238//Human chromosome 16 BAC clone CIT987SK-A-962B4, complete
sequence.//3.5e-79:405:89//U91318
R-NT2RP2006258//Human PAC clone DJ0899B21 from 7p15-p21, complete sequen
ce.//2.2e-08:283:63//AC004008
R-NT2RP2006261//H.sapiens mRNA for serine/threonine protein kinase EMK./.
/6.2e-13:234:68//X97630
R-NT2RP2006312//Homo sapiens BAF57 (BAF57) gene, complete cds.//2.0e-108
:542:97//AF035262
R-NT2RP2006320//347J16.TVB CIT978SKA1 Homo sapiens genomic clone A-347J1
6, genomic survey sequence.//1.2e-27:215:65//B17768
R-NT2RP2006321//Human karyopherin beta 3 mRNA, complete cds.//1.7e-48:29
8:90//U72761
R-NT2RP2006323//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 702J19, WORKING DRAFT SEQUENCE.//2.8e-104:524:96//AL033531
R-NT2RP2006333//Homo sapiens PAC clone DJ0808A01 from 7q21.1-q31.1, comp
lete sequence.//3.9e-33:298:78//AC004893
R-NT2RP2006334
R-NT2RP2006365//RPCI11-72I15.TK RPCI11 Homo sapiens genomic clone R-72I1
5, genomic survey sequence.//2.6e-35:217:92//AQ267043
R-NT2RP2006393//*** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 4
, BAC clone B13E4; HTGS phase 1, WORKING DRAFT SEQUENCE, 10 unordered pi
eces.//8.0e-40:317:81//AC004046
R-NT2RP2006436//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone Y738F9, WORKING DRAFT SEQUENCE.//3.2e-42:184:86//AL022345
R-NT2RP2006441//Plasmodium falciparum microsatellite TA80 sequence.//0.0

0021:188:68//AF010568

R-NT2RP2006454//Plasmodium falciparum chromosome 2, section 60 of 73 of the complete sequence.//0.30:265:60//AE001423

R-NT2RP2006456//Homo sapiens clone 23566 mRNA sequence.//2.5e-104:532:96//AF052098

R-NT2RP2006464//Homo sapiens mRNA for AND-1 protein.//6.6e-108:524:97//AJ006266

R-NT2RP2006467//Sequence 50 from patent US 5691147.//8.3e-22:235:74//176222

R-NT2RP2006472//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1172A22, WORKING DRAFT SEQUENCE.//5.4e-12:407:62//AL034386

R-NT2RP2006534//Dictyostelium discoideum actin 8 gene, 3' UTR.//0.44:111:65//M25216

R-NT2RP2006554//Plasmodium falciparum chromosome 2, section 7 of 73 of the complete sequence.//0.19:392:58//AE001370

R-NT2RP2006565//Sus scrofa SCAMP1 gene, exon 9.//1.5e-13:292:68//AJ223742

R-NT2RP2006571//Homo sapiens chromosome 19, cosmid F17972, complete sequence.//0.0024:409:58//AC004660

R-NT2RP2006573//Human BRCA2 region, mRNA sequence CG005.//3.3e-16:334:64//U50532

R-NT2RP2006598//Mus musculus retinoid X receptor interacting protein (RIP110) mRNA, partial cds.//1.6e-19:448:64//U22015

R-NT2RP3000002//Human DNA sequence from cosmid N104C7 on chromosome 22, complete sequence.//4.4e-14:501:63//Z82246

R-NT2RP3000031//Homo sapiens mRNA for histone deacetylase-like protein (JMN21).//5.9e-115:560:97//AJ011972

R-NT2RP3000046//Homo sapiens clone DJ0042M02, WORKING DRAFT SEQUENCE, 20 unordered pieces.//3.9e-57:402:83//AC005995

R-NT2RP3000047//Homo sapiens chromosome 17, clone hRPK.138_P_22, complete sequence.//1.0:158:66//AC005697

R-NT2RP3000050//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 451B21, WORKING DRAFT SEQUENCE.//2.7e-32:411:69//AL033522

R-NT2RP3000055//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1000N6, WORKING DRAFT SEQUENCE.//7.9e-17:309:69//AL034378

R-NT2RP3000072//Brassica rapa DNA for S-locus glycoprotein, complete cds.//2.9e-07:516:60//D88192

R-NT2RP3000080//Homo sapiens clone DJ1129D05, complete sequence.//1.7e-27:186:90//AC005630

R-NT2RP3000085//Arabidopsis thaliana acetyl-CoA carboxylase biotin-containing subunit mRNA, nuclear gene encoding chloroplast protein, complete cds.//0.0051:289:59//U23155

R-NT2RP3000109//HS_3065_A2_D04_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3065 Col=8 Row=G, genomic survey sequence.//2.5e-62:304:100//AQ137776

R-NT2RP3000134//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from MAL1P3, WORKING DRAFT SEQUENCE.//0.027:414:57//AL031746

R-NT2RP3000142//Homo sapiens mRNA for KIAA0592 protein, partial cds.//3.8e-115:578:96//AB011164

R-NT2RP3000149//Homo sapiens chromosome 17, clone hRPK.332_H_18, complete sequence.//1.3e-67:354:95//AC005746

R-NT2RP3000186

R-NT2RP3000197//Human DNA sequence from PAC 181N1 on chromosome X contains ESTs, STS polymorphic CA repeat*.//2.5e-31:295:78//Z82899

R-NT2RP3000207//Homo sapiens Chromosome 16 BAC clone CIT987SK-A-954B10, complete sequence.//0.016:305:61//AC004514

R-NT2RP3000220//RPCI11-6307.TJ RPCI11 Homo sapiens genomic clone R-6307, genomic survey sequence.//0.25:118:66//AQ201832

R-NT2RP3000233//Plasmodium falciparum mRNA for major merozoite surface antigen gp195.//3.2e-11:440:59//X15063

R-NT2RP3000235//Mus musculus chromosome 6 clone TB6 subclone TB6pD1.//0.81:114:64//U19530

R-NT2RP3000247//Homo sapiens DNA sequence from clone 326L12 on chromosome Xq27.1-27.3. Contains the cancer/testis antigen CT7 (melanoma-associated antigen MAGE-C1) gene, two MAGE family pseudogenes, STSs and a CA repeat polymorphism, complete sequence.//4.8e-73:362:86//AL023279

R-NT2RP3000251//Homo sapiens chromosome 17, clone hRPK.192_H_23, complete sequence.//0.025:131:66//AC005726

R-NT2RP3000252

R-NT2RP3000255//HS-1025-B2-F08-MF.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 804 Col=16 Row=L, genomic survey sequence.//0.67:119:66//B34879

R-NT2RP3000267

R-NT2RP3000299//Rattus norvegicus mRNA for Crk-associated substrate, p130, complete cds.//1.2e-23:424:69//D29766

R-NT2RP3000312//Plasmodium falciparum MAL3P4, complete sequence.//0.55:414:59//AL008970

R-NT2RP3000320//HS_3056_A1_C03_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3056 Col=5 Row=E, genomic survey sequence.//4.1e-32:214:89//AQ134064

R-NT2RP3000324//Rattus norvegicus potassium channel regulator 1 mRNA, complete cds.//1.5e-22:265:75//U78090

R-NT2RP3000333//Plasmodium falciparum MAL3P6, complete sequence.//0.68:460:57//Z98551

R-NT2RP3000341//H.sapiens mRNA for TIM17 preprotein translocase.//1.4e-19:137:90//X97544

R-NT2RP3000348//CITBI-E1-2513C11.TF CITBI-E1 Homo sapiens genomic clone

2513C11, genomic survey sequence.//0.0014:118:72//AQ278177
R-NT2RP3000350
R-NT2RP3000359//Homo sapiens clone NH0319F03, WORKING DRAFT SEQUENCE, 3
unordered pieces.//2.8e-55:320:75//AC006039
R-NT2RP3000361//Homo sapiens mRNA for KIAA0552 protein, complete cds.//0
.18:275:61//AB011124
R-NT2RP3000366//CIT-HSP-2317H13.TF CIT-HSP Homo sapiens genomic clone 23
17H13, genomic survey sequence.//6.7e-42:214:100//AQ041634
R-NT2RP3000397//HS-1012-B1-F01-MR.abi CIT Human Genomic Sperm Library C
Homo sapiens genomic clone Plate=CT 787 Col=1 Row=L, genomic survey sequ
ence.//0.015:184:63//B31814
R-NT2RP3000403//Homo sapiens formin binding protein 21 mRNA, complete cd
s.//1.3e-109:529:98//AF071185
R-NT2RP3000418//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 510B21, WORKING DRAFT SEQUENCE.//6.2e-15:445:65//AL031885
R-NT2RP3000433
R-NT2RP3000439
R-NT2RP3000441
R-NT2RP3000449//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1018D12, WORKING DRAFT SEQUENCE.//1.6e-43:300:76//AL031650
R-NT2RP3000451//3'untranslated region of human mRNA for a K+ channel pr
otein.//0.71:101:66//E13519
R-NT2RP3000456//Human Xq28 cosmids U126G1, U142F2, U69B6, U145C10, U169A
5, U84H1, U24D12, U80A7, U153E6, L35485, and R7-163A8 containing idurona
te 2-sulfatase gene and pseudogene, complete sequence.//5.2e-16:376:65//
AF011889
R-NT2RP3000484//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 120G22, WORKING DRAFT SEQUENCE.//0.61:326:58//AL031847
R-NT2RP3000487//Sequence 32 from patent US 5476781.//8.6e-08:409:61//I16

692

R-NT2RP3000512//RPCI11-60F15.TK RPCI11 Homo sapiens genomic clone R-60F15, genomic survey sequence.//2.2e-68:379:93//AQ201516

R-NT2RP3000526//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 377F16, WORKING DRAFT SEQUENCE.//4.1e-07:224:65//Z93783

R-NT2RP3000527//HS_3228_A1_H07_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3228 Col=13 Row=0, genomic survey sequence.//4.5e-30:184:93//AQ209131

R-NT2RP3000531//T6M24-Sp6 TAMU Arabidopsis thaliana genomic clone T6M24, genomic survey sequence.//0.67:88:68//AQ248538

R-NT2RP3000542//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 126B4, WORKING DRAFT SEQUENCE.//2.0e-24:145:82//AL022316

R-NT2RP3000561//Homo sapiens PAC clone DJ0942I16 from 7q11, complete sequence.//6.1e-107:548:95//AC006012

R-NT2RP3000562//HS_2041_B1_E08_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2041 Col=15 Row=J, genomic survey sequence.//9.6e-55:279:98//AQ230207

R-NT2RP3000578//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS *** from contig 3-105, complete sequence.//0.00060:356:58//AL010212

R-NT2RP3000582//Homo sapiens chromosome 17, clone hCIT.468_F_23, WORKING DRAFT SEQUENCE, 3 unordered pieces.//4.2e-29:282:67//AC004666

R-NT2RP3000584//Human PAC clone DJ222H05 from Xq25-q26, complete sequence.//7.4e-44:245:78//AC002377

R-NT2RP3000590//Arabidopsis thaliana chromosome II BAC T31E10 genomic sequence, complete sequence.//0.66:341:59//AC004077

R-NT2RP3000592//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//0.022:491:56//AC005505

R-NT2RP3000596//HS_3025_A1_D11_MR CIT Approved Human Genomic Sperm Library

ry D Homo sapiens genomic clone Plate=3025 Col=21 Row=G, genomic survey
sequence.//2.6e-21:161:88//AQ101452

R-NT2RP3000599//Plasmodium falciparum MAL3P8, complete sequence.//1.3e-0
9:543:58//AL034560

R-NT2RP3000605//Homo sapiens chromosome 19, cosmid F20900, complete sequ
ence.//5.6e-115:554:98//AC006128

R-NT2RP3000622//Homo sapiens chromosome 12p13.3, WORKING DRAFT SEQUENCE,
27 unordered pieces.//0.15:233:63//AC005414

R-NT2RP3000624//CIT-HSP-2022D4.TR CIT-HSP Homo sapiens genomic clone 202
2D4, genomic survey sequence.//1.0:166:66//B64262

R-NT2RP3000628//Human BAC clone GS188P18, complete sequence.//5.3e-56:38
4:83//AC000115

R-NT2RP3000632//Human cyclin-selective ubiquitin carrier protein mRNA, c
omplete cds.//4.0e-61:438:85//U73379

R-NT2RP3000644//Homo sapiens DNA from chromosome 19p13.2 cosmids R31240,
R30272 and R28549 containing the EKLF, GCDH, CRTIC, and RAD23A genes, ge
nomic sequence.//1.0e-43:408:77//AD000092

R-NT2RP3000661//F.rubripes GSS sequence, clone 148D22bB9, genomic survey
sequence.//2.7e-17:234:69//AL005927

R-NT2RP3000665//Human chromosome 11 46b2 cosmid, complete sequence.//2.1
e-42:526:72//U73645

R-NT2RP3000685//HS_3007_A2_F02_T7 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3007 Col=4 Row=K, genomic survey s
equence.//1.6e-101:506:97//AQ118425

R-NT2RP3000690//Plasmodium falciparum MAL3P6, complete sequence.//1.3e-1
3:411:61//Z98551

R-NT2RP3000736

R-NT2RP3000742//Rattus norvegicus phospholipase C delta-4 mRNA, complete
cds.//0.0071:231:65//U16655

R-NT2RP3000753//Homo sapiens DNA sequence from BAC 55C20 on chromosome 6 . Contains a Spinal Muscular Atrophy (SMA3) LIKE gene overlapping with a beta-glucuronidase LIKE pseudogene. Contains a membrane protein LIKE pseudogene, a Glyceraldehyde 3-phosphate dehydrogenase (GAPDH) LIKE pseudogene, five predicted tRNA genes. Contains ESTs, GSSs (BAC end sequences) and a CA repeat polymorphism, complete sequence.//0.88:366:56//AL021368

R-NT2RP3000759//HS_2055_A2_D09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2055 Col=18 Row=G, genomic survey sequence.//0.45:251:60//AQ234828

R-NT2RP3000815//Homo sapiens chromosome 17, clone hRPK.209_J_20, complete sequence.//2.0e-20:293:72//AC005822

R-NT2RP3000825//Plasmodium falciparum MAL3P6, complete sequence.//0.0044:325:62//Z98551

R-NT2RP3000826//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1177I5, WORKING DRAFT SEQUENCE.//5.3e-25:375:72//AL022315

R-NT2RP3000836//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone Y214H10, WORKING DRAFT SEQUENCE.//1.3e-19:181:81//AL022344

R-NT2RP3000841//Homo sapiens, clone hRPK.1_A_1, complete sequence.//0.20:226:61//AC006196

R-NT2RP3000845//Homo sapiens chromosome 19, cosmid R33632, complete sequence.//6.8e-91:512:92//AC005781

R-NT2RP3000847//***ALU WARNING: Human Alu-Sp subfamily consensus sequence.//7.9e-38:179:86//U14572

R-NT2RP3000850//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//4.4e-48:505:76//AC005014

R-NT2RP3000852//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 97P20, WORKING DRAFT SEQUENCE.//2.9e-82:311:98//AL031297

R-NT2RP3000859

R-NT2RP3000865//Human DNA sequence from clone 23K20 on chromosome Xq25-2

6.2 Contains EST, STS, GSS, complete sequence.//1.2e-15:482:63//AL022153
R-NT2RP3000868//Fruitfly strain g20 mitochondrial DNA, A+T-rich region,
partial sequence.//0.00045:260:59//AB003097
R-NT2RP3000869//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 330012, WORKING DRAFT SEQUENCE.//0.0058:172:64//AL031731
R-NT2RP3000875//H.sapiens /Hepatitis B virus fusion mRNA for mevalonate
kinase.//1.4e-99:531:93//X75311
R-NT2RP3000901
R-NT2RP3000904//Genomic sequence for Arabidopsis thaliana BAC T7N9, comp
lete sequence.//0.32:261:57//AC000348
R-NT2RP3000917//Plasmodium falciparum MAL3P7, complete sequence.//0.0009
2:456:58//AL034559
R-NT2RP3000919
R-NT2RP3000968//H.sapiens mRNA for ribosomal protein S15a.//4.5e-24:375:
71//X84407
R-NT2RP3000980//Homo sapiens chromosome 17, clone hRPK.855_D_21, complet
e sequence.//0.36:186:62//AC006079
R-NT2RP3000994//Plasmodium falciparum 3D7 chromosome 12 PFYACB8-420 geno
mic sequence, WORKING DRAFT SEQUENCE, 14 unordered pieces.//0.00052:413:
60//AC005140
R-NT2RP3001004//Saccharomyces cerevisiae VAR1 gene, mitochondrial gene e
ncoding mitochondrial protein, 3' processing site, partial sequence.//1.
1e-07:330:64//U32857
R-NT2RP3001007//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 4-82, complete sequence.//0.045:286:61//AL010255
R-NT2RP3001055//Human DNA sequence from PAC 27K14 on chromosome Xp11.3-X
p11.4. Contains monoamine oxidase B (MAOB), ESTs and polymorphic CA repe
ats.//2.3e-56:348:91//Z95125
R-NT2RP3001057//H.sapiens HZF4 mRNA for zinc finger protein.//8.2e-84:53

1:86//X78927

R-NT2RP3001081//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from MAL1P3, WORKING DRAFT SEQUENCE.//1.1e-08:537:60//AL031746

R-NT2RP3001084

R-NT2RP3001096

R-NT2RP3001107

R-NT2RP3001109//Human Chromosome 15q26.1 PAC clone pDJ10k5 containing human DNA polymerase gamma (polg) gene, complete sequence.//7.4e-62:272:73
//AC005316

R-NT2RP3001111

R-NT2RP3001113

R-NT2RP3001115//Homo sapiens PAC clone DJ0905J08 from 7p12-p14, complete sequence.//7.2e-112:550:97//AC005189

R-NT2RP3001116//CIT-HSP-2282K23.TR CIT-HSP Homo sapiens genomic clone 2282K23, genomic survey sequence.//0.00013:160:69//AQ002011

R-NT2RP3001119//Human DNA sequence from clone 612B18 on chromosome 1q24-25.3 Contains exon from gene similar to 40S ribosomal protein, first coding exon of dynamin 2 (DYNII). ESTs, STS, GSS, CpG Island, complete sequence.//5.9e-99:497:96//AL031864

R-NT2RP3001120

R-NT2RP3001126//Plasmodium falciparum MAL3P7, complete sequence.//0.035:266:56//AL034559

R-NT2RP3001133

R-NT2RP3001140//Homo sapiens mRNA for KIAA0762 protein, partial cds.//8.1e-114:549:97//AB018305

R-NT2RP3001147//Homo sapiens chromosome 17, clone HCIT187M2, complete sequence.//0.69:198:63//AC004448

R-NT2RP3001150//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 423B22, WORKING DRAFT SEQUENCE.//2.4e-108:542:97//AL034379

R-NT2RP3001155//Homo sapiens mRNA for AND-1 protein.//2.9e-116:563:98//A
J006266

R-NT2RP3001176//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic
sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.44:227:62//AC00
4688

R-NT2RP3001214//Borrelia burgdorferi plasmid lp25, complete plasmid sequ
ence.//0.0023:381:61//AE000785

R-NT2RP3001216//RPCI11-18C15.TPC RPCI-11 Homo sapiens genomic clone RPCI
-11-18C15, genomic survey sequence.//7.0e-29:167:97//B88077

R-NT2RP3001221//Homo sapiens clone 14503, WORKING DRAFT SEQUENCE, 1 orde
red pieces.//0.020:211:63//AC005827

R-NT2RP3001232//Homo sapiens DNA sequence from PAC 124C6 on chromosome 6
q21. Contains genomic marker D6S1603, ESTs, GSSs and a STS with a CA rep
eat polymorphism, complete sequence.//2.7e-08:390:62//AL021326

R-NT2RP3001236//RPCI11-25C17.TKBR RPCI-11 Homo sapiens genomic clone RPC
I-11-25C17, genomic survey sequence.//9.5e-41:217:88//AQ014003

R-NT2RP3001239//Human microtubule-associated protein 1B (MAP1B) gene, co
mplete cds.//2.9e-21:438:63//L06237

R-NT2RP3001245//Homo sapiens DNA sequence from PAC 964D12 on chromosome
1q24-q25. Contains EST, GSS.//0.00026:439:59//AL021398

R-NT2RP3001253//HS_3002_A2_H12_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3002 Col=24 Row=0, genomic survey
sequence.//0.98:190:63//AQ251982

R-NT2RP3001260

R-NT2RP3001268//Homo sapiens clone DJ0959C21, WORKING DRAFT SEQUENCE, 2
unordered pieces.//0.012:509:57//AC004936

R-NT2RP3001272//Homo sapiens BAC clone NH0161H12 from 7p14-p15, complete
sequence.//2.2e-22:134:87//AC005589

R-NT2RP3001274//Sequence 11 from Patent W09517522.//0.0058:133:66//A4534

1

R-NT2RP3001281//Human DNA sequence from PAC 52D1 on chromosome Xq21. Contains CA repeats, STS.//4.4e-55:558:76//Z96811

R-NT2RP3001307//HS_2058_A1_C06_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=11 Row=E, genomic survey sequence.//7.2e-33:260:86//AQ305868

R-NT2RP3001318//Homo sapiens PAC clone DJ0649P17 from 7q11.23-q21, complete sequence.//0.27:210:65//AC004848

R-NT2RP3001325

R-NT2RP3001338//Rat tropoelastin gene, intron 17 (partial).//1.0:184:64//M86367

R-NT2RP3001339//Homo sapiens mRNA for KIAA0451 protein, complete cds.//1.2e-112:566:96//AB007920

R-NT2RP3001340//Homo sapiens HMG box factor SOX-13 mRNA, complete cds.//3.2e-86:450:95//AF083105

R-NT2RP3001355

R-NT2RP3001374//HS_2184_A2_G04_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2184 Col=8 Row=M, genomic survey sequence.//3.7e-10:101:84//AQ024647

R-NT2RP3001383//Plasmodium falciparum chromosome 2, section 34 of 73 of the complete sequence.//7.4e-07:279:63//AE001397

R-NT2RP3001384//Homo sapiens chromosome 19, cosmid R33907, complete sequence.//4.4e-75:382:97//AC005785

R-NT2RP3001392//HS_3078_B2_D05_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3078 Col=10 Row=H, genomic survey sequence.//1.0:164:64//AQ140587

R-NT2RP3001396//RPCI11-63N18.TJ RPCI11 Homo sapiens genomic clone R-63N18, genomic survey sequence.//0.14:242:61//AQ238544

R-NT2RP3001398//Mus musculus zinc finger protein (Zfp64) mRNA, complete

cds.//1.8e-10:193:72//U49046
 R-NT2RP3001399
 R-NT2RP3001407//Caenorhabditis elegans cosmid D1046, complete sequence./
 /0.0011:392:60//Z68160
 R-NT2RP3001420//Human BAC clone GS165I04 from 7q21, complete sequence.//
 3.7e-29:412:74//AC002379
 R-NT2RP3001426//Homo sapiens clone 24616 mRNA sequence.//1.1e-104:550:94
 //AF052158
 R-NT2RP3001427//Caenorhabditis elegans cosmid K11D5.//0.39:174:64//U5315
 2
 R-NT2RP3001428//Human nuclear pore complex-associated protein TPR (tpr)
 mRNA, complete cds.//1.4e-94:533:91//U69668
 R-NT2RP3001432//Homo sapiens DNA sequence from PAC 164C20 on chromosome
 6q16.1-22.1. Contains ESTs and GSSs (BAC end sequences), complete sequen
 ce.//2.5e-12:415:61//AL009029
 R-NT2RP3001447//Homo sapiens PAC clone DJ0828B12 from 7q11.23-q21.1, com
 plete sequence.//5.6e-36:358:77//AC004903
 R-NT2RP3001449//Homo sapiens clone 24497 mRNA sequence.//1.5e-100:499:97
 //AF070630
 R-NT2RP3001453//Homo sapiens clone DJ0852024, WORKING DRAFT SEQUENCE, 2
 unordered pieces.//4.0e-47:295:86//AC004906
 R-NT2RP3001457
 R-NT2RP3001459
 R-NT2RP3001472//Crithidia fasciculata kinetoplast apocytochrome b gRNA-m
 RNA chimera, clone:24.//0.33:150:66//D13030
 R-NT2RP3001490//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
 from contig 3-103, complete sequence.//2.3e-08:483:60//AL010208
 R-NT2RP3001495//Human oxidoreductase (HHCMA56) mRNA, complete cds.//4.4e
 -60:338:93//U13395

R-NT2RP3001497//Homo sapiens multiple membrane spanning receptor TRC8 (TRC8) mRNA, complete cds.//2.1e-110:549:97//AF064801

R-NT2RP3001527//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 1125A11, WORKING DRAFT SEQUENCE.//5.3e-32:310:78//AL034549

R-NT2RP3001529//Human Chromosome X, complete sequence.//5.5e-67:280:93//AC002420

R-NT2RP3001538

R-NT2RP3001554//Human microtubule-associated protein 1a (MAP1A) mRNA, complete cds.//7.8e-16:391:62//U38292

R-NT2RP3001580//Plasmodium falciparum 3D7 chromosome 12 PFYAC69 genomic sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.00026:456:58//AC004688

R-NT2RP3001587//Homo sapiens HRIHFB2115 mRNA, partial cds.//5.6e-08:86:88//AB015337

R-NT2RP3001589//Homo sapiens chromosome 17, clone hRPK.1096_G_20, complete sequence.//0.066:360:60//AC005410

R-NT2RP3001607//CIT-HSP-2010M8.TR CIT-HSP Homo sapiens genomic clone 2010M8, genomic survey sequence.//0.041:194:67//B53490

R-NT2RP3001608//Human DNA sequence from PAC 296K21 on chromosome X contains cytochrome c oxidase subunit I, delta-aminolevulinic acid synthase (erythroid); 5-aminolevulinic acid synthase (EC 2.3.1.37). 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (EC 2.7.1.105, EC 3.1.3.46), ESTs and STS.//0.69:151:64//Z83821

R-NT2RP3001621//Human DNA sequence from clone 24018 on chromosome 6p21.31-22.2 Contains zinc finger protein pseudogene, VNO-type olfactory receptor pseudogene, nuclear envelope pore membrane protein, EST, STS, GSS, complete sequence.//1.4e-46:354:83//AL021808

R-NT2RP3001629//H.sapiens simple DNA sequence region clone wgl10.//0.99:137:63//X76572

R-NT2RP3001634//Homo sapiens TRIAD1 type I mRNA, complete cds.//8.5e-108
:541:96//AF099149

R-NT2RP3001642

R-NT2RP3001646//HS_3218_A2_A01_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3218 Col=2 Row=A, genomic survey sequence.//2.6e-32:215:91//AQ303003

R-NT2RP3001671//Plasmodium falciparum DNA *** SEQUENCING IN PROGRESS ***
from contig 3-88, complete sequence.//0.018:262:61//AL010157

R-NT2RP3001672

R-NT2RP3001676//Homo sapiens cosmid Q95D4, chromosome 21 5' of IFNAR2.//
2.1e-48:413:77//AF039905

R-NT2RP3001678//RPC111-50C17.TK RPC111 Homo sapiens genomic clone R-50C1
7, genomic survey sequence.//0.15:232:62//AQ116359

R-NT2RP3001679//Homo sapiens genomic DNA of 8p21.3-p22 anti-oncogene of
hepatocellular colorectal and non-small cell lung cancer , segment 3/11.
//7.8e-104:549:95//AB020860

R-NT2RP3001688//Homo sapiens PAC clone DJ1048B16 from 7q34-q36, complete
sequence.//6.6e-41:291:86//AC006019

R-NT2RP3001690//Plasmodium falciparum chromosome 2, section 52 of 73 of
the complete sequence.//3.1e-07:433:59//AE001415

R-NT2RP3001708//Homo sapiens allele 14 fragile site locus (FRA10B) minis
atellite sequence.//6.0e-06:237:64//AF053523

R-NT2RP3001712//CITBI-E1-2516N9.TF CITBI-E1 Homo sapiens genomic clone 2
516N9, genomic survey sequence.//1.5e-95:456:99//AQ279562

R-NT2RP3001716//Homo sapiens chromosome Y, clone 264,M,20, complete sequ
ence.//0.0012:346:58//AC004617

R-NT2RP3001724//Human HepG2 3' region MboI cDNA, clone hmd6a06m3.//1.3e-
27:163:95//D17273

R-NT2RP3001730//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 111B22, WORKING DRAFT SEQUENCE.//7.6e-43:409:76//Z98200
R-NT2RP3001739
R-NT2RP3001752//Human clone 23774 mRNA sequence.//1.9e-08:104:84//U79279
R-NT2RP3001753//CIT-HSP-2379P21.TF CIT-HSP Homo sapiens genomic clone 23
79P21, genomic survey sequence.//8.8e-06:102:78//AQ113378
R-NT2RP3001764
R-NT2RP3001777//Human mRNA for heparan sulfate proteoglycan (glypican)./
/0.99:166:66//X54232
R-NT2RP3001782//Homo sapiens mRNA for KIAA0459 protein, partial cds.//1.
3e-111:549:97//AB007928
R-NT2RP3001792//Mus musculus myelin gene expression factor (MEF-2) mRNA,
partial cds.//1.6e-32:266:83//U13262
R-NT2RP3001799//H.sapiens mRNA for OX40 homologue.//8.5e-44:374:79//X759
62
R-NT2RP3001819
R-NT2RP3001844//Caenorhabditis elegans cosmid C54G7.//0.0042:231:63//U40
410
R-NT2RP3001854//Plasmodium falciparum strain Dd2 heat shock protein 86 (
HSP86), O1 (o1), O3 (o3), O2 (o2), CG8 (cg8), CG4 (cg4), CG3 (cg3), CG9
(cg9), CG1 (cg1), CG6 (cg6), chloroquine resistance candidate protein (c
g2), and CG7 (cg7) genes, complete cds.//1.0:404:59//AF030694
R-NT2RP3001855
R-NT2RP3001896//CIT978SK-A-636F10.TV CIT978SK Homo sapiens genomic clone
A-636F10, genomic survey sequence.//0.0012:68:82//AQ116409
R-NT2RP3001898//Homo sapiens Chromosome 11p15.5 PAC clone pDJ754h15 conta
ining cdk-inhibitor p57/KIP2 (CDKN1C) gene, complete sequence.//0.37:266
:65//AC005950
R-NT2RP3001915//Human BAC clone RG367017 from 7p15-p21, complete sequenc
e.//0.018:144:66//AC002486

R-NT2RP3001926//Human polyadenylate binding protein (TIA-1) mRNA, complete cds.//2.4e-10:77:100//M77142

R-NT2RP3001929

R-NT2RP3001931//Homo sapiens full length insert cDNA clone YU73B11.//1.0e-110:562:96//AF087969

R-NT2RP3001938//Human DNA sequence from PAC 447B16 on chromosome Xq13.1-Xq13.3.//0.38:386:56//Z95328

R-NT2RP3001943//Homo sapiens chromosome 5, P1 clone 1076B9 (LBNL H14), complete sequence.//0.87:298:61//AC004500

R-NT2RP3001944//Bos taurus clone CSSM056 satellite DNA sequence.//0.0095:76:78//U03836

R-NT2RP3001969//Homo sapiens chromosome 12p13.3 clone RPC111-350L7, WORKING DRAFT SEQUENCE, 72 unordered pieces.//7.0e-109:552:96//AC005844

R-NT2RP3001989//Caenorhabditis elegans cosmid C01A2, complete sequence.//0.15:111:68//Z81029

R-NT2RP3002002//Plasmodium falciparum 14-3-3 protein gene, partial cds.//0.016:286:60//AF065987

R-NT2RP3002004//H.sapiens mRNA for FAST kinase.//5.1e-41:335:82//X86779

R-NT2RP3002007

R-NT2RP3002014//Human DNA sequence from clone 228A9 on chromosome 22q12.3-13.32 Contains 85 KDA CALCIUM-INDEPENDENT PHOSPHOLIPASE A2, EST, GSS, CpG island, complete sequence.//6.6e-41:297:86//AL022322

R-NT2RP3002033

R-NT2RP3002045//Drosophila melanogaster fat protein (fat) gene, complete cds.//0.77:320:60//M80537

R-NT2RP3002054//Caenorhabditis elegans cosmid Y69H2, complete sequence.//0.82:362:57//Z98877

R-NT2RP3002056//F.rubripes GSS sequence, clone 020E22bF7, genomic survey sequence.//0.010:185:63//Z87006

R-NT2RP3002057

R-NT2RP3002062//Human BAC clone RG356F09 from 7p21, complete sequence.//
1.7e-17:164:81//AC004002

R-NT2RP3002063

R-NT2RP3002081//HS_3082_A1_G09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3082 Col=17 Row=M, genomic survey sequence.//4.2e-25:344:73//AQ122260

R-NT2RP3002097//Homo sapiens Xp22-150 BAC GSHB-309P15 (Genome Systems Human BAC Library) complete sequence.//2.6e-23:212:80//AC006210

R-NT2RP3002102//Homo sapiens BAC clone RG290G13 from 7q21, complete sequence.//0.43:168:64//AC004746

R-NT2RP3002108//CIT-HSP-2346P16.TF CIT-HSP Homo sapiens genomic clone 2346P16, genomic survey sequence.//3.5e-08:110:78//AQ059071

R-NT2RP3002146//Streptococcus gordonii competence factor (comC) and histidine protein kinase (comD) genes, complete cds, and response regulator (comE) gene, partial cds.//0.11:534:55//U80077

R-NT2RP3002147//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 329F2, WORKING DRAFT SEQUENCE.//4.1e-108:551:96//AL031710

R-NT2RP3002151//Mus musculus mRNA for Guanine Nucleotide Regulatory Protein, complete cds.//6.8e-62:347:80//AB003503

R-NT2RP3002163//Anolis pulchellus vitellogenin mRNA, partial cds.//0.77:281:63//U46857

R-NT2RP3002165

R-NT2RP3002166//D.sargus satellite DNA (clone PSE3).//0.81:124:62//Z4871
1

R-NT2RP3002173

R-NT2RP3002181//HS-1042-A2-F01-MR.abi CIT Human Genomic Sperm Library C Homo sapiens genomic clone Plate=CT 824 Col=2 Row=K, genomic survey sequence.//1.3e-35:305:81//B36980

R-NT2RP3002244//*Caenorhabditis elegans* cosmid R11E3.//0.0024:393:61//AF1
00669

R-NT2RP3002248//Human DNA sequence from PAC 170A21 on chromosome 22q12-q
ter contains ESTs.//0.30:217:63//Z82189

R-NT2RP3002255

R-NT2RP3002273//Homo sapiens BAC clone 393I22 from 8q21, complete sequen
ce.//0.84:463:57//AF070717

R-NT2RP3002276//HS_2260_A1_MF_E07 CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2260 Col=13 Row=I, genomic survey
sequence.//0.0017:198:63//AQ292491

R-NT2RP3002303//Human HMG-17 gene for non-histone chromosomal protein HM
G-17.//7.4e-93:510:93//X13546

R-NT2RP3002304//Human BAC clone GS188P18, complete sequence.//6.3e-09:47
7:59//AC000115

R-NT2RP3002330//*Plasmodium falciparum* 3D7 chromosome 12 PFYAC69 genomic
sequence, WORKING DRAFT SEQUENCE, 4 unordered pieces.//0.087:388:58//ACO
04688

R-NT2RP3002343

R-NT2RP3002351//Homo sapiens chromosome Y, clone 264,M,20, complete sequ
ence.//0.20:489:56//AC004617

R-NT2RP3002352//Homo sapiens mRNA for protein encoded by cxorf5 (71-7A)
gene.//2.4e-104:516:94//Y15164

R-NT2RP3002455//Homo sapiens mRNA for KIAA0678 protein, partial cds.//4.
7e-102:524:95//AB014578

R-NT2RP3002484

R-NT2RP3002501//Human DNA sequence from PAC 92M18, BRCA2 gene region chr
omosome 13q12-13 contains BRCA2 exons 25, 26 and 27 ESTs and STS.//5.2e-
17:232:75//Z73359

R-NT2RP3002512

R-NT2RP3002529//CIT-HSP-2340H2.TR CIT-HSP Homo sapiens genomic clone 234
OH2, genomic survey sequence.//0.81:266:58//AQ057387

R-NT2RP3002545//Homo sapiens mRNA for KIAA0729 protein, partial cds.//3.
3e-82:438:94//AB018272

R-NT2RP3002549//Medicago truncatula ENBP1 gene, exons 1 to 12.//0.95:381
:56//AJ002479

R-NT2RP3002566//HS_2036_A1_D08_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=2036 Col=15 Row=G, genomic survey
sequence.//0.18:162:64//AQ230627

R-NT2RP3002587//Homo sapiens clone DJ1090E20, WORKING DRAFT SEQUENCE, 4
unordered pieces.//5.1e-15:213:73//AC004956

R-NT2RP3002590//Arabidopsis thaliana genomic DNA, chromosome 5, P1 clone
: MXK3, complete sequence.//0.00010:431:59//AB019236

R-NT2RP3002602//Mus musculus stannin gene, complete cds.//1.6e-20:339:70
//AF030522

R-NT2RP3002603

R-NT2RP3002631//Homo sapiens chromosome 21 PAC RPCIP704A9190Q2.//1.0:241
:59//AJ006997

R-NT2RP3002659//Rat sodium-hydrogen exchange protein-isoform 3 (NHE-3) m
RNA, complete cds.//6.8e-24:331:76//M85300

R-NT2RP3002660//H.sapiens partial gene for progesterone receptor and Alu
element DNA.//9.8e-43:273:82//Z49816

R-NT2RP3002663//Lymnaea stagnalis 16S ribosomal RNA gene, mitochondrial
gene encoding ribosomal RNA, partial sequence.//0.60:300:59//U82072

R-NT2RP3002671//S.pombe chromosome III cosmid c553.//1.2e-20:399:66//AL0
23704

R-NT2RP3002682//RPCI11-44K6.TJ RPCI11 Homo sapiens genomic clone R-44K6,
genomic survey sequence.//4.7e-09:122:77//AQ202481

R-NT2RP3002687//P.falciparum complete gene map of plastid-like DNA (IR-B

).//1.1e-07:494:59//X95276
 R-NT2RP3002688//Human 7SL RNA sequence.//2.7e-32:290:79//X01037
 R-NT2RP3002701
 R-NT2RP3002713//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 167A19, WORKING DRAFT SEQUENCE.//0.95:334:59//AL031427
 R-NT2RP3002763//***ALU WARNING: Human Alu-J subfamily consensus sequence
 .//3.9e-40:288:85//U14567
 R-NT2RP3002770//R.prowazekii genomic DNA fragment (clone A615F).//0.21:1
 74:63//Z82710
 R-NT2RP3002785//Homo sapiens PAC clone DJ0170D19 from Xq23, complete seq
 uence.//0.78:354:59//AC004822
 R-NT2RP3002799//Homo sapiens X-linked anhidrotic ectodermal dysplasia p
 rotein gene (EDA), exon 2 and flanking repeat regions.//1.1e-20:161:77//
 AF003528
 R-NT2RP3002810//Caenorhabditis elegans cosmid F10D2.//0.28:441:56//AF022
 972
 R-NT2RP3002818//HS_3053_A2_A08_MR CIT Approved Human Genomic Sperm Libra
 ry D Homo sapiens genomic clone Plate=3053 Col=16 Row=A, genomic survey
 sequence.//0.19:220:60//AQ135025
 R-NT2RP3002861//P.falciparum complete gene map of plastid-like DNA (IR-B
).//9.3e-05:414:60//X95276
 R-NT2RP3002869//Homo sapiens chromosome 19, cosmid F21967, complete sequ
 ence.//0.14:165:64//AC005256
 R-NT2RP3002876//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
 lone 50024, WORKING DRAFT SEQUENCE.//2.6e-59:311:96//AL034380
 R-NT2RP3002877//Homo sapiens Xp22 bins 87-93 PAC RPC11-122K4 (Roswell Pa
 rk Cancer Institute Human PAC Library) complete sequence.//4.6e-24:422:6
 3//AC003035
 R-NT2RP3002909//Homo sapiens mRNA for KIAA0771 protein, partial cds.//4.

7e-109:570:95//AB018314

R-NT2RP3002911//Homo sapiens BAC clone GS166A23 from 7p21, complete sequence.//3.1e-16:471:64//AC005014

R-NT2RP3002948//, complete sequence.//4.5e-94:516:93//AC005500

R-NT2RP3002953//Homo sapiens chromosome 5, BAC clone 34j15 (LBNL H169), complete sequence.//3.4e-111:566:96//AC005754

R-NT2RP3002955//Plasmodium falciparum chromosome 2, section 28 of 73 of the complete sequence.//0.19:424:58//AE001391

R-NT2RP3002969//Rat mRNA for brain acyl-CoA synthetase II, complete cds.//1.1e-89:562:88//D30666

R-NT2RP3002972//Stealth virus 5 clone C1311 T7 genomic sequence.//1.0:122:67//AF067482

R-NT2RP3002978//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 455J7, WORKING DRAFT SEQUENCE.//4.8e-05:249:63//AL031733

R-NT2RP3002988//Human DNA sequence from PAC 106H8 on chromosome 1q24. Contains PHOSPHATIDYLINOSITOL-GLYCAN class C (PIG-C) and DYNAMIN-3 genes. Contains ESTs and STSs and a CpG island.//0.0097:246:67//Z97195

R-NT2RP3003008//Mus musculus major histocompatibility locus class III regions Hsc70t gene, partial cds; smRNP, G7A, NG23, Muts homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes.//1.9e-24:188:78//AF109905

R-NT2RP3003032//Arabidopsis thaliana (clone DW1) DNA retrotransposon Tal1-1 integration site.//5.3e-07:376:63//L47211

R-NT2RP3003059//Homo sapiens chromosome 3, clone hRPK.165_I_16, complete sequence.//1.4e-13:323:66//AC005669

R-NT2RP3003061//Homo sapiens mRNA from HIV associated non-Hodgkin's lymphoma (clone h11-10).//3.8e-42:265:91//Y16708

R-NT2RP3003068//HS_3214_B2_G09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3214 Col=18 Row=N, genomic survey

sequence.//0.025:207:64//AQ181894

R-NT2RP3003071//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 510D11, WORKING DRAFT SEQUENCE.//0.00014:329:60//Z98044

R-NT2RP3003078//T26A1TF TAMU Arabidopsis thaliana genomic clone T26A1, genomic survey sequence.//0.95:219:63//B27013

R-NT2RP3003101//Plasmodium falciparum 3D7 chromosome 12 PFYAC812 genomic sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//1.4e-05:285:62//AC004153

R-NT2RP3003121//Homo sapiens full length insert cDNA clone ZD62D10.//2.1e-47:242:98//AF086348

R-NT2RP3003133//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 228H13, WORKING DRAFT SEQUENCE.//1.4e-21:199:75//AL031985

R-NT2RP3003138//Mouse kif4 mRNA for microtubule-based motor protein KIF4, complete cds.//5.1e-14:287:68//D12646

R-NT2RP3003139//Rattus norvegicus kappa opioid receptor gene, exon 4 and complete cds.//1.5e-13:122:80//U17995

R-NT2RP3003150

R-NT2RP3003157//Homo sapiens 12q15 BAC GSHB-410F4 (Genome Systems Human Bac Library) complete sequence.//5.5e-42:289:74//AC005294

R-NT2RP3003185//HS_2058_A1_H03_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2058 Col=5 Row=0, genomic survey sequence.//0.025:52:94//AQ231298

R-NT2RP3003193//Homo sapiens chromosome 17, clone hRPK.628_E_12, complete sequence.//4.8e-40:349:79//AC005701

R-NT2RP3003197//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 364I1, WORKING DRAFT SEQUENCE.//5.2e-10:180:71//AL031319

R-NT2RP3003203//Mus musculus IFN alpha-treated embryonic fibroblast mRNA.//1.8e-11:148:77//U51904

R-NT2RP3003204//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c

lone 892F13, WORKING DRAFT SEQUENCE.//6.6e-41:282:86//AL009183
R-NT2RP3003212//Homo sapiens full length insert cDNA clone ZB91B11.//1.7
e-68:363:95//AF086173.
R-NT2RP3003230//Caenorhabditis elegans cosmid T12B5.//0.0018:279:64//AF1
00307
R-NT2RP3003242//Homo sapiens chromosome 7 clone UWGC:g3586a160 from 7p14
-15, complete sequence.//1.0:346:57//AC005272
R-NT2RP3003251//Homo sapiens BAC clone RG060N22 from 7q21, complete sequ
ence.//2.5e-10:436:62//AC003083
R-NT2RP3003264//CIT-HSP-2296M7.TR CIT-HSP Homo sapiens genomic clone 229
6M7, genomic survey sequence.//5.8e-05:308:61//AQ005862
R-NT2RP3003278//Human HepG2 partial cDNA, clone hmd3b11m5.//9.4e-47:302:
89//D17022
R-NT2RP3003282//Homo sapiens dynamin (DNM) mRNA, complete cds.//7.4e-101
:550:93//L36983
R-NT2RP3003290//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 460J8, WORKING DRAFT SEQUENCE.//3.0e-22:228:78//AL031662
R-NT2RP3003301
R-NT2RP3003302//CIT-HSP-2319H19.TF CIT-HSP Homo sapiens genomic clone 23
19H19, genomic survey sequence.//1.5e-69:367:95//AQ034950
R-NT2RP3003311//Plasmodium falciparum 3D7 chromosome 12 PFYAC181 genomic
sequence, WORKING DRAFT SEQUENCE, 8 unordered pieces.//5.1e-08:398:64//
AC005505
R-NT2RP3003313//Caenorhabditis elegans cosmid F39B1, complete sequence./
/0.00022:436:58//Z69660
R-NT2RP3003327//Homo sapiens Chromosome 16 BAC clone CIT987-SKA-237H1 -
complete genomic sequence, complete sequence.//1.5e-16:334:70//AC002287
R-NT2RP3003330//Homo sapiens full length insert cDNA YI24C02.//4.4e-96:4
58:99//AF075015

R-NT2RP3003344//HS_3235_B2_H09_T7 CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3235 Col=18 Row=P, genomic survey sequence.//4.1e-18:197:80//AQ303203

R-NT2RP3003346

R-NT2RP3003353//CITBI-E1-2523B18.TR CITBI-E1 Homo sapiens genomic clone 2523B18, genomic survey sequence.//8.3e-06:130:73//AQ278834

R-NT2RP3003377//Homo sapiens clone DJ0919J22, WORKING DRAFT SEQUENCE, 34 unordered pieces.//1.9e-97:481:94//AC005519

R-NT2RP3003384//Homo sapiens clone DJ0038I10, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.3e-10:226:71//AC004820

R-NT2RP3003385

R-NT2RP3003403//Human DNA sequence from clone 227L5 on chromosome Xp11.2 2-11.3. Contains a Keratin, Type 1 Cytoskeletal 18 (KRT18, CYK18, K18, C K18) pseudogene and an STS, complete sequence.//2.8e-40:496:72//AL031585

R-NT2RP3003409//Rat POU domain factor (Brn-5) mRNA.//1.5e-20:375:68//L23 204

R-NT2RP3003411//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 438L4, WORKING DRAFT SEQUENCE.//1.0:180:61//Z97635

R-NT2RP3003427//RPCI11-45J23.TJ RPCI11 Homo sapiens genomic clone R-45J2 3, genomic survey sequence.//0.82:162:69//AQ195566

R-NT2RP3003433//Homo sapiens BAC clone NH0044G14 from 7q11.23-21.1, complete sequence.//1.1e-10:379:61//AC006031

R-NT2RP3003464//Homo sapiens rab3-GAP regulatory domain mRNA, complete cds.//1.1e-95:479:96//AF004828

R-NT2RP3003490//Homo sapiens mRNA for KIAA0725 protein, partial cds.//1.3e-100:527:93//AB018268

R-NT2RP3003491//Plasmodium falciparum chromosome 2, section 35 of 73 of the complete sequence.//4.0e-08:495:59//AE001398

R-NT2RP3003500//W.suaveolens mitochondrial ATP9 gene.//0.0074:514:59//X7

7238

R-NT2RP3003543//Human clone A9A2BRB7 (CAC)_n/(GTG)_n repeat-containing mRNA.
A.//1.3e-31:217:88//U00952

R-NT2RP3003552

R-NT2RP3003555//Dictyostelium discoideum interaptin (abpD) gene, complete cds.//0.98:321:61//AF057019

R-NT2RP3003564

R-NT2RP3003572//Human DNA sequence from BAC 992D9 on chromosome 22q12.1 contains STS.//0.0015:507:59//AL008638

R-NT2RP3003576//Human Chromosome 16 BAC clone CIT987SK-A-61E3, complete sequence.//1.2e-39:359:79//AC003007

R-NT2RP3003589//Plasmodium falciparum MAL3P8, complete sequence.//0.014:539:58//AL034560

R-NT2RP3003625//Human DNA sequence from clone 1042K10 on chromosome 22q13.1-13.2. Contains the ADSL gene for Adenylosuccinate lyase (EC 4.3.2.2, Adenylosuccinase, ASL) and 4 novel genes (one with probable rabGAP domains and Src homology domain 3). Contains ESTs, STSs, GSSs and a putative CpG island, complete sequence.//1.8e-44:448:77//AL022238

R-NT2RP3003656//Homo sapiens chromosome 17, clone hRPK.401_0_9, complete sequence.//0.34:257:62//AC005291

R-NT2RP3003659//O. fuscipennis 16S rRNA gene, partial.//0.021:145:65//Z93701

R-NT2RP3003665//HS_3078_B2_C09_MR CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=3078 Col=18 Row=F, genomic survey sequence.//1.3e-75:397:95//AQ140580

R-NT2RP3003672

R-NT2RP3003686

R-NT2RP3003701//Human BAC clone GS310A05 from 7q21-q22, complete sequence.//6.4e-17:464:62//AC002452

R-NT2RP3003716//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 774G10, WORKING DRAFT SEQUENCE.//0.00072:425:62//AL034410

R-NT2RP3003726//Homo sapiens mRNA for KIAA0757 protein, complete cds.//1.7e-101:492:97//AB018300

R-NT2RP3003746//Homo sapiens Chromosome 16 BAC clone CIT987-SK502C10, complete sequence.//3.7e-07:217:66//AC003009

R-NT2RP3003795//Human DNA sequence from clone 505B13 on chromosome 1p36.2-36.3 Contains CA repeat and GSSs, complete sequence.//8.1e-26:456:68//Z98052

R-NT2RP3003799//cSRL-138g10-u cSRL flow sorted Chromosome 11 specific cosmid Homo sapiens genomic clone cSRL-138g10, genomic survey sequence.//4.9e-09:117:77//B01736

R-NT2RP3003800//Homo sapiens tyrosine kinase pp60c-src (SRC) gene, exon 12 and partial cds.//2.8e-106:551:95//AF077754

R-NT2RP3003805

R-NT2RP3003809//Homo sapiens full length insert cDNA clone YZ95A01.//3.6e-106:533:97//AF086107

R-NT2RP3003819//Human DNA sequence *** SEQUENCING IN PROGRESS *** from clone 34606, WORKING DRAFT SEQUENCE.//6.0e-44:288:81//Z84487

R-NT2RP3003825//Mus domesticus interleukin 1 receptor antagonist (IL-1RA) mRNA.//0.0014:410:58//M64404

R-NT2RP3003828

R-NT2RP3003831//***ALU WARNING: Human Alu-J subfamily consensus sequence.//2.3e-41:289:85//U14567

R-NT2RP3003833//Homo sapiens clones.24718 and 24825 mRNA sequence.//1.6e-108:541:97//AF070611

R-NT2RP3003842//Homo sapiens Xp22 BAC 620F15 (Genome Systems BAC library) complete sequence.//1.5e-46:457:74//AC002980

R-NT2RP3003846//Plasmodium falciparum MAL3P3, complete sequence.//3.5e-0

6:356:62//Z98547

R-NT2RP3003870//Homo sapiens full length insert cDNA clone ZD75H11.//8.2
e-09:68:98//AF086402

R-NT2RP3003876//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 1018D12, WORKING DRAFT SEQUENCE.//0.0027:180:66//AL031650

R-NT2RP3003914//Dictyostelium discoideum DNA for transposable element Td
d-3 tandem array.//0.029:234:62//X53439

R-NT2RP3003918

R-NT2RP3003932//Mus musculus MRC OX-2 antigen homolog gene, exons 2-5, a
nd complete cds.//0.00087:164:67//AF029215

R-NT2RP3003989

R-NT2RP3003992//Sequence 1 from patent US 5591825.//0.56:235:59//133465

R-NT2RP3004013//HS_3018_A1_G09_MR CIT Approved Human Genomic Sperm Libra
ry D Homo sapiens genomic clone Plate=3018 Col=17 Row=M, genomic survey
sequence.//0.00026:421:60//AQ119904

R-NT2RP3004016//Drosophila melanogaster DNA sequence (Pls DS03465 (D149)
and DS08544 (D187)), complete sequence.//4.8e-12:308:62//AC004532

R-NT2RP3004041//Human DNA sequence *** SEQUENCING IN PROGRESS *** from c
lone 598F2, WORKING DRAFT SEQUENCE.//0.42:190:64//AL021579

R-NT2RP3004051//Homo sapiens chromosome 19, BAC CIT-B-191n6, complete se
quence.//3.6e-21:332:69//AC006130

R-NT2RP3004070//Plasmodium falciparum 3D7 chromosome 12 PFYAC492 genomic
sequence, WORKING DRAFT SEQUENCE, 5 unordered pieces.//2.0e-05:476:57//
AC005308

R-NT2RP3004078//Homo sapiens chromosome 19, cosmid R30335, complete sequ
ence.//2.0e-86:486:93//AC005784

R-NT2RP3004093//Human PAC clone 257C22A from 13q12-q13, complete sequenc
e.//5.3e-11:230:69//AC002525

R-NT2RP3004095//Homo sapiens clone NH0486I22, WORKING DRAFT SEQUENCE, 5

unordered pieces.//7.5e-93:551:92//AC005038

R-NT2RP3004110//Homo sapiens 12p13.3 PAC RPCI5-940J5 (Roswell Park Cancer Institute Human PAC Library) complete sequence.//1.6e-104:317:100//AC006064

R-NT2RP3004125//Pongo pygmaeus CT microsatellite, clone #3, from the tandemly repeated genes encoding U2 small nuclear RNA (RNU2 locus).//0.73:168:60//U36532

R-NT2RP3004145//Homo sapiens full length insert cDNA clone ZE09H03.//2.3e-89:427:99//AF086542

R-NT2RP3004148//Arabidopsis thaliana chromosome II BAC T1B8 genomic sequence, complete sequence.//0.013:134:70//U78721

R-NT2RP3004155//Homo sapiens PAC clone DJ0320J15 from Xq23, complete sequence.//3.8e-10:101:87//AC004081

R-NT2RP3004206//Homo sapiens clone DJ0794K21, complete sequence.//1.5e-06:442:57//AC005533

R-NT2RP3004207//Mouse mRNA for seizure-related gene product 6.//1.7e-07:220:69//D29763

R-NT2RP3004209//Human cosmid Q7A10 (D21S246) insert DNA, complete sequence.//7.3e-89:504:92//D42052

R-NT2RP3004215//Caenorhabditis elegans cosmid F11A6, complete sequence.//0.018:353:59//Z81498

R-NT2RP3004242//Plasmodium falciparum chromosome 2, section 52 of 73 of the complete sequence.//4.5e-06:407:60//AE001415

R-NT2RP3004246//Homo sapiens chromosome 10 clone CIT987SK-1010K1 map 10q25, complete sequence.//2.8e-105:534:97//AC005385

R-NT2RP3004253//RPCI11-78J12.TJ RPCI11 Homo sapiens genomic clone R-78J12, genomic survey sequence.//4.0e-64:382:90//AQ281324

R-NT2RP3004258//Rattus norvegicus Zis mRNA, complete cds.//7.0e-60:417:84//AF013967